

---

## Index

- Adiabatic efficiency
  - Turbine, 16
- Applications
  - Liquefaction of gases, 2
  - Refrigerators, 2
- Claude liquefaction process, 45
- Coefficient of performance, 5, 73
- Collins liquefaction process, 46
- Compressor
  - Exergy efficiency, 13
  - Exergy loss, 12, 13
  - Graphical symbol, 12, 13
  - Input exergy, 13
- Cooling of gases
  - Ideal process, 6
  - Linde gas cooler, 81
  - Mixed refrigerant processes, 81, 222
- Dual mixed refrigerant LNG processes, 189
- Exergy, 8
  - Fluid stream of, 10
  - Heat engine, 9
  - Refrigerator, 9
- Exergy efficiency, 10, 13, 16, 26, 27
  - Compressor, 13
  - Compressor and aftercooler, 26
  - Control volume, of, 14
  - Definition, 13
  - DMR-1 LNG process, 193, 196
  - DMR-2 LNG process, 193, 196
  - Dual expander LNG process, 216
  - Gas cooler or liquefier, 13, 82
  - Generic liquefier, 26
  - Heat engine, 13
  - Kapitza liquefaction process, 40
  - Kapitza nitrogen liquefier, 43
  - Kleemenko LN2 liquefier, 242
  - Kleemenko LN2 liquefier with flash gas recycle, 246
  - Kleemenko LNG process, 207
  - Linde gas cooler, 15, 82
  - Linde–Hampson liquefaction process, 26, 37, 38
  - Linde–Hampson nitrogen liquefier, 36
  - Linde–Hampson refrigerator, 72, 73
  - Liquefier, 26
  - Liquefier cold box, 26
  - LNG process with a phase separator, 174, 177
  - Maximization, 135
  - Mixed refrigerant Linde gas cooler, 223
  - Mixed refrigerant precooled Linde–Hampson liquefier, 232
  - Precooled Kapitza liquefier, 237
  - Precooled Linde–Hampson refrigerator, 115
  - Precooled LNG process, 144, 165
  - Precooled LNG process with a phase separator, 180, 184
  - Process with out any work interaction, 14
  - Propane precooled LNG process, 186
  - Refrigerator, 13, 72, 93
    - Effect of discharge pressure, 99
  - Reverse Brayton LNG process, 212, 213
  - Single-stage LNG process, 159, 162

- Single-stage process for the liquefaction of pure fluids, 229
- Solvay liquefaction process, 37, 38
- Turbine, 13
- Exergy loss, 10–13, 15
  - Compressor, 12, 13
  - Condenser or aftercooler, 12
  - Evaporator, 12
  - Expander, 12
  - Gas cooler or liquefier, 13
  - Heat engine, 13
  - Heat exchanger, 12
  - Heat transfer, 39, 74
  - Linde gas cooler, 15
  - Linde–Hampson liquefier, 27
  - Phase separator, 12
  - Refrigerator, 13
  - Stream mixer, 12
  - Stream splitter, 12
  - Throttle valve, 12
  - Turbine, 13
- Exergy utilization
  - Cascade liquefaction process operating with refrigerant mixtures, 209
  - DMR-1 LNG process, 195, 197
  - DMR-2 LNG process, 195, 196
  - Dual expander LNG process, 217
  - Dual pressure single-stage LNG process, 177
  - Kapitza nitrogen liquefier, 41
  - Kleemenko LN<sub>2</sub> liquefier, 244
  - Kleemenko LN<sub>2</sub> liquefier with flash gas recycle, 246
  - Kleemenko LNG process, 203
  - Linde argon gas cooler, 82
  - Linde–Hampson nitrogen liquefier, 27
  - Linde–Hampson refrigerator operating in GRS mode, 94, 107
  - Linde–Hampson refrigerator operating in LRS mode, 101
  - LNG process with a phase separator, 174
  - MFC LNG process, 209
  - Mixed refrigerant precooled Linde–Hampson liquefier, 232
  - MRC refrigerator with phase separator, 123
  - Precooled Linde–Hampson refrigerator, 115
  - Precooled LNG process with a phase separator, 180
  - Precooled single-stage LNG process, 167
  - Propane precooled LNG process, 186
  - Reverse Brayton LNG process, 214
  - Single-stage LNG process, 159
- Expander
  - Exergy loss, 12
  - Graphical symbol, 12
- Gas cooler
  - Exergy efficiency, 13
  - Exergy loss, 13
  - Graphical symbol, 13
  - Input exergy, 13
- Gas cooling
  - Ideal process, 6
  - Linde gas cooler, 222
- Gas refrigerant supply (GRS), 90, 91, 94, 106, 136, 140, 142
- Graphical symbols, 12
- Heat engine, 3, 9
  - Exergy efficiency, 13
  - Exergy loss, 13
  - Graphical symbol, 13
  - Input exergy, 13
- Heat exchangers
  - Aftercooler, 12
  - Condenser, 12
  - Effect of pressure drop, 98
  - Effectiveness, 32
    - Linde–Hampson liquefier, 33
  - Evaporator, 12
  - Exergy loss, 12
  - Graphical symbol, 12
  - Linde–Hampson nitrogen liquefier temperature profiles, 31
  - Minimum effectiveness, 34
  - Pinch points, 46, 59
  - Simulation, 59
  - Temperature profiles, 28
    - Kapitza nitrogen liquefier, 46
- Ideal gas cooling process, 6
  - Minimum power required, 6
  - Minimum work, 6
- Ideal gas liquefaction process, 7
  - Minimum work, 6

- Precooled, 17
- Ideal processes
  - Claude, 45
  - Collins, 46
  - Constant temperature refrigeration process, 4
  - Gas cooling, 6
  - Kapitza, 40
  - Linde–Hampson, 19
  - Liquefaction, 6
  - Precooled liquefaction, 17
  - Refrigeration and liquefaction processes, 4
  - Reverse Brayton gas cooler, 4
  - Solvay, 17
  - Variable temperature refrigeration process, 6
- Ideal refrigeration processes, 4
  - Minimum power required, 5
- Inversion temperature, 23
  - Maximum, 24
- Joule–Thomson coefficient, 23, 67
  - Helium, 24
  - Variation with pressure and temperature, 24
- Kapitza liquefaction process, 39
  - Exergy efficiency, 40, 43
  - Liquid yield, 40, 43
  - Open cycle, 55
  - Optimization, 62
  - Pinch point, 46
  - Simulation, 55
- Kleemenko process
  - Liquefaction of natural gas, 199
  - Liquefaction of nitrogen, 241
- Linde gas-cooling process, 15, 81
- Linde–Hampson liquefaction process, 18
  - Exergy efficiency, 26, 36
  - Exergy losses, 27
  - Liquid yield, 20, 33, 34, 37
    - Effect of heat exchanger effectiveness, 33
    - Maximum, 21
    - Minimum heat exchanger effectiveness, 34, 35
    - Open cycle, 14, 53
  - Precooled, 24
  - Simulation, 52
  - Tear stream, 53
- Linde–Hampson refrigeration process, 18, 94, 98, 99, 101, 106, 113, 136, 140, 142
  - Comparison of performance with nitrogen and hydrocarbon mixtures, 78
  - Effect of addition of neon, 106, 140
  - Effect of compressor discharge pressure, 99
  - Effect of precooling, 113, 115
  - Effect of pressure drop, 98
  - Exergy efficiency, 72, 73
  - GRS, 91, 94, 98, 99, 106, 136, 140, 142
  - GRS–LRS modes, 90
  - Heat exchanger effectiveness, 33
  - LRS, 91, 101
  - Mixtures, 65, 74, 91, 94, 98, 99, 101, 106, 136, 140, 142
    - Pure fluids and mixtures, comparison, 78
- Liquefaction of air and its constituents, 221
- Liquefaction of natural gas, 86, 149
  - Cascade process operating with mixtures, 205
  - Classical cascade processes, 151
  - Classification of processes, 150
  - Dual mixed refrigerant LNG process, 189
  - Kleemenko process, 199
  - LNG process with a phase separator, 170
  - LNG process with multiple phase separators, 199
  - LNG processes with turbines, 212
  - Mixed refrigerant precooled process with one phase separator, 189
  - Precooled LNG process with one phase separator, 178
  - Precooled process without phase separators, 164
  - PRICO process, 154, 162
  - Propane precooled process with one phase separator, 184
  - Single-stage mixed refrigerant process, 154
- Liquefaction of nitrogen
  - Kleemenko process, 241
  - Mixed refrigerant precooled Kapitza process, 235

- Mixed refrigerant precooled Linde–Hampson process, 231
- Single-stage mixed refrigerant process, 227
- Liquefaction processes
  - Air and its constituents, 221
  - Claude, 45
  - Collins, 46
  - Kapitza, 39
  - Linde–Hampson, 18
  - Linde–Hampson process
    - Exergy efficiency, 26
  - Natural gas, 149, 150
    - Cascade process operating with mixtures, 205
    - Classical cascade process, 151
    - Classification, 150
    - Dual mixed refrigerant LNG process, 189
    - Kleemenko process, 199
    - LNG process with a phase separator, 170
    - LNG processes with multiple phase separators, 199
    - LNG processes with turbines, 212
    - Mixed refrigerant precooled process with one phase separator, 189
    - Precooled LNG process with one phase separator, 178
    - Precooled process without phase separators, 164
    - Propane precooled process with one phase separator, 184
    - Single-stage mixed refrigerant process, 154
  - Nitrogen
    - Kleemenko process, 241
    - Mixed refrigerant precooled Kapitza process, 235
    - Mixed refrigerant precooled Linde–Hampson process, 231
    - Single-stage process, 227
  - Optimization, 143
  - Optimization of mixture composition, 143
  - Precooled Linde–Hampson, 24
  - Solvay, 17
- Liquefier
  - Exergy efficiency, 13
  - Exergy loss, 13
  - Graphical symbol, 13
  - Input exergy, 13
- Liquid refrigerant supply (LRS), 90, 91, 101
- Liquid yield, 20, 25, 33
  - Kapitza liquefier, 40
  - Kapitza nitrogen liquefier, 43
  - Linde–Hampson liquefaction process, 20, 37
  - Linde–Hampson liquefier, 33
  - Linde–Hampson nitrogen liquefier, 34
  - Precooled Linde–Hampson liquefaction process, 25
  - Solvay liquefaction process, 37
  - Solvay nitrogen liquefier, 33
- Mixed refrigerant process, 120, 121, 124, 126, 129
  - Choice of mixture constituents, 129
  - Constant temperature refrigeration processes, 89
  - Cooling of gases, 81
  - GRS-LRS modes, 90
  - Linde gas cooler, 81, 83
  - Linde–Hampson refrigerator, 65
  - Liquefaction of natural gas, 86
  - Optimization, 129, 131
  - Phase separator, 120, 121, 124
    - Multiple, 126
  - Precooled refrigeration process, 115
  - Refrigeration process, 106
  - Refrigerators
    - Pure fluids and mixtures, comparison, 78
- Mixtures
  - Azeotropic, 49, 50
  - Choice of constituents, 129
  - Immiscible liquids, 70
  - Need for, 65
  - Need for Ne or He, 106
  - Nitrogen-methane, 50, 68
  - Non-azeotropic, 49, 50
  - Optimum composition, 129, 143
  - R503, 50
  - Types of, 49
  - Typical VLE, 68
  - Typical VLLE, 68
  - Zeotropic, 49, 50
- Optimization, 135
  - CFSQP, 145
  - CRYOSIM, 145

- Kapitza liquefaction process, 62
- Liquefaction process, 143, 144
- Maximization of exergy efficiency, 135
- Methods proposed in literature, 131
- Mixture composition, 129, 136, 140
- Refrigeration process, 135, 137
- Refrigeration processes, 131
- SQP, 63, 95, 137, 145, 147
- Optimum mixture composition, 129
  - Liquefaction process, 143
  - Refrigeration process, 131, 135, 136, 140, 142
- Phase separator
  - Exergy loss, 12
  - Graphical symbol, 12
- Phase separator process, 120, 121, 124, 126
  - Effect of separation efficiency, 124
  - Refrigeration process, 120, 121, 124, 126
- Pinch points, 46, 60
  - Simulation of heat exchangers with, 59
- Precooled mixed refrigerant process, 113, 115
- Process simulation
  - Aspen Plus, 60
- Process optimization, *see* Optimization
- Process simulation, 51
  - Aspen Plus, 51, 53, 60, 63, 103, 145, 162, 172
  - CRYOSIM, 53, 60, 145
    - Optimization, 145
  - Equation-oriented approach, 57
  - Heat exchangers, 59
  - HYSIM, 51
  - Optimization, 62
  - Pinch points, 59, 60
  - Sequential modular approach, 52
    - Open-cycle Linde–Hampson liquefier, 52, 53
    - Open-cycle Kapitza liquefier, 55, 60
    - Tear streams, 57
  - Simultaneous modular approach, 58
- Refrigerant mixtures, *see* Mixtures
- Refrigeration processes
  - Carnot, 4
  - Constant temperature, 4, 89
  - Erricson, 4
  - Linde–Hampson, 18, 65
  - Lorenz–Meutzner, 80
  - Precooled mixed refrigerant, 115
  - Reverse Brayton, 4
  - Reverse Rankine, 80
  - Stirling, 4
- Refrigerator
  - Exergy efficiency, 13
  - Exergy loss, 13
  - Graphical symbol, 13
  - Input exergy, 13
- Sign convention, 3
- Simulation, *see* Process simulation
- Solvay liquefaction process, 17
  - Exergy efficiency, 37
  - Liquid yield, 33, 37
- Specific heat
  - Nitrogen, 32, 49
- Specific refrigeration effect
  - Definition, 66
  - Mixtures, 70
  - Pure fluids, 66, 70
- Stream mixer
  - Exergy loss, 12
  - Graphical symbol, 12
- Stream splitter
  - Exergy loss, 12
  - Graphical symbol, 12
- T-h* diagram
  - Helium, 24
  - Kapitza nitrogen liquefier, 40
  - Linde nitrogen gas cooler operating with a nitrogen-hydrocarbon mixture, 84
  - Linde–Hampson refrigerator/liquefier operating with nitrogen, 19
  - Mixed refrigerant Linde gas cooling process, 225
  - Natural gas, 158
  - Nitrogen, 74
  - Typical nitrogen-hydrocarbon mixture, 70, 74
- T-s* diagram
  - Ideal gas-cooling process, 6
  - Ideal gas-liquefaction process, 7
  - Ideal nitrogen liquefaction process, 7
  - Ideal reverse Brayton gas cooler, 4
  - Linde–Hampson refrigerator operating with mixtures, 74

- Linde–Hampson refrigerator operating with nitrogen, 74
- Linde–Hampson refrigerator/liquefier operating with nitrogen, 19
- Lorenz–Meutzner vapor compression refrigerator operating with refrigerant R407C, 79
- Mixed refrigerant Linde gas cooling process, 224
- Reverse Rankine vapor compression refrigerator operating with refrigerant R22, 79
- Throttle valve
  - Exergy loss, 12
  - Graphical symbol, 12
- Turbine
  - Adiabatic efficiency, 16
  - Exergy efficiency, 13
  - Exergy loss, 12, 13
  - Graphical symbol, 12, 13
  - Input exergy, 13
- Vapor-liquid equilibria, 68
- Vapor-liquid-liquid-equilibria, 68