

Index

- Accelerated solvent extraction—gas chromatography (ASE-GC), 82
- Acetylcholinesterase (AChE) inhibition, 20–21
- Adams, Roger, 11
- Adamsite, 13
- Albro, T.G., 83
- American Civil War, 11
- Amiton, 4
- Analysis of CWAs, 59–91, *See also* Detection techniques; Desorption electrospray ionization (DESI-MS/MS); Gas chromatography (GC)/GC-MS; Ion mobility spectrometry (IMS); Minimally invasive detection techniques; Separation techniques
- capillary electrophoresis (CE), 69–74
- flame photometric detection (FPD), 69
- Anikiev, V.V., 63
- Arao, T., 131
- Atmospheric pressure chemical ionization (APCI), 89, 112
- Atmospheric pressure ionization (API), 89
- Atomic emission detection (AED), 80
- Atropine, 22
- Benzodiazepine, 23
- Bis(2-hydroxyethylthio)methane (BHETM), 44
- 1,2-Bis(2-hydroxyethyl thio) ethane (BHETE), 44, 121
- 1,3-Bis(2-hydroxyethyl thio) propane (BhetPr), 44, 121
- 1,4-Bis(2-hydroxyethyl thio) butane (BhetBu), 44, 121
- Black, R.M., 107
- Blister agents, 5–11
- Lewisite, 5
- Sulfur Mustard, 5
- toxicity, 36–45
- Capillary electrophoresis (CE), 60, 69–74, 117

- Caruso, J.A., 107–108
 Center for Disease Control and Prevention (CDC), 6
 Cetyltrimethylammonium bromide (CTAB), 66
 Chemical ionization (CI), 81
 Chemical Weapons Convention, (CWC), 13–16
 schedule of chemicals, 14
 China, 9, 13
 Chlorovinyl arsonous acid (CVAA), 41–42
 2-Chlorovinyl arsenous acid (CVAA), 124
 2-Chlorovinyl arsonic acid (CVAOA), 124
 Chromatographic methods, 60
 Cooks, R.G., 90
 Correlation spectroscopy (CH-COSY), 65
 Cyclosarin (GF), 20
 D'Agostino, P.A., 25
 Desorption electrospray ionization (DESI-MS/MS), 90–91
 Despretz, Cesar-Mansuete, 9
 Destruction of chemical weapons, 14–16
 Detection paper, 67
 Detection techniques, 68–91
 'Dew of Death', 7
 Dewetting, 62
 Diazepam, 23
 Dicyclohexylcarbodiimide, 39–40
 Diethyl dimethyl pyrophosphonate, 38
 Diethyl dimethylphosphor amide, 25, 27
 Diethyl methylphosphonate, 37
 Diethyl S-2-diethylaminoethyl phosphorothioate (VG), 4
 Diisopropyl carbodiimide (DIPC), 29, 31
 Diisopropyl ethyl mercaptoamine (DESH), 37
 Diisopropyl methylphosphonic acid (DIMP), 30, 32
 Diisopropylamine, 38, 40
 2-Diisopropylaminoethanol, 37
 Diisopropylaminoethane thiol (DESH), 36
 Diisopropylcarbodiimide, 39–40
 2,3-Dimercaptopropanol, 8
 Dimethylamine, 27–28
 Diphenylarsinic acid (DPAA), 47, 124–131
 Diphenylchloroarsine (DA), 11–12
 Diphenylcyanoarsine, 11–12
 Direct analysis in real time (DART), 90
 Egypt, 9
 Electrochemical determination, 65
 Electron paramagnetic resonance (EPR), 64
 Electrospray ionization (ESI), 89
 Elemental speciation, 114–115
 Energy dispersive X-ray spectroscopy (EDS), 66
 Ethylmethylphosphonic acid (EMPA), 36
 Fast atom bombardment (FAB), 89
 Feister, A.J., 41
 Flame photometric detection (FPD), 69, 80, 82
 Fourier transform infra-red (FTIR), 66
 G-agents, 5
 Gas chromatography (GC), 60, 79–88, 109–110
 accelerated solvent extraction–gas chromatography (ASE-GC), 82

- atomic emission detection (AED), 80
chemical ionization (CI), 81
flame photometric detection (FPD), 80, 82
liquid solid extraction (LSE), 82
nitrogen–phosphorus detection (NPD), 80
programmed temperature vaporizing (PTV), 80
pulsed FPD (PFPD), 80
sulfur chemiluminescence detection (SCD), 82
- Gas chromatography-mass spectrometry (GC-MS), 81–88
- GB (Sarin) degradation products
toxicity, 26–29
acute exposure data for, 27
chronic exposure data for, 28
- GD (Soman) degradation products
toxicity, 29–33
acute exposure data for, 30, 34
chronic exposure data for, 32, 34, 35
- GF (Cyclosarin) degradation products toxicity, 33
- Ghosh, Ranajit, 4
- Haas, R., 87
- Haigh, P.E., 116
- Hanaoka, S., 125, 126
- Harrington, P.B., 106
- Highperformance liquid chromatography (HPLC), 87
- Hill, H.H., 116
- Hooijsschuur, E.W.J., 110, 113
- Imperial Chemical Industries (ICI), 4
- Improved Chemical Agent Monitor (ICAM), 75
- Inductively coupled plasma mass spectrometry (ICP-MS), 120
- Ion mobility, 115–117
- Ion mobility spectrometry (IMS), 60, 75–79
detected agents, 76
limits of detection, 76
operational temperature range (°C), 76
simultaneous detection, 76
- Iran, 8, 16
- Iraq, 8–9
- Ishizaki, 127
- Isopropyl methylphosphonic acid (IMPA), 30, 32
- Japan, 9, 13
- John, H., 104, 113
- Kanaujia, P.K., 109
- Kanu, A.B., 116
- Kinoshita, K., 124, 128, 130, 131
- Koester, C., 112
- Kolakowski, B.M., 117
- Kolesov, G.M., 63
- Kroening, K.K., 114–115
- Kubachka, K.M., 114
- Lab-on-a-chip technology, 69
- Lagarrigue, M., 117
- Lancas, F.M., 106
- Le Moullec, S., 105
- Lewis, Lee, 7
- Lewisite, 5–6, 15, 36, 63
degradation products, acute
exposure to, 42
during World War I, 7
Lewisite 1 (2-chlorovinylarsinous dichloride), 7
- Lewisite 2 (bis(2-chlorovinyl) arsinous chloride), 7
- Lewisite 3 (tris(2-chlorovinyl) arsine), 7
- reaction scheme of, 6
- Lippert, J., 83

- Liquid chromatography
 (LC)/LC-MS, 88–90, 110–113
 particle beam ionization (PBI), 89
 LC-UV-NMR, 113
- Liquid–liquid extraction (LLE),
 103–105
 liquid–liquid–liquid
 microextraction (LLLME),
 104–105
- Liquid solid extraction (LSE), 82
- Lowest lethal dose (LD_{LO}), 26
- Mark I kits, 22
- Mask breakers, 12
- Mass spectrometry (MS), 60
- Mawhinney, D.B., 112
- Mazumder, A., 113
- Mazurek, M., 83–84
- Median lethal dose (LD_{50}), 26
- Methyl methacrylate, 35
- Methylphosphonic acid (MPA), 30,
 34, 37, 112
- Methylphosphonic difluoride, 31, 34
- Meyer, Victor, 9
- Midazolam, 23
- Minimally invasive detection
 techniques, 61–68
 detection paper, 67
 electrochemical determination, 65
 IR spectroscopy, 68
 neutron activation analysis, 62
 scanning electron microscope
 (SEM), 62
 TG-DSC analysis, 62
 UV spectroscopy, 68
- Muir, B., 107
- Munro, N.B., 26
- Mustard Gas, *See* Sulfur Mustard
- Nerve agent degradation products
 toxicity, 24–36, *See also*
 Organophosphorus nerve
 agent toxicity
- GA (Tabun) degradation
 products, 25–26
- Nerve agents, 2–5, *See also*
 Organophosphorus (OP) nerve
 agent toxicity
 ‘Nerve gases’, 21
- N-ethyldiethanolamine (EDEA), 44,
 122–124
- Neutron activation analysis, 62
- Newman, J.F., 4
- Nieuwland, Julius Arthur, 6
- Nitrogen Mustard, 15, 43
- Nitrogen Mustard-1
 (bis(2-chloroethyl)
 ethylamine), 10
- Nitrogen Mustard-2
 (methyl-bis-(2-chloroethyl)
 amine), 10
- Nitrogen Mustard-3(tris(2-
 chloroethyl)amine), 10
- Nitrogen–phosphorus detection
 (NPD), 80
- N-methyldiethanolamine (MDEA),
 44, 122–124
- Novichok agents, 5
- Nuclear magnetic resonance (NMR)
 spectroscopy, 60
- Nuclear Overhauser effect
 spectroscopy (NOESY), 65
- O, S-diethyl
 methylphosphonothioate, 38
- Organization for the Prohibition of
 Chemical Weapons (OPCW),
 13
- Organophosphorus chemical nerve
 agent degradation products,
 2–5, 99–131
 analytical techniques, 108–117
 derivatization, 107–108
tert-butyldimethylsilyl
 (TBDMS) derivatives,
 107

- trimethylsilyl (TMS) derivatives, 107
elemental speciation, 114–115
hydrolysis pathways, 102
 GA (Tabun), 102
 GB (Sarin), 102
 GD (Soman), 102
 GF (cyclosarin), 102
 VX, 102
ion mobility, 115–117
sample preparation, 101–104
 liquid–liquid extraction, 103–105
 solid phase extraction (SPE), 105–106
 solid phase microextraction (SPME), 106
 stir bar sorptive extraction (SBSE), 103, 106
Organophosphorus (OP) nerve agent
 toxicity, 20–24
 exposure, 21–22
 mechanism, 20–21
 acetylcholinesterase inhibition, 20–21
 prevention, 22–24
 response, 22–24
 treatment, 22–24
Owens, J., 112
Oxygen Mustard
 (bis(2-chloroethylthioethyl) ether), 10

Particle beam ionization (PBI), 89
Phenylarsinic oxide (PAO), 47
Phenylarsonic acid (PAA), 47, 124–131
Phosgene oxime, 5, 15, 45
Pinacolyl methylphosphonic acid (PMPA), 29
'Poison gases', 21
Poly (dimethylsiloxane) (PDMS), 122–131
Polyoxometalate (POM), 64
Powered Respirator Protective Suit (PRPS), 23
2-Pralidoxime chloride (2-PAM Cl), 22
Programmed temperature vaporizing (PTV), 80
Prompt gamma ray neutron activation analysis (PGNAA), 63
Prophylaxis, 23
Pulsed FPD (PFPD), 80

Richardson, D.D., 107–108, 114
Russo–Japanese war, 11

S-(Diisopropylaminoethyl) methylphosphonothionate, 37
Saradhi, U.V.R.V., 109
Sarin (GB), 15, 20
 degradation products toxicity, 26–29
Scanning electron microscope (SEM), 62
Scavengers, 24
Schedule of chemicals, 14
 Schedule 1, 14
 Schedule 2, 14
 Schedule 3, 14
Schoene, K., 86, 88
Schrader, Gerhard, 2–3
Separation techniques, 68–91
Sesqui Mustard
 (1,2-bis(2-chloroethylthio) ethene), 10
Single ion monitoring (SIM), 109
Solid phase extraction (SPE), 103, 105–106
Solid phase microextraction (SPME), 103, 106
Soman (GD), 15, 20
 degradation products toxicity, 29–33

- Spectrophotometric detection, 60
Sternutator agents toxicity, 45–48
 Adamsite (DM), 46
 Clark I (DC), 46–47
 Clark II (DA), 46
 degradation products, 47–48
Sternutator agents, 11–13
Sternutator degradation products, analysis, 125–131
Stir bar sorptive extraction (SBSE), 103, 106
Subramaniam, R., 108–109
Sulfur chemiluminescence detection (SCD), 82
Sulfur Mustard gas, 5, 8, 15, 43, 64
 degradation products, analysis, 117–124
 thiodiglycol (TDG), 118
 history of, 9
 hydrolysis degradation products of, 44
 timeline, 9
Surface acoustic wave (SAW), 61
Tabun (GA), 20
 degradation products toxicity, 25–26
Tabun spill, 2, 15
 chemical structure, 2
Tammelin's esters, 4
Tert-butyldimethylsilyl (TBDMS) derivatives, 107
Thiodiglycol (TDG), 43–44, 118
Thiol derivatization, 125
Tørnes, J.A., 87
Toxicity of CWAs and their
 degradation products, 19–48,
 See also Nerve agent
 degradation products toxicity;
 Organophosphorus nerve agent toxicity
Tributylamine (TBA), 29, 31
Triethanolamine (TEA), 44, 122–124
Triethyl phosphate, 27–28
Trimethylsilyl (TMS) derivatives, 107
Triphenylarsine (TPA), 47
Triphenylarsine oxide (TPAO), 47
Vesicants, *See* Blister agents
V-type agents, 20–21
VX degradation products toxicity, 33–36
 acute exposure data for, 37
 chronic exposure data for, 32, 34, 35
Wieland (5,10-dihydrophenarsazine (DM)), 11
World War I, 3, 6–9, 11
World War II, 2–3, 8, 10, 118
Xie, D., 128, 129
Xu, L., 104
Yemen Civil War, 9
Ziakov Mustard (sulfur mustard with a methyl group), 10
Zwitterionic hydrophilic interaction chromatography (ZIC-HILIC), 125, 127
Zygmunt, B., 106, 110