

A

4-Amino antipyrine for phenols, 233
 Acetate buffer solution, for Zn, 309
 Acetic acid for Cl₂, 249
 for Zn, 309, 311
 for Al, 81
 Acid cuprons chloride solution, for CN, 143
 Acid Zirconium-alizarin solution, for F, 153
 Acid Zirconyl-SPADNS reagent for F, 151
 Acidity, 66-70
 methyl orange, 68
 total, 68
 Albuminoid Nitrogen, 209-210
 Alkali-iodide-azide reagent, for DO, 221
 Alkaline phosphate solution, for surfactants, 295
 Alkaline potassium permanganate solution, 209
 Alkalinity, 71-79
 definition 71
 phenolphthalein, 74
 total, 75
 hydroxide alkalinity-B value, 78
 soluble, 78
 Aluminium sulfate solution, for Mg, 187
 Aluminium, 80-83
 intermediate solution, 81
 stock solution, 81
 working solution, 81
 Aluminium hydroxide suspension
 for Cl, 122
 for NO₂, 203
 Alum stock solution, 136
 Amine-sulfuric acid solution for S
 stock solution, 291
 working solution, 291
 4-Amino antipyrine soln for phenol, 233
 Ammonia-ammonium chloride buffer,
 for hardness, 158
 for phenols, 233
 Ammonia Nitrogen, 205-208
 Ammonia soln, conc, 140, 185, 311
 Ammonium
 intermediate solution, 206
 stock solution, 206
 working solution, 206
 Ammonium bifluoride, for Cr, 134
 Ammonium citrate solution 20% for Cu, 142
 Ammonium bifluoride, for Cr, 134
 Ammonium hydroxide
 1+1, for Se, 258
 1+9, for Pb, 183
 1+19, for Mg, 185

1+49, for Ni, 196
 Ammonium molybdate solution,
 for PO₄, 235
 for Silica 261, 263
 Ammonium oxalate solution, for Mg, 185
 Ammonium persulfate, for Mn, 190
 Analytical Program, 7
 Apparatus for sampling boiler water, 56, 57, 58
 Arsenic, 84-86
 intermediate solution, 85
 standard solution, 86
 stock solution, 85
 Arsenious acid solution,
 for CN, 145
 for iodide, 167
 Artificial standard solution, for silica, 262
 Ascorbic acid, 81

B

Barium chloride solution, 5% for SO₄, 286
 Bio chemical Oxygen Demand (BOD), 87-98
 application of, 97
 checking the correctness, 95
 preparation of dilutions, 91
 pretreatment, 90
 ratio of BOD : PV, 97
 Biological examination, 403-408
 Bis (2-hydroxy ethyldithio)
 carbamate solution, for Zn, 311
 Bis-pyrazolone, for CN, 145
 Blow down, percent, 127
 BOD bottle, 220
 Borax for silica, 262
 Boric acid soln, 212
 Boron, 99-101
 standard solution, 99
 stock solution, 99
 Brilliant yellow solution, for Mg, 187
 Bromine water, for CN, 144
 B-value (hydroxide alkalinity), 78
 α-α bipyridyl
 for ferrous iron, 173

C

Cadmium, 102-105
 stock solution, 102
 working solution, 103
 Calcium carbonate Stability Test, 109
 Calcium chloride solution, for BOD 89
 Calcium standard solution for hardness, 158

Calcium sulfate solution, for Mg, 187
Calcium, 106-108
Carbon dioxide (Free), 110-114
 - in degasser effluent, 111
 - in steam, 113
Carbonate hardness, 160,161,162
Ceric ammonium sulfate solution
 0.02N for iodide, 167
Chemical Oxygen Demand (COD), 115-120
 definition of, 115
Chemicals required for chemical analysis, 36-40
Chloride, 121-127
 by mercuric nitrate method, 124-125
 by silver nitrate method, 121-123
Chlorine demand, 128-129
Chlorine residual - See Residual Chlorine
Chlorine solution, standard, 128
Chromium, 130-134
 hexavalent, 130-131
 total, 131-133
 in cooling waters, 133-134
 stock solution, 130
 working solution, 130
Citrate-cyanide reducing solution for lead, 182
Coagulant demand, 135-136
Cobaltous chloride, 137
Coliform bacteria, 333, 334, 368-381
Coliform (fecal), 382-386
Color, 137-138
 standard color solution, 137
Combined chlorine, 248
Composite sample, 45
Conditioning reagent, for sulfate, 288
Continuous sampling, 46
Copper, 139-142
 neocuproine method, 139-141
 sodium diethyldithio carbamate method, 141-142
 standard solution, 140
 stock solution, 140
Copper sulfate solution
 for Total Kjeldahl Nitrogen, 212
 for Phenols, 231
Corrosivity test, 109
Cupric diethyl dithio carbamate reagent for Ag, 267
Curcumin reagent for B, 100
Cyanides (total), 143-146
 intermediate solution, 144
 stock solution, 144
 standardization, 144
 working solution, 144

D

3-3, Diamino benzidine, for Se, 258
Diammonium hydrogen phosphate solution
 for Mg, 185

 for S, 291
Diatomaceous-silica filter aid, 306
Digestion with
 nitric and sulfuric acids, 64
 nitric and perchloric acids, 65
Dilution water for BOD, 88,89,90
Dimethyl glyoxime solution, for Ni, 196
s-Diphenyl carbazide reagent, for Cr, 131
Diphenyl carbazone indicator, for Cl, 125
Dissolved solids, 280-281
Dithizone
 stock solution,
 for Cd, 103
 for Pb, 182
 for Zn, 309, 311
 working solution
 for Cd, 103
 for Hg, 193
 for Pb, 182
 for Zn, 309, 311

E

EDTA solution
 0.02N, 82, 107, 158
 8% for Se, 258
 for NO₃, 199
EDTA standard soln for residual chelant, 244
EDTA working std for total chelant, 246
Electrical conductivity, 147-148
 neutralized conductivity, 148
 standard KCl solution, 147
Equipments required for
 chemical analysis, 29
 microbiological analysis, 339
Equivalent Mineral Acidity (EMA), 149
Eriochrome black-T, for hardness, 159
Eriochrome cyanine-R, for Al, 81
Escherichia coli, see Fecal coliform, 99
Ethylene diamine, 173
Expression of results, 61-63

F

Fecal Coliform, 334, 382-386
Ferric chloride solution
 for BOD, 89
 for S, 291
 for volatile acids, 306
Ferriin indicator for COD, 118
Ferrous ammonium sulfate solution
 0.01N for COD, 118
 0.1N for COD, 118
 standardization, 118
 for iodide, 167
Ferrous iron

determination, 172-174
stock solution, 173
working solution, 173

Fluoride
electrode method, 155-156
preliminary distillation, 153-155
Scott-Sanchis method, 152-153
SPADNS method, 150-152
standard solution, 151
stock solution, 150

Formate Ricinoleate broth, 369-370

Formic acid, 258

Free chlorine, 248

Free Mineral Acidity (FMA), 69,276

Frequency of sampling, 47

G

Gelatin-liquefying bacteria, 335,390

Gelatin medium, 390

Glassware required
for chemical analysis, 31-35
for microbiological analysis, 341-344

Grab sample, 45

Grease - see 'Oil and Grease', 216-217

Gutzeit apparatus for As, 84,85

H

Hardness (total), 157-163
classification, 160
carbonate hardness,160,161
non-carbonate hardness,160,161
conversion factors, 163

Hydrazine, 164-165
standard solution, 165
stock solution, 165

Hydrochloric acid
0.02N, 309
0.05N, 196
0.5N, 164
1+1, 169, 185, 261, 263, 286
10%, 387
conc, 85, 103, 140, 144, 169, 172, 185

Hydrogen peroxide, 122, 296

Hydroquinone solution, for Cl, 125

Hydroxide alkalinity-B value, 78

Hydroxyl amine hydrochloride
for Cd, 103
for Cu, 139
for Fe²⁺, 173
for Hg, 193

I

Immediate Dissolved Oxygen Demand (IDOD), 95

Iodide solution, for Ni, 196

Iodide, 166-168
stock solution, 167
working standard solution, 167

Iron bacteria, 335-336, 391-392

Iron, 169-174
ferrous iron, 172-174
total iron
by colorimetric method, 169-171
standard solution, 170
stock solution, 170
by titrimetric method, 171-172

Isopropyl alcohol, 74, 140

J

Jar Test, 135-136

L

Labelling of sample, 50, 362

Langelier Saturation Index, 175-178

LAS solution
standard solution, 296
stock solution, 295

Lead, 181-183
intermediate solution, 181
stock solution, 181
working solution, 182

Lead acetate solution, 10% for As, 85

Lime stock solution, 136

Lipolytic bacteria, 335, 388

M

Magnesium 184-188
by gravimetric method, 185-186
by photometric method, 186-188
stock solution, 187
working solution, 187

Magnesium standard soln for Res. Chelant, 244

Magnesium sulfate
for BOD, 89
for volatile acids, 306

Manganese, 189-191
stock solution, 190
working standard solution, 190

Manganous sulfate solution, 221

Marble test, 109

Medium for Thiobacillus thiooxidans (Sulfur medium), 395

Medium for Thiobacillus thioparus (Thiosulfate oxidizing medium), 395

Mercuric chloride soln for iron, 172

Mercuric nitrate, 0.0282N solution for Cl, 105

Mercuric sulfate
for COD, 117
for Mn, 190
Mercury, 192-194
stock solution, 193
working solution, 193
Method of taking sample, 49-50
Methyl orange acidity, 68
Methyl orange indicator, 67
Methyl red indicator, 185, 286, 311
Methylene blue solution, (acid), 295
Methylene blue solution, (neutral), 295
Methylene blue solution-I, for S, 291
standardization, 291
Methylene blue solution-II, for S, 292
Microbiological analysis, 5, 333-400
Microbiological analysis-Laboratory technics, 349-354
Microgram, definition, 61
Microscopical examination, 5, 403-408
Milli equivalent, definition, 61
Miscellaneous items
for chemical analysis, 35-36
for microbiological analysis, 344-345
Mixed indicator
for alkalinity, 74
for aluminium, 82
for total kjeldahl nitrogen, 213
Modified Formate Lactose Glutamate Medium (double strength), 368, 369
Modified Formate Lactose Glutamate Medium (single strength), 368, 369
MPN Table, 371-375
Murexide indicator, for Ca, 107

N

α -Naphthylamine hydrochloride solution, for NO_2 , 202
Neocuproine solution, for Cu, 140
Nessler reagent, 206
Neutralized conductivity, 148
Nickel, 195-197
stock solution, 195
working solution, 196
Nitrate, 198-200
electrode method, 200
phenol disulfonic acid method, 198-200
stock solution, 199
working standard solution, 199
Nitric acid
0.05N, 125
1+4, 182
conc, 64, 140, 185, 191
Nitrite, 201-204
intermediate solution, 203
stock solution, 202

working solution, 203
Nitrogen (albuminoid), 209-210
Nitrogen (ammonia), 205-208
Nitrogen (organic), 211
Nitrogen (total kjeldahl), 212-213
Non-carbonate hardness, 160, 161, 162

O

Odor, 214-215
qualitative determination of, 215
Oil and Grease, 216-217
Order of testing, 54-55
Organic nitrogen, 211
Ortho tolidine solution for Cl_2 , 251
Oxalic acid, 10% for Silica, 262, 263
Oxygen (dissolved), 218-224
electrode method, 224
sample collection, 218
Oxygen absorbed - see Permanganate Value

P

Para-dimethyl amino benzaldehyde solution, for hydrazine, 165
Parameters to be determined, 8-26
Particle counting, 225
Patton-Reeders indicator, for Ca, 107
Percent definition, 61
Percent sodium, 270-272
Perchloric acid digestion, 65
Permanganate value, 226-229
Persulfate digestion, for PO_4 , 237-238
Petroleum ether, 216
pH value, 239-242
pH4 buffer solution, 240
pH7 buffer solution, 241
pH9 buffer solution, 241
Phenol disulfonic acid, for NO_3 , 198
Phenolphthalein alkalinity, 74, 75
Phenolphthalein indicator, 67, 74, 110, 212, 304
Phenols, 230-233
intermediate solution, 232
stock solution, 232
standardization, 232
working solution, 232
N-phenyl anthranilic acid for iron, 172
1-phenyl-3methyl-5pyrazolone reagent, for CN, 145
Phosphate, 234-238
inorganic phosphates, 236
ortho phosphates, 235-236
standard solution, 235
stock solution, 235
total phosphates, 237-238
Phosphate buffer solution
for ammonia nitrogen, 206

for BOD, 89
Phosphate-carbonate buffer for Hg, 193
Phosphoric acid, 221
1+3, 230
1+9, 230
Points of sampling, 47
for boiler water, 56
Potassium, 243
electrode method, 243
flame photometric method, 243
Potassium bromide solution, for Hg, 193
Potassium chloride
standard solution for electrical conductivity, 147
Potassium chloroplatinate, 137
Potassium chromate for Silica, 262
Potassium chromate indicator, for Cl, 122
Potassium cyanide solution, for Zn, 311
Potassium dichromate solution
0.025N, for COD, 118
0.25N, for COD, 117, 249
Potassium ferricyanide solution, for phenols, 233
Potassium hydroxide, 12N, for NO₃, 199
Potassium iodate-iodide solution for SO₃, 294
Potassium iodide, 134
10% solution for Permanganate value, 228
15% solution for As, 84
stock solution, for iodide, 167
working standard, for iodide, 167
Potassium permanganate solution,
0.01250N, 227
0.1250N, 226
0.1N, 132
0.2N, for Iron, 170
5% for Hg, 193
Potassium persulfate
for Cr, 134
for Hg, 193
Potassium sulfate, 212
Potassium thiocyanate solution
for Iodide, 167
for Iron, 170
Potato-dextrose Agar, 397
Preliminary acid digestion of sample, 64
Preparation of dilutions, for BOD, 91-92
Preparation of Media, 355-358
Preservation of samples, 51, 52-54
Probable combinations, 313-326
Proteolytic bacteria, 335, 387
Puckorius Scaling Index, 179
Pyridine, 145
Pyridine-Pyrazolone reagent, for CN, 145

R

Radio activity, tests for, 6

Reducing solution, for Silica, 263
Reference solution, for F, 151
Residual Chelant (EDTA), 244-247
Residual Chlorine, 248-252
iodometric method, 249-250
orthotolidine method, 250-252
Residual Sodium Carbonate (RSC), 253-256
Ringer solution (Quarter strength), 352, 364
Ryznar Stability Index, 175-178

S

Sample container, 46
for boiler water, 57
Sampling of boiler water, 56-59
Sampling of industrial effluents, 51-52
Sampling of water
for chemical analysis, 44-55
for microbiological analysis, 359-362
Seed for BOD dilution water, 90
Selenium, 257-259
intermediate solution, 258
standard solution, 258
stock solution, 258
Settleable solids, see Solids (settleable)
Silica, 260-264
heteropoly blue method, 263-264
molybdo silicate method, 261-263
Silica
standard solution, 264
stock solution, 263
Silt Density Index, (SDI), 265
Silver, 267-268
stock solution, 267
working solution, 267
Silver diethyl dithio carbamate
0.5% solution, for As, 85
Silver nitrate solution
0.0282N for Cl, 122
1N, for Cr, 134
Silver nitrate-nitric acid reagent, 286
Skimmed milk, 387
Slime forming organisms, 337-338, 399-400
Sodium, 269-275
flame photometric method, 269-270
ion selective electrode method, 270
stock solution, 270
Sodium acetate buffer solution
for Al, 81
for Fe²⁺, 173
for NO₂, 202
Sodium Adsorption Ration (SAR), 273-275
Sodium arsenite solution, 152, 251
Sodium azide solution
for Cr, 132

- for Oxygen (dissolved), 221
 - Sodium carbonate solution
 - 1N, 74
 - 20%, 297
 - Sodium chloride solution 0.0282N, for Cl, 122
 - Sodium chloride solution, for iodide, 167
 - Sodium citrate solution
 - for Cu, 140
 - for Ni, 196
 - for Zn, 309, 311
 - Sodium diethyl dithio-carbamate solu
 - for Cu, 142
 - for Ag, 268
 - Sodium hydroxide-potassium cyanide solution- I,
 - for Cd, 103
 - Sodium hydroxide-potassium cyanide solution- II,
 - for Cd, 103
 - Sodium hydroxide solution
 - 0.0227N, for CO₂, 110
 - 0.02N, 67
 - 0.1N, 304
 - 0.5N, 144
 - 1N, 107, 122
 - 6N, 103, 187
 - 12N, for NO₃, 199
 - 4%, 258
 - 50%, 212
 - Sodium potassium tartrate, for Cd, 103
 - Sodium slip, detn, 276
 - Sodium sulfide inhibitor, for hardness, 159
 - Sodium sulfide solution-I, for Zn, 311
 - Sodium sulfide solution-II, for Zn, 311
 - Sodium sulfite solution, 206
 - Sodium thiosulfate solution
 - 0.0025N, 250
 - 0.0125N, 227
 - 0.0250N, 128, 221
 - 0.1250N, 227
 - 0.1N, 221, 249
 - 25% for Zn, 309
 - Solids, 278-284
 - dissolved, 280-281
 - settleable, 283-284
 - suspended, 281-283
 - total, 279-280
 - Soluble alkalinity, 78
 - Special reagent, for Mn, 190
 - Stabilizing solution, for Mg, 187
 - Standard Plate Count, 363-367
 - Stannous chloride solution
 - 40% for As, 85
 - 15% for iron, 172
 - 2.5% for PO₄, 235
 - Starch indicator solution, 128, 222, 228, 249, 294
 - Steam purity, detn, 327-329
 - conductivity method, 327
 - Sulfamic acid
 - for COD, 118
 - for Cr, 134
 - Sulfanilic acid solution, for NO₂, 202
 - Sulfate, 285-289
 - gravimetric method, 285-287
 - turbidimetric method, 287-289
 - standard solution, 288
 - Sulfate-reducing bacteria, 336, 393-394
 - Sulfate-reducing medium (Starkeys' medium), 393
 - Sulfide, 290-292
 - Sulfite, 293-294
 - Sulfuric acid
 - 0.02N, 74, 81, 186, 213
 - 0.25N, 193
 - 1+1, 216, 291, 294 304
 - 1+3, 228
 - 10N, 134
 - 6N, 83
 - 1N, 64, 67, 74, 122
 - 2N, 172
 - conc, 117, 132, 167, 191, 192, 212, 221
 - Sulfuric acid-nitric acid digestion, for PO₄, 216
 - Sulfuric acid-nitric acid solution, for PO₄, 235
 - Sulfuric acid-silver sulfate reagent, for COD, 117
 - Sulfur-oxidizing bacteria, 337, 395-396
 - Surfactants (anionic), 295-296
 - Suspended solids, see Solids (suspended)
- ## T
- Taking the sample - see Method of taking sample
 - Tannin and Lignin, 297-298
 - standard tannin solution, 297
 - stock tannin solution, 297
 - Tannin-Lignin reagent, 297
 - Tartaric acid 2% solution, for Cd, 103
 - Temperature, 299
 - Test for Thiobacillus thiooxidans, 395, 396
 - Test for Thiobacillus thiooparus, 395, 396
 - Thermophilic bacteria, 335, 389
 - Thymol blue indicator, for Cd, 103
 - Tidy's test, see Permanganate Value
 - Time interval between collection and analysis, 51
 - Toluene, for Se, 258
 - Total acidity, 68
 - Total alkalinity, 75
 - Total Bacterial Count, 333-334, 363-367
 - Total Ionic Strength Adjustment Buffer (TISAB) for F, 155
 - Total Kjeldahl Nitrogen, 212-213
 - Total solids, 279-280
 - Tributyryn agar, 388
 - Turbidity, 300-302
-

Turbidity suspension
 standard, 301
 stock, 301
 working standard, 302

V

Volatile acids, 303-307
 direct distillation method, 304-305
 steam distillation method, 305-307

W

Water for analytical laboratory use, 41-43

X

Xylenol orange soln for total chelant, 246

Y

Yeast and mould, 337, 397-398
Yeast extract agar, 363, 387

Z

Zinc, 308-312
 20-30 mesh, for As, 84
 mixed color method, 308-310
 mono color method, 311-312
 stock solution, 309
 working solution, 309
Zirconyl chloride for total chelant
 stock soln, 246
 working soln, 246
