

# Index

Page numbers in **bold** refer to tables and those in *italics* to figures.

- AAS (atomic absorption spectrometry) 79, **95**, 239, 246
- abbreviations 245–246
- accuracy 23, 24, 34, 37, 42, 78
- accuracy of measurement 243
- acidification 66
- activation analysis 91–92, 241
- aluminium **13**
- analysis *see* water analysis
- analytes 57–60
- antimony 5, **9**
- aromatic hydrocarbons 143
- arsenic 4, 5, **9**, **14**
- arsenobetaine 144, 147–148
- assigned values (reference values) **133**
- atomic spectrometry **95**
- audits 218–220, 223
- bacteria, in water 18, 19
- barium **9**
- Bartlett test 204
- base unit (of measurement) 243
- BCR 143, 145, 164, 199, 246
- CRMs 139
- RM certification 132
- biocides 66
- blank measurements 104
- boron **9**
- bromate, in drinking water 205–208
- bromine **9**
- cadmium **9**, **12**
- calcium **13**
- calibrants 44, 100, 147
- calibration 40, 82, 84–88, 94, 109–110, 243
- calibration sheet 231–236
- capillary electrophoresis **94**
- CEN (European Standardization Committee) 215, 246
- centrifugation 62
- certified reference materials (CRM) 105, 126, 127, 131, 134–139, 246
- classification **134**
- definition 40–41, 243
- freshwater 155–156
- lyophilized solutions 148–151
- production 216
- stability 129
- traceability and 133
- use of 114, 115–117, 171
- see also* reference materials
- chemical pre-treatment 107–108
- chemical species, definition 15
- chemometric tools 113–114
- chlorine **13**
- chlorobenzene **16**
- chlorophenols **16**
- chromatography 109, 111, 112
- chromium 5, **9**, **14**, 150–151
- cobalt **9**
- Cochran test 204
- coefficients of variation 203–204
- cold vapour **94**
- colourimetry 154
- comparative methods 33, 94–95
- comparisons 43, 114–115
- complexometry 90
- confidence interval 180–181
- consumables, chemical reagents and 74–75

- contamination 74, 81, 85, 104  
control charts 75, 104, 117, 126  
control factors 112–113  
control points **113**  
Convention 5, 6  
conventional true value (of a quantity)  
243  
copper **9**, 43  
coulometry 91  
CRM 398 151, **152**, **153**  
CRM 399 151, **152**, **153**  
CRM 403 167, **168**, 169  
CRM 408 156, **157**  
CRM 409 **157**  
CRM 505 **166**  
CRM 579 169  
CRM 609 **163**, **164**  
CRM 610 **163**, **164**  
CRM 616 **161**, **162**  
CRM 617 **161**, **162**  
*Cryptosporidium* regulations 5  
customer awareness issues 23–24  
CUSUM chart 121–123  
CVAAS 169, 170, 246  
cyanide **10**
- data  
evaluation 198–205  
measurements and production 83–88  
reporting of measurement 177–192  
deep-freezing 65, 71  
definitive methods 31, 88, 131  
degradation 69, 108  
derivatization analysis methods **94**, 108  
derived unit (of measurement) 243  
detection limits 77–78, 79  
detection methods 78, 80, **95**, 109, 243  
differential pulse anodic stripping  
voltammetry (DPASV) **163**, 169  
dioxin **16**, 141  
direct current plasma-atomic emission  
spectrometry (DCP-AES) 169  
documentation 177–179, 222–223  
drinking water 7, 52  
Dutch Ministry of Public and Water  
Works (RIZA) 139  
dynamic systems 51
- EC (European Commission) 2–5, 246  
ECD (electron capture detection) 104,  
112, 246  
electrolysis 91  
elements, chemical forms 12–15  
EN 29000 standard 216, 218  
EN 45000 standard 218  
EN 45001 standard 216, 218, 222, 224  
EN 45002 Standard 218  
EPA (Environmental Protection Agency)  
5, 216, 246  
equipment 74, 75, 79, 101, 225–226  
error (of measurement) 243  
errors 25–26, 35, 92, 112, 182–183  
causes of 75, 80–83  
detection 212  
*see also* systematic errors, random  
errors  
*Escherichia coli* 18–19  
estuarine water 164–165  
ETAAS 169, 246  
ethylation **93**, **94**  
ethylenediaminetetraacetic acid (EDTA)  
**16**, 90  
European Environment Agency (EEA) 6  
European Framework Directive on Water  
for Human Consumption 78  
European Testing and Assessment of  
Comparability of On-line  
Sensors/Analyses (ETACS) 110  
experimental standard deviation 243  
extractions 93, 103, 112, 182
- FID 112, 246  
filtration 61–62, 128  
flocculation 63, 164  
fluorine **10**  
freeze drying 66
- gas chromatography/mass spectrometry  
(GC-MS) 87, 109  
glassware, equipment and 74  
GLP (Good Laboratory Practices) 83,  
216, 246  
glycols **16**  
gravimetry 88, 89, 90, 92  
Grignard reactions 93, **94**  
groundwater 7, 159–164

- halocarbons 140–141
- heavy metals 25
- HG-AAS **163**, 246
- homogenization 128, 161
- HPLC (high performance liquid chromatography) **94**, 246
- hydrazine **16**
- hydride generation 93, **94**
- hydrocarbons **16**
  
- ICP-AES **163**, 237, 246
- ICP-MS 92, **163**, 246
- improvement schemes 194–195
- information sheets 229–230
- inorganic parameters 8–12
- interferences 81–82
- interlaboratory studies 105, 114, 115, 126, 127, 193–210
- internal standards 87–88
- International Council for the Exploration of the Sea (ICES) 65
- iodine **10**
- ion chromatography 154, 208, 240
- ion chromatography with conductivity detection (IC-CD) 205
- ion-exchange chromatography **94**
- IRMM 139, 144, 172, 208
- gamma-irradiation 66
- ISO 5725 Standard 205
- ISO 9000 Standard 216
- ISO 17025 Standard 214, 216, 222, 224, 226, 227
- ISO Guide 25 (1990) 216, 218, 224
- ISO Guide 32 (1997) 31
- ISO Guide 34 (1996) 139
- ISO Guide 35 (1985) 131
- ISO Guide 8528 (1991) 120
- ISO (International Standardization Organization) 39, 215, 246
- isotope dilution mass spectrometry 92–93
  
- kilogram, international standard 28
- Kjeldahl nitrogen **13**, 15
- Kolmogorov-Smirnov-Lilliefors tests 204
  
- laboratories
  - accreditation 220–227
  - competence of 26
  - equipment and consumables 73–75
  - installation 74
  - operation 224–227
- laboratory instrumentation management system (LIMS) 84
- lanthanides 12
- lead **10**, **12**, **14**, 52, 78, 159
- LEAP Proficiency Scheme 205
- limit of detection 38–39
- limit of determination 39
- linearity range 37
- literature search 101
- LRM (laboratory reference materials) 104, 118, 126, 127, 133, 246
  
- magnesium **13**
- major elements 8, **13–14**, 151–153
- marine monitoring, proficiency testing 208–209
- mass spectrometry (MS) 76, 79, 92, **95**, 238, 246
  - fraction detection 104
  - information 112
- matrix effects 111–112
- means 180
- measurand 244
- measurement 60, 244
- measurement procedure 244
- measurement uncertainty 35–36, 182–189
- measuring range 244
- mercaptans **17**
- mercury **10**, 148, 169–170
- methylmercury **14**
- methylmercury chloride 148
- metre units 27–28
- metrology 244
- MIP-AES 169
- modified methods 33
- mole, the 29
- molybdenum **11**
- monitoring, environmental 6, 7, 49
- moving-average chart 120–121
  
- Nalimov test 204
- neutron activation analysis (NAA) 91
- nickel **11**

- NIST 139, 140, 141, 142  
nitrates 43, 154  
nitrogen **13**
- OECD 216, 246  
official methods 33  
on-line monitoring 95–96, 110  
organic compounds, pure solutions 140–144  
organic parameters 15  
organochlorinated compounds, volatile **18**
- parameters 8–19, 53  
PCBS **17**, 34, 142, 246  
pesticides **17**, 142, 149  
phenols **17**  
phthalates **17**  
physico-chemical parameters 8  
plutonium **11**  
polarography 91  
pollution 4, 5  
potentiometry 90–91  
precipitation 63, 90  
precision 34, 36, 37, 77, 78  
    estimating 113, 137  
    level 80  
    trueness and 136, 183, 184  
preservation methods 65–66, **67–69**  
primary methods 31, 34, 44, 77, 88–93  
primary standards 40, 244  
proficiency testing 26, 106, 194,  
    208–209, 218, 220  
    reference materials and 139  
    sequence of activities **107**  
pure solutions 140–151
- quality assurance 7, 22, 82, 222  
quality control 22, 56, 82, 99–124, 223  
quality data 24–26  
Quality Manuals 213, 214, 222  
quality standards 215–216  
quality systems 22–23, 211–228  
quantification limits 78  
QUASIMEME **106**, 203, 209
- rain-water 8, 156–159  
random errors 35, 114, 136, 197, 244  
    estimating 182  
    sources 137, **183**  
    systematic and 185  
    uncertainty and 186  
random samples 51  
rapid screening methods 33, 76  
reagents 75  
record keeping 84, 177–179  
recovery tests 103  
reference materials 42, 44, 84, 95,  
    125–178, 244  
    analysis 118  
    calibrants and 100  
    certification 131–133, 172, 195  
    definition 40–41  
    matrix 112  
    preparation 126–128  
    producers 139–140  
    systematic errors 194  
    traceability 133–135  
    use of 105  
    *see also* certified reference materials  
        (CRM)  
reference methods 33, 42, 77  
refrigeration 65  
registration, sample 62  
regulations, support of 2–6  
relative errors 244  
relative methods 31–32, 85, 93–94  
repeatability 36, 244  
replicate samples 102–103, 105  
reports, analytical 189–190  
reproducibility 36–37, 117–123, 244  
research needs 7  
results 26, 35–37, 114, 179–191,  
    198–205  
RNAA **163**, 169, 246  
robustness 37  
routine methods 33, 44, 77
- safety rules 79  
sample containers 56–57, 64  
sample handling 47–72, 225  
sample intake, analytes and 57–60  
samples 56, 61, 79, 111  
    collection 54–55, 127  
    losses 81  
    quality 56–57

- storage 66–71, 130
- transport 130
- treatment 128
- types of 50–52
- sampling 83, 100
  - composite 51–52, 55
  - errors 50, 83
  - methods 55–56
  - plan 52–56
  - sites 52–53
  - strategy 49–61
- sea-water 25, 165–170
- secondary methods 44, 77
- secondary standard 40, 245
- selenium 11, 14, 144–147
- sensitivity 37, 80, 85, 245
- sensors 76, 95–96, 96, 110
- separation methods 78, 94
- Shewhart control chart 118–120, 121, 123
- SI (Système International) units 27–30, 34, 42, 44, 244
- size-exclusion chromatography 94
- solvent extraction 93
- solvents 75
- SOP (standard operating procedures) 102, 216–217, 246
- speciation of an element, definition 15
- speciation analysis, definition 15
- specificity, analysis 37–38, 78
- spectrometry 32
- spectrophotometry 95
- SRM 1492 142
- SRM 1585 142
- SRM 1614 141
- SRM 1641b 140
- SRM 1643c 140
- stability control 129–130
- standard, measurement 245
- standard deviation 180, 203, 243
- standardization 84, 215–217
- statistical evaluation 204–205
- statistical formulae 180, 243
- STERLAB 220, 227
- stoichiometry 88, 109, 111
- styrene 18
- sub-sampling 60–61
- sulphydryl cotton fibre (SCF) 148
- surface waters 7, 50
- system of units (of measurement) 245
- systematic errors 84, 103, 136, 182, 197, 211
  - definition 35, 245
  - detection 102, 115, 194
  - occurrence 137
  - random and 185
  - risk of 131
- TBT (tributyltin) 78, 80, 246
- temperature 28–29
- test reports 226
- testing kits 105
- testing methods 225
- thallium 11
- thorium 11
- time measurements 28
- tin 11, 14
- titrimetry 88, 89, 90
- toxicity analyses 96
- trace analysis 64, 71, 77, 78, 81, 103, 140
- trace elements 8, 9–12, 34, 61, 155, 163
- traceability 33, 41–45, 134, 245
- traceability chain 32, 103, 196
- transfer standard 40
- trimethyllead 158–159
- tritium 11
- true value (of a quantity) 35, 245
- trueness 34, 37, 77, 78
  - homogeneity control 128
  - precision and 136, 183, 184
  - TBT determination 80
  - verification 114–117
- trueness (of an instrument) 245
- uncertainty 35–36, 58, 78, 89, 129, 182–189
- uncertainty of measurement 41, 245
- unit (of measurement) 245
- units, derived 29–30
- uranium 12
- UV-vis spectrophotometry 154
- validation 100, 101, 110, 111, 116, 223
  - analytical result 114
  - calibration and 39–41

- validation (*continued*)
  - degree of 76
  - types of 101–107
- value (of a quantity) 245
- vanadium **12**
- variance 48, 58–60, 113, 180
- vinyl chloride **18**
- voltammetry 91
- volumetric analysis 89–90
  
- waste-water 8, 170–172
- water analysis 1–20, 43, 107–110, 179–191
  - costs 6, 24–25, 79
  - methods 30–34, 73–97, 110–114
- water column, sampling 55–56
- working standard 40, 245
- World Health Organization (WHO) 5, 8
  
- XRF (X-ray fluorescence) spectrometry 95, 246
  
- Youden plot 200, 202
  
- z-scores 200–203
- zinc **12**