

Subject Index

References to figures are given in *italic* type. References to tables are given in **bold** type.

- AAM *see* artificial aquatic mats
 AC *see* activated carbons
Acacia nilotica, 34
 acetic acid, 61
 acetylation, 37
Achnanthes, 194
Achnantheidium minutissimum, 183
 acid dyes, **214**, 215
 acid marine disposal (AMD), 143
 acid washing, 91, 96–7
Acinetobacter, 190
 calcoaceticus, 198
 2-acrylamido-2-methylpropanesulfonic acid (AMPS), 56, 56
 acrylamide, 65
 actinide, 168
Actinobacteria, 202
 activated carbons (AC), vii, 25, 106, 137, 233–4
 adsorption, vii, 25, 52, 217
 source from agricultural waste materials, 25
 admicelle, 86, 231
 adsorption, 52–4, 63–9, 73
 activated carbons, vii, 25, 52, 217
 clay, 52
 -complexation, 31
 dyes, of, 216–18, 220, 223–5
 metals, of, 31–45, 107–9, 112, 114–30, 139, 141–2
 periphyton biofilms, by, 184, 195–6, 199–200
 surface, 31
 zeolites, by, 82, 85, 87, 91, 93–8
 advanced oxidation processes (AOP), 52, 217–18
 aeration, vii, 226
 aerobic denitrification, 185
 African spinach, 35
 agar, 59
Agave sisalana, 36
 agricultural waste materials as solid sorbents, 25–6, 52
Alexandrium tamarense, 202
 alfafa, 45
 algae, 5, 20–1, 136, 181
 (*see also* green algae)
 algae biomass used for metal removal, **21**
 macroscopic, 65
 removal of dyes from wastewater, 218–25, 219
 yellow-green, 222
 algal polysaccharides, 59
 alginate, 58–9, 67
 derivatives, 65
 alginic acid, 59, 64–5
 aliphatic thiocyanate, 171
 alkali metals, removal, 83, 163–4
 alkaline earth metals, removal, 83, 163–4
 alkaline silicates, 88
 1-alkyl-3-methylimidazolium, 170
 allelochemicals, 203

- Alphaproteobacteria*, 202
alumina, 106, 217
 activated, vii, 137
aluminates, 88
aluminosilicates, 83
aluminum
 removal, 39–40, 130
 sulfate, 56
Amaranthus hybridus, 35
AMD *see* acid marine disposal
Amenophis II, vi
amides, 61
amidoxime, 171, 171
1-aminoanthraquinone, 113
3-(2-aminoethylamino)propyl, 116,
 116–17
(3-aminopropyl)triethoxysilane,
 128–9
2-amino-1,3,4-thiadiazole, 117, 117
2-aminothiazole, 117, 117
2-aminothiophenol, 119, 120
ammonia
 evaporation, 96
 removal, viii, 83, 91–7, **92**, 96,
 184–5
ammonium nitrogen, 225
amoebae, 182, 183
AMPS *see* 2-acrylamido-2-
 methypropanesulfonic acid
amylopectin, 58–9
amylose, 58
Anabaena flos-aquae, 202
aniline dyes, 213
animal-based polysaccharides,
 66–70, **74**
anionic spices, 86
annelids, 182, 183
anthraquinone dyes, 64, **214**, 215
antibiotics, 136
AOP *see* advanced oxidation
 processes
Aphanothece, 202
apples, 58
Arabidopsis thaliana, 16
arabinan
 L-arabinan, 58
arabinofuranosyl
 L-arabinofuranosyl, 58
Areca catechu, 36
aromatic compounds, 52, 144, 191
arsenic
 contamination in drinking
 water, 145
 removal, 31–2, 40–1, 145–6
 toxic health effects, **12**, 137
artificial aquatic mats (AAM), 201
Astragalus bisculatus, 16
ATA *see* aurintricarboxylic acid
aurintricarboxylic acid (ATA), 126–7
autotrophic nitrification, 185
auxochrome, 213
Ayurveda, vi
Azadirachta indica, 32, 44
azo dyes, **214**, 215
Azotobacter indicus ATCC 9540
 strain, 70–1
Bacillariophyceae, 182
Bacillus, 19, **19**, 197
 cereus, 199–200
Bacon, Sir Francis, vi
bacteria, 5, 18–19, 135–6, 181, 202
 bacterial biomass used for metal
 removal, **19**
 dye removal from wastewater,
 218
 gram-negative, 72, 200
 gram-positive, 200
 heterotrophic, 198
 mesophilic, 71
bacterial polysaccharides, 59
bactericide, 147
Bacteroidetes, 202
BAH *see* benzophenone
 4-aminobenzoylhydrazone
banana
 peel, 38
 trunk fibers (BTF), 37
barrerrite, 84
basic dyes, **214**, 215
basidiomycete, 190
bayberry tannin (BT), 128–9

- beetroot fibers, 33
 benthic/epiphytic alga, 202
 5-benzylidene-2-thiobarbituric acid (BZTBA), 117, 118
 benzoic acid, 191
 benzophenone 4-aminobenzoylhydrazone (BAH), 120, 120
 Berkeley Pit in Montana, 46
Betaproteobacteria, 202
 bimetallic nanoparticles, 147–8
 bioaccumulation, 17, 17–18, 18, 31, 73
 bioadsorption, 224
 bio-augmentation, 3
 biodegradation, 218, 224
 biological oxygen demand (BOD), 63, 188, 215
 biological treatments for wastewater remediation, 52
 biomass adsorbents *see* plant biomass used for metal removal from water
 bioremediation, 5, 13–21, 17–18, 206, 219, 225–6
 biosorption, viii, 17, 17–20, 18, 60–1, 65, 71–3, 75
 advantages, 31
 dyes, of, 218–25, 219
 metals, of, 31–46, 198–200
 biphenyl (BP), 190
 biphenylene (BN), 190
 bis(2-ethylhexyl)phosphoric acid (DEHPA), 168
 Blue Angel eco-label (Germany), 7
 BN *see* biphenylene
 BOD *see* biological oxygen demand
 BP *see* biphenyl
 Brundtland Commission, 4
 BT *see* bayberry tannin
 BTF *see* banana trunk fibers
 buttermilk, 112
 3-butylpyridinium
 bis(trifluoromethylsulfonyl)-imide, 166
 BZTBA *see* 5-benzylidene-2-thiobarbituric acid
 cactus, 63–4
 cadmium
 removal, 31–4, 36–9, 60, 136, 196–7
 toxic health effects, 12, 52, 105–6
 caducipholic plants, 36
 caesium, removal, 46
 calcium hypochlorite, vii
 cancer, 12, 12
 cane sugar, 140
Canna indica, 40–1
 carbodiimides, 69
 carbon, removal, 184
 carbon nanotubes (CNT), 25, 138–40, 139 (*see also* magnetic carbon nanotubes; multi-walled carbon nanotubes; single walled carbon nanotubes)
Carica papaya, 35
Carpobrotus edulis, 35
 carrageenan, 59, 64–5
 cassia gum, 64–5
Cassia javahikai, 65
 castor leaves powder, 45
 cation exchange capacity (CEC), 84, 85, 233
 cationic dyes, 223
 CBPS *see* chitosan-based polymeric surfactants
 CDTA *see* 1,2-cyclohexylenedinitrilotetraacetic acid
 CEC *see* cation exchange capacity
 cellulose, 20, 39
 derivatives, 56, 58, 106
 plant polysaccharides, 57–8, 65–6
 ceramics, vii, 137
 cetylpyridinium chloride, 235
 chabazite, 84, 85
 chelating sorbents, benefits of, 107
 chelators, 14, 18, 23, 106, 160, 165
 chemical coagulation, 22, 137
 chemical oxygen demand (COD), 63, 188, 188, 215, 225

- chemical precipitation, 3, 5, 21–2, 30, 73, 198
 disadvantages, 22
chemical processes for water
 remediation, 5, 21–6, 52
chemisorption, 31, 216
chitin, 53, 59, 64, 66–9
chitosan, 53, 64, 66–9
chitosan-based polymeric surfactants (CBPS), 69
Chlorella vulgaris, 224, 224–5
chlorinated hydrocarbons, removal, 146
chlorinated phenols, 52
chlorine, 216
 discovery of, vi–vii
chloroform, 162
chlorophenols, 67, 189
Chlorophyceae, 59, 182
Chlorophyta green algae, 36, 222, 224
chloropyrifos, 141
chromatography, 157
chromium
 removal, 35, 41–3, 45, 60, 65, 69, 146, 196
 toxic health effects, 12, 52, 106
chromophore, 213
Chrysochromulina polylepis, 202
chymotrypsin, 148
Cladophora, 183
clarification processes, 22
clay adsorption, 52
climate change, 4
clinoptilolite, 84, 85, 87–8, 91–7, 231
CMC *see* critical micelle concentration
CNT *see* carbon nanotubes
coagulation *see* chemical coagulation
cobalt
 magnetic nanoparticles, 144
 removal, 112
coccal green alga, 194
Coccinia indica, 63
COD *see* chemical oxygen demand
coenocytes, 223
coffee husks, 42
complexation, 31, 73
copper
 removal, 33, 36–9, 46, 136, 197
 toxic health effects, 12, 52, 106
co-precipitation, 21
corn, 46 (*see also* grainless stalks of corn)
 stalk powder, 43
 starch, 64
corn cob biomass, 37, 46
Cosmarium, 221–3, 222
cotton, 58
crab, 66
 waste shell chitosan, 67
crawfish chitosan, 67
critical micelle concentration (CMC), 86, 231
crustaceans, 66
C. tropicalis, 190
cyanocystins, 193
cyanide, 136
cyanobacteria, 71–2, 182, 187, 191, 198, 202–5
cyanobacterial
 blooms, viii, 194
 control of, 202–5
 toxins, 136, 191
Cyanophyceae, 182
cyclodextrin, 53
1,2-cyclohexylenedinitrilotetraacetic acid (CDTA), 14
datura, 45
Datura innoxia biomass, 32
DBP *see* di-*n*-butyl phthalate
D_{CMC} *see* dose critical micelle concentration
DD *see* dibenzo-*p*-dioxin
DDT (dichlorodiphenyl-trichloroethane), 137
DE *see* diphenyl ether
decontamination, vii
Defra (United Kingdom) guidelines, 7
dehalogenases, 148

- DEHP *see* di-2-ethylhexyl phthalate
 DEHPA *see* bis(2-ethylhexyl)-
 phosphoric acid
 deionization, 137
 dendrimer-enhanced ultrafiltration
 (DEUF), 150
 dendrimers, 149, 149–50
 DEP *see* diethyl phthalate
 desalination of seawater, vii, 151
 desmids, 222
 detergent manufacturing industries,
 90
 DEUF *see* dendrimer-enhanced
 ultrafiltration
 dextrin, 64
 DF *see* dibenzofuran
 D-gluco-D-mannan, 58
 D-glucose, 58
 DHAQ *see*
 1,8-dihydroxyanthraquinone
 DHB *see* *o*-dihydroxybenzene
 DHpP *see* diheptyl phthalate
 di-2-ethylhexyl phthalate
 (DEHP), 67
 dialkylimidazolium chloroaluminate,
 157
Diatoma, 202
 diatoms, 182, 187, 202
 dibenzofuran (DF), 190
 dibenzo-*p*-dioxin (DD), 190
 dichlorodiphenyltrichloroethane
see DDT
 diethylenetriamine, 129
 diethylenetriaminepentaacetic acid
 (DTPA), 14, 122–3, 169–70
 diethyl phthalate (DEP), 67
 diheptyl phthalate (DHpP), 67
 1,8-dihydroxyanthraquinone
 (DHAQ), 113, 113
 diisocyanate, 69
 5-(4-dimethylamino-
 benzylidene)rhodanine, 123,
 123–4
 dimethylglyoxime (DMG), 112
 dimethyl phthalate (DMP), 67
 di-*n*-butyl phthalate (DBP), 67
 dinoflagellates, 182, 183
 di-*n*-propyl phthalate (DPP), 67
 dioxins, 137
 diphenyl ether (DE), 190
 diphenylisothiourea, 114, 114
 diphenylthiocarbazono (DTZ), 65
 disinfection, vii, 137
 disperse dyes, 214, 215
 dissolved air flotation, 137
 dithioacetal, 112, 113
 dithizone, 112
 DMG *see* dimethylglyoxime
 DMP *see* dimethyl phthalate
 dose critical micelle concentration
 (DCMC), 231–2
 DPP *see* di-*n*-propyl phthalate
 drinking water quality
 regulations, 5
 DTPA *see*
 diethylenetriaminepentaacetic acid
 DTZ *see* diphenylthiocarbazono
 dye removal, 52, 91 (*see also* dyes,
 synthetic; textile wastewater)
 biosorption by live algal
 biomass, 219–25
 cost effective and efficient
 approach, 225–6
 methods of, 215–19
 wastewater remediation, viii, 43,
 212–25
 dyes, synthetic, 52, 213 (*see also* dye
 removal)
 history of, 213, 215
 types of dyes, 214
 eco-labels, 6–8
 Eco-Leaf Environmental
 Declaration, 8
 Eco Mark Program (Japan), 7
 EDAX spectroscopy *see* energy-
 dispersive X-ray spectroscopy
 EDTA *see* ethylenediaminetetraacetic
 acid
 electrochemical
 regeneration, 96
 techniques, 52, 217

- electrocoagulation, 217
- electrodialysis, 5, 23–4
 - advantages, 23
 - economic costs, 23–4
- electrooxidation, 217
- energy-dispersive X-ray (EDAX) spectroscopy, 35
- environmental protection, 6, 8
- enzymatic wastewater treatment, 148
- enzymes, 148 (*see also* single enzyme nanoparticles)
- EPA *see* U.S. Environmental Protection Agency
- epoxy compounds, 69
- EPS *see* exopolysaccharide; extracellular polymeric substances
- equilibrium thermodynamics, 175
- eroglycans, 57
- Erwinia herbicola*, 198
- Escherichia*, 19
 - coli*, 147, 198–9
- ethanol, 46
- ethanolammonium nitrate, 157
- ethylammonium nitrate, 157
- ethylenediamine, 150
- ethylenediaminetetraacetic acid (EDTA), 14, 122–3, 123, 170
- ethylene sulfide, 113
- 4-ethylphenol, 191
- ethyl phthalate, 191
- EU *see* European Union
- EU Ecolabel system, 6–7
- European Union (EU), 6
- eutrophication, 185, 201
- Everglades, 187
- EXAFS *see* extended X-ray absorption fine structure spectroscopy
- exopolysaccharide (EPS), 70, 72
- extended X-ray absorption fine structure (EXAFS) spectroscopy, 175, 198
- extracellular polymeric substances (EPS), 198
- FAAS *see* flame atomic absorption spectrometry
- fats, 135
- Federal Trade Commission (FTC), 6
- Fenton's reagent, 216
- fenugreek, 59, 61
 - mucilage, 62
- ferric chloride, vii, 56
- FIL *see* functionalized ionic liquids
- filtration, 137, 215
- Firmicutes*, 202
- flame atomic absorption spectrometry (FAAS), 36
- flocculants, 56–9
 - polymeric, 56
 - modified natural polymeric, 56
 - natural, 56
 - synthetic, 56
- flocculation, vii, 22, 53–6, 137, 198, 216
 - bridging flocculation, 54, 54
 - charge neutralization flocculation, 53–4, 54
 - electrostatic patch mechanism, 55, 55
 - sweep floc mechanism, 55–6
- food-grade polysaccharides, 59, 61
- food production, expanding, 1
- formaldehyde treatment, 37
- Fourier transform infrared (FTIR) spectroscopy, 32, 35, 37
- Fragilaria vaucheriae*, 186, 195
- FTC *see* Federal Trade Commission
- FTIR spectroscopy *see* Fourier transform infrared spectroscopy
- fullerenes, 142, 142
- functionalized ionic liquids (FIL), 158
- fungi, 5, 19–20, 181
 - fungus biomass used for metal removal, 19–20, 20
 - removal of dyes from wastewater, 218
- Fusarium*, 190

- GAC *see* granular activated carbon
galactan
 D-galactan, 58
galactomannans, 64–5
 D-galactomannans, 58
galactopyranose
 D-galactopyranose, 58
galactopyranosyl
 D-galactopyranosyl, 58
galacturan
 D-galacturan, 58
galacturonic acid, 60
 D-galacturonic acid, 58
Gammaproteobacteria, 202
gas-liquid chromatographic (GLC)
 method, 176
GC of Hong Kong *see* Green Council
 of Hong Kong
gismondine, 89
GLC *see* gas-liquid chromatographic
 method
GLSC *see* grainless stalks of corn
glucans
 D-glucans, 58
glucosamine
 D-glucosamine, 66
glucose
 D-glucose, 58
glucuronic acid
 D-glucuronic acid, 58
glutamic acid, 18
glutaraldehyde, 69
glycans, 57 (*see also* polysaccharides,
 natural)
(3-glycidoxypropyl)-trimethoxysilane,
 128, 128, 128–9, 129
glycogen, 59
glycosamino-glycans, 59
glycosidic linkage, 57, 57
GNF *see* graphene-like nanoflakes
GO *see* graphene oxide
Gomphonema parvulum, 186, 195
grainless stalks of corn (GLSC), 43
 (*see also* corn)
granular activated carbon (GAC), 233
grapefruit peel, 40
grapes, 58
graphene, 139, 140–2, 141
graphene-like nanoflakes (GNF), 141
graphene oxide (GO), 141
Graphium, 190
green algae, 182 (*see also* algae)
 water remediation, in, viii,
 221–5
Green Council (GC) of Hong Kong, 7
green engineering, 155
Green Guides, 6
greenhouse gas emission reduction, 226
green label, 6
green products, 6
green remediation, vii, 4–5, 8–9
 ecological considerations, 8–9
 economic considerations, 8–9
green solvents, 162, 176
green technologies for water
 treatment, 9, 12, 136, 155
 (*see also* water remediation: green
 materials for)
grinding, 91, 97
guanidine carbonate, 170
guar gum, 56, 59, 64–5, 71
Guidelines for Water Reuse, 5
gum
 acacia, 65
 arabic, 64–5
Gymnodiniales, 202

halloysite, 88, 95
halogenated aromatics, 137
HBT *see* 1-hydroxybenzotriazole
HDTMA *see*
 hexadecyltrimethylammonium
HDTMA-Br *see*
 hexadecyltrimethylammonium
 bromide
HDW *see* hibiscus dye waste
heating, 91, 96–7
heavy metals, 52, 135
 hydroxide condensation onto
 the bio-surface, 31
 removal, 83, 97, 196–201
 toxic health effects, 137

- HEDTA *see* (hydroxyethyl)-
ethylenediaminetriacetic acid
- heme peroxidase, 190
- hemicelluloses, 57–8
- Hemidesmus indicus*, 33, 45
- herbal dye waste, 40
- heteroglycans, 59
- heterotrophic denitrification, 185
- heulandite, **84**, 85, 93–5
- hexadecyltrimethylammonium
(HDTMA), 230–1, 235
- hexadecyltrimethylammonium
bromide (HDTMA-Br), 230
- hibiscus dye waste (HDW), 34, 43
- Hibiscus esculentus*, 61
- Hibiscus rosa-sinensis*, 34, 40–1, 43
- high-performance liquid
chromatographic (HPLC) method,
176
- high-rate algae ponds (HRAP), 225
- Hippocrates, vi
- Hippocratic sleeve, vi
- HKGLS *see* Hong Kong Green Label
Scheme
- homoglycans, 57
- Hong Kong Green Label Scheme
(HKGLS), 7
- HPLC *see* high-performance liquid
chromatographic method
- HQN *see* 8-hydroxyquinoline
- HRAP *see* high-rate algae ponds
- humic acid, 111
- hybrid materials, vii, 137
- hydrobic organics, 86
- hydrogen peroxide, 216
- hydroxide precipitation, 22
- 2-hydroxyacetophenone
- 3-thiosemicarbazone, 130, 130
- 2-hydroxybenzylamine, 171
- 1-hydroxybenzotriazole (HBT),
190
- (hydroxyethyl)ethylene-
diaminetriacetic acid (HEDTA), 14
- 2-hydroxynaphthaldehyde, 114, 115
- 8-hydroxyquinoline (HQN),
109, 112
- IEC *see* ion-exchange capacity
- IL *see* ionic liquids
- illite, 88, 94
- imidazole, 112, 112
- imidazolium ionic liquids, 159–60,
163–7, 175
- Indian mustard, 16
- Indian sarsaparilla, 33, 45
- industrial
- byproducts adsorbents, 52
- soft carriers (ISC), 201
- industrialization, 1, 30, 51
- inorganic pollutants, removal, 83
- International Organization
for Standardization (ISO), 6–8
- Environmental Labels and
 Declarations, 8
- Types 1, 2, and 3, 7–8
- ISO 14020, 8
- ISO 14021, 6–8
- ISO 14024, 7–8
- ISO 14025, 8
- invertebrates, 181
- ion exchange, 5, 22–3, 31–2,
73, 137, 216, 218
- advantages, 22
- ammonium ions, of, 96–7
- removal of oxo anions from
 water, 229–36
- resins, 106, 229
- ion-exchange capacity (IEC), 232
- ion exchangers, vii, 137
- ionic liquids (IL), 156, 156–7
(*see also* room temperature
ionic liquids; task-specific ionic
liquids)
- binary ionic liquids, 156
- functionalized, 177
- imidazolium, 159–60,
 163–7, 175
- metal extraction, in, viii, 23,
 155–77
- alkali metals and
 alkaline earth metals,
 163–4
- controlling factors, 162

- ionic liquids (IL) (*continued*)
 mechanism for metal
 extraction, 172–6
 anionic mechanism,
 175
 cationic mechanism,
 172–4
 multi-mode
 mechanism,
 175–6
 rare earth metals,
 168–71
 transition metals, 164–8
 phosphonium, 159, 161
 pyridinium, 159, 161–2,
 165, 167
 pyrrolidinium, 159, 162,
 165, 167
 quaternary ammonium, 159,
 160–1
 simple salts, 156
- Ipomeoa dasysperma*, 65
- iron
 magnetic nanoparticles, 144
 oxyhydroxides, 15
 removal, 37, 39–40
- ISC *see* industrial soft carriers
- ISO *see* International Organization
 for Standardization
- Iva xanthifolia* Nutt (IXN), 36
- IXN *see* *Iva xanthifolia* Nutt
- Japan Environmental Management
 Association for Industry
 (JEMAI), 8
- Japan Environment Association
 (JEA), 7
- Jatropha oil cake (JOC), 34
- JEA *see* Japan Environment
 Association
- JEMAI *see* Japan Environmental
 Management Association for
 Industry
- JOC *see* Jatropha oil cake
- Karenia mikimotoi*, 202
- LA *see* leaves ash
- laccase, 148, 190
- lanthanide, 168, 174
- Launea arborescens*, 35
- LCA *see* life-cycle assessment
- lead
 removal, 31–9, 45–6, 60, 136,
 196–7
 toxic health effects, 12, 52
- leaves ash (LA), 44
- Leguminosae, 64
- leishmania, 182, 183
- life-cycle assessment (LCA), 8
- lignocellulosic agro-wastes, 45
- lime, 15
 coagulation, 30
- liquid-liquid extraction (LLE),
 5, 23, 157, 159, 162, 176
- living standards, increasing, 51
- LLE *see* liquid-liquid extraction
- locust bean gum, 64–5
- luminescence spectroscopy, 175
- Lyngbya*, 202
- macrophytes, 204
- Madhuca latifolia*, 71
- magnesium, 106
 removal, 39
- magnetic carbon nanotubes, 144, 144
 (*see also* carbon nanotubes;
 multi-walled carbon nanotubes;
 single-walled carbon nanotubes)
- magnetic nanoparticles (MNP),
 144–6
- maize
 corncob (MCC), 34
 tassels, 33
- malaria, 213
- mallow, 61–2
- Malva sylvestris*, 61–2
- mammalian polysaccharides, 59
- manganese
 oxyhydroxides, 15
 peroxide, 190
 removal, 35, 39
- Manu Smriti, v–vi

- MAPTAC *see* *N*-(3-methylacrylamidopropyl)-*N,N,N*-trimethylammonium chloride
- mass spectrometry, 157
- mazzite, 84
- MBT *see* mercaptobenzothiazole
- MC *see* microcystins
- MCC *see* maize corn cob
- MDG *see* Millennium Development Goals
- Melosira varians*, 186, 195
- membrane processes for water treatment, vii, 52
- mercaptobenzothiazole (MBT), 118–19, 119
- 2-mercaptoimidazole, 125, 126
- mercaptopyridine (MP), 118–19, 119
- mercaptothiazoline (MTZ), 118–19, 119
- mercerization, 37
- mercury
removal, 45, 68–9, 136
toxic health effects, 12, 52
- mesophilic bacterium, 71
- metal remediation in water, vii–viii, 30–48, 105–30, 155–76, 198–200 (*see also* water remediation: metal removal)
cost-effective solutions, 26
green materials for, 11–26
- metal toxicity, 11–12, 30
health effects, 12, 12, 30, 105
- metazoa, 182
- methanol, 61
- methyl phthalate, 191
- methyltrioctylammonium
2-(methylthio)benzoate, 164
- methyltrioctylammonium bis(2-ethylhexyl)diglycolamate, 169
- methyltrioctylammonium
bis(2-ethylhexyl)phosphate, 169
- methyltrioctylammonium
methionate, 171
- methyltrioctylammonium
thiocyanate, 171
- methyltrioctylammonium
thiosalicylate, 164, 166, 171
- MIC *see* minimum inhibiting concentration
- micelles, 231
- microalgae, 221
- Micrococcus*, 19, 19
- Microcoleus*, 202
- microcystins (MC), 191, 193, 193–6
- Microcystis*, 182
aeruginosa, 203
- microfiltration, 215
- microorganism-based
polysaccharides, 70–3, 74
- microorganisms, viii, 17, 135
removal of dyes from wastewater, 218
removal of metals from solution, 17, 17
- microprecipitation, 31
- Millennium Development Goals (MDG), 2, 6
- mineralization, 218
- minimum inhibiting concentration (MIC), 142
- MNP *see* magnetic nanoparticles
- MOB *see* *Moringa oleifera* bark molds, 19
- molecular dynamics, 175
- molten salts *see* ionic liquids
- molybdenum, removal, 46
- Momordica charantia*, 41
- montmorillonite, 94–5
- mordenite, 84, 85, 91, 93
- Moringa oleifera*, 63–4
bark (MOB), 37
- MP *see* mercaptopyridine
- MPE *see* phthalate monomers
- MTZ *see* mercaptothiazoline
- mucilages, 56, 58–9, 61
- multi-walled carbon nanotubes (MWCNT), 139, 140, 140 (*see also* carbon nanotubes; magnetic carbon nanotubes; single-walled carbon nanotubes)
- Musa sapientum*, 38

- mushrooms, 19
- MWCNT *see* multi-walled carbon nanotubes
- mycorrhizal associated fungi, 14
- N*-(3-methylacrylamidopropyl)-*N,N,N*-trimethylammonium chloride (MAPTAC), 57, 57
- N*-acetyl-D-glucosamine, 66
- nanofiltration, 215
- nanomaterials for water remediation, 135–51, **139**
- nanomembranes, 150–1
- nanometer silica, 106
- nanoscale zero-valent iron (ZVI), 145, 145–6
 - advantages as nanotechnology for water remediation, 146
- nanosilver, 147
- nanosilver-impregnated polysulfonated ultrafiltration membranes, 151
- nanotechnologies in water remediation, viii, 138–51
 - bimetallic nanoparticles, 147–8
 - carbon nanotubes, 138–40, 139
 - dendrimers, 149, 149–50
 - fullerenes, 142, 142
 - graphene, **139**, 140–2, 141
 - magnetic nanoparticles, 144–6
 - magnetic carbon nanotubes, 144, 144
 - nanoscale zero-valent iron, 145, 145–6
 - nanocrystalline zeolites, 143, 143–4
 - nanomembranes, 150–1
 - silver nanoparticles, 146–7
 - single enzyme nanoparticles, 148–9
 - titanium dioxide nanoparticles, 147
- National Technology Transfer and Advancement Act (NTTAA), 6
- Navicula*, 194
- NBA *see* neem bark activated
- NBF *see* neem bark fresh
- neem bark activated (NBA), 44
- neem bark fresh (NBF), 44
- neem biomass, 32, 44
- neem leaves activated (NLA), 44
- neem leaves fresh (NLF), 44
- nematodes, 182, 183
- nickel
 - magnetic nanoparticles, 144
 - removal, 38, 44–6
 - toxic health effects, **12**, 52, 106
- Nicotiana tabacum*, 16
- niobium(V) oxide, 121
- nirmali seeds, 63
 - mucilage, 64
- nitrates, 137, 146
- nitriloacetic acid (NTA), 14
- nitrogen, removal, 184–5
- nitrophenol, 67
 - 4-nitrophenol, 191
- nitrosamines, 137
- Nitrosomonas europaea*, 185
- Nitzschia amphibia*, 186, 195
- NLA *see* neem leaves activated
- NLF *see* neem leaves fresh
- N,N,N',N'*-tetran-octyldiglycolamide (TODGA), 170
- N,N,N',N'*-tetraoctyl-3-oxapentane-diamide (TODGA), 164
- NTA *see* nitriloacetic acid
- NTTAA *see* National Technology Transfer and Advancement Act
- nutrients, 136
- octadecyltrimethylammonium chloride, 235
- o*-dihydroxybenzene (DHB), 115–16, 116
- Office of Management and Budget (OMB), 6
 - OMB Circular A-119, 6
- offretite, 84
- oil palm biomass, 35
- oils, 135

- okra, 59, 61–2
 gum, 61
 mucilage, 62
- olive mill wastewater, 190
- OMB *see* Office of Management and Budget
- Oocystis lacustirs*, 194
- optical absorption, 175
- oranges, 58
 mesocarp residue biomass, 39
 waste biomass, 42
- organic
 chemicals, vii
 matter, removal of, 15, 97, 188–96
 pollutants, 52, 135, 137
 removal, 83
 polymeric resins adsorbents, 53
 polymers, vii, 137
 solvents, 23
 surfactants, 85
- organometallic compounds, 142
- organophosphorus hydrolases, 148
- Oscillatoria*, 202
- o*-vanillin, 126
- oxidation, 216
- oxytrichida, 182, 183
- ozone, vii, 216
 gas injection, 3
- oxygen gas injection, 3
- PA *see* phthalic acid
- PAC *see* poly(aluminum chloride)
- Padma Purana, vi
- PAE *see* phthalic acid esters
- PAH *see* polycyclic aromatic hydrocarbons
- PAM *see* polyacrylamide
- PAMAM dendrimers *see* poly(amidoamine) dendrimers
- PAMS *see* pentamine-modified silica
- PAO *see* polyphosphate accumulating organisms
- Paracoccus denitrificans*, 185
- paramecia, 182, 183
- parasites, 136
- Paulingite, 84
- pawpaw, 35
- PBDE *see* polybrominated diphenyl ether
- peaches, 58
- peanut hull, 39
- pectinic acid, 58
- pectins, 57–61, 64–5
- PEI *see* polyethyleneimine
- pentachlorophenol, 191
- pentagalloyl-*O*-glucose, 221
- pentamine-modified silica (PAMS), 129
- peptidoglycans, 18
- periphyton biofilms, viii
 composition and structure, 181–4
 importance in aquatic ecosystems, 184
 phosphorus release, 201–5
 potential of applications, 205–6
 sustainability of aquatic ecosystems, for, 181–206
 treatment of water and wastewater, 184–201
 nutrient removal, 184–7
 organic matter removal, 188–96
 COD removal, 188, 188
 removal of
 microcystins, 191, 193, 193–6
 removal of heavy metals, 196–201
- Perkin, William Henry, 213
- peroxidases, 148
- peroxide treatment, 37
- pesticide residues, vii
- PEUF *see* polymer-enhanced ultrafiltration
- pH, 221, 223
- PHA *see* polyhydroxyalkanoates
- Phaeophyceae, 59
- Phanerochaete chrysosporium*, 190
- PHB *see* polyhydroxybutyrate

- phenol, 52, 61, 189, 189, 191
 - biodegradation, 190–1
- phenolic
 - compounds, 189–91
 - derivatives, 52
- phillipsite, **84**, 85
- Phormidium*, 202
 - morphotype*, 198
- phosphate, 137
 - fertilizers, 15
 - phosphorus, 225
- phosphonium ionic liquids, 161, 167
- phosphorus
 - enrichment affecting wetland
 - function, 187
 - release, 201–5
 - removal, 184, 186
- photocatalysis, 217
- photo-Fenton
 - processes, 217
 - reaction, 217
- PHP *see* pistachio hull powder
- phthalate monomers (MPE), 67
- phthalates, 67
- phthalic acid (PA), 67, 191
- phthalic acid esters (PAE), 67
- phytochemical screening, 35
- phytoextraction, 5, 13–15
 - chemically induced/assisted, 14
- phytoplankton, 204
- phytoremediation, 3, 5, 13–16, 14
- phytostabilization, 5, 13, 15
- phytovolatilization, 5, 13, 15–16
- pine sawdust, 38
- Pinus radiata* bark, 39
- piperidinium, 167
- pistachio hull powder (PHP), 42
- plankton, 204
- planktonics, 190
- Plantago psyllium* mucilage, 62
- plant biomass used for metal removal
 - from water, viii, 14, 18, 31–46,
46–7, 48, 52
- plant exudates, 57–8
- plant gums, 56, 58
- Pleurotus*, 190
- P. maltophilia*, 198
- pollution, 51 (*see also* water pollution)
- Pollutionem*, 51
- polyacrylamide (PAM), 57, 57
- Polyalthialongi folia*, 35
- poly(aluminum chloride) (PAC), 70
- poly(amidoamine) (PAMAM)
 - dendrimers, 150
- poly(amidoxime), 127, 127
- polybrominated diphenyl ether (PBDE), 137
- polycyclic aromatic compounds, 52
- polycyclic aromatic hydrocarbons (PAH), 137
- polyethyleneimine (PEI), 117
- poly(ethylene oxide), 57
- polyhexamethyleneguanidine, 86
- polyhydroxyalkanoates (PHA), 187
- polyhydroxybutyrate (PHB), 187
- polymer-enhanced ultrafiltration (PEUF), 150
- polymeric materials adsorbents, 53
- poly(methacrylic acid), 127, 127
- poly[*N*-(dimethylaminopropyl)-methacrylamide], 56, 56
- polyphenol oxidases, 148
- polyphosphate accumulating organisms (PAO), 187
- polysaccharide-based flocculants, 57–9
- polysaccharides, natural (*see also* glycans)
 - algal, 20, 59, **73–4**
 - animal-based, 66–70, **74**
 - bacterial, 59, **74**
 - flocculation, viii, 53–6
 - food-grade, 59, 61
 - mammalian, 59, **74**
 - microorganism-based, 70–3, **74**
 - plant, 57–9, **73–4**
 - plant-derived, 59–66, **73–4**
 - treatment agents for wastewater, 51–75
- polystyrene latex, 54
- polyurethane foam, 106
- polyuronide, 59

- population growth, rapid, 1, 51
Portulaca oleracea, 41
potassium permanganate, 216
precipitation *see* chemical precipitation
precipitation with strong Na⁺ solutions, 91, 97–8
proteins, 20, 56, 135
Proteus mirabilis, 71
Protoderma, 194
protozoa, 181–2
Prymenesiophyceae, 202
Pseudomonas, 19, 19, 199
 aeruginosa, 198, 200
 denitrificans, 185
 pseudoalcaligenes, 190
psyllium, 59
pyridinium ionic liquids, 159, 161–2, 165, 167
pyrrolidinium ionic liquids, 159, 162, 165, 167
- QCS *see* quaternary chitosan salt
quaternary ammonium ionic liquids, 159, 160–1
quaternary ammonium surfactants, 235
quaternary chitosan salt (QCS), 69
- radioactive elements, removal, 83
Ralstonia, 197
Ramses II, vi
rare earth metals, removal, 168–71
reactive dyes, 214, 215
redox potential, 221
reduced graphene oxide (RGO), 141
resacetophenone, 113–14, 114
resorcinol, 191
resource conservation, 4
response surface methodology (RSM), 44
reverse osmosis, 30, 137, 215–16
RGO *see* reduced graphene oxide
rhizofiltration, 5, 13, 16, 16–17
rhizosphere, 15
rhodamine 6G dye, 141
Rhodophyceae, 59
rice
 bran, 38
 husk(s), 40, 106–7
 ash, 90, 95
Ricinus communis, 45
room temperature ionic liquids (RTIL), 156–7 (*see also* ionic liquids; task-specific ionic liquids)
Rosa rosa, 40–1
rotaria, 182, 183
rotifers, 182, 183
RSM *see* response surface methodology
RTIL *see* room temperature ionic liquids
- Saccharomyces cerevisiae*, 198
salicylaldoxime, 114
salmon, toxicity and, 39
sand filters, vii, 193
Saraca indica leaf powder, 32
sawmill industry, 39
scanning electron microscopy (SEM), 35
SCB *see* sugarcane bagasse
Schulze-Hardy rule, 54
Scytonema, 202
seaweed, 59, 65
 extracts, 56
sedimentation, 137, 215
sediment filters, vii, 137
SEM *see* scanning electron microscopy
SEN *see* single enzyme nanoparticles
Sepharose, 198
serpentine, 89
sewage treatment process, conventional, 137, 137
shrimp, 66
 chitosan, 67
sieving, 91, 97
silanol, 108
silica-based sorbents for SPE, 24–5, 106

- silica gel
 adsorption, 52, 107–9, 112, 114–30, 217
 advantages as support material, 107–8
 analytical applications of functionalized silica gels as chelating sorbents, 109, **110–11**, 111–30
 functionalization of, 108–9
 chemical modification of silica surface, 108–9
 surface chemistry of, 108
 metal remediation, for, viii, **24**, 24–5, 105–31
- siloxane, 108
- silver
 nanoparticles, 146–7
 removal, 40
- single enzyme nanoparticles (SEN), 148–9 (*see also* enzymes)
- single-walled carbon nanotubes (SWCNT), **139**, 140, 140 (*see also* carbon nanotubes; magnetic carbon nanotubes; multi-walled carbon nanotubes)
- sisal fiber, 36
- SMT *see* sterol methyl transferase
- SMZ *see* surfactant modified zeolites
- Snow, John, vii
- sodium chloride treatment, 96
- solid phase extraction (SPE), 5, 24–6, 106, 130–1, 147
 advantages, 106, 131
- solid-phase microextractions (SPME), 176
- solvent extraction, 30
- sonolysis, 217
- SPE *see* solid phase extraction
- Sphingomonas*, 193
- Sphingopyxis*, 193
- Spirogyra*, 219–21
- SPME *see* solid-phase microextractions
- SS *see* suspended solids
- standards, 6–7
- starch, 53, 56
 derivatives, 56
 modified, 58
 plant polysaccharides, 57–60, 64, 68
- steam distillation, 137
- stearic acid treatment, 37
- sterol methyl transferase (SMT), 16
- stilbite, 87
- Streptomyces*, 19, **19**
- streptomycetes, 202
- Strychnos potatorum*, 63–4
- sugar-beet pectin xerogels, 38, 60
- sugarcane bagasse (SCB), 34, 44
- sulfated galactans, 59
- sulfide precipitation, 22
- sulfuric acid treatment, 37
- sunflower waste, 43
- surfactant modification for removal of oxo ions from water, ix, 229–36
 factors affecting, 232–6
 influence of specific surface area of sorbent media, 232–3, 236
 influence of surfactant properties, 232, 235–6
 porosity and pore size distribution of sorbent media, 232, 234–6
 surface charge/ion-exchange capacity of sorbent media, 232–4, 236
- surfactant modified zeolites (SMZ), 85
- surfactants, 135, 229
 behavior in aqueous systems, 230–2
 properties, 232, 235–6
- Sushutra Sutra, vi
- suspended solids (SS), 61
- sustainability, 4
- sustainable development, 4, 8
- SWCNT *see* single-walled carbon nanotubes
- symbiosis, 15
- Synedra ulna*, 186, 195

- Tagetes erecta*, 40–1
tamarind, 59, 63
 gum, 64
TAMS *see* triamine-modified silica
tannin, 56, 63–4, 221
task-specific ionic liquids (TSIL), 158
 (*see also* ionic liquids; room temperature ionic liquids)
TBP *see* tributyl phosphate
TDP *see* total dissolved phosphorus
TDS *see* total dissolved solids
temperature, 223
tetrachloroethylene, 148
tetraethoxysilane, 107
tetraethylenepentamine, 129
textile wastewater, viii, 61–4, 68
 (*see also* dye removal)
 bioremediation using algae, 219, 219–25
 cost effective and efficient approach, 225–6
thermogravimetric analysis, 33
thin layer chromatographic (TLC) method, 176
thioglycolic acid, 116, 116
Thom, Robert, vi
Tianjin Jizhuangzi Wastewater Treatment Facility in China, 189
titanium dioxide nanoparticles, 147
TLC *see* thin layer chromatographic method
TNT (2,4,6-trinitrotoluene), 52
TOC *see* total organic carbon
TODGA *see* *N,N,N',N'*-tetraoctyldiglycolamide; *N,N,N',N'*-tetraoctyl-3-oxapentanediamide
toluene, 143
total dissolved phosphorus (TDP), 186
total dissolved solids (TDS), 61
total organic carbon (TOC), 215
total phosphorus (TP), 186
toxic sludge, vii, 31, 226
TP *see* total phosphorus
transition metals, removal, 164–8
Trapa natans, 41–2
triamine-modified silica (TAMS), 129
tributyl phosphate (TBP), 170
2,3,5-trichlorobenzoic acid, 191
Trigonella foenum graecum, 61
triethyl(tetradecyl)phosphonium 2-(methylthio)benzoate, 164
triethyl(tetradecyl)phosphonium thiosalicylate, 164
2,4,6-trinitrotoluene *see* TNT
trioctylammonium bis(trifluoromethyl-sulfonyl)amide, 167
trioctylammonium nitrate, 167
TSIL *see* task-specific ionic liquids
turbidity, 221
tyrosinase, 148
ultrafiltration, 215
UN *see* United Nations
United Nations (UN), 4, 6
UN-Water Decade Programme on Capacity (UNW-DPC), 6
UNW-DPC *see* UN-Water Decade Programme on Capacity
uranium, removal, 40, 171
urbanization, 1, 51
Uronema confervicolum, 202
uronic acid, 20, 58, 71
U.S. Environmental Protection Agency (EPA), 5–6, 226
UV (ultraviolet) photolysis, 217
Varahamihira, vi
Vaucheria, 221–3, 222
Vedas, vi
viruses, 136
vitamin tablets, 116
VOC *see* volatile organic compounds
volatile organic compounds (VOC), 23, 157
vorticella, 182, 183
Wangia profunda, 71
wastewater
 dye removal (*see* dye removal; textile wastewater)

- wastewater (*continued*)
 industrial, 12, 135
 management systems, 3
 metal-contaminated (*see* metal remediation in water)
 municipal, 135
 treatment, vii, 2, 3, 5, 9, 51–75, 82–97
 regulations, 5
- water
 contaminants, 136, 136–8
 disinfection, vii
 filtration membranes, 150
 global water scarcity, v, 1–2, 212, 213
 natural resource, v, 1, 11, 51, 82, 212
 purification, 137, 145, 151
 history of, vi–vii
 quality crisis, factors for, 1
 reclamation, 2 (*see also* water recycling; water reuse)
 recycling, 2, 9, 151 (*see also* water reclamation; water reuse)
 environmental benefits, 9
 reuse, 2, 5, 9, 151 (*see also* water reclamation; water recycling)
 sacred in religions, v
 softeners, vii, 137
 softening, vii, 90–1
 -soluble polymeric substances, 56
 treatment (*see* wastewater: treatment)
- water pollution, v, 11, 82, 136, 136–8 (*see also* pollution)
 history of, vii
 metals, due to, 11, 52
 reasons for, 51, 212–13
- water remediation, vii, 2, 5
 green materials for, vii, 4, 9, 11–26
 metal removal, 30–48, 105–30, 155–76 (*see also* metal remediation in water)
 nanomaterials, for, 135–51
 policy directives, 5–6
 techniques, 3
- wetlands, degradation of, 11
 wheat starch, 64
 white rot basidiomycetes
 microorganisms, 190
- WHO *see* World Health Organization
Withania frutescens, 35
 wood, 58
 World Health Organization (WHO), 91
- xanthan gum, 59, 71
Xanthomonas campestris, 71
 Xanthophyceae, 222
 XPS *see* X-ray photoelectron spectroscopy
 X-ray diffraction (XRD), 61
 X-ray photoelectron spectroscopy (XPS), 37
 X-ray scattering, 175
 XRD *see* X-ray diffraction
- yeast, 5, 19–20, 190, 198
 removal of dyes from wastewater, 218
 yeast biomass used for metal removal, 20
- yttrium oxide, 151
- zeolites, viii, 22–3, 233, 235
 adsorption, 52, 82, 85, 87, 91, 93–8, 217
 nanocrystalline, 143, 143–4
 natural, 84, 84–5
 modification by acid/base treatment, 87–8
 modification by surfactants, 86, 86, 87
 modification of, 85–8, 97
 synthesis and properties of, 83–5, 84
 synthetic, 83, 88, 88–90
 synthesis of zeolites from industrial wastes, 89–90
 ash from coal fly, 90

- ash from municipal solid waste incineration, 89
- ash from oil shale, 89–90
- ash from rice husk, 90, 95
- synthesis of zeolites from natural materials, 88–9, **89**
- wastewater treatment, by, 90–8
 - advantages of, 97–8
 - ammonia removal, 91–7, **92**, **96**
 - water softening, 90–1
 - zeolite NaA, **88**, 91, 94, 97
 - zeolite NaP, **88**, 91, 94
 - zeolite NaX, **88**, 91, 97
 - zeolite NaY, **88**, 91, 94–5, 97
- zinc
 - dithiazone, 112
 - removal, 33, 35, 37–9, 43–6, 136
 - toxic health effects, **12**, 105
- zirconia, 106
- zooplankton, 181
- ZVI *see* nanoscale zero-valent iron
- Zwitterion flocculants, 57
- Zygnematales, 219