

Index

- a**
- accumulation 30f.
 - adsorption 36, 126, 137, 209, 227
 - aggregation 50, 155
 - antioxidants 167, 205, 237
 - activity 205
 - total antioxidant activity (TAA) 180f.
- b**
- backtransport models 32, 35
 - backpulsing 28, 32f.
 - backwashing 33
 - bacteria removal
 - milk 3f., 46
 - skim milk 27
 - beer
 - clarification 9ff.
 - dealcoholization 9, 11f.
 - maturation 11
 - membrane bioreactor 212f.
 - production 10ff.
 - bioactive compounds 217f., 224
 - biocatalyst 201ff.
 - esterases 206
 - GRAS (generally regarded as safe) 214
 - laccase 205
 - lipases 206f.
 - biocatalytic membrane reactor, *see* membrane bioreactor
 - biological oxygen demand (BOD) 5
 - biologically active compound 167
 - biotransformation 201
 - brine 4, 16
 - boundary layer 174
 - treatment 8
 - Brownian motion 152
 - by-product 201f.
- c**
- cake formation 32, 36
 - carbonation 22
 - casein micelles
 - concentration 25, 28f., 35, 45
 - rejection 57, 59
 - separation 47, 55
 - skim milk 28f.
 - transmission 48
 - cell immobilization 211
 - centrifugation 25, 27, 50, 66, 81
 - wine production 106
 - CFD (computational fluid dynamics) 35f., 132, 134f., 138
 - cheese
 - curdling 26
 - partial concentration 8
 - pre-concentration 8
 - preservation 4
 - processing 8f., 51
 - standardized cheese milk 9
 - total concentration 9
 - whey 30
 - chromatography
 - fractionation 48
 - ion-exchange membrane 66
 - Clapeyron's law 175
 - clarification 9
 - beer 9ff.
 - fruit juice 16f.
 - MF/UF 105ff.
 - vinegar 15
 - wine 13, 209
 - cleaning
 - chemical 33
 - electrodialysis systems 99
 - in situ 82
 - methods 31

- sequences 1, 110f.
- COD (carbon oxygen demand)
 - dairy effluent 50f.
 - dairy process water 66f.
 - dairy wastewater 94
 - reduction 52
- concentration factor, *see* wine
- concentration polarization 36, 52, 60, 79, 175, 186, 189
- conductivity
 - dairy-process water 66f.
 - ionic concentration solutions 88f.
 - wine 113
- costs
 - energy 2, 8, 30, 47, 62, 87, 168f.
 - equipment 8, 63
 - membrane replacement 17, 170
 - operating 10
 - packing 168
 - production 8
 - shipping 168
 - storage 168
 - water 9
- cross-flow velocity 38
- cryoconcentration 168, 194
- crystallization
 - cold 106
 - induction time 114f.
 - curding 25f.
- current
 - density 79f.
 - efficiency 87f.
- d**
- dairy effluents 51f.
- Dean vortices 33
- deionization degree (DEID) 113f.
- desalination 1, 75, 95f.
- diafiltration (DF) 5, 13
 - milk 48
 - whey demineralization 8
 - whey proteins fractionation 49
 - wine 13f.
- diffusion
 - Brownian 37
 - coefficients 37, 175, 227
 - rate 237
 - selectivity 227
 - shear-induced 35, 37
- direct osmosis (DO) 194
- distillation
 - applications 177ff.
 - flux 174f.
 - fruit juice concentration 171ff.
 - membrane (MD) 168, 170f., 183ff.
 - membrane osmotic (MOD) 190f.
 - osmotic (OD) 22, 121f., 170ff.
- Donnan exclusion mechanism 22, 75
- droplet
 - break-up 137
 - coalescence 130, 152
 - force-balance model 135, 137
 - formation 134ff.
 - generation unit (DGU) 133, 151f.
 - lipid-coated ice droplet hydration method 147
 - -size 131, 134, 139, 143
 - -size distribution (DSD) 129, 148, 151ff.
 - stabilization 142ff.
 - torque-balance model 135, 137
- e**
- electro dialysis (ED) 1f., 8, 21f.
 - acidification 125f.
 - applications 82ff.
 - cost analysis 79ff.
 - dairy industry 88ff.
 - deacidification 84f., 168
 - demineralization 30, 50, 84, 88ff.
 - electrochemical coagulation 97f.
 - electrodeionization 96f.
 - electroreduction 98f.
 - food industry 75ff.
 - juice industry 85ff.
 - lactic-acid production 90ff.
 - process 76f., 112
 - protein fractionation 94ff.
 - reversal (EDR) 75
 - stack 78, 81f.
 - sugar industry 85ff.
 - system design 79ff.
 - tartaric stabilization 105f., 111ff.
 - wine 83ff.
- emulsification
 - coefficient of variation (CV) 132
 - cross-flow membrane (XME) 129ff.
 - dead-end membrane (PME) 130f., 134, 137, 144, 150
 - dispersed phase 138f., 141, 143, 146f.
 - encapsulation active molecules 149ff.
 - low-shear processing 156f.
 - membrane (ME) 129, 134, 136, 139ff.
 - microchannel (MCE) 129, 133f., 138f., 141ff.
 - rotating membrane (RME) 130ff.
 - vibrating membrane (VME) 132
- emulsifier 7, 45, 206

- hydrophile–lipophile balance (HLB) 142, 148
- hydrophilic 149
- hydrophobic 146, 149, 151
- proteins 142
- small-molecule 137
- emulsion
 - flocculated networks 155
 - monodisperse 133f., 139, 143, 146, 150f.
 - oil-in-water (O/W) 130, 132, 140ff.
 - polydisperse 153, 155
 - semiliquid 152
 - stability 152ff.
 - water-in-oil (W/O) 130, 144ff.
 - water–oil–water (W/O/W) 147ff.
 - yield stress 154
- enological processes 106, 119ff.
- enzyme
 - dosage 204
 - immobilization 209, 213
- enzyme membrane reactors (EMRs) 167f.
- enzyme
 - oxidative 209
 - stability 209
- enzymatic
 - activity 208f., 213
 - cell-free reactors 212
 - coagulation 8
 - hydrolyse of starch 203
 - pulping 168
 - synthesis 206
- evaporation 5, 17
 - compression 91
 - flux 172, 175f.
 - multistage 168
 - solvent 143, 230
 - thermal 194
 - vacuum (VE) 50, 91, 115
- extraction
 - liquid–liquid 23
 - mass agent 202
- f**
- fermentation
 - aerobe 15
 - beer 9ff.
 - wine 12ff.
- filtration
 - cross-flow 3, 9f., 21, 38, 45f., 48
 - dead-end 4, 9, 28, 106
 - diatomaceous-earth 105f.
 - dynamic 45, 51ff.
 - kieselguhr 4, 11, 106
 - shear-enhanced 51f.
 - sterile 12, 106
- flow
 - resistance 82
 - reversal 33
 - -through models 35
 - turbulent 2
- flux
 - critical 2, 31f., 35
 - decrease 30f.
 - steady-state 36, 188
- foaming 6, 22
- food packaging
 - active packaging 224f., 232ff.
 - controlled-release polymers 226, 232ff.
 - films 229ff.
 - food contact materials (FCM) 223
 - modified-atmosphere (MAP) 225f., 228ff.
 - multilayer films 233ff.
 - synthetic polymers 223ff.
 - traditional 225
 - under-vacuum 226
- force
 - drag 135
 - interfacial tension 134f., 137
- fouling 1, 26, 30f., 46, 50, 107
 - degree 110
 - electrodialysis systems 87, 99
 - internal 57, 63
 - layer 30
- fractionation 5, 35f.
 - milk-fat globules 27
 - sugar/organic acids 116
 - whey proteins 48f., 52
- free biocatalysts membrane bioreactor, *see* membrane bioreactor
- fruit juice
 - clarification 16, 167
 - concentration 167f., 176
 - deacidification 169
 - depectinization 167
 - integrated processes 167ff.
 - production 16ff.
 - quality 180, 182
 - single-strength 168
 - stabilization 167
- functional food
 - flavor 201
 - ingredients 203
 - membrane bioreactors 202ff.
 - nutraceutical 203
 - nutrapharmaceutical 208
 - odor 201
 - prebiotic 203
 - probiotic 203

g

- gas-exchange rate 225
- gas separation (GS) 168
- gel filtration mode 32
- GMP (K-casein-glycomacropeptid) 7

h

- heat
 - transfer coefficient 187
 - treatment of milk 7, 27
- hydrogel coating 133

i

- ice-cream manufacturing 5
- interaction
 - chip surface-emulsifier molecule 139
 - electrostatic 139
 - hydrodynamic 135, 155
 - nonattractive 139
 - particles-liquids 37
 - protein-ZrO₂ 49
- interface
 - liquid/membrane 190
 - oil/water 208
 - vapor/liquid 171, 183
- interfacial
 - area 170
 - rheology 137
 - tension 134f., 137f.
- isoelectric point 131

l

- lattice-Boltzmann method 37, 134
- Loeb-Sourirajan phase-separation process 226

m

- macromolecular 106f.
- mass transfer
 - boundary layer 186
 - control 202
 - distribution coefficient 22
 - gas-liquid 22
 - liquid-liquid 22
- membrane
 - anion-exchange 76f., 91, 93
 - area 32, 62
 - asymmetric 26, 226, 229f., 234, 236
- membrane bioreactors
 - beer processing 212f.
 - biocatalytic membrane reactor (BMR) 201ff.
 - continuous-flow stirred-tank membrane reactor 209

- ethanol production 212f.
- fat processing 206ff.
- free biocatalysts membrane bioreactor (MBR) 201ff.
- fruit-juices production 213
- lactose hydrolysis 215ff.
- milk processing 214ff.
- oil processing 206ff.
- pectin hydrolysis 210f., 213f.
- protein hydrolysis 215
- starch processing 203ff.
- stirred-tank reactor 207
- sugar processing 203ff.
- two-separate phase membrane bioreactor 207
- wine 208ff.
- membrane
 - bipolar 76f., 87, 90ff.
 - cation-exchange 76f., 79, 87, 91, 93
 - ceramic 3f., 26, 29f., 47f., 59, 130, 172f.
 - chemistry 99
 - composite 30, 226
 - membrane controlled-release devices 226, 232f.
 - membrane distillation (MD)
 - applications 187ff.
 - air-gap (AGMD) 184
 - direct contact (DCMD) 184, 187ff.
 - operating parameters 186f.
 - sweeping gas (SGMD) 184
 - vacuum (VMD) 184, 187, 188ff.
 - membrane
 - flux 29, 226
 - hydrophilic 1, 130, 145, 169, 172, 208
 - hydrophobic 130, 145, 169, 173, 183, 208
 - ion-exchange 1, 22, 30, 50, 75ff.
 - lifetime 82, 170
 - liquid 225
 - metallic 130
 - modification 37
 - membrane modules
 - circular polymer 66
 - helically wound hollow-fiber 174
 - membrane distillation (MD) 185ff.
 - microporous polymer hollow fiber 174ff.
 - osmotic distillation (OD) 172ff.
 - plate-and-frame 10f., 174, 185
 - rotating-disk 58ff.
 - shell-and-tube 186
 - spiral-wound (SW) 4, 17, 48, 51, 66, 185, 202
 - tubular 10, 49, 59, 185, 202
 - VSEP 60f., 63f., 66

- membrane
 - multichannel 47
 - nonporous 21, 225
 - nonselective 229f.
 - nucleopore 36
 - osmotic distillation (OD) 172ff.
 - performance 31, 34
 - permselectivity 227, 229
 - polymeric 21, 30, 47f., 75, 185
 - porosity 136, 169, 173, 185, 225
- membrane processes
 - applications in food industry 17ff.
 - continuous 10
 - ED, *see* electro dialysis
 - hybrid 23
 - integrated 167ff.
 - MF, *see* microfiltration
 - NF, *see* nanofiltration
 - PV, *see* pervaporation
 - pressure-driven 1f., 186
 - RO, *see* reverse osmosis
 - three-stage 66
 - two-stage 49
 - UF, *see* ultrafiltration
- membrane
 - radius 58
 - regeneration 110
 - SCT 47
 - selectivity 32, 65, 121, 202, 226ff.
 - semipermeable 229
- membrane separation
 - models 17, 34f.
 - of components 27ff.
- membrane
 - SPG (Shirasu-porous-glass) 130f., 140f., 145, 149
 - supported-liquid 170, 191ff.
 - surface area 108f.
 - surface morphology 31f.
 - thickness 173, 189
 - track-etched 26
 - volumetric productivity 32
 - zeolite 21
- microdispersions 134
- microencapsulation 237f.
- microfiltration (MF) 1f., 26
 - bacteria removal 3f., 46
 - beer clarification 11
 - cross-flow 11
 - /electrodialysis (ED) 80
 - milk 46
 - osmotic distillation (OD) 177, 179, 181f.
 - polysaccharide removal 113f.
 - powder milk 56
 - productivity 107f.
 - skim milk 58
 - spore removal 46
 - tangential MF/UF 105f.
 - wine clarification 105ff.
- microsieve 29, 36f.
 - metal 36
 - polymeric 36
 - silicon 26, 36
- microsolute transmission 52
- migration effects 39, 112
- milk
 - composition 26f., 46
 - concentration 5, 46
 - consistency 5
 - cream stability 27
 - fat removal 27
 - pH adjustment 5
 - powder 55
 - processing 3f., 46f.
 - protein concentrate (MPC) 5
 - protein standardization 5, 45f.
 - skim 3, 5, 27f., 55, 58, 60ff.
 - taste 8, 27
 - total solids 5f., 8
 - ultra-high temperature (UHT) 55, 57, 61ff.
- molecular
 - distillation 206
 - encapsulation 205f.
- molecular weight cut-offs (MWCOs) 2, 107f., 113, 168, 204f.
- must
 - acidification 125f.
 - concentrated (CM) 106, 115
 - fermentation 105
 - rectified concentrated (RCM) 105f., 115
 - reduced acidity 120, 123
 - sugar reduction 119f.
- n**
- nanofiltration (NF) 1f.
 - dairy-process water 66f.
 - fruit juice concentration 168
 - grape must 115f.
 - milk 50
 - rejection coefficients 115
 - taste of wine 126
 - volatile acidity in wine 124
 - whey demineralization 8
- neutralization 124f.
- nitrogenation 22
- nonsolvent-induced phase separation (NIPS)
 - technique 234

o

- organoleptic 3, 126, 168
- Ostwald ripening 152

p

- partial condensation 168
- pasteurization 15, 28, 48
 - cold 27, 46
 - ultra- 3
- permeability
 - coefficient 227
 - gas 223, 225ff.
 - water-vapor 226
- permeate
 - flow rate 61f.
 - flux 47f., 56
 - flux decline 107f.
 - recirculation 47, 51
- pervaporation (PV) 1f., 21, 168, 227
 - aroma recovery 21
 - fruit juice 168, 181
- pH
 - adjustment 80, 86f., 123
 - milk processing 5
 - wine processing 123f.
- pore size 3f., 26f.
 - distribution 26, 36
 - MF membrane 107f.
 - uniform 35ff.
- porosity gradient (GP) 47f.
- precipitation
 - polysaccharide 113
 - selective 50
 - tartrate salts 84
 - thermocalcic 6
- pressure
 - capillary penetration 173
 - critical penetration 169f.
 - Laplace 138, 169
 - osmotic 2, 146f., 149, 168
 - vapor 171
 - -variation cycle 57
- proteins
 - bovine serum albumin (BSA) 30, 45, 142f.
 - denaturation 34
 - egg-white 142
 - immobilization 211
 - immunoglobulins 30
 - α -lactalbumin 6, 30, 45
 - β -lactalbumin 6, 30, 45, 142, 215
 - lactoferrin 30
 - repulsion 50

- serum proteins recovery 30
- soybean flour 142
- total concentration 48, 63
- transferrin 30
- purification 167, 202

r

- retentate 3
 - concentration factor 47
 - microfiltration 7
- retention factor 204
- reverse osmosis 1f., 81
 - fruit juice concentration 177f., 194
 - dairy-process water 66
 - diafiltration 13f.
 - membrane distillation (MD) 188f.
 - milk 5f., 50
 - must 115
 - osmotic distillation (OD) 177ff.
 - volatile acidity in wine 124
- Reynolds number 186
- ripening 9, 26, 152

s

- saltification balance 125
 - salting-out effect 95
 - shelf life
 - foods 223, 229, 233
 - retention 229
 - simulated ultrafiltrate (SMUF) 28
 - solute rejection rates 52
 - solution
 - brine 4
 - diffusion 1, 21
 - stripping 170, 176, 190
 - surface tension 173, 183
 - spore removal
 - milk 3f., 46
 - skim milk 27
 - Stack's process 95
 - starter-culture 5
 - sterilization cold 28, 30
- t**
- tartaric stabilization, *see* electro dialysis
 - temperature polarization 186, 189
 - total soluble solids (TSS) 175ff.
 - transmembrane flux 38, 131, 173, 175
 - transmembrane pressure (TMP) 3, 5, 26, 32, 57, 61, 64
 - MF 107ff.
 - UF 108f.
 - uniform (UTP) 28, 32f., 46f., 52

transmembrane temperature gradient 187, 191

turbidity

- fruit juice 181
- permeate 47, 55f., 58

turbulence

- micro- 33
- promotion 29, 32

u

ultrafiltration 1f.

- cheese production 9, 29, 63
- /electrodialysis (ED) 80
- fruit juice 16, 177ff.
- membrane distillation (MD) 188
- milk 5f., 8, 48f.
- osmotic distillation (OD) 177ff.
- polysaccharide removal 113ff.
- powder milk 56
- productivity 107f.
- skim milk 60ff.
- vinegar 15
- whey demineralization 8
- whey proteins fractionation 52, 64f.
- wine clarification 105ff.

UV-light treatment 9

v

videomicroscopy 134, 137f.

vinegar 14f.

viscosity

- emulsion 153, 155
- fruit juice 168, 181
- Krieger-Dougherty (KD) equation 155f.
- milk 5

volume reduction ratio (VRR) 47, 49f., 56, 61, 64f.

w

water

- aroma 121
- dairy-process 66
- deoxygenized 22
- treatment 1, 18
- waste- 1, 8, 18, 20, 94

watering down 121

whey

- defatted 6f.
- demineralization 7f., 30
- processing 6ff.
- whey protein concentrate (WPC) 4f., 66
- whey protein isolate (WPI) 4, 6
- whey protein transmission 47, 49, 57ff.

wine

- acidification 125f.
- alcohol content reduction 119ff.
- clarification 13, 209
- compounds 14
- concentration factor 107ff.
- dealcoholization 12, 14
- fruitiness 123
- pH adjustment 123f.
- quality 14, 107, 119, 123
- rejuvenation 13
- stabilization 209
- taste 126, 209
- volatile acidity 123

y

yeast

- membrane bioreactors 208f., 211
 - residues 106
 - surplus 10
- yoghurt
- processing 50
 - selective demineralization 50

Contents

Preface *XI*

List of Contributors *XIII*

1	Fundamentals of Fouling	1
	<i>Robert Field</i>	
1.1	Introduction	1
1.2	Concentration Boundary Layer	2
1.3	Modeling Ultrafiltration in the Absence of Fouling	4
1.4	Modeling Membrane Filtration in the Presence of Fouling	6
1.5	Fouling Overview: its Nature and Key Influences	9
1.6	Modeling of Fouling	11
1.7	Prevention and Reduction of Fouling	15
1.8	Reverse Osmosis and Fouling	17
1.9	Fouling in Ultrafiltration and Microfiltration	18
1.10	Fouling in Pervaporation and Gas Separation	20
1.11	Concluding Remarks	21
	References	22
2	Biofouling in Membrane Systems	25
	<i>Vicki Chen, Jaleh Mansouri, and Tim Charlton</i>	
2.1	Introduction	25
2.2	Biofouling: Definition, Formation, and Impact on Membrane Performance	26
2.2.1	Biofouling in Membrane Bioreactors	27
2.2.2	Biofouling in Reverse Osmosis and Nanofiltration Treatment Trains	28
2.2.3	Biofouling in Other Membrane Systems	30
2.3	Assessment, Visualization, and Monitoring	30
2.3.1	Chemical Analysis	31
2.3.2	Optical and Electron Microscopy	32

2.3.3	Microorganism Community Analysis	33
2.3.4	Biofouling Monitoring and Visualization (Online or <i>In Situ</i>)	40
2.4	Strategies for Controlling Biofouling	41
2.4.1	Feed Pretreatment (Biocides and Nutrient Removal)	41
2.4.2	Cleaning	43
2.4.3	Membrane Selection and Modification	44
2.5	Future Developments and Conclusion	47
	References	48
3	Current and Emerging Membrane Processes for Water Treatment	53
	<i>Jean-Christophe Schrotter and Bengu Bozkaya-Schrotter</i>	
3.1	Introduction	53
3.2	Global Assessment and Forecast of the Water Treatment Membrane Market	54
3.3	Membrane Products and Processes	55
3.3.1	Reverse Osmosis and Nanofiltration Systems	55
3.3.1.1	Flux, Pressure, and Feed Recovery Rate	56
3.3.1.2	Removal of Emerging Pollutants	56
3.3.1.3	Integrity Monitoring	57
3.3.1.4	Concentrate Treatment	57
3.3.1.5	Recent Technological Improvements	61
3.3.2	Microfiltration and Ultrafiltration Systems	64
3.3.2.1	Microfiltration and Ultrafiltration Pore Size	65
3.3.2.2	Membrane Material Type	65
3.3.2.3	Hollow Fiber versus Plate-and-frame Membrane	69
3.3.2.4	Submerged versus Pressurized Membrane Systems	70
3.3.2.5	Inside-Out versus Outside-In Flow	72
3.3.2.6	Flux and Feed Recovery Rate	72
3.3.2.7	Cleaning Methods	73
3.3.2.8	Integrity Monitoring	74
3.4	Membrane Fouling	75
3.4.1	Autopsy	75
3.4.2	Membrane Chemical Cleaning or Cleaning-in-Place	77
3.4.3	Global Measurement of Fouling Potential	78
3.4.3.1	Modified Fouling Index and Mini Plugging Fouling Index	79
3.4.3.2	Modified Fouling Index – Ultrafiltration	80
3.5	Membrane Process Integration in Water Treatment	81
3.5.1	Membrane Pretreatment	81
3.5.2	Hybrid Membrane Process	82
3.5.2.1	Membrane Bioreactor	82
3.5.2.2	Powder-Activated Carbon–Membrane Hybrid Systems	84
3.5.2.3	Ozonation Membrane Hybrid System	84
3.5.3	Examples of Successful Integration	85
3.6	Conclusions	87
	References	88

4	Integrated Membrane Systems for Desalination	93
	<i>Enrico Drioli and Francesca Macedonio</i>	
4.1	Introduction	93
4.2	Process Intensification Strategy	96
4.3	Potential of Membrane Processes in Desalination Schemes	97
4.3.1	Pressure-Driven Membrane Operation	101
4.3.1.1	Microfiltration	102
4.3.1.2	Ultrafiltration	103
4.3.1.3	Nanofiltration and Reverse Osmosis	104
4.3.1.4	Membrane Materials and Modules for NF/RO	105
4.3.1.5	Limits of Membrane Processes	108
4.3.1.6	Reverse Osmosis Desalination Process: Technical Description	110
4.3.2	Membrane Contactors	113
4.3.2.1	Membrane Distillation Technology	114
4.3.2.2	Membrane Crystallization Technology	118
4.3.3	Membrane Bioreactor Technology	119
4.4	Integrated Membrane Systems for Water Treatment	122
4.4.1	Pretreatment Strategies	124
4.4.1.1	Conventional Pretreatment	125
4.4.1.2	Membrane Pretreatment	127
4.4.2	Brine Disposal Strategies	132
4.5	Cost Analysis	134
4.5.1	Project Parameters that Influence Water Cost	136
4.5.2	Elements and Equations of Economic Calculation	136
4.5.2.1	Direct capital costs	136
4.5.2.2	Indirect capital costs	137
4.5.2.3	Annual operating costs	137
4.5.3	Economic Evaluation of Integrated Membrane Systems for Water Treatment: Some Examples	138
4.6	Conclusions	141
	References	142
5	Seawater and Brackish-Water Desalination with Membrane Operations	147
	<i>Raphael Semiat and David Hasson</i>	
5.1	Introduction: The Need for Water	147
5.2	Membrane Techniques in Water Treatment	148
5.3	Reverse-Osmosis Desalination: Process and Costs	152
5.3.1	Quality of Desalinated Water	154
5.3.2	Environmental Aspects	155
5.3.3	Energy Issues	156
5.4	Treatment of Sewage and Polluted Water	158
5.4.1	Membrane Bioreactors	160
5.4.2	Reclaimed Wastewater Product Quality	161
5.5	Fouling and Prevention	161

5.5.1	How to Prevent	163
5.5.2	Membrane Cleaning	163
5.6	R&D Directions	163
5.6.1	Impending Water Scarcity	163
5.6.2	Better Membranes	164
5.6.3	New Membranes-Based Desalination Processes	164
5.7	Summary	165
	References	166

6 Water Treatment in the Pulp and Paper Industry 169

Mika Mänttärä and Marianne Nyström

6.1	Introduction	169
6.2	Process Waters and Effluents in the Pulp and Paper Industry	170
6.3	Important Membrane Characteristics	171
6.4	Operational Parameters Affecting Filtration Efficiency	175
6.5	Examples of Industrial Applications	176
6.5.1	Purification and Reuse of Coating Effluents	177
6.5.2	Purification of Process Waters for Reuse	179
6.5.2.1	Reuse of Paper Mill Process Waters	179
6.5.2.2	Purification of Pulp Mill Process Waters and Effluents	182
6.5.3	Membranes Combined with Biological Treatment	183
6.6	Purification of Freshwater	186
6.7	Concentrate Treatment and Disposal	186
6.8	Research Trends and Future	188
	References	189

7 Membrane Bioreactors 193

Tor Ove Leiknes

7.1	Introduction	193
7.2	Membranes in Wastewater Treatment	194
7.2.1	Background	194
7.2.2	Applying Membranes for Wastewater Treatment	195
7.3	Membrane Bioreactor Configurations	198
7.3.1	Membrane Materials and Module Designs	198
7.3.2	Process Configurations	200
7.3.3	Membrane Bioreactor Basics	202
7.3.4	Membrane Filtration	205
7.3.5	Membrane Fouling	206
7.3.5.1	Basics of Membrane Fouling	207
7.3.5.2	Fouling Control and Mitigation	209
7.3.5.3	Cleaning Fouled Membranes	212
7.3.6	MBR Process Operation: Conditions and Parameters	213
7.3.6.1	Biological Operating Conditions	213
7.3.6.2	Membrane Filtration Operation	215
7.3.6.3	Optimizing MBR Operations	218

7.4	Commercialization of the MBR Process	219
7.4.1	Developments and Market Trends	219
7.4.2	Commercially Available Systems – An Overview	220
7.4.2.1	Flat-Sheet MBR Designs and Options	221
7.4.2.2	Tubular/Hollow Fiber MBR Designs and Options	221
7.5	Summary	223
	References	223
	Index	229