

SUBJECT INDEX

- Absorbents-weighting agents, 59
- Alabama-type flocculators, 118-120
- Algal problems, remedies, 34, 42, 50, 139
- Alkalies, 56, 57
- Alum, 56
- comparison with other coagulants, 56-67, 62-67
 - costs, 55, 180, 229
 - dosages, 52, 55-56, 268
 - feeding, 56, 79-86
 - properties, handling, 55, 246-247
- Amman, Jordan, 180, 223
- Backwashing, 159. *See also* Filters, rapid
- Baffled-channel flocculators, 109
- Bahia, Brazil, 186
- Berra, Mozambique, 71
- Brasilia, Brazil, 180
- Cali, Colombia, 176
- Carmen-Kozeny equation, 121
- Chandori, India, 186
- Checklist, for design of treatment processes, 261
- Chemical feeders, 73
- chlorine, 74
 - direct-gas feed, 76
 - solution-feed, 74
 - constant-rate, 79
 - dry-chemical, 85
 - eductors, 86
 - proportional, 81
 - saturated solution, 84
 - solution-type, 79
- Chemicals, 51
- alkalies, 57
 - coagulant aids, 58
 - coagulants, 53
 - for control of microorganisms, 50
 - disinfectants, 66
 - types, properties, handling, storage, 51-52, 246
- China, 72
- Chitosan, 63
- Chittagong, Bangladesh, 145
- Chlorinators, 74
- direct-gas, 76
 - solution-feed, 74
- Chlorine, 68
- diffusers, 78-79
 - feeding of gaseous, 74
 - hypochlorite compounds, 69
 - measurement of residual, 274
 - properties, handling, storage, 68, 248-249
 - safety, 68-69
- Clays, for coagulation, 59
- Coagulant aids, 58
- natural, 58
 - absorbents-weighting agents, 59
 - British experience, 61
 - Indian experience, 61
 - polyelectrolytes, 59
 - side effects, 66
 - synthetic, 58, 59-60
- Coagulants, 53
- alum, 55
 - dosages, 52, 56
 - feeders, 79-90
 - ferrous salts, 56
 - jar testing, 52, 265
 - natural, 62-66
- Cochabamba, Bolivia, 175, 223
- Coconut shells, husks, as filter media, 40-41, 154, 188
- Coliform organisms, measurement of, 275
- Colon, Costa-Rica, 186

- Concrete, 22
- Constant-rate filtration, 168
- Construction materials, for treatment plants, 22
- Contact time, for disinfection, 68
- Conversion factors, to U.S. customary units, 5
- Copper sulphate, 50, 249
- Costs, 214
 - chemicals, 55, 59, 70-71, 72, 229
 - construction, 48, 207, 213, 216
 - currency conversion factors, 215
 - ENR index, 215
 - equations, 215, 226
 - estimation of, 214
 - factors affecting costs, 216
 - operation and maintenance, 229
 - rapid vs. slow sand filtration, 226-229
 - treatment plant components, 37, 90, 152, 216
- Declining-rate filtration, 171
- Delhi, India, 59
- Density, variations with temperature, 107
- Diffusers, 78, 102
 - chlorine, 78-79
 - coagulant, 98, 102-104
- Direct filtration, 105, 179
 - bench-scale, pilot plant studies, 179-180
 - comparison with conventional filtration, 179, 180-183
- Disinfection, 66
 - chlorination vs. hypochlorination, 68
 - contact time, 68
 - chlorine, gaseous, 68
 - hypochlorite compounds, 69
 - on-site hypochlorite generation, 69
 - ozonation, 68
- Dissipators, hydraulic, 101
- Dual-media filters, 151, 180
- Dynamic filtration, 199
- Eductors, 86
- Effective size, 152
- Ferric coagulants, 56, 249-250
- Ferrocement, 27-28, 34
- Filters:
 - rapid, 147
 - auxiliary-scour wash systems, 165
 - backwashing, 159
 - with distribution-system pressure, 161-162
 - with elevated washwater tanks, 161
 - interfilter-washing units, 162-164
 - rates, 159-161
 - washwater gulleys, 159, 164-165
 - bottom and underdrains, 156
 - main and lateral system, 157
 - teepee-type bottom, 156-157
 - classifications of, 147
 - control systems, 165
 - constant-rate, 168
 - declining-rate, 171
 - inlet rate controllers, 168-169
 - outlet rate controllers, 169-171
 - design criteria, general, 148-149
 - dual-media, 151, 180
 - in industrialized countries and developing countries, 146-147
 - interfilter washing units, 162, 173
 - backwashing arrangements, 162-164
 - comparison with conventional filters, 173-174
 - design guidelines, 178
 - with restricted declining flow rate, 175-178
 - with unrestricted declining flow rate, 175
 - media:
 - coal, 153-154, 180
 - coarse, 153
 - coconut shells, husks, 40-41, 154, 188
 - crushed stone, 155
 - fine, 155
 - gravel, 43, 156
 - rice hull ash, 155
 - sand, 151, 153
 - sizing of, 152-153, 156
 - slow sand, 190
 - advantages for developing countries, 191-192
 - cleaning, 190-191, 197-199
 - comparison with rapid filters, 190
 - control systems, 195-197
 - costs, 226
 - design criteria, 193
 - dynamic filtration, 199
 - operation and maintenance, 201
 - shape of filter, 200
 - inappropriate use of, 192
 - information sources, 202
 - mats, 198-199
 - pretreatment, 31, 43, 192
 - schmutzdecke, function of, 190-191, 198
 - upflow-downflow, 183
 - comparison with conventional filters, 183
 - costs, 224-226
 - design criteria, 183-184
 - evaluation of, 186, 188
 - Indian experience, designs, 186-190
 - Latin American experience, designs, 184-186

- Filtration, 146
 direct, 179
 rapid, 147
 constant-rate, 168
 declining-rate, 171
 vs. slow sand, 146, 148-149
 rates, 5, 39, 148, 173, 180, 184, 193
 roughing, 39
 slow sand, 190
 upflow-downflow, 183
- Flocculation, 105
 design criteria, 106
 Gt values, 107-108, 114-115
 hydraulic vs. mechanical, 105-106
 process description, 105
 tapering, 108, 113-114, 122-123
- Flocculators, 105
 baffled-channel, 109
 horizontal-flow, 109, 111-114, 252-255
 hydraulic calculations, 252
 tapering, 113-114
 vertical-flow, 109-111, 122
 gravel-bed, 120, 186-188, 206
 hydraulic calculations, 256
 tapering, 122-123
 hydraulic jet-action, 116
 Alabama-type, 118-120
 heliocoidal-flow, 116-118
 staircase-type, 118-255
 surface contact, 124
- Flotation, of structures, 26
- Flow measurement, in open channels, 104
- Flumes, 45, 93, 96
- Gravel-bed flocculators, 120, 186-188, 206, 256
- Grit chamber, 45
- Gulleys, filter, 159, 164-165
- Heliocoidal-flow flocculators, 116-118
- Human resources development, 232
 classifications of plant personnel, 239
 numbers of plant personnel, 241
 problems in implementation, 238-239
 in selected developing countries, 235-238
 training, 233-235, 244-245
 Water Decade requirements, 235
- Hydraulic calculations, for selected treatment processes, 252
- Hydraulic jump, 92, 96
- Hypochlorite compounds, 69
 feeders, 79-90
 on-site generation of, 69
 properties, handling, storage, 69, 247-248, 251
- Institutions in water sector, 279
- Intakes, 30
- Interfilter-washing filtration systems, 173. *See also* Filters, rapid
- Jar test, 52
 applications, 62-63, 66, 179-180
 equipment and procedures, 52, 265
- Jedee-Thong, Thailand, 43
- Laboratory, treatment plant, 272
 procedures, 265, 272
 staffing, 244
- Launderers, perforated, 135-137
- Lime, 58, 84-85, 247-248
- Lime-pozzolan cement, 27
- Linhares, Brazil, 180
- Maharashtra, India, 192
- Manpower requirements, 235. *See also* Human resources development
- Manuals, design, operator, 204, 244
- Mats, for slow sand filters, 198-199
- Media, *see* Filters, rapid
- Modular treatment plants, 209
 costs, 213, 224
- Moringa oleifera seeds, 62, 64
- MPN test, 275
- Nagpur, India, 61
- Nairobi, Kenya, 55, 98
- Nirmali seeds, 60, 61, 62, 65
- Oceanside, California, 114, 168
- Orifices, hydraulics of, 172-173
- Overloading, in settling basins, 126-127
- Package treatment plants, 205
 costs, 207, 224
- Palmer-bowlus flume, 96
- Parshall flume, 45, 93
- Penang, Malaysia, 102, 171
- Perforated baffles, in settling basins, 133-135
- pH, measurement of, 272
- Pilot plants, studies, 21
 for coagulation, 265
 for filtration, 163, 179-180, 201-202
 for flocculation, 121, 124-125
 for pretreatment, 35, 41
 for sedimentation, 35, 129-130, 270-271
- Pipe-flow rapid mixers, 101
- Polyelectrolytes, as natural coagulant aids, 59
- Plain sedimentation, 31
- Plants, treatment:
 capacity, 9

- Plants, treatment (*continued*)
 checklist for design, 261
 classifications of personnel, 239
 constraints in implementation, 10, 21
 construction materials, 22
 for small plants, 27
 design guidelines, 10
 economies of scale, 215
 flow diagram, 18
 modular, 209
 numbers of personnel, 241
 package, 205
 pretreatment methods, 31
 standardization, 203-205, 213
 structural design considerations, 26
- Plate settling, inclined, 139
 hydraulic calculations, 259
 in presettling basins, 35
 sludge removal, 138
- Plug-flow, 105
- Pretreatment, 30
 control of microorganisms, 50
 definition, types of, 30-31
 grit removal, 45
 plain sedimentation, 31
 roughing filtration, 39
 storage, 37
- Prudentopolis, Brazil, 209
- Raleigh, North Carolina, 138
- Ramtek, India, 186
- Rapid mixers, 91
 baffled chambers, 100
 coagulant diffusers, 102-104
 eductors, 86
 flow measurement, 104
 hydraulic energy dissipators, 101
 hydraulic jump, 92
 Palmer-bowlus flumes, 96
 Parshall flumes, 93
 turbulent pipe flow, 101
 weirs, 97
- Rapid mixing, 91
 design criteria, 91
 hydraulic vs. mechanical, 91-92
 open channel flow vs. pressure flow, 92
 process description, 91
- Regionalization, in England, 233
- Reservoirs, *see* Storage
- Rio de Janeiro, Brazil, 103, 135
- Roughing filters, 39
 horizontal-flow, 41
 vertical-flow, 40
- Sanitary survey, 16, 17, 21
- Schmutzdecke, 190, 191, 198
- Sedimentation, 126
 basins, horizontal-flow, 127
 clarifiers, upflow, 144
 horizontal-flow vs. upflow, 126-127, 128
 inclined-plate and tube settling, 139
 plain, 31
 process description, 126
 settling rate of particles, 31-32
- Separator, sand, 48
- Settling basins:
 horizontal-flow, 127
 bench-scale tests, 35, 129-130, 270-271
 design criteria, 128
 inlet arrangement, 133
 manual sludge removal, 137
 mechanical vs. manual sludge removal, 127
 number of basins, 132-133
 outlet arrangement, 135
 process description, 127
 upflow, 144
- Short-circuiting, 105-106, 116, 118, 129
- Slow sand filtration, 190. *See also* Filters, slow sand
- Sludge removal, settling basins, 137, 144-145
- Soda ash, 58, 250
- Sources, selection of, 16
- Specific gravity, variations with temperature, 107
- Staircase-type flocculators, 118-155
- Standards, drinking water, 12-16
- Stilling wells, for flow measurement, 45, 104
- Storage, 37
- Superfiltration, 184-186
- Surabaya, Indonesia, 84, 169
- Surface-contact flocculators, 124
- Surface loading rate, 5, 128-129, 130, 140
- Tapering, 108
 in flocculators, 113-114, 122-123
 in settling basin outlets, 137
- Technology, 1
 appropriate, summary of, 6
 capital-intensive vs. labor-intensive, 1-2, 10
 inappropriate, 1-4, 10
- Teepee filter bottom, 156-157
- Training, 233-235, 244-245. *See also* Human resources development
- Treatment processes, selection of, 17
 checklist for design, 261
- Tube settling, 139
 hydraulic calculations, 158

in presettling basins, 35
 sludge removal, 138
 Turbidity, measurement of, 31, 273
 Turnkey projects, 2
 Uniformity coefficient, 152
 Upflow clarifiers, 3, 126-127, 144
 Upflow-downflow filters, 183
 Upflow filters, 40, 183
 Valves, 28
 butterfly, 28, 169, 176
 float, 29, 79, 196
 telescopic, 29, 196, 201
 Varangaon, India, 186
 Velocity gradients, 53-54, 91-92, 106-108

Viscosity, variations with temperature, 107
 Water-proofing, of structures, 27
 Water quality analysis, 272
 Water quality criteria, 11
 in industrialized countries and developing
 countries, 11-12, 14-15
 for raw water sources, 17
 for small communities, 13-16
 WHO guidelines, 12-16
 Weirs, 97
 grit chambers, 45
 rapid mixers, 97
 settling basins, 135-136
 Zarzal, Colombia, 143

802
 803
 804
 805
 806
 807
 808
 809
 810
 811
 812
 813
 814
 815
 816
 817
 818
 819
 820
 821
 822
 823
 824
 825
 826
 827
 828
 829
 830
 831
 832
 833
 834
 835
 836
 837
 838
 839
 840
 841
 842
 843
 844
 845
 846
 847
 848
 849
 850
 851
 852
 853
 854
 855
 856
 857
 858
 859
 860
 861
 862
 863
 864
 865
 866
 867
 868
 869
 870
 871
 872
 873
 874
 875
 876
 877
 878
 879
 880
 881
 882
 883
 884
 885
 886
 887
 888
 889
 890
 891
 892
 893
 894
 895
 896
 897
 898
 899
 900