

---

## INDEX

- ABS (alkyl benzene sulfonate)**, 4, 263, 276–280  
**Acetates**, 305  
**Acids, organic**, 305  
**Activated carbon adsorption**, 35, 263, 266–284  
   capacity, 267  
   carbon regeneration, 271  
   continuous carbon filters, 268, 270–271  
   laboratory evaluation, 267, 269  
   performance, 283, 284  
   properties, 266–268  
   system design, 271–283  
**Activated silica**, 91  
**Activated sludge**, 312, 322–324, 326, 328, 347  
   oxygen, 220–222  
**Activated sludge processes**, 192, 196, 198, 210–232, 245  
   alum addition, 375  
   applications, 213, 225–230  
   complete-mix, 213–215  
   decanted, 216–220  
   extended aeration, 215  
   final clarification, 222–225  
   intermittent aeration, 216–220  
   nutrient requirements, 201  
   oxidation ditch, 215–217  
   oxygen, 220–222  
   PACT process and, 288, 289  
   plant, 213  
   plug-flow, 211–212, 234  
   priority pollutant removal, 230–232  
   suspended solids control, 228–230  
   temperature effects, 228  
   types, 211  
   (See also Sludge disposal)
- ADI-BVF process**, 248, 249  
**Adsorption**, 231–232  
   activated carbon, 35, 263, 266–284  
   formulation, 265–266  
   GAC, 35  
   influences, 264, 265  
   PACT process, 38, 284–289  
   powdered activated carbon (PAC), 38, 284–289  
   rate of, 263, 264  
   theory, 263–266  
   wet air oxidation (WAO) and, 289  
**Aerated lagoon**, 190, 194, 196–210, 302 .  
   aerobic, 196, 198–199  
   design, 201  
   detention time, 204–209  
   facultative, 196, 200–201  
   nutrient requirements, 201  
   odor control, 203–204  
   systems, 203–210  
   temperature effects, 198, 201–203  
**Aeration**, 111–122  
   air stripping, 35, 136–140, 146  
   diffused, 122, 124–125, 140–143  
   equipment, 122–134  
   extended, 215  
   oxygen-transfer efficiency, 111–122, 134–136  
   packed towers, 136–140  
   surface, 127–134, 140–141  
   turbine equipment, 126–127  
**Aerobic digestion**, 313–317  
**Aerobic lagoon**, 196, 198–199, 203  
**Aerobic pond**, 191, 195  
**Air pollution**, 4

- Air stripping, 35, 136–140, 146, 231, 232
  - applications, 136–140, 146
- Aircraft industry, heavy metals removal in, 107
- Algae, 4, 191, 203, 204
- Alkyl benzene sulfonate (ABS), 4, 263, 276–280
- Alum, 312, 375
- Aluminum, 100
- Aluminum industry, heavy metals removal in, 105
- Aluminum sulfate, 88
- American Petroleum Institute, 69
- Amine, 291
- Ammonia, 100, 251
- Anaerobic contact process, 245–247
- Anaerobic decomposition, 245–258
  - ADI-BVF process, 248, 249
  - anaerobic contact process, 245–247
  - anaerobic filter, 246, 247
  - antagonistic ions, 253
  - applications, 247, 251–252
  - batch fermentation, 253–255
  - design, 253–258
  - fermentation mechanism, 248–251
  - fluidized bed reactor (FBR), 246, 247
  - heavy metals removal, 253
  - methane production, 253
  - organic compound biodegradation, 251–252
  - pH control, 252
  - temperature effect, 245, 252
  - toxic materials removal, 253
  - upflow anaerobic sludge blanket (USAB), 246, 247
- Anaerobic filter, 246, 247
- Anaerobic pond, 190–192, 195
- Animal wastes, anaerobic decomposition of, 251
- Anions, 91, 251, 291, 331
- Annamate, 251
- Arsenic, 100, 103, 108
- Austin, Texas, 347
  
- Ball-bearing industry, coagulation in, 96, 97
- Barium, 104, 108
- Beet sugar plant, anaerobic decomposition in, 247
- Benzene, 13, 251
- Benzene hexachloride, 251
- Benzene sulfonate, 264
- Benzydine, 147, 148
- Benzoate, 251
- Biodegradation, 145–147
- Biological oxidation, 283, 312
  - process design parameters, 181–188
  - (*see also* specific process)
- Biomass, 145, 192, 226, 239
- Biooxidation, 147–167, 231
  - mathematical relationships, 151–154
  - molecular weight, 154, 155
  - nutrient requirements, 161–164
  - oxygen utilization, 154–161
  - pH effect, 166
  - reaction rate, 155
  - sludge yield, 154–161
  - temperature effect, 164–166
  - toxicity, 166–167
- Bituminous coal, 266, 267
- BOD test, 13–21
- Brewery waste disposal:
  - anaerobic decomposition, 251
  - equalization, 41
  - lagoon, 198–199
  - land treatment, 354
  - water conservation, 23
  - water reuse, 23
- Büchner funnel test, 331–333
- Byproduct recovery, 22, 25
  
- Cadmium, 100, 104, 108, 372
- Cannery, 161
  - waste survey, 10, 11
- Capillary suction time (CST) test, 335–336
- Carbon, 100
- Catalytic oxidation, 100
- Cation exchange capacity (CEC), 347
- Cations, 91, 291, 293, 331
- Caustic, 98
- CEC (cation exchange capacity), 347
- Centrifugation, 323, 325–330
  - basket-type centrifuge, 325
  - disk-nozzle separator, 325, 326
  - solid bowl decanter, 325, 326
- Ceramic industry, heavy metals removal in, 103, 104, 106
- Chemical industry, heavy metals removal in, 104–107
- Chemical oxidation, 35, 300, 312
  - applications, 305
  - (*See also* specific process)
- Chlor-alkali industry, heavy metals removal in, 106
- Chlorinated benzenes, 287
- Chlorinated hydrocarbons, 305, 306
- Chlorine, 300, 306–310
- Chrome recovery, 296
  - Chromium, 99, 100–103, 372
- Clarification, 100
  - clarifiers, 67–69

- Coagulation, 84–98
  - applications, 84–88, 91, 94–98
  - coagulant properties, 88, 90–91
  - coagulants, 38, 91, 92, 331
  - electrokinetic, 88
  - equipment, 93–94, 96
  - laboratory control, 91–94
  - mechanism, 88, 89
  - orthokinetic, 88
  - perikinetic, 88
  - psi potential, 84, 85
  - zeta potential, 84–88, 90–92
- COD test, 13, 16–21, 303–305
- Coke plant, PACT process in, 286, 288
- Colloids, 225
  - coagulation of, 84–88, 91, 94
- Color of wastewaters, 4, 97, 98, 190, 191, 301, 306
- Complete-mix activated sludge, 213–215
- Copper, 104–105, 108, 253, 372
- Corn, growing of, 356
- Corn-processing plant waste disposal:
  - lagoon, 194
  - waste survey, 9
  - water reuse, 23
- Cornstarch plant, flocculent settling in, 64
- Cresol, 251
- CST (capillary suction time) test, 335–336
- Current meter, 9
- Cyanide, 1, 100, 303, 306–310
- Dairy waste disposal:
  - in-plant waste control, 25
  - land treatment, 354
  - organic content tests, 18
- DCP (2,4-dichlorophenol), 305
- Decanted systems, 216–220
- Deep-well disposal, 363–365
- Denitrification, 176–181
- Desorption, 136–140
- Detergent, 4, 96
- Dichlorophenol, 35
- 2,4-dichlorophenol (DCP), 305
- 2,4-dinitro-*ortho*-cresol (DNOC), 305
- Discrete settling, 53–58
- Dissolved air flotation, 322–325
- Dissolved oxygen, 1
- DNOC (2,4-dinitro-*ortho*-cresol), 305
- Dry-cell battery plant, heavy metals removal in, 106
- Dye industry, heavy metals removal in, 103–107
- Dynasand filter (DSF), 384, 385
- Electrical industry, heavy metals removal in, 106
- Electrodialysis, 35
- Electrokinetic coagulation, 88
- Electronics industry, heavy metals removal in, 106
- Electroplating industry waste disposal:
  - chrome recovery, 296
  - heavy metals removal, 101, 104, 105, 108, 109
  - in-plant waste control, 25
  - ion exchange, 296–299
  - reverse osmosis process, 372–373
  - water reuse, 296
- Elm trees, 356
- Emulsified oils, coagulation of, 94, 96
- Environmental Protection Agency (EPA), 1, 2–3, 230, 302
- Equalization, 7, 33, 40–48
  - applications, 41
- Eutrophication, 4
- Evapotranspiration, 355
- Explosives plant:
  - chemical oxidation, 305
  - heavy metals removal, 104, 106
- Extended aeration, 215
- Facultative lagoon, 196, 200–201, 203
- Facultative pond, 189–192, 195
- FBR (fluidized bed reactor), 246, 247
- FBR test, 39
- Ferric salt, 90–91, 331
- Ferricyanide, 307
- Ferrocyanide, 100, 307
- Ferrous iron, 13
- Ferrous sulfate, 100
- Fertilizer plant, heavy metals removal in, 105
- Fiber industry, heavy metals removal in, 109
- Filamentous organisms, 167–171
  - bulking control, 171–172
- Filtration, 33, 35, 100, 365, 379–387
  - continuous backwash filter, 382–385
  - dual media filter, 382–384
  - Dynasand filter (DSF), 384, 385
  - filter design, 380, 382
  - filtration rate, 380–381
  - granular media filter, 380, 382, 384
  - gravity filter, 380
  - head loss, 381–383
  - Hydroclear filter, 382, 383
  - media options, 380, 381
  - microscreen, 384–386
  - pressure filter, 380
  - trickling (*see* Trickling filtration)
- Flocculent settling, 53–54, 58–65
  - applications, 60, 61, 64, 65
- Flotation, 33, 71–80

- Flotation thickening, 322–325
- Flow-through lagoon, 189
  - aerated, 190
  - anaerobic pond, 190–192, 195
  - facultative pond, 189–192, 195
- Fluidized bed reactor (FBR), 246, 247
- Fluorides, 105
- Fly-ash industry, heavy metals removal in, 107
- Food-processing plant waste disposal, 38–39
  - activated sludge processes, 213
  - anaerobic decomposition, 251
  - irrigation, 362
- Freundlich parameters, 265, 266, 269
  
- GAC (granular activated carbon) adsorption, 35
- Glass industry, heavy metals removal in, 103–106
- Gold mine tailings, 241
- Granular activated carbon (GAC) adsorption, 35
- Gravity thickening, 313, 317–322
- Ground wood-pulp industry, heavy metals removal in, 109
  
- Halogenated aliphatics, 306, 308
- Heavy metals, 1, 39
  - toxicity, 167
  - (See also specific metal)
- Heavy metals removal, 98–109, 253, 283, 313
  - applications, 101, 103–109
  - precipitation of, 98–100
  - sludge disposal and, 347–349
  - sorption in, 145–146
  - (See also specific metal)
- Heterocyclic organics, 263
- Houston, Texas, 347
- Hydroclear filter, 382, 383
- Hydrogen peroxide, 300, 302–306
- Hydrogen sulfide, 4
  
- Impounding absorption lagoon, 189
- In-plant waste control, 21–24
  - applications, 25
- In-plant waste treatment, 35
- Incineration, 313, 351
- Ink manufacturing, heavy metals removal in, 106, 108
- Inorganic chemical industry, heavy metals removal in, 103
- Inorganic salts, 252
- Intermittently aerated system, 216–220
- Ion exchange, 35
  - fixed-bed exchanger, 293
  - laboratory column, 294–296
  - performance, 292–293
  - theory, 291–296
  - treatment cycle, 293–294
- Iron, 100, 105
- Irrigation, 354–358, 362
  - applications, 362
  - system design, 359–361
  
- Laboratories, heavy metals removal in, 106
- Lagoon, 189–210
  - aerated (see Aerated lagoon)
  - aerobic, 196, 198–199, 203
  - aerobic pond, 191, 195
  - algae growth, 191
  - anaerobic pond, 190–192, 195
  - applications, 190–194, 196, 198–200, 203
  - facultative, 196, 200–201, 203
  - facultative pond, 189–192, 195
  - flow-through, 189
  - impounding absorption, 189
  - insect control, 194
  - nutrient requirements, 194, 201
  - odor control, 194
  - sludge disposal, 190, 191, 345–347
  - temperature effects, 193–194
- Land disposal of sludge, 313, 345–351
  - heavy metals and, 347–350
  - injection, 347
  - land design, 349–351
  - spraying, 345, 347–348
- Land treatments, 354–363
  - applications, 354
  - comparative characteristics, 358
  - irrigation, 354–362
  - overland flow, 357–358, 363
  - performance, 361
  - rapid infiltration, 357
  - waste characteristics, 358–359
- Laser Zee meter, 86, 87
- Latex manufacturing, coagulation in, 96–97
- Laundromat, coagulation in, 96, 97
- Lead, 100, 106
- Lead mine drainage, heavy metals removal in, 104
- Lignin, 266
- Lignite, 266, 267
- Lime, 91, 94, 98, 100, 252, 331
- Lindrane, 145, 251
  
- Manganese, 106
- Meat-processing plant waste disposal:
  - anaerobic decomposition, 247

- Meat-processing plant waste disposal—(*cont.*)
  - lagoon, 194
  - land treatment, 354
- Membrane processes, 365–373
  - feedwater stream velocity, 371
  - filtration, 365
  - flux, 370
  - membrane cleaning, 372
  - membrane life, 371
  - membrane packing density, 370
  - pH values, 371
  - power utilization, 371
  - pressure, 369
  - pretreatment, 372
  - recovery factor, 370–371
  - reverse osmosis, 365–369, 371–373
  - salt rejection, 371
  - temperature effects, 369–370
  - turbidity, 371
  - ultrafiltration, 365, 373, 374
- Mercury, 106–108
- Metal processing, heavy metal removal in, 105, 107, 109
- Metallic sulfide ore, 107
- Metallurgical industry, heavy metals removal in, 103, 104
- Methane (*see* Anaerobic decomposition)
- Methanogenic fermentation, 251
- Mines, heavy metal removal in, 105
- Motor vehicle industry, heavy metals removal in, 107
- Municipal wastewaters, activated sludge process for, 225–228
  
- Neutralization, 33, 48–53
  - of acid waste, 52–53
  - and lime slurry mixing, 50
  - acidic and alkaline waste stream mixing, 48
  - of basic wastes, 50
  - limestone bed system, 49, 50
  - process control, 51–52
  - system, 50–51
- Nickel, 100, 107, 108, 253, 348, 372
- Nitrification, 173–176
- Nitrogen, 4, 8
- Nonionic ethoxylated surfactants, 251
- Nonionic polyelectrolytes, 91
  
- Oil separation, 69–71
- Oil waste disposal:
  - anaerobic decomposition, 252
  - ultrafiltration, 373, 374
  
- Ore milling, heavy metal removal in, 105
- Organic acids, 305
- Organic carbon, 13, 19
- Organic chemical industry waste disposal:
  - heavy metals removal, 103
  - lagoon, 193
- Organic compounds:
  - anaerobic decomposition, 251–252
  - biodegradability, 154
  - removal, 145–167
- Organic content tests, 13–21
  - in dairies, 18
  - in lagoons, 15–17
  - in pharmaceutical industry, 16, 18
- Organic priority pollutants, 1–3, 230–232, 302
- Organics:
  - toxic, 1, 8, 17, 231–232
  - trace, 1
  - volatile (VOC) 136–140, 146
- Orthokinetic coagulation, 88
- Overland flow, 357–358, 363
- Oxidation ditch, 215–217
- Oxidizable nitrogen, 13
- Oxygen activated sludge, 220–222
- Oxygen-transfer efficiency measurement, 111–122, 134–136
- Ozone, 300–302
  
- PAC (powered activated carbon) adsorption, 38, 284–289
- Packed towers, 136–140
- PACT process, 38, 284–289
  - applications, 286, 288
- Paint industry, heavy metals removal in, 104, 106
- Paper industry, heavy metals removal in, 107
- Paperboard mill, 4
  - coagulation process, 94, 95
  - waste survey, 7
  - water reuse, 22–23
- Perikinetic coagulation, 88
- Pesticide industry waste disposal:
  - anaerobic decomposition, 251
  - heavy metals removal, 103, 105, 106
  - sorption, 145
- Petrochemical refinery waste disposal:
  - heavy metals removal, 106
  - sludge disposal, 347
  - stormwater control, 27
- Petroleum refinery, heavy metals removal in, 103, 105
- Petroleum residues, 266
- Phalaris arundinacea* (reed canary grass), 355

- Pharmaceutical industry waste disposal:  
 anaerobic decomposition, 247  
 organic content tests, 16, 18
- Phenol, 1, 251, 271, 302
- Pheny/propionate, 251
- Phenylacetate, 251
- Phosphorus, 4, 8
- Phosphorus removal, 373–379  
 biological, 377–379  
 chemical, 373–377
- Photographic industry, heavy metals removal in, 104, 106, 108
- Photometabolism, 251
- Pigment plant, heavy metals removal in, 104, 105
- Plating industry waste disposal:  
 chrome recovery, 296  
 heavy metals removal, 101, 105, 108, 109  
 in-plant waste control, 25  
 ion exchange, 296–299  
 reverse osmosis, 372–373  
 water reuse, 296
- Plug-flow activated sludge, 211–212, 234
- Polyelectrolytes, 91, 326, 331
- Porcelain industry, heavy metals removal, 108
- Potable water supply, 1
- Potassium, 253
- Potassium permanganate, 300
- Poultry industry, land treatment in, 354
- Powdered activated carbon (PAC) adsorption, 38, 284–289
- Precipitation, 35  
 heavy metals removal, 98–100
- Preservative industry, heavy metals removal in, 106
- Pressure filtration, 339–344  
 belt filter press, 341–344
- Printing industry, heavy metals removal in, 107
- Priority pollutants, 1–3, 230–232, 302
- Psi potential, 84, 85
- Pulp and paper mill, 4  
 coagulation process, 97, 98  
 filamentous bulking, 171  
 flocculent settling process, 64, 65  
 lagoon treatments, 190, 191, 193–194, 196, 200  
 nutrient requirements, 161–163  
 organic content tests, 15–17  
 reverse osmosis process, 373  
 wastewater treatment processes, 38  
 water reuse, 21–22
- Rapid infiltration, 357
- Rare-earth industry, heavy metals removal in, 103
- Rayon yarn manufacturing, heavy metals removal in, 109
- Recirculating cooling water systems, 109
- Reduction and precipitation, 100
- Reed canary grass (*Phalaris arundinacea*), 355
- Refractory substances, 4
- Resorcinol, 251
- Reverse osmosis, 35, 365–369, 372–373  
 applications, 362–373  
 feedwater stream velocity, 371  
 hollow fiber, 368  
 plate and frame, 369  
 pressure, 369  
 spiral wound, 368  
 tubular, 366, 368  
 turbidity, 371
- Rotating biological contractor, 239–245
- Rubber plant, heavy metal removal in, 104
- Sand bed drying, 344–345
- Sedimentation, 33, 53–67  
 discrete settling, 53–58  
 flocculent settling, 53–54, 58–65  
 zone settling, 53, 54, 65–67
- Segregation, 25
- Selenium, 107, 108
- Sewage, 161, 226–227
- Sewer map, 5
- Silver, 100, 108–109
- Slime control, 21
- Sludge, 147–149, 312  
 activated, 312, 322–324, 326, 328, 347  
 characteristics of, 313  
 filamentous organisms, 167–171  
 gelatinous, 312, 322  
 inorganic, 312  
 in municipal wastewaters, 226  
 nitrogen content, 162  
 oxygen activated, 220–222  
 primary, 312  
 quality of, 19, 167–172  
 sludge blankets, 1  
 yield, 154–161
- Sludge disposal, 312  
 aerobic digestion, 313–317  
 Büchner funnel test, 331–333  
 capillary suction time (CST) test, 335–336  
 centrifugation, 323, 325–330  
 coagulants, 331  
 denitrification, 176–181  
 filamentous bulking control, 171–172  
 filtration, 313  
 filtration rate, 330–331

- Sludge disposal—(continued)  
 flotation thickening, 322–325  
 gravity thickening, 313, 317–322  
 heavy metals removal, 313, 347–349  
 incineration, 313, 351  
 laboratory procedures, 331–335  
 lagoon, 190, 191, 345–347  
 land disposal, 313, 345–351  
 nitrification, 173–176  
 in petrochemical refinery, 347  
   pressure filtration, 339–341  
 process design, 181–188  
 sand bed drying, 344–345  
 sludge-handling operations, 145–146  
 specific resistance, 330–336  
 temperature effects, 314  
 vacuum filtration, 336–339  
 wet air oxidation (WAO), 289  
 (See also Activated sludge processes)
- Sodium bicarbonate, 252
- Solids-liquid separation, 312
- Soluble organics, 1
- Sorption, 145–146
- Spent caustic, 24
- Stabilization basin, 189–193  
 design, 194
- Steam stripping, 35
- Steel foundry, heavy metals removal in, 105–107, 109
- Storage-battery plant, heavy metals removal in, 106
- Stormwater control, 27–30  
 in petrochemical refinery, 27
- Stripping, 145, 146
- Sulfates, 251
- Sulfide, 13, 253
- Sulfites, 13
- Sulfonic functional groups, 291
- Sulfur, 13
- Suspended solids, 1, 25, 225, 358, 386
- Suspended solids removal:  
 activated sludge process, 228–230  
 coagulation, 84  
 flocculent settling, 60, 61  
 lagoon, 196, 198, 203  
 sorption, 145
- Synthetic rubber plant, coagulation in, 97
- Tannery:  
 flocculent settling process, 64  
 heavy metals removal, 103  
 in-plant waste control, 25  
 water reuse, 23
- Textile mill:  
 coagulation process, 97, 98  
 heavy metals removal, 105  
 lagoon, 190
- Textile printing, heavy metals removal in, 104
- Theoretical oxygen demand (THOD), 17–18
- Thermal power plant, heavy metals removal in, 106–107
- THOD (theoretical oxygen demand), 17–18
- Tobacco industry, chemical oxidation in, 301
- TOC (total organic carbon) test, 13, 17–21, 303–305
- TOD test, 13
- Tomato-processing plant:  
 waste survey, 4, 6  
 water reuse, 22
- Total organic carbon (TOC) test, 13, 17–21, 303–305
- Toxic organics, 1, 8, 17, 231–232
- Toxic wastes, 303, 304
- Trace organics, 1
- Trichloroethylene, 305–307
- Trickling filtration, 232–239  
 applications, 237–239  
 oxygen transfer, 235–237  
 oxygen utilization, 235–237  
 performance, 237, 238  
 temperature effects, 237  
 theory, 232–235
- Turbidity of wastewaters, 4, 191, 371
- Ultrafiltration, 365, 373, 374  
 applications, 373, 374
- Union Carbide, South Charleston, West Virginia, 24, 166
- Upflow anaerobic sludge blanket (USAB), 246, 247
- Vacuum filtration, 336–339
- Varnish plant, heavy metals removal in, 106
- Vegetable-processing plant, coagulation in, 97
- VOC (volatile organics), air stripping in, 136–140, 146
- Volatile materials, 4
- Volatile organics (VOC), air stripping in, 136–140, 146
- WAO (wet air oxidation), 35, 289, 310–311
- Waste survey, 4–5, 7–13  
 analysis schedules, 7  
 batch operation, 4, 5, 7  
 in cannery, 10, 11  
 in corn-processing plant, 9

- Waste survey—(continued)  
 flow-and-material-balance diagram, 9, 25–27  
 flow measurement, 8–9  
 in paperboard mill, 7  
 sampling, 5, 7–8  
 sewer usage, 8–9  
 statistical analysis, 9–13  
 in tomato-processing plant, 4, 6
- Wastestreams, 24–25
- Wastewater:  
 characteristics, 4, 13–21  
 composition, 168  
 organic constituents, 19, 20  
 organic content tests, 13–21  
 sources, 4  
 turbidity of, 4, 191, 371  
 undesirable characteristics, 1, 4  
 waste flow, 4–6
- Wastewater treatment design, 8
- Wastewater treatment processes, 5, 7  
 attainable quality, 38–39  
 biological, 8, 37, 39, 181–188, 283, 312  
 chemical, 35, 36, 39, 300  
 in food-processing plant, 38–39  
 in-plant treatment, 35  
 pre-treatment, 39, 99–100  
 primary, 33, 35  
 in pulp and paper mill, 38  
 sampling schedules and, 7–8  
 secondary, 33  
 selection procedure, 35, 38  
 solids-liquid separation, 312  
 tertiary, 33, 35  
 (See also specific process)
- Water conservation, 5  
 in brewery, 23
- Water Research Center (WRC), Stevenage  
 Laboratory, England, 335
- Water reuse, 5, 21–27  
 in brewery, 23  
 in corn-processing plant, 23  
 in electroplating industry, 296  
 in paperboard mill, 22–23  
 in pulp and paper mill, 21–22  
 in tannery, 23  
 in tomato-processing plant, 22
- Weir, 9
- Wet air oxidation (WAO), 35, 289, 310–311
- Winery, land treatment in, 354
- Wood, 266
- Woodland, 356
- Wool-scouring plant, coagulation in, 98
- WRC (Water Research Center), Stevenage  
 Laboratory, England, 335
- Zeta potential, 84–88, 90  
 control, 91–92
- Zinc, 99, 108, 109, 253, 348
- Zone settling, 53, 54, 65–67