

INDEX

A

- Air/gas injection, 133
- Algae, 24, 35
- Adhesion of microorganisms, 46–9
 - interacting forces, 49–55
 - quality of surface, 58–60
- Adsorbed layers, 55–7

B

- Bacteria, 23–4, 36–8
 - aerobic, 36
 - anaerobic, corrosive, 24
 - classification, 37–8
 - colonies, 42–4
 - growth, 67–9
 - iron depositing, 24, 37
 - nitrifying, 24, 37
 - slime-forming, 23, 36
 - Spore-forming, 24, 36
 - sulphate reducing, 24, 37
- Barnacles, 4
- Biocide
 - choice, 95, 96
 - classification,
 - oxidising, 99–100
 - non-oxidising, 100–01
 - desired qualities, 88
 - dosing strategies, 89–94
 - immobilised, 121
 - interaction with microorganisms,
 - 86–7
 - microbial response, 97–8
 - microbial transport, 122
 - removal of biofouling, 123
- Biocides
 - amines, 120
 - chlorine, 101–05
 - effect of pH, 102
 - effectiveness, 103
 - environmental problems, 104–5
 - storage, 104
 - chlorine dioxide, 105–07
 - qualities, 106

- DBNPA, 2, 2- dibromo-3-
 - nitrilepropionamide, 118–9
 - formaldehyde, 117
 - glutaraldehyde, 114–17
 - effect of pH, 115
 - effectiveness, 115–7
 - hydrogen peroxide, 118
 - organo-sulphur compounds, 120–1
 - ozone, 107–14
 - advantages, 108
 - chemistry, 110–2
 - effectiveness, 113–4
- Biodispersants, 127–8
- Biofilms, 1, 23–76
 - corrosion effects, 73–4
 - establishment (summary), 62–3
 - formation, 29–31
 - industrial conditions, 61–2
 - influencing factors, 22
 - growth, 13–7, 67–9
 - industrial, 181–200
 - interacting forces, 49–55
 - interaction with particles, 64–7
 - metabolism, 41–3
 - modelling, 73
 - morphology, 98
 - removal, 17
 - stability, 69–72
 - structure, 69–72
 - surface importance, 45–6
 - problems, 2
 - removal, 17, 123–7
 - using chlorine, 124–5
 - using hydrogen peroxide, 125
 - using peracetic acid, 126
 - using potassium permanganate, 126
- Bacillus*, 28
- Biofouling
 - control,
 - chemical, 84–128
 - requirements, 88–9
 - dosing, 89–94

Biofouling (*Continued*)

- effectiveness, 95–8
- physical, 129–47
 - combined physical and chemical, 147–50
- costs, 4, 74–6
- factors affecting, 22
- interacting forces, 49–51
- industrial problems, 2–3
- measurement, 174–5
- modelling, 73
- Boundary layer, 8
- Brownian motion, 11
- Brush and cage system, 133

C

- Capital cost, 75
- Chlorine, 101–5
- Chlorine dioxide, 105–7
- Cleaning, 3
 - off-line, 155–8
 - manual, 157
 - jetting, 157
 - drilling, 157
 - rodding, 157
 - high temperature sterilisation, 157
 - osmotic shock, 157
- Clostridia*, 28
- Coating surfaces, 138–41
- Cooling water, 197–9
- Corrosion, influence of biofilms, 73–4

D

- (DBNPA), 2, 2 Dibromo-3-nitrilepropionamide, 118–9
- Darwin's theory, 26
- Dechlorination, 105
- Deposition, 12
- Diffusivity, 12
- Drag force, 10

E

- Eddy diffusion, 11
- EPRI, 61
- Extracellular polymers, 28
 - EPS, 44

F

- Fick's law, 12
- Flagella, 27
- Flexible tubes, 137
- Fluid flow, 7–11
 - Reynolds number, 7–11
 - laminar flow, 8–10
 - turbulent flow, 8–10
- Fluid head, 10
- Fluidised beds, 137–8, 187–190
- Food industry, 195–6
- Forces,
 - interacting, 49–55
 - van der Waals, 50–1
 - DLVO, 51–5
- Friction factor, 10
- Fouling
 - Allowance, 21
 - measurement, 174–5
 - mechanisms, 20, 64
 - particulate, 64–7
- Fungi, 24, 34–5

G

- Gamma rays, 129
- Glutaraldehyde, 114–7
 - biocidal properties, 118
 - effect of pH, 115
- Gram-positive bacteria, 25
- Gram-negative, bacteria, 25
- Ground water, 182, 193–4
- Growth, 12

H

- Heat transfer, 18–21
 - resistance, 20–1
- Housekeeping, 84
- Hydrogen peroxide, 118
- Hydroids, 4
- Hypobromous acid, 109

I

- Ice crystals, 143
- Inserts, 134–7
- Industrial,
 - problems, 2

Industrial (Continued)

- conditions, 61
- biofouling, 181–200

L

- Laboratory monitoring, 169–174
- Laminar flow, 8–10
- Laminar sublayer, 13
- Legioella pneumophila*, 199

M

- Macroorganisms, 1
 - deposition, growth, removal, 12–8
- Mass transfer, 11–2
- Matrix formation, 44–5
- Membrane filtration, 190–3
- Mesosomes, 28
- Metabolism, 41–3
- Microorganisms, 1
 - adhesion to surfaces, 46–9
 - classification, 31
 - deposition, growth, removal, 12–7
 - interaction with biocides, 86–7
 - resistance to biocides, 86
 - pH effects, 39–40

Microbiology, 26–9**Microbial,**

- accumulation, 2
- adhesion, 46–9
- appendages, 27
- cell structure, 25–9
- growth requirements, 38–41
- interdependence, 33–4
- nutrient requirements, 31–32, 41
- metabolism, 41–3
- matrix formation, 44–5

Monitoring

- off-line, 161–5
- process plant, 165–9
- laboratory, 169–74
- measurement techniques, 174–5
 - accuracy, 176–7

Mussels, 4**N**

- Nutrients, 14–6, 41

O

- Off-line cleaning, 155–8
- Operating costs, 74–6
- Organo-sulphur compounds, 120–1
- Osmosis, 28
- Osmotic shock, 157
- Ozone, 107–14
 - cooling water treatment, 108
 - chemistry, 110–2
 - biocide, 112–4

P

- Paper manufacture, 196–7
- Particle/biofilm interaction, 64–7
- Percolating filters, 184–7
- Physical control of biofouling, 129–47
 - air/gas injection, 133–4
 - brush and cage system, 133
 - coating, 138–41
 - flexible tubes, 137
 - fluidised beds, 137–8
 - gamma rays, 129
 - high voltage capacitance, 146
 - ice crystals, 143
 - inserts,
 - static, 134–6
 - oscillating, 136–7
 - polymer fibres, 141–3
 - scraped surface, 146–7
 - sponge rubber balls, 130–3
 - ultrasound, 143–5
 - ultraviolet light, 129
- Pseudomonas fluorescens*, 18
- Pili, 27
- Pressure head, 10
- Process plant monitoring, 165–9
- Prokaryote cells, 25
- Protozoa, 24

R

- Reciprocating scraped surface, 146–7
- Ribosomes, 28
- Robbins device, 163

S

- Sea mats, 4
- Sea squirts, 4
- Serpulid worms, 4
- Slimes, 1
- Spores, 28–9
- Stalks, 27
- Steralisation,
 - high temperature, 94
 - osmotic shock, 94
- Surface water, 182
- Surfaces,
 - adsorbed layers, 55–8
 - importance, 45–6
 - microbial adhesion, 46–9
 - quality, 58–61

T

- Taprogge system, 130
- Temperature,
 - effect on biofilm growth, 19
- Test data accuracy, 176–7

- Thermal resistance, 20
- Toxic metal ion release, 57
- Trickle filters, 184–7
- Turbulent flow, 8–10

U

- Ultraviolet radiation, 84, 129
- Ultrasound, 143–6

V

- van der waals forces, 50–5
- Velocity profile, 9
- Viscous sub-layer, 8

W

- Water
 - cooling, 197–200
 - distribution, 194–5
 - industry, 181–95
 - quality, 32–3, 95
 - treatment, 183–93
- Wettability theory, 51–5