

Index

Page numbers in italics refer to figures.

- abstraction, 47–48
- Accelerator type solids contact clarifiers, 137–138
- Accentrifloc clarifiers, *138*
- acids *see* pH
- activated alumina, 211–212, 254–255
- activated carbon, 182–191, 211, 254
- adsorption, 182–191, 211–212, 239
- aeration, 56–57, 60–61, 206, 252
- air
 - backwashing, 154–155, 188
 - bubbles, 106–108
 - flotation, 106–109
 - scoured pressure sand filters, *163*
 - stripping, 209–211
- algae, 7–8, 9, 48, 49–52, 61–62
 - see also* suspended solids
- alkalis *see* pH
- aluminium, 77–83
- ammonia, 56
- anions *see* ions
- anthracite, 157
- aquifers, 39–40
- arsenic, 10–11, 211–212
- attachment, filtration, 145
- audits, 275
- autotrophic bacteria *see* bacteria

- backwashing, 142–143, 152–157, 160–162, 188–190, 238, 239–240
 - see also* filtration
- bacteria, 8–9, 22–25, 28, 47, 49
 - see also* algae; *Clostridium*; *Cryptosporidium*; disinfection; *Giardia*; pollution
 - filtration, 147–148
 - nitrate removal, 208–209
 - ozonation, 194
- baffle
 - channels, 74
 - walls, 116, 125–126
- band screens, 52, 53, 54
 - see also* screens
- basins, 98–99, 100, 101–103
 - see also* clarification; settlement
- bed expansion, 154–156
- belt presses, 242–243
- Bentonite, 87, 237
- bivalent metal ions, 199–200
- Black & Veatch plant, 133, *134*, 139, *140*
- black boxes, 45
- bleaching powder, 226
- ‘blindness’, filtration, 143
- blooms *see* algae
- boreholes, 32, 36, 54
- breakpoint chlorination, 221–222
- bridging (particles), 68, 76
- bromate formation, 194–195
- bromides, 10

- calcium *see* softening

- carbon dioxide, 56–57
- carbonate hardness, 199, 200–201
- carcinogens, 3
- cartridge filtration, 253
- cascade aerators, 60
- catchment control, 27–28
- cations *see* ions
- cellulose acetate, 174–175
- centrifuges, 242
- charge neutralization, 67, 69, 76, 87
- chemicals, 21–22, 191, 194, 249
 - see also* pollution
 - storage/dosing, 89–92
- Chick's law, 218
- chloramination, 217, 223, 229
- chlorate, 224
- chlorine/chlorination, 1, 7, 9, 44, 218–224, 227–229
 - see also* disinfection; reverse osmosis
- chlorides, 10, 82
- chlorite, 224
- dioxide, 216, 223–224
- preliminary treatment, 46, 56, 62
- private water, 255
- clarification, 93–109, 110–140
 - filtration, 141, 143, 146–147
 - softening, 202–203
 - wastewater, 237–238, 239–240
- cleaning, 165, 167
 - membrane processes, 176–177, 180
- Clostridium*, 8, 24–25
 - see also* bacteria
- coagulation, 64–92, 143, 146–147, 236
 - see also* filtration; flocculation
- coarse intake screens, 46–47
- CoCo DAFF plant, 139, 140
- coliform bacteria, 8–9, 22, 23
- Colilert analyses, 23
- colloids, 5–6, 64–65, 176–177
 - see also* coagulation
- colour, 21, 28, 236
 - coagulation, 88–89
 - private water, 248, 249
 - raw-water storage, 47, 48
- commercial water use *see* use
- concentrator cones, 132
- constant rate filtration, 159–160
- consumption, 1–4
 - see also* demand; use
- contact tanks, 231
- contaminants, 10–11
 - see also* impurities; pollution
- conventional treatment, 36–37
- copper, 51
- corrosion, 11, 28
- costs, 3–4, 26
 - see also* demand; developing countries
 - reverse osmosis, 178–179
- Cryptosporidium*, 8–9, 24, 32, 43–44, 215, 217
 - see also* bacteria; filtration; parasites
 - raw-water storage, 47
 - reverse osmosis, 180–181
- cup screens, 52, 53
 - see also* screens
- DAF *see* dissolved air flotation
- dams, 49, 51
- de-chlorination, 222, 229
- declining rate filtration, 158–159
- demand (water), 1–3, 266–277
- Densadeg clarifiers, 137
- depth (basins), 98–99, 100, 101–103
 - see also* settlement
- destabilization, 66–68
 - see also* coagulation
- destratification, 49, 51–52
- developing countries, 26, 42–43, 262–265
- dewatering wastewater, 241
- diaphragm pumps, 89, 92

- diatomite filters, 170
 diffusion, 145
 see also reverse osmosis
 air aerators, 60–61
 direct re-use, 37–39, 41–42
 disc screens, 55, 56
 see also screens
 discharge, 40, 41
 see also wastewater
 disinfection, 28, 42–44, 176, 182, 190, 214–231
 see also chlorine/chlorination;
 ozonation
 displacement pumps, 89, 92
 disposal, wastewater, 241, 244–245
 dissolved air flotation (DAF), 62, 106–109, 110–111, 113, 138–140
 dissolving
 chemicals, sludge, 236
 ozonation, 192
 solids, 6, 64–65
 district meter areas (DMAs), 272
 domestic water use *see* use
 dosing, 89–92, 212–213, 224–225, 227–229
 double layer compression, 67, 69, 76, 87
 drag forces, 94–95
 draw-off, 49, 135, 227
 drum screens, 52, 53, 54
 see also screens
 drying beds, 243–244
 dual filter media, 157
 ‘Dynasand’ filters, 169

E. coli see *Escherichia coli*
 EBCT *see* empty-bed contact time
 economics, 26, 32
 see also costs; demand
 education, 274
 effluent, 38–40, 41, 63
 see also re-use
 ‘ejectors’, 227
 electricity, 179, 191–192
 electrodialysis, 173, 208
 empty-bed contact time (EBCT), 188, 212
 energy
 coagulation, 68–69
 ozonation, 191–192
 reverse osmosis, 178
 enmeshment/entrapment, 67–68, 76
 enzyme substrate analyses, 22, 23
 equal-flow distribution, 113–114, 125–126, 159–160
 equilibria
 see also reverse osmosis
 air stripping, 210
 disinfection, 219–220
 isotherms, 186
 Escherichia coli (*E. coli*), 23, 215, 217, 224–225
 see also bacteria
 estimating sludge quantities, 235–237
 ‘evaporators’, 227
 expressing sludge quantities, 234–235

 faecal pollution, 6–7, 8–9, 23–25
 ferric compounds *see* iron
 filtration, 27–28, 32, 34, 61–62, 141–170
 see also clarification;
 microfiltration;
 nanofiltration; rapid gravity
 filters; sand grains;
 ultrafiltration; wastewater
 iron/manganese removal, 56, 206–207
 finance *see* costs
 fine screens, 52–56
 fixed-bed reactors, 188–189
 flat-bottomed sludge blanket
 clarifiers, 133, 134, 135–136

- flocculation, 64–75, 85, 88–89, 143, 146–147
see also coagulation; filtration
thickening, 240–241
- flotation, 106–109, 139
- flow
see also equal-flow distribution
control, 159–160
demand, 272–273
measurement, 151
splitting, 113–114
- flumes, 72
- fluoridation/fluorides, 10, 28
- flushing, 155
- fouling, 175, 176
- free radicals, 191, 194–195
- Freundlich isotherms, 185, 186
- Fuller's Earth, 87
- G** values, velocity gradients, 69–71
- GAC *see* granular activated carbon
- garnet, 157
- gaseous chlorine, disinfection, 227–229
- Giardia*, 215, 225
see also bacteria; parasites
raw-water storage, 47
- glass reinforced plastic (GRP)
tanks, 89
- graded gravel *see* gravel
- granular activated carbon (GAC), 158, 164, 168, 182, 183, 188–191
air stripping, 209
private water, 254–255
- granular ferric hydroxide, 211–212
- granular filtration, 141–142, 143–146
see also filtration
- gravel, 49, 148–149, 156–157, 165–166
see also sand grains
- 'Gravilectric cones', 133
- grey water, 40
- groundwater, 27
aeration, 57
filtration, 162
private water, 249
risk assessment, 249
- GRP (glass reinforced plastic)
tanks, 89
- hard water, 9, 176, 199
see also softening
- heterotrophic bacteria *see* bacteria
- hollow fibre modules, 175, 178
- hopper-bottomed sludge-blanket basins, 129–133
- horizontal air-scoured pressure sand filters, 163
- horizontal-flow, 96–99, 110, 117–118, 122–127, 128–129
see also basins; settlement
- household water use *see* use
- hybrid basins, 136–137
- hydrated lime, 86–87
- hydrodynamic action, 145
- hydrogen sulphide, 56–57
- hydrophillic/hydrophobic colloids, 65–66
- hydroxyl free radicals, ozonation, 191, 194–195
- hypochlorite, 217, 219–220, 221, 230–231
- impaction, 145
- impurities, 5–11
- indirect re-use, 37, 38, 39–40
- industrial water use *see* use
- inertia *see* impaction
- infrastructure, 2
- intake screens, 46–47, 54–55
see also screens
- ions, 195–198
arsenic treatment, 211
disinfection, 220, 226
iron/manganese removal, 207
nitrate removal, 208

- private water, 255
- softening, 204
- iron, 10, 28, 32, 49, 51, 56
 - aeration, 56–57
 - arsenic treatment, 211–212
 - coagulation, 77–83
 - filtration, 162, 164
 - ozonation, 193, 194
 - removal, 204–207
- isotherms, 184–190
- jar testing, 74–75, 88, 123, 128
- jetting, 115
- lagoons, 232, 234, 243–244
- lamella
 - plate systems, 105–106
 - separators, 121
- laminar-flow, 94, 102–105
- Langelier saturation index (LSI), 11
- Langford recycling scheme, 41
- Langmuir isotherms, 185, 186
- lead, 43–44, 48, 212–213
- lead plumbing, 11
- leakage, 268–272, 275
- legal requirements, 246–247
- light absorption, 21
- lime, 86–87
 - softening, 200–202
- liquid chemical wastes, 238
- loading rates, 122–123, 135–136
 - filtration, 152, 156, 167–168
 - softening, 203
- loss (water), 268–272
- lowland river water, 32, 33–34
- LSI (Langelier saturation index), 11
- magnesium *see* softening
- magnetite, 109
- manganese, 10, 28, 32, 49, 51, 56
 - aeration, 56–57
 - filtration, 162, 164
 - ozonation, 193, 194
 - removal, 204–207
- marginal chlorination, 222
- mats, 169–170
 - schmutzdecke, 164–165
- mechanical screens, 52–56
- membrane processes, 22, 44, 171–181
 - disinfection, 227
 - filtration, 253–254
- metered households *see* demand
- microfiltration, 173, 180–181
- microstrainers, 62, 238–239
- mixing systems, 51–52, 69–72, 73, 74
- modern water treatment, 26, 29, 44
- monitoring systems, 44–45, 230–231
 - see also* safety
- mudballs, 154
- multi-hopper tanks, 132–133
- multi-storey tanks, 120
- nanofiltration, 171, 179–180, 181, 238
- negative pressure, 153
- nickel, 10
- nitrates, 195, 197, 207–209
- nitrogen, 49–50
- non-carbonate hardness, 199, 201–202
- non-granular filtration, 141
- non-household use, 272
- non-metered households *see* demand
- non-potable re-use, 37–38, 41–42
- non-revenue, 270–271
- nozzles, 148–149
- nutrients, 49–52
- odour, 9
 - aeration, 57
 - algae, 61
 - chloramination, 223

- odour (*continued*)
 chlorination, 222
 ozonation, 193
 private water, 248
 operating capacity, 196
 organic chemicals, 21–22, 191, 194, 249
see also chemicals; pollution
 orthophosphates, 213
 OSEC systems, 230–231
 osmosis *see* reverse osmosis
 oxidation, 191, 205–207
 ozonation, 46, 62, 182, 191–195, 226–230, 255
see also disinfection
- PAC *see* powdered activated carbon
 packed tower aerators, 61
 packing, air stripping, 210–211
 paddle flocculators, 74
 paddle mixers, 72
 parasites, 28
 partial pressure, 57
 particle bridging, 68, 76
 particle removal efficiency, 145–146
 passive screens, 54, 55
see also screens
 pathogens *see* bacteria; disinfection; pollution; viruses
 peak flows, 272–273
 pellet reactors, 203
 pesticides, 21–22
see also organic chemicals; pollution
 pH, 11, 21, 43–44
 activated carbon adsorption, 183
 arsenic treatment, 212
 coagulation, 71–72, 77, 79–80, 84, 87–89
 disinfection, 219–220, 224–225
 flocculation, 74–75
 iron/manganese removal, 205–207
 lead control, 212
 ozonation, 191, 193, 194
 post-softening treatment, 203–204
 reverse osmosis, 176–177
 phosphorus, 49–51
 photosynthesis, 49–51
 piped systems, 150–151
see also underdrain systems
 plastic basins, 120–121
 plate counts, 24
 plate presses, 241–242
 plate settlers, 96, 102–106, 120–122, 127
 PLC controllers, 160
 plumbosolvency, 11, 43–44
 pollution, 6–9, 22–25, 29, 32, 188–189
see also chemicals; impurities; wastewater
 faecal, 6–7, 8–9, 23–25
 ozonation, 193
 preliminary treatment, 47, 49
 poly-vinyl chloride (PVC), 89
 polyelectrolytes, 85–86, 140
 polymers, 82–83, 89
 reverse osmosis, 175
 wastewater, 240–241
 polyvalent metal ions *see* bivalent metal ions
 population growth, 1–3
 algae, 50
 post-ozonation, 194
 post-treatment, 177, 203–204
 potable-water standards, 13–20
 Europe, 15–16, 18
 Ireland, 16–17
 UK, 16–17
 USA, 16–17, 18
 WHO, 13–15, 18
 potassium permanganate, 226
 powdered activated carbon (PAC), 183, 186, 187–188, 237
 pre-chlorination, 56

- pre-ozonation, 46, 194
pre-settlement basins, 63
pre-treatment, 117, 168, 176
 see also preliminary treatment
precipitation, 200, 202–203,
 205–206
preliminary treatment, 46–63
pressure, 153
 filtration, 142, 153, 162, 163,
 164
 ion exchange, 197
 iron/manganese removal, 207
 ozonation, 193
 private water, 252–253
 reverse osmosis, 173, 175, 177
pressure swing absorbers (PSAs),
 192
private water supplies, 246–256
propeller mixers, 72
protozoa *see* bacteria; disinfection;
 pollution; viruses
PSA *see* pressure swing absorbers
publicity, 274
Pulsator tanks/clarifiers, 101, 134,
 135
Purac Rapide DAF unit, 139
PVC (poly-vinyl chloride), 89
- quality, 5–25, 29, 30–31, 36–37,
 42, 52
 coagulation, 88–89
 future treatment perspectives,
 44–45
 impurities, 5–11
 microbiology, 22–25
 pollution, 6–7, 8–9, 22–25
 potable-water standards, 13–20
 raw-water storage, 47, 48–49
 rivers/sources, 11–13
quicklime, 86–87
- radial-flow basins, 119
 see also basins
radiation *see* ultraviolet
- radicals *see* free radicals
rapid gravity filters, 142–143,
 156–157, 160–161, 167–169,
 188, 190
rapid mixing, 71–72, 73, 74,
 146–147
rapid sand filters, 62, 147–162
re-sanding *see* sand grains
re-use, 26, 37–42, 275–276
 see also recycling
rectangular basins, 118–119,
 122–127
recycling, 40–41, 275–276
 see also re-use
regeneration, 195–198
reservoirs, 32, 36, 41
 aeration, 57
 algae, 49–52, 62
 iron/manganese removal,
 204–205
 raw-water storage, 47–49
residual disinfection, 214, 216–217
resins *see* ions
resources, 3–4
 planning, 277
retention times, 124–125
revenue, 270–271
reverse osmosis, 171, 173–181
 arsenic treatment, 211
 liquid chemical wastes, 238
 nitrate removal, 208
 private water, 253–254
Reynolds number, 94, 143–144
'ripening', 165, 167
risk assessment, 26–27, 40, 42,
 248–249
rivers, 32, 33–35, 41
 algae, 49–50
 coarse intake screens, 46–47
 raw-water storage, 47–49
 water quality, 11–13
rotating disc screens, 55, 56
 see also screens; sludge
roughing filters, 62

- safety, 229–230, 257–265
- Salmonella*, 215
see also bacteria
- salts, 77–83, 230–231
see also reverse osmosis
- sampling *see* safety
- sand grains, 141–142, 147–162,
 163, 164–168, 190, 203
see also filtration
- scale/scaling, 176–177, 226
- SCD *see* streaming current detector
- schmutzdecke mats, 164–165
- scrapers/scraping *see* basins; sludge
- screens, 46–47, 58–59
 mechanical, 52–56
 streaming, 116
 wastewater, 238–239
- seawater, 178–179
- sedimentation, 102–103, 115–116,
 144–145, 252
- semi-permeable membranes *see*
 membrane processes
- settlement, 63, 91–109
see also basins; clarification
- sewage, 39, 40, 41
see also re-use; wastewater
- shallow-depth sedimentation,
 102–103
- shells, filtration, 162, 164
- silt deposition, 48–49, 63
- single media filters, 156–157
- sinuous channels, 74
- Sirofloc process, 109
- slaked lime, 86–87
- slatted tower aerators, 60
- slow sand filters, 27–28, 32, 34,
 142, 164–168
- sludge (settlement), 100–102, 106,
 107, 126–127
see also basins; clarification
 blanket basins/clarifiers, 74,
 100–102, 129–133, 134,
 135–136
- slurry *see* lime
- soap, 199
- sodium
 hydroxide, 202
 hypochlorite, 230–231
- softening, 138
see also hard water
- ion exchange, 195, 197–204
- sludge, 244
 .wastewater, 240
- solids, 6, 64–65
see also clarification; colloids;
 dissolving; suspended solids
- sources, 4, 37, 40, 42
 risk assessment, 249
 safety, 260–261
 water quality, 11–13
- spiral wound modules, 175, 178
- spray aerators, 60
- spring sources, 249
- stainless steel basins, 120
- static mixers, 72, 73, 74
- Stoke's law, 94, 114
- storage, 47–49
 chemicals, 89–92
- storm water, 40
- straining, 62, 143, 171
- stratification, 49, 51–52
- streaming, 88, 115–116
- streaming current detector (SCD),
 88
- sub-atmospheric pressure, 153
- sulfates, 10, 80–82
- superchlorination, 222, 229
- supply (water), 1–3
 private, 246–256
- surface crust, 154
- surface water, 249
- suspended solids, 5, 64, 99,
 116–117, 235–236
see also clarification
- T values, velocity gradients, 69–71
- tanks, 89, 101, 120, 132–133, 231
see also basins

- radial-flow, 119
- upward-flow, 99–100
- tariffs, 274
- taste, 9
 - aeration, 57
 - algae, 61
 - chloramination, 223
 - chlorination, 222
 - ozonation, 193
 - private water, 248
- temperature, 114–115, 131–132
 - activated carbon adsorption, 184
 - disinfection, 218
 - filtration, 154–155, 165
 - reverse osmosis, 177
- testing
 - see also* risk assessment; safety
 - clarification, 128–129
 - disinfection, 230–231
- thermal stratification *see* stratification
- thickening wastewater, 240–241
- THMs *see* trihalomethanes
- total capacity, 196
- tower aerators, 60, 61
- toxins, 7–8
- traditional water treatment, 26, 27–28
- transport, 144–145
- tray aerators, 60
- ‘Tridents’, 133
- trihalomethanes (THMs), 7, 44, 46, 56, 216
- tube settlers, 96, 102–103, 104–106, 120–122, 127
 - see also* plate settlers
- turbidity, 19–21, 28
 - clarification, 98, 114, 115–116, 123, 128–129, 237
 - coagulation, 84, 88–89
 - filtration, 147, 155, 160–161, 164, 167–168
 - private water, 248, 249
 - raw-water storage, 47, 48
 - sludge, 235–236
 - thickening, 241
- turbine mixers, 72
- turbulent flow, 94
- typical process streams, 32–36
- ultrafiltration, 171, 173, 176, 180–181
- ultrasound, 52
- ultraviolet (UV) disinfection, 215–216, 225–226, 255
- underdrain systems, 148–151
- upflow basins *see* vertical-flow
- upflow solids contact clarifiers *see* sludge
- upland river water, 32, 35
- upward-flow tanks/filters, 99–100, 157
 - see also* settlement
- use (water), 266–277
- UV *see* ultraviolet
- vacuums, 135
 - disinfection, 227, 228
 - filtration, 243
- Van der Waal’s forces, 145
- Veatch *see* Black & Veatch plant
- velocities, 69–71
 - see also* clarification
- vertical-flow, 110, 129–136
 - see also* basins
- viruses, 9, 194
 - see also* bacteria; disinfection
- viscosity, 94–95, 114–115
 - filtration, 154–155
 - reverse osmosis, 177
- voltage, 191–192
- wallpaper paste, 85–86
- washwater, 238, 239
- wastewater, 32, 39, 40, 232–245
 - see also* re-use; sewage
- water backwashing, 154–156, 188
- water framework directive, 12–13

- waterborne diseases, 28, 42–43
- wedge screens, 54
 - see also* screens
- weighters, 87
- weirs, 72, 126, 159
- WHO *see* World Health Organization
- Windhoek, Namibia, 26, 37–39
- winds, streaming, 116
- wire wedge screens, 54
 - see also* screens
- World Health Organization (WHO), 3, 13–15, 18–20, 43
 - see also* safety
- WSPs (Water Safety Plans), 257–265
 - see also* safety