

---

---

# INDEX

---

---

## A

- Aeration basin:
  - hydraulics, 187
  - lateral spillway channel, 193
- Alternate depths, 87

## B

- Backwater curves, computation, 93
- Bernoulli equation, 2, 5
  - open channel flow, 93, 120

## C

- Camp and Graber model, 60
- Cavitation, 159
- Centrifugal pump, 155
  - types of, 155
- Chézy equation, 80
- Chlorine contact basin, hydraulics, 201
- Colebrook-White equation, 59
- Conjugate depths, 90
- Conservation laws, 2
- Continuity equation, 2
- Contractions in open channels, 120
- Control points, 88, 139, 175
- Critical depth, 86
  - free overfall, 88

- Critical slope, 87
- Critical velocity, 86

## D

- Darcy-Weisbach equation, 11
  - friction factor, 12
  - for multiport diffuser, 57
- Diffuser:
  - design, 62
  - discharge and head, 58
  - discharge from, 56
  - mixing from, 64
  - multiport, 56
- Distribution channels, 108
  - analysis of, 108, 111, 114

## E

- Elevation head, 5
- Energy:
  - conservation of, 4
  - kinetic, 86
  - potential, 86
- Energy grade line, 5
  - in open channel flow, 80
- Equivalent roughness, 11
- Expansions in open channel flow, 120

**F**

Final clarifiers, hydraulics, 194  
 Francis equation, 124  
 Free overfall, 88  
 Froude number, 91

**G**

Gradually varied flow, 93  
 computation, 93  
 Grit chamber, hydraulics, 175

**H**

Hazen-Williams equation, 15, 16  
 e values, 18, 21, 32  
 nomograph, 19, 20  
 sludge flow, 31  
 Head:  
 elevation head, 5  
 piezometric head, 5  
 pressure head, 5  
 velocity head, 5  
 Headloss for sludge flow, 32  
 Hydraulic control point, 139  
 Hydraulic grade line, 5  
 in open channel flow, 79  
 Hydraulic jump, 89

**K**

Kinetic energy, 4, 86

**L**

Laminar flow, 1  
 Lateral spillway channels, 96  
 critical depth in, 98  
 critical section, 99  
 design example, 193  
 water surface profile, 102

**M**

Magnetic flow meter, 139  
 Manifolds, 33  
 Manning equation, 15, 16, 81  
 nomograph for pipe flow, 17  
 "n" values, 16  
 open channel flow, 81

Mass, conservation of, 2  
 Mild slope, 87  
 Minor losses, 23  
 equation, 23  
 in open channel flow, 118, 120  
 table of values, 24

Momentum, 6

conservation of, 6  
 equation, 2, 7, 8

Moody Diagram, 13

Multiple pumps, 161

parallel operation, 161, 165

**N**

Net positive suction head, 159  
 available, 160  
 required, 160

Nikuradse sandgrain roughness, 11

Nonuniform flow, 1

**O**

Open channel flow, 79  
 definition, 79

**P**

Parallel pipes, 28

Parshall flume, 129

headless in, 134  
 submerged, 130, 132, 133

Partial flow in circular conduit, 81

hydraulic elements chart, 82

variation of "n" with depth, 82

Piezometric head, 5

Potential energy, 4, 86

Pressure head, 5

Primary clarifier:

hydraulics, 182

Pumps, 144

affinity laws, 150

cavitation, 159

centrifugal, 155

characteristics curves, 146, 147

horsepower delivered by, 146

multiple pumps, 161

multiple-speed, 162

- multistage, 162
- net positive suction head, 159
- pump-head curve, 145
- similarity, 150
- specific speed, 150
- system head curve, 145, 146

**R**

- Rawn's model, 61
- Rectangular weirs, 123
  - contracted, 123, 125
  - suppressed, 124, 125
- Reynolds number, 11
  - in manifold pipe, 59

**S**

- Series pipe, 27
- Sharp crested weir, 124
- Side discharge weir, 104
- Slope:
  - critical, 87
  - mild, 87
  - steep, 87
- Sludge flow, 31
- Spatially varied flow, 1
- Specific energy:
  - definition, 85
  - diagram, 86, 89
  - side discharge weir, 104
- Specific speed, 158
- Steady flow, 1
- Steep slope, 87
- Subcritical flow, 87
  - control of, 141, 175
- Supercritical flow, 87
  - control of, 141, 175

**T**

- Transitions in open channel flow, 87
- Triangular weirs, 127
- Turbulent flow, 1

**U**

- Uniform flow, 1
  - in open channels, 79
- Unsteady flow, 1

**V**

- Varied flow:
  - gradually varied, 85, 93
  - in open channels, 79, 85
  - rapidly varied, 85
- Velocity head, 5
- Venturi meters, 136
  - equation for, 136

**W**

- Wastewater treatment plant:
  - design example, 171
  - hydraulic profile, 172
- Weirs:
  - definition, 123
  - effluent control, 39
  - free discharge, 124
  - rectangular, 123
  - saw-toothed, 129
  - sharp-crested, 35
  - side discharge, 104
  - submerged, 124
  - suppressed, 124
  - triangular, 127
  - v-notch, 35, 127, 129