

Index

- A**
- Acid-base titration curve, pH control, 343
 - Acidity, 338, 339
 - Acidic agents, neutralization, 354
 - Aerobic biological testing, 101
 - Activated alumina adsorption, 408, 494
 - Activated carbon absorption, 115, 408, 489
 - Activated sludge process, 434
 - Adjustable-speed pumps, 527
 - Adsorption, 408, 489
 - Advanced oxidation processes, 469
 - Aerated static pile composting, 303
 - Aeration, equalization design, 251
 - Aeration, grit removal, 264
 - Aerobic biological testing, 101
 - Aerobic ponds, 446
 - Air diffusers, equalization basin, 252
 - Air stripping, ammonia, 400
 - Air-water distribution, 472
 - Alkaline chlorination, 384,
 - Alkaline neutralization, 354
 - Alkalinity, 338, 340
 - Alternating flow diversion, 238, 242
 - Aluminum forming, 156
 - Aluminum salt precipitation-coagulation, 380
 - Aluminum salts, phosphorus removal, 398
 - Ammonia measurement, 525
 - Ammonia removal, 400
 - Ammonia, effects, 373
 - Ammonia, ion exchange, 407
 - Anaerobic bioassays, 109
 - Anaerobic lagoons, 446
 - Anaerobic treatment, 455
 - Analog-feedback closed-loop control, 529
 - Analytical procedures, FOG, 314
 - Analytical services, 92
 - Area landfills, 307
 - Arsenic, 389
 - Arsenic, adsorption, 409
 - Arsenic, ion exchange, 406
 - Asbestos manufacturing, 156
 - Attached-growth reactors, 452
 - Automatic backwash filtration, 282
 - Automatic methods, sampling, 70
 - Automatic samplers, 525
- B**
- Backwash, filter media, 278
 - Baffling, equalization design, 251
 - Bag filtration, 285
 - Batch tests, aerobic 101
 - Batch tests, anaerobic 109
 - Batch-control systems, 531
 - Batch-flow pH control, 359, 364
 - Battery manufacturing, 157
 - Belt filter presses, 294
 - Bench-scale treatability testing, 104
 - Best management practices, NPDES permits, 38
 - Biochemical oxygen demand measurement, 524
 - Biological denitrification, 403
 - Biological nitrification, ammonia, 402
 - Biological pretreatment, waste minimization, 222
 - Biological treatment technologies, 434
 - Biological treatment, organics removal, 424
 - Bioreactor systems, descriptions, 426
 - Bonds, 547
 - Breakpoint chlorination, ammonia, 401
 - Bubbler systems, 517
 - Bucket and stop watch, flow measurement, 62
 - Buffering capacity, 341
- C**
- Capacitance probes, 518
 - Carbon black manufacturing, 158
 - Carbon dioxide, alkaline neutralization, 354
 - Carbon source, metabolism, 429
 - Carbonate precipitation, 394
 - Carbonate precipitation-coagulation, 383
 - Cartridge filtration, 284
 - Cascade control, 535
 - Categorical requirements, direct-discharge, 28
 - Categorical standards, pretreatment, 13
 - Categorical wastestreams, waste characterization/minimization, 210
 - Caustic soda, pH control, 353
 - Cavitation air flotation, FOG removal, 323
 - Cement manufacturing, 164
 - Centralized waste treatment, 165
 - Centrifuges
 - dewatering, 292
 - FOG removal, 327
 - grit removal, 265
 - thickening, 291
 - Change orders, 549

- Characteristics, FOG, 313
 - Characterization parameters,
 - treatability testing, 103
 - Chelating agents, 384
 - Chemical
 - addition, 276
 - adsorption, 489
 - conversion, 384
 - emulsions, 313
 - feed systems, 273
 - handling, 349, 355
 - oxidation processes, 462
 - oxygen demand measurement, 524
 - pretreatment, 221
 - storage, 355
 - treatability tests, 112
 - Chemically enhanced separation, FOG
 - removal, 322
 - Chemicals, treatment, 394
 - Chlorine dioxide, oxidation, 468
 - Chlorine residual measurement, 525
 - Chlorine, oxidation, 468
 - Circular sedimentation tanks, 267
 - Clarification, 395
 - Cleaning, equalization basin, 252
 - Closed pipe flow measurement, 512
 - Closed-loop control system, 528
 - Coagulation, 271
 - Coal mining, 166
 - Coalescing gravity separators, FOG
 - removal, 320
 - Coarse screens, 259
 - Coil coating, 166
 - Column packing materials, 482,
 - Column regeneration, ion exchange,
 - 407
 - Combined aerobic-anaerobic ponds,
 - 446
 - Comment periods, NPDES permits, 33
 - Completely mixed combined flow, 245
 - Completely mixed equalization, 239
 - Complexed metals, 384
 - Complexing agents, 384
 - Composting, 303
 - Concentrated animal feeding
 - operations, 167
 - Concentrated aquatic animal
 - production, 168
 - Conditioning, solids, 287
 - Conductivity measurement, 522
 - Constant-speed pumps, 526
 - Construction manager-at-risk project,
 - 555
 - Construction, 547
 - Container filters, 299
 - Continuous anaerobic reactors, 111
 - Continuous-flow control, 532
 - Continuous-flow pH control, 359, 365
 - Contract specifications, 545
 - Control loop, 527
 - Control valves, 526
 - Controllers, 526
 - Conventional aeration equipment
 - stripping, 484
 - Conventional clarifiers, 395
 - Conventional filtration, FOG removal,
 - 328
 - Conventional sedimentation, 266
 - Copper forming, point source
 - categories, 169
 - Coprecipitation, 388
 - Corporate philosophy, environmental
 - performance, 204
 - Corrosion, pH control, 365
 - Cost allocation, waste minimization,
 - 227
 - Costs, equalization, 236
 - Costs, neutralizing chemicals, 347
 - Cross-media pollutants, waste
 - minimization, 224
 - Crystallizers, 417
 - Cumulative flow curve, 247
 - Cyanide
 - complexes, 385
 - destruction, 384
 - effects, 371
- D**
- Dairy products processing, 169
 - Data collection, equalization design,
 - 241
 - Data interpretation, wastewater
 - characterizing, 93
 - Definitions
 - direct-discharge, 27
 - effluent toxicity, 82
 - wastewater characterization, 78
 - Denitrification, 403
 - Design
 - biological treatment, 433
 - chemical oxidation, 464
 - drawings, 545
 - equalization facilities, 241
 - facultative ponds, 444
 - feasibility, 544
 - ion exchange, 405
 - pH control, 358
 - Design-bid-build project, 554
 - Design-build project, 554
 - Design-build-operate project, 555
 - Design-build-own-operate-transfer
 - project, 556
 - Detergent manufacturing, 196
 - Dewatering, solids, 288, 292
 - Diaphragm press, 296
 - Diffused air, grit removal, 265
 - Diffusion coefficients, 474
 - Direct-fired convection, 302
 - Disc dryers, 302
 - Discharge requirements, management
 - approach, 143
 - Dissolved air flotation, 276, 290, 323,
 - 396
 - Dissolved nitrogen flotation, 323
 - Dissolved oxygen measurement, 521
 - Downflow gravity filtration, 279
 - Downflow pressure filtration, 280
 - Dragout systems, grit removal, 264
 - Dragout tanks, grit removal, 266
 - Draining, equalization basin, 252
 - Drives, equalization basin, 252
 - Drying, solids, 302
 - Dye method, flow measurement, 63

E

 - Effluent limitations, direct-discharge,
 - 29
 - Electrical and electronic components,
 - 170
 - Electrodialysis, 411
 - Electroless metals, 384
 - Electron acceptor, biological reactions,
 - 431
 - Electron donor, biological reactions,
 - 431
 - Electroplating, 170
 - Emulsified oils, 313
 - Enclosed mechanical composting, 303
 - Energy source, biological reactions,
 - 431

- Energy synthesis, biological treatment, 425
- Engineer-procure-construct project, 555
- Equalization, 235
- Equivalence point, pH control, 343
- Evaporation, 411
- Explosives manufacturing, 171
- F**
- Facultative ponds, 444
- Fats, characteristics, 312
- Feasibility study, 543
- Federal regulations, pretreatment, 9
- Feedback control, 528
- Feedback, environmental performance, 229
- Feed-forward control, 528
- Fees, pretreatment, 25
- Fenton's reagent, oxidation, 465
- Ferroalloy manufacturing, 172
- Fertilizer manufacturing, 172
- Filter presses, 294
- Filtration systems, 396
- Filtration, 277
- Filtration, FOG removal, 328
- Final control elements, 526
- Fine screens, 259
- Fixed-film reactors, 446
- Float method, flow measurement, 63
- Floatable FOG, 314
- Flocculation, 271
- Flotation systems, FOG removal, 323
- Flotation, 276
- Flow balance, wastewater survey, 86
- Flow measurement
 - closed pipe, 512
 - float method, 63
 - mass meters, 516
 - open channel flow, 507
 - sampling analysis, 61
 - wastewater characterizing, 89
- Flue gas, alkaline neutralization, 354
- Fluidized-bed incinerators, 307
- Fluidized-bed reactors, 452
- Flumes, 509
- Fluoride, adsorption, 408
- Foam spray, equalization basin, 252
- FOG, 311
- Food-processing industry, FOG generation, 315
- Forced-circulation evaporators, 416
- Freeboard, equalization basin, 251
- Freezing, equalization basin, 252
- Fruits and vegetables processing, 157
- G**
- Gas extraction, 184
- Geotextile tubes, 300
- Glass manufacturing, 173
- Grain mills, 174
- Granular media filtration, 277
- Gravity belt thickeners, 291
- Gravity flotation, 276
- Gravity separation, FOG removal, 318
- Gravity separation, suspended solids, 264
- Gravity thickening, 289
- Greases, characteristics, 312
- Grit removal, 264
- Growth kinetics, 428
- Gum rosins, 174
- H**
- Hazardous waste regulations, 50
- Hazardous waste sludge, 306
- Henry's constants, 472
- Hexavalent chromium, 386
- Horizontal-tube spray film evaporators, 416
- Hospitals, 175
- Hybrid system evaporators, 417
- Hydraulic detention time, pH control, 361
- Hydrocyclones, 265, 327
- Hydrogen peroxide, oxidation, 465
- Hydroxide precipitation, 394
- Hydroxide precipitation-coagulation, 378
- I**
- Impedance probes, 518
- Incentives, environmental performance, 229
- Incineration, 50, 307
- Inclined-plate clarifiers, 270, 395
- Indexing media filtration, 285
- Indirect heat drying, 302
- Induced air flotation, FOG removal, 323
- Inflection point, pH control, 343
- Ink formulating, 175
- Inorganic chemicals manufacturing, 176
- Inorganics, effects, 371
- Inorganics, removal, 376
- In-plant control, waste minimization, 211
- In-plant survey, waste minimization, 210
- Inspections, construction, 548
- Instrumentation, regulatory requirements, 506
- Intermittent flow diversion, 239, 242
- Ion exchange, 400, 404
- Iron and steel manufacturing, 176
- Iron coprecipitation, 388, 394
- Iron salt precipitation-coagulation, 380
- Iron salts, phosphorus removal, 398
- J**
- Jar testing, 272
- Judgmental sampling, wastewater characterizing, 90
- K**
- Kinetics, growth, 428
- L**
- Lagoons, 301, 444
- Land application, 48, 307
- Landfilling, 306
- Landfills, 50, 178
- Leather tanning and finishing, 178
- Level measurement, 517
- Lime, 394, 398
- Limits, pretreatment, 21
- Linear control valves, 526
- Liquidated damages, 549
- M**
- Magnesium hydroxide, pH control, 354
- Magnesium oxide, 394
- Management support, 208
- Manual methods, sampling, 69
- Mass balances, 86, 211
- Mass flow meters, 516
- Material substitution, waste minimization, 209

- Mean concentrations
 - conventional pollutants, 134
 - nonconventional pollutants, 134
 - toxic inorganic pollutants, 140
 - toxic semivolatile organic pollutants, 138
 - toxic volatile organic pollutants, 136
- Meat and poultry products, 179
- Mechanical evaporators, 412
- Membrane filtration, 115, 328, 409
- Mercury, 392
- Metal finishing, 179
- Metal hydroxide precipitation, 378
- Metal molding and casting, 181
- Metal powders, 182
- Metal products and machinery, 181
- Metals, effects, 371
- Metals, ion exchange, 405
- Metalworking industry, FOG
 - generation, 316
- Methyl orange acidity, 339
- Microbial growth curve, 428
- Microbiology, activated sludge, 436
- Mineral acidity, 339
- Mineral mining and processing, 182
- Mixing
 - biological reactions, 432
 - energy, 274
 - equalization requirements, 250
 - pH control, 363
- Multimode control, 534
- Multiple-hearth incinerators, 307
- N**
- Nanofiltration, 410
- Neutralization, batch systems, 531
- Neutralization-precipitation, 376
- Neutralizing agents, pH control, 347
- Nitrate
 - effects, 374
 - ion exchange, 407
 - measurement, 525
- Nitrification, 402
- Nitrite, effects, 374
- Nitrogen compounds, effects, 373
- Nitrogen removal, 399, 460
- Nonferrous metals forming, 182
- Nonferrous metals manufacturing, 183
- NPDES permits
 - categorical requirements, 30
 - direct-discharge, 32
 - numerical limits, 41
 - toxicity characterization, 94
- Nutrients
 - growth factors, 430
 - pretreatment, 397
 - removal, 460
- O**
- Odor control, equalization basin, 251
- Off-line equalization, 238
- Offsite pretreatment, waste
 - minimization, 225
- Oil and gas extraction, 184
- Oils, characteristics, 312
- Oily sludge, 305
- On-line equalization, 238
- On-off control, 532
- Open channel flow measurement, 507
- Open-loop control system, 528
- Operational considerations, pH
 - control, 363
- Operations and maintenance manuals, 550
- Operations and maintenance service
 - contract project, 557
- Ore mining and dressing, 185
- Organic chemicals, 186
- Organics removal, biological
 - treatment, 424
- Organoclays, 330, 494
- Orifice plates, 516
- Outsourcing, 551
- Oxidation-reduction potential control, 538
- Oxidation-reduction potential
 - measurement, 522
- Oxidizing agents, 463
- Oxygen demand measurement, 523
- Ozone, oxidation, 468
- P**
- Paddle dryers, 302
- Paint formulating, 187
- Paper and paperboard, 194
- Particle counters, 522
- Paving materials manufacturing, 188
- Payments, progress, 548
- Performance bonds, 547
- Permanganate, oxidation, 469
- Permits
 - NPDES direct-discharge, 38
 - pretreatment limits, 25
 - subsurface injection regulations, 48
- Pesticide chemicals, 188
- Petroleum industry, 317
- Petroleum refining, 189
- pH
 - biological reactions, 432
 - control system, 342, 357, 530
 - definition, 337
 - measurement, 521
- Pharmaceutical manufacturing, 190
- Phenolphthalein acidity, 339
- Phosphate manufacturing, 191
- Phosphorus compounds, effects, 372
- Phosphorus removal, 397, 461
- Photographic products, 192
- Physical
 - adsorption, 489
 - tests, 112
 - emulsions, 313
 - separation, 219
 - treatment processes, 471
- Pilot-scale testing, 117
- Planning, inclusive, 209
- Plant operations, waste minimization, 209
- Plastics facilities, 186
- Plastics molding and forming, 193
- Plate and frame presses, 295
- pOH, 337
- Point source categories, 156
- Pollution prevention, wastewater
 - survey, 88
- Ponds, 412
- Porcelain enameling, 193
- Poultry products, 179
- Precipitation-coagulation, 378
- Precoat filtration, 284
- Predictive maintenance contracts, 557
- Pressure
 - filtration, 296
 - measurement, 521
 - transducers, 517
- Pretreatment
 - FOG removal, 312, 317
 - ion exchange, 405
 - limits, 21

- nutrients, 397
- priority pollutants, 10
- program requirements, 18
- waste minimization, 218
- Proactive management, 205
- Process
 - analyzers, 521
 - control, 363
 - controllers, 527
 - design, 438
- Procurement methods, 551
- Product characterization, 209
- Professional liability insurance, 544
- Prohibitions, direct-discharge, 27
- Prohibitions, pretreatment, 12
- Project life cycle, 542
- Project procurement, 551
- Pulp, paper, and paperboard manufacturing, 194
- Pump cycles, flow measurement, 63
- Pumping controls, equalization basin, 252
- Pumps, 526
- Q**
- Quality and quantity, waste minimization, 227
- Quality assurance and quality control, sampling and analysis, 73
- R**
- Radioactive materials, ion exchange, 407
- Ramp landfills, 307
- Reactive management, 205
- Recessed-plate filter presses, 295
- Rectangular sedimentation tanks, 267
- Recycle, recovered FOG, 332
- Regulated pollutants, 19, 129
- Regulations
 - direct-discharge, 27, 42
 - pretreatment, 9, 542
 - subsurface injections, 45
- Removal credits, pretreatment, 18
- Reporting requirements
 - categorical industrial users, 17
 - NPDES permits, 40
 - subsurface injections regulations, 47
 - significant noncategorical industrial users, 18
- Representative sampling, 91
- Residual analyzers, 525
- Residue management, waste minimization, 225
- Respirometry, 523
- Retainage, 549
- Reuse, recovered FOG, 331
- Reverse osmosis, 410
- Roofing materials manufacturing, 188
- Rotary control valves, 526
- Rotary drum screens, 262
- Rotary drum thickeners, 292
- Rotating biological contactors, 448
- Rubber manufacturing, 195
- S**
- Safety considerations, waste minimization, 225
- Safety, pH-control chemicals, 349
- Salinity, biological reactions, 432
- Samplers, 525
- Sampling, 59, 66, 69, 71, 90, 118, 315
- Sand drying beds, 300
- Scale, pH control, 366
- Screw dryers, 302
- Screw presses, 298
- Seafood processing, 158
- Secondary emissions, 462
- Sedimentation ponds, 267, 393
- Sedimentation tanks, 267
- Sedimentation, grit removal, 264, 266
- Selenium, 390, 406
- Sequencing batch reactors, 440
- Shock loading, biological reactions, 432
- Shop drawings, 548
- Site-specific conditions, management approach, 143
- Sludge lagoons, 301
- Soap and detergent manufacturing, 196
- Soaps, characteristics, 312
- Sodium bicarbonate, pH control, 353
- Sodium borohydride, 388
- Sodium carbonate, pH control, 353
- Sodium dimethyldithiocarbamate, 389
- Sodium hydroxide, 394
- Sodium tetrahydroborate, 388
- Solar evaporation ponds, 412
- Solid-bowl centrifuges, 291
- Solids contact clarifiers, 395
- Solids handling, pH control, 366
- Solids precipitation, pH control, 346
- Solids processing, 286
- Solids production, neutralization, 348
- Solids retention time, biological reactions, 432
- Solids separation, 393
- Solids-liquids separation, activated sludge, 437
- Solubility, inorganics, 376
- Sonication, 470
- Startup period, 550
- Static screens, 259
- Steam distillation, 486
- Steam electric power generating, 196
- Steam stripping, 400, 486
- Steel manufacturing, 176
- Stewardship training, 206
- Stormwater, flow measurement, 64
- Straining, suspended solids, 258
- Streaming current detectors, 522
- Stripping towers, 474
- Submerged media attached-growth reactors, 452
- Submerged orifices, 511
- Subsurface aeration stripping, 484
- Subsurface injections, 46
- Sugar processing, 197
- Sulfide precipitation, 380, 394
- Sulfides, effects, 372
- Sulfite residual measurement, 525
- Sulfuric acid, alkaline neutralization, 354
- Supercritical water oxidation, 471
- Surcharges, pretreatment, 25
- Surface agitation stripping, 484
- Surface loading rate, sedimentation design, 267
- Suspended solids, classifications, 258
- Synthetic fibers manufacturing, 186
- Synthetic resin adsorption, 494
- System geometry, pH control, 363
- Systematic sampling, wastewater characterizing, 90
- T**
- Tank configuration, equalization design, 251
- Tank cover, equalization basin, 251

- Technology transfer, waste minimization, 229
 - Technology-based limitations, 28
 - Temperature, biological reactions, 431
 - Testing, toxicity characterization, 95
 - Textile mills, 197
 - Thermal oxidation processes, 470
 - Thickening, solids, 288
 - Thin-film dryers, 302
 - Timber products processing, 198
 - Titration curves, pH control, 343
 - Total acidity, 339
 - Total FOG, 314
 - Total organic carbon measurement, 524
 - Toxic sludge, 306
 - Toxic substances, 94, 432
 - Toxicity characterization, 94
 - Transportation equipment cleaning, 200
 - Traveling-bridge filters, 282
 - TRE procedures, toxicity characterization, 96
 - Treatability testing, 101, 109
 - Treatment approaches, 144
 - Trench landfills, 306
 - Trickling filters, 448
 - Tube flocculators, 275
 - Turbidity measurement, 522
 - Two-stage neutralization, 537
- U**
- Ultrafiltration, FOG removal, 328
 - Ultrasonic flow meters, 514
 - Ultrasonic level measurement, 520
 - Ultraviolet light-enhanced oxidation, 470
 - Uniformity coefficient, filter media, 278
 - Upflow anaerobic sludge blanket reactors, 455
 - Upflow continuous backwash filtration, 280
 - User definitions, pretreatment, 15
- V**
- Vacuum filters, 299
 - Valves, final control, 526
 - Vapor-compression evaporators, 414
 - Variable-volume press, 296
 - Variances and waivers, NPDES permits, 39
 - Variances, standards, 21
 - Vegetables processing, 157
 - Velocity control, grit removal, 264
 - Velocity-area meters, 511
- Venturi flowmeters, 515**
- Vertical-tube falling film evaporators, 414
 - Vibratory screens, 263
 - VOC emissions, 462
 - Vortex grit chambers, 264
- W**
- Warranty periods, 551
 - Waste characterization, 210
 - Waste combustion facilities, 201
 - Waste generation, 210
 - Waste minimization, 210
 - Waste minimization assessments, 225
 - Wastestream identification, wastewater survey, 84
 - Wastewater characterization, 89, 101, 128, 343
 - Wastewater survey, 83
 - Wastewater variability, pH control, 346
 - Wastewater-generating operations, 211
 - Water conservation and recycling, 217
 - Waxes, characteristics, 312
 - Weirs, 507
 - Wet air oxidation, 471
 - Windrow composting, 303
 - Wood rosins, 174