

General Index

- 2-dimensional coordinate grid, 11
- 6-port valve, 23
- Accelerated solvent extraction, 141
- Accuracy, 34, 149
- Air sampling, 211
- Alumina, 156, 185
- Atmospheric pressure chemical ionization (APCI), 27
- Auger, 11
- BTEX, 2
- Calibration, 35
- Calibration plot, 28
- Cation exchange (sorbent), 51
- Cavitation, 201
- Ceramic dosimeter, 120
- Certified reference material, 34, 149, 225
- 'Chemcatcher', 120
- Column, 20, 24
 - GC, 20
 - HPLC, 24
- Coning and quartering, 13
- Continuous LLE, 42
- Control chart, 35
- Control of Substances Hazardous to Health (COSHH), 35
- Copper powder, 150
- Corona discharge, 27
- Corona pin, 27
- COSHH, 35
- DB-5, 20
- Desk-top study, 3
- Diatomaceous earth, 150
- Dielectric constant, 169
- Diode array detector, 26
- Dipole attractions, 145
- Discontinuous LLE, 42
- Distribution coefficient, 40
- Distribution ratio, 41
- Electron impact (EI) mode, 21
- Electron multiplier tube, 21, 28
- Electrospray (ES) ionization, 27
- E-mail alerting services, 244
- Empore® disc, 53, 120
- Emulsion formation, 44
- End-capped (C18), 25, 50
- EVACS, 29
- Evaporative concentration system (EVACS), 29, 32

- Fick's law (diffusion), 89, 215
FID, 20
Fixed wavelength (detector), 25
Flame ionization detector, 20
Florisol, 156, 185
Flow cell, 26
Fractionated PFE, 158
Full scan mode (mass spectrometer), 21
Fused silica, 20, 86
- Gas blow-down, 29
Gas chromatography (GC), 18
Gas-tight syringe, 213
Gel permeation chromatography, 156
Geochemical soil bag, 12
Gradient (HPLC), 22
Grid location, 11
- Hazard (COSHH), 35
Health and Safety at Work Act, 35
High performance liquid chromatography, 22
HPLC, 22
html format, 244
Hydrogen bonding, 144
'Hydromatrix', 150
- in situ* PFE, 156
Ion exchange (sorbent), 51
Ion trap mass spectrometer, 28
Isocratic (HPLC), 22
Isomantle, 128
Isothermal (GC), 20
- K_{ow} , 120
Kuderna–Danish evaporative concentration, 29, 30
- Linear working range, 35
Liquid–liquid extraction, 39
Liquid–liquid microextraction, 118
Liquid-phase microextraction, 118
- Magnetron, 168
Map, 4
Mass spectrometer, 20, 25
- Mass transfer effects, 144
Mass-to-charge ratio, 21
Matrix solid phase dispersion, 185
Membrane enclosed-sorptive coating device, 120
Membrane microextraction, 119
MEPS, 121
MESCO, 120
Microextraction, 117
Microextraction in a packed syringe, 121
Microwave-assisted extraction, 167
MIPs, 51
Mobile phase, 22
Mobile phase composition, 22
Modifier, 199
Molecularly imprinted polymers, 51
- Normal phase (sorbent), 51
Normal phase SPE, 60
- Octadecylsilane (ODS), 24, 185
Octanol–water partition coefficient, 120
OPPs, 142
Ordnance survey maps, 4
Organophosphorus pesticides, 142
- Particle size, 150
Partition coefficient, 88
pdf format, 244
Persistent organic pollutants, 142
Phase diagram, 197
Phase ratio, 41
POCIS, 120
Polar organic chemical integrative sampler, 120
Polydimethylsiloxane (PDMS), 86, 118
POPs, 142
Precision, 34, 35, 149
Pre-concentration, 29
Preservation techniques, 16
Pressurized fluid extraction, 141, 201
Pressurized liquid extraction, 141
Programmed temperature vaporizer injector, 18
PTV injector, 18
Purge and trap, 45, 93

- Quadrupole mass spectrometer, 28
- Qualitative risk assessment, 4
- Quality assurance, 34

- Reagent blank, 35
- Reciprocating piston pump, 22
- Recovery level, 35
- Restrictor, 201
- Reversed phase (sorbent), 51
- Rheodyne valve, 23
- Risk (COSHH), 35
- Rotary evaporation, 29, 33

- Sampling, 7, 8, 12, 13, 15
 - air, 15
 - random, 8
 - soil, 12
 - water, 13
- Sampling cone, 27, 28
- Sampling strategies, 8
- Search engine, 244
- Selected ion monitoring (SIM) mode, 21
- Selective PFE, 156
- Semipermeable membrane device (SPMD), 120
- Separating funnel, 42
- Shake-flask extraction, 132
- Shape-selective PFE, 158
- Silica gel, 156
- Single ion monitoring (SIM) mode, 21
- Single-drop microextraction, 118
- Site-specific conceptual model, 4
- Skimmer cone, 27, 28
- Snyder column, 30
- Solid phase extraction (SPE), 49, 185
- Solid phase microextraction (SPME), 85, 213
- Solid-liquid extraction, 127
- Solubility, 144
- Solvent extraction, 42
- Solvent microextraction, 118
- Sonic bath, 132
- Sonic probe, 132
- Sonication, 132
- Sorbent 50, 121
- Sorbent-tube sampling, 15
- Soxhlet extraction, 128
- 'Soxtec', 130
- Spiking, 35
- Split/splitless injector, 18
- Stationary phase, 20, 24
- Stir bar, 118
- Stir-bar sorptive extraction, 118, 120
- Sulfur, 150
- Supercritical fluid extraction (SFE), 197
- Surface equilibria, 144
- Système International d'Unites (SI), 269

- Tedlar bag, 213
- Temperature programmed (GC), 20
- 'Tenax', 214
- Tetrabutylammonium sulfite powder, 150
- Thermal desorption, 216
- TIC, 21
- Time-of-flight mass spectrometer, 28
- Total ion current (TIC) mode, 21
- Triolein, 120
- Triple point, 198

- Ultraviolet/visible detector, 25
- Unreacted silanol groups, 25
- USEPA, 141
- UV/visible, 26

- van der Waals forces, 145
- Variable wavelength (detector), 26
- VOCs, 45
- Volatile organic compounds, 45

- Waveguide, 168
- Web browser, 244
- Whole air sampling, 213
- Worldwide Web, 244

Application Index

A wide range of applications are covered in this book, ranging from brief summaries in Chapters 6, 8, 9 and 10 (specifically Tables 6.1, 8.3, 9.1 and 10.2) through to more detailed explanations and data as detailed below.

Pressurized fluid extraction (PFE)

- Organochlorine pesticides from soil, 157
- PCBs, PCDDs and PCDFs from fish oil, 158
- Pharmaceuticals from sewage sludge, 154
- *p,p'*-DDT and *p,p'*-DDE from aged soils, 152
- Sulfamide antibiotics from aged agricultural soils, 155

Solid phase extraction (SPE)

Automated on-line:

- Sulphonamide antibiotics, neutral and acidic pesticides in natural waters, 78

Ion exchange:

- Alkylphenols from produced water from offshore oil installations, 66

- Amino acids from liquid samples, 65
- Cationic selenium compounds present in leaf extracts, 67

Molecularly imprinted polymers:

- Chloroamphenicol from honey, urine, milk and plasma samples, 68
- 4-Chlorophenols and 4-nitrophenol from river water, 73
- Methylthiotriazine herbicides in river water, 70

Normal phase:

- Chlorinated pesticides in fish extracts, 60
- Free fatty acids from lipidic shellfish extracts, 62
- Molecular constituents from humic acids, 62

Reversed phase:

- Chloroform in drinking water, 63
- Isopropyl-9*H*-thioxanthen-9-one in beverages, 63
- Pesticides in washing water from olive oil processing, 64

Solid phase microextraction (SPME)

Automated on-line:

- Ochratoxin A in human urine, 111
- Polycyclic aromatic hydrocarbons in sediments, 110

Direct immersion – GC:

- Cocaine and cocaethylene in plasma, 104
- Compounds from solid matrices, 94
- Organochlorine pesticides in fish tissue, 102
- Pesticides in aqueous samples, 101

- Phenols and nitrophenols in rain water, 102
- Semi-volatile organics in water, 92

Direct immersion – HPLC:

- Abietic acid and dehydroabietic acid in food samples, 106
- Fungicides in water samples, 107

Headspace – GC:

- Compounds from solid matrices, 94
- Fluoride in toothpaste, 104
- Furans in foods, 102
- Volatile organic compounds in water, 92