

INDEX

- absolute pressure, 31
 absolute viscosity, 33
 absolute zero, 30
 absorbers, 133, 140, 142, 143
 absorbing, 128
 absorption, 132, 141, 459
 acid rain, 24
 Acid Rain Program, 26
 acidic, 36
 activated alumina (alumina oxide),
 187, 188
 activated carbon, 187, 190, 191, 194, 201
 activated, 187
 active height, 405
 active length, 405
 active surface, 406
 actual operating line, 133
 adsorbate, 185
 adsorbent capacity, 194
 adsorbents, 185, 186, 187, 188
 adsorbers, 188, 185, 193, 196
 adsorption equilibrium, 194
 adsorption, 7, 185, 186, 187, 190, 194,
 197, 199, 201, 249
 adsorption isotherm, 195
 aerodynamic diameter, 262
 aerodynamic sizing, 260
 aerosol, 3, 248, 249
 afterburners, 74
 afterburning, 73
 agglomeration, 316
 air, 186
 air pollution, 12
 air pollution accidents, 12
 Air Pollution Control Act, 19
 air purification, 185
 air quality, 19
 aluminum oxides, 188
 Amagat's law, 40
 API, 33
 ash conditioning, 414
 aspect ratio, 406, 409
 atomic mass units, 31
 atomic weight, 31
 atomized, 453
 attainment, 21
 available heat, 81
 avalanche multiplication, 401
 Avagadro's number, 32, 36
 axial entry cyclones, 362
 back corona, 411
 BACMs, 21
 baffle chamber, 317
 baffle plates, 72
 baffles, 72
 bag failure, 512
 baghouses, 4, 7, 503–507, 510, 512, 514, 551
 barometer, 31
 basic, 36
 batch process, 43
 batch, 42
 Big Bang, 9
 blower, 201
 boiling point, 36
 bone-dry air, 41
 bottom-feed units, 504
 Boyle's, 37
 breakeven calculation, 180
 breakpoint, 196
 breakthrough point, 196
 Brownian motion, 252, 401
 bubble concept, 5
 bubble-cap plates, 131
 bubble-cap trays, 139
 buildup (scaling), 460
 bulk density, 32, 187
 buoyant force, 256
 burner flame, 74
 burners, 69, 85
 bus section, 406
 business regulatory laws, 16

- canister adsorber, 191
capacity, 188
capillary condensation, 190
capture, 320
capture efficiency, 268
carbon black, 410
carbon monoxide, 21
carbon tetrachloride, 25
carbonization, 187
catalysts, 76, 86
catalytic combustion unit, 77
catalytic incineration, 188
catalytic incinerators, 85
catalytic oxidation, 74
catalytic reactors, 76
Celsius, 30
centipoises, 33
centrifugal force, 250, 257, 367, 369
centrifugal, 375
certified independent test data, 5
chamber, 406
chamber volume, 72
Charles' law, 30, 37, 39
chemical adsorption, 186
chemical conditioning, 414
chemisorption, 186, 187
chlorofluorocarbons (CFCs), 25
Civilian Conservation, 12
Class I chemicals, 25
Class II chemicals, 25
clean air, 2
Clean Air Act, 16, 19, 21, 23, 24, 25, 26
Clean Air Interstate Rule, 26
Clean Water Act, 24
coalescing, 400
Code of Federal Regulations (CFR), 18, 19
collecting plates, 404, 409
collecting surface area, 406
collection efficiency, 321, 323, 324, 362, 371, 373, 374, 375, 407, 408, 409, 411, 413, 414, 452, 453, 454, 455, 456, 457, 458, 503, 510
collection electrode, 400, 401, 411, 413
collision scrubber, 461, 462
combustibles, 70
combustion limits, 78
combustion, 69–79, 81
common law, 16, 17
Common Standard Conditions, 39
Compensation and Liability Act, 16
compliance, 17, 25
component material balance, 43
Comprehensive Environmental Response, 16
condensation nuclei, 3
condensing scrubbers, 462
conservation law, 42
Conservation of Energy, 43
contact power theory, 457
contact zone, 452
continuous process, 43
continuous systems, 42
control technology, 4
corona, 400, 401, 402, 403, 414, 415
corona current losses, 413
corps, 13
corrosiveness, 507
cotton, 509
Council for Environmental Quality (CEQ), 15
creeping flow, 254
critical diameter, 370
crossflow packed scrubbers, 129
crossflow scrubber, 130
Cunningham correction factor, 456
cut diameter, 370, 371, 372
cycle time, 192
cyclones, 4, 7, 363, 365, 367, 369, 371, 372, 410, 249, 325, 361, 362, 364, 366, 370, 373, 374, 375, 376
cyclonic action, 452
Dalton's law, 40
deflection, 252
demister, 319
density, 32
Department of Transportation (DOT), 18
desorbed, 185
desorption, 190, 196, 199
destruction efficiencies, 69
Deutsch–Anderson equation, 407, 408
Diesel Rule, 26
diffusing, 127
diffusion charging, 401, 409
diffusion, 128, 453, 504, 505
diffusiophoresis, 252
dimensional stability, 507
direct collision, 409

- direct interception, 251
discharge electrodes, 403, 404
dispersion, 263
dispersion effect, 186
Displacement Cycle, 199
distribution plate, 406
drag, 253, 319
drag coefficient, 253, 254
drag force, 253, 254, 259, 369
Drag Model Coefficients, 255
drift velocity, 406
dry bulb, 42
dry injection, 551
dry scrubbers, 549
dry scrubbing, 550
dust, 3
dust cakes, 250
dust explosions, 3
dynamic process, 195
dynawave unit, 461
- economic/cost models, 563
eddies, 35
effective cross-sectional area, 406
effective diameter, 248
efficiency, 267
efficiency of separating, 140
electrical sectionalization, 410, 412
electrodynamic venturi, 461
electron charging, 401
electronic air filters, 405
electrostatic, 186, 324
electrostatic attraction, 251, 504, 505
electrostatic charge, 316
electrostatic force, 251, 257
electrostatic precipitation, 324, 400, 412
electrostatic precipitators, 4, 7, 250, 251, 270, 399, 404, 408, 409, 410
electrostatically augmented fabric filtration, 549, 552
elevated flares, 78
elutriator, 318
emission, 23
energy balances, 75
enforcement, 16
English units, 27
enthalpy, 42, 43, 79, 82
enthalpy of reaction, 76
entrainment, 461
entrainment separator, 319
Environmental Protection Agency (EPA), 13, 15, 16, 17, 18, 21, 22, 23, 24, 25, 26
episodes, 12
equilibrium, 127
equilibrium capacity, 196, 197
equilibrium curve, 133, 138, 139
Ergun, 198
erosion, 324
Error Function, 269
excess air, 72
exothermic, 187
expansion chamber, 315, 316
extend venturi throats, 462
- fabric filters, 250, 506, 511
Fahrenheit, 30
fail-safe design, 6
Federal Register, 18
fiberglass, 509
field, 406
field charging, 401
field charging mechanism, 409
filter element, 504
filter medium, 507
Fine Particle Rules, 26
first-order, 76
flame quenching, 76
flame temperature, 73
flares, 77
flashback, 75, 78
flat-panel beds, 191
flooding, 133, 134, 135
flooding velocity, 133, 134
flow imbalance, 460
flue gas, 73
fluidized-bed adsorption, 193, 194
fluidize, 194
flux, 172
fly ash, 399, 400, 410, 412
fog, 3
Forum shopping, 16
fouling, 324
fractional efficiencies, 373
fractional efficiency, 371, 372
friction factor, 253
froth, 461
Fumifugium, 10

- G/C ratio, 510
g_c, 258
Gamow George, 9
gas absorption, 127, 128, 129, 462
gas conditioning, 451
gas flow distribution, 410
gas maldistribution, 138
gas passage, 406
gaseous, 2
gases, 26
gas-to-cloth ratio, 506, 507, 508
gas-to-liquid ratios, 129
gauge pressure, 31
geometric mean, 266
geometric mean particle diameter, 370
geometric standard deviation, 266
granular, 194
gravity settlers, 4, 7, 315, 323, 316, 319, 323, 324
gravity settling chambers, 317, 325
gravity spray towers, 318, 319, 453
greenhouse, 26
gross heating value, 79
ground-level flares, 78
hairpin cooler, 325
halons, 25
Hazardous Air Pollutants (HAPs), 22
haze, 3
heat capacity, 33, 34, 81, 82
heat contents, 80, 82
heat losses, 83
heat of adsorption, 187
heat rate, 83
heat recovery, 69
heating value, 78
HEEL, 196, 199
Henry's law, 41, 131, 138
Henry's law constant, 131
Hesketh's equation, 457
heterogeneous mixture, 247
heterogeneous reactor, 77
high-voltage rectifiers, 403
hoppers, 316, 361, 363, 365, 366, 367, 375, 400, 403, 404, 408
horizontal flow adsorbers, 193
hot precipitators, 412
Howard settling chamber, 317, 325
human-made, 2
humid enthalpy, 42
humid heat, 42
humid volume, 42
humidity, 41
hybrid systems, 549
hydrocarbons, carbon monoxide, 23
hydrolysis, 507
ideal gas, 37
ideal gas law, 27, 32, 37, 38, 39
ignition, 70
impaction parameter, 372
impaction, 251, 453, 454, 504, 505
incineration system, 7
incineration, 70, 75, 82
incinerators, 71, 72, 73, 84, 85, 249
incomplete combustion, 76, 78
indigo bipolar agglomerator, 268
induction effects, 186
industrialization, 10
Inert Purge Gas Stripping, 199
inertia, 372
inertial collectors, 315
inertial impaction, 250
inertial separator, 317
initial concentration, 196
inside bag collection, 513
Instrumentation–Fitting Blockage, 460
interception, 505
interelectrode, 402
intermittent operation, 504
internal energy, 43
internal pore surface, 77
ionization, 400
ionizing wet scrubbers, 549, 550
isobar, 194
isostere, 194
isotherm, 194
Kelvin, 30
kinematic viscosity, 33
kinetic energies, 30
kinetic energy, 29, 187
kitchens, 325
Kremser–Brown–Souders equation, 138
laminar flow, 35, 321
laminar, 322
Langmuir, 208

- Lapple's, 371, 372, 373
latent heat, 79, 81
Laws, 17, 18
layer or cake filtration, 505
Leith, 371
length-to-diameter ratio, 75, 84, 200
Leith and Licht, 371
liquid aerosols, 400
liquid conditioning, 451
liquid distribution, 128
liquid entrainment, 318, 319
liquid–gas maldistribution, 461
liquid-to-gas ratio, 133, 456, 457, 458, 459
localized corrosion, 460
lognormal, 266, 267
log-probability, 265, 266, 267
longer-term exposure, 21
loss of seal, 461
lower heating values, 79
lower explosive limit (LEL), 78, 79

macropores, 188
macroscopic mixing, 35
MACT, 22, 23, 24
manometer, 31
mass, 32
mass basis, 34
mass transfer zone, 196
mass transfer, 128, 195
Matts–Ohnfeldt equation, 408
maximizing profit, 181
mechanism of combustion, 70
media or fiber filtration, 505
Mercury Rules, 26
mesh, 187, 198, 261
methyl chloroform, 25
Metric Convention, 556
metric system, 555, 556
micropores, 188, 190
migration velocity, 406, 407, 408
mist eliminator, 319
initial concentration, 196
mobile sources, 23, 26
moisture conditioning, 412
molal units, 32
molar basis, 34
mole balance, 132
molecular mixing, 35
molecular sieves, 187, 188

molecular weights, 31, 32
momentum effect, 315
Montreal Protocol-CFCs, 25
moving-bed adsorbers, 193
multicloner, 366
multi-microventuri, 461
multiple-tray settling chamber, 316
Murphree efficiency, 139

NAAQS, 21, 22
nanoparticles, 26
nanotechnology, 86, 201
NA-NSR, 22
National Environmental Policy Act (NEPA), 15
National Pollution Discharge Elimination System (NPDES), 24
natural, 2, 248
natural gas, 73
NESHAP, 22
net heat value, 79
neutral, 36
New Deal, 12, 13
New Source Performance Standards, 22, 26
Newton's law, 254, 255, 258, 259, 320, 322
nitrogen oxides, 23, 24
Nomex, 509
Nonattainment Area New Source Review (NA-NSR), 22
nonattainment, 21
nonpolar adsorbent, 187
nonpolar substances, 186
nonregenerable, 190, 191
nozzle plugging, 460
NSPS, 22
nucleation, 267
Nukiyama–Tanasawa relationship, 456
number of actual trays, 139
number of theoretical stages, 140

open-pit burning, 78
operating line, 132, 133, 138, 139
operating permit, 24, 25
optimal sparking rate, 413
orientation effect, 186
origin, 2
OSHA, 18

- outside bag collection, 513
- oxidation, 69, 70
- ozone, 21, 25
- Ozone Rules, 26
- packed columns, 128, 133
- packed towers, 142
- packed-bed, 129, 130, 458
- packing, 128, 129, 130
- panels, 190
- parallel sectionalization, 414
- parallel-plate precipitators, 403
- partial pressure, 39, 40
- partial volume, 39, 40
- particle migration velocity, 406
- particle size distribution, 260, 263, 265, 319, 321, 410
- particulate matter, 21
- particulates, 2, 247, 248
- particulate-size distribution, 7
- permanent dipole, 186
- pH, 35
- phase equilibria, 27
- phase equilibrium, 41
- physical adsorption, 186
- plate columns, 128, 130, 133
- plate electrostatic precipitators, 405
- plate tower scrubber, 458
- plate, 131, 405
- platinum, 77
- pleated cell, 190
- plenum, 365
- poisoning, 77
- polar adsorbents, 187
- polar substances, 186
- Polyester, 509
- Polypropylene, 509
- power density, 406
- power loss, 457
- Preamble language, 18
- precipitation, 324
- precipitator efficiency, 415
- precipitators, 400, 406, 410
- pressure, 30, 31
- pressure drop, 198
- pressure swing, 199
- Prevention of Significant Deterioration (PSD), 22
- primary, 2
- process, 195
- profit, 1
- protection, 1
- PSD, 22
- pseudo-first-order, 76
- psychrometric, 41
- puffing, 512
- pulse energization, 414
- purification, 186
- quiescent zones, 403
- RACMs, 21
- Rankine, 30
- Raoult's law, 41
- rappers, 404
- Raschig rings, 129, 179
- rate coefficient, 128
- Reaching ring, 179
- reciprocating manifold, 505
- redistribution, 129
- reentrained, 324
- reentrainment, 319, 322, 323, 365, 366, 374, 375, 400, 408, 415, 461
- refractory, 85
- regenerable, 190, 191, 192
- regeneration, 194, 196, 198, 199
- regeneration time, 200
- regulation, 17
- Regulations (CFR), 18, 19
- relative velocity, 253
- removal efficiencies, 451, 452
- Reorganizational Plan, 15
- residence, 69, 76
- residence chamber, 74
- residence time t_r , 321
- residence time, 71, 72, 75, 78, 84, 318, 322
- residual risk, 23
- resistivity, 400, 410
- Resource Conservation and Recovery Act, 16
- retainers, 190
- Reynolds number, 27, 35, 253, 254, 255, 256, 259, 260, 319, 320
- Safe Drinking Water Act, 16
- saturation capacity, 196
- Saybolt universal viscometer, 33
- scientific notation, 29

- scrubber, 129
scrubbing efficiency, 453
secondary, 2
sectionalization, 403, 415
sensible heat, 79, 82
separation zone, 452
service time, 197
settling, 250, 505
settling velocity, 259
shaft work, 44
short-term exposure, 21
SI, 27
sieve, 261
significant digits, 29
Silent Spring, 13
silica gel, 187, 188
silicon-controlled rectifier, 403
skewed, 265
skimmers, 362
slip, 260
slurry, 552
smoke, 3
Soil Conservation Service, 13
solubility, 127
solvent recovery, 185, 186
sorption, 414
sparkover rate, 402
Sparkover, 402, 413
specific collection area, 409, 406
specific gravity, 32
specific heat, 33, 34
specific volume, 32
spray dryer, 552
spray drying, 551
spray towers, 453
spray-type scrubbers, 457
stack, 78
stage sectionalization, 414
standard barometric pressure, 31
standard conditions, 39
standard deviation, 263
State Implementation Plans, 26
state of matter, 2
steady-state, 42, 43, 44
steam stripping, 199
Stokes' law, 33, 320, 253, 254, 255, 258,
 259, 260
strippers, 140, 141
strong performance guarantee, 5
sublimation, 36
sulfur dioxide, 24
sump swirling, 460
superficial gas velocities, 192
surface polarity, 187
surface-to-volume ratio, 248
suspension velocity, 323
swirl fired burners, 72
synthetic, 2, 248
tangential entry cyclone, 362
tax incentives, 16
tax laws, 16
technology of control, 3
Teflon, 509
Tellerettes, 179
temperature, 29, 30
Tennessee Valley Authority, 13
terminal settling velocity, 258, 316, 321
terminal velocity, 320
The New Source Performance Standards
 (NSPS), 22
theoretical amount, 72
theoretical plate, 138
thermal incinerator, 86
thermal shock, 461
thermal swing, 199, 461
thermodynamics, 43
thermophoresis, 252
thick-bed canister adsorber, 191
thin-bed adsorbers, 186
threshold, 21
title, 19, 40
top-feed units, 504
tort, 17
total material balance, 43
toxic air pollutants, 23
transfer, 195
transitional pores, 188
tray efficiency, 139
treatment time, 406
treatment velocity, 406
true density, 32
tubular precipitators, 405
tubular, 405
turbulent, 322
Turbulent flow, 35
turning vanes, 362
Tyler and U.S. Standard Screen Scales, 261

- universal gas constant, 38
unsteady-state, 42, 43
upper explosive limit (UEL), 78, 79
- vacuum, 31
values of R, 38
van der Waals, 185, 186
vapor pressure, 36
variability, 263
vena contracta, 454
venturi scrubbers, 451, 452, 453, 456, 457, 458, 459
venturi throat, 454
vertical flow adsorber, 192
vibration, 324, 461
viscosity, 33, 253
viscosity of air at 1 atmosphere, 34
viscosity of water, 34
volatile organic carbons (VOC), 23
volatile organic compounds (VOCs), 78
volatile organic hydrocarbons, 201
- volume, 32
vortex finder, 363
vortex, 370
- waste treatment system, 7
water sprays, 362
water-walled ESPs, 405
wear, 461
weeping, 138
wet collectors, 451, 452
wet electrostatic precipitators, 549, 550
wet scrubbers, 4, 249, 362, 451, 452, 453, 455, 457, 459
wet scrubber system, 7
wet/dry zone buildup, 460
wet-bulb, 42
working capacity, 196
working charge, 196, 197
- zeolites, 187