

- Absorbate, 545
- Absorbent, 546
- Absorption:
- in air pollution control, 545-557
 - equipment for, 552
 - mass-transfer operations, 547
 - of atmospheric contaminants, 515
 - of carbon monoxide, 448
 - of hydrocarbons, 444
- Absorption equipment, 552
- Acetic acid from solid-waste pyrolysis, 672
- Acetone from solid-waste pyrolysis, 672
- Acid deposition, 421
(See also Acid rain)
- Acid rain, 421, 423, 499, 508, 515, 516
- Activated carbon:
- granular, 195
 - powdered, 197
 - use of: in air pollution control, 444, 541
 - in wastewater treatment, 197, 302
 - in water treatment, 195-197
- Activated sludge, 234-247
- aeration of, 244-247
 - completely mixed reactor system, 235
 - design of systems, 238-244
 - plug-flow reactor system, 237
 - process variations of systems, 238
- Adenosine diphosphate (ADP), 76
- Adenosine triphosphate (ATP), 76
- Adiabatic, defined, 488
- Adiabatic cooling, 489
- Adiabatic lapse rate:
- dry, 489
 - wet, 489
- Adsorbents, types of, 541
- Adsorption:
- in air pollution control, 540-545
 - adsorbents, 541
 - equipment for, 542
 - of carbon monoxide, 448
 - of hydrocarbons, 444
 - of refractory organics, 195
 - in wastewater treatment, 302
 - in water treatment, 195
- Advanced wastewater treatment, 215, 294-303
- Aerated lagoon, 215
- Aeration:
- of activated sludge, 244-247
 - in potable water treatment, 110-113
- Aeroallergens, 438
- Aerobic digestion, 291-292
- Aerobic lagoon, 248
- Aeropathogens, 463
- Aerosols, 532
- Afterburner, 561
- Air, density of, as a function of temperature, 695
- Air diffusers:
- coarse-bubble, 245
 - fine-bubble, 245
- Air pollutants:
- anthropogenic, 418, 426, 438, 443, 445-447, 449, 458

1-6 SUBJECT INDEX

Air pollutants (*Cont.*):

- classification of, 429-431
- of natural origin, 417, 426, 438, 443, 446, 458
- quantities of emissions of, 428, 429
- sources of, 428
- units of measurement for, 425

Air pollution:

- alert level, 466
- defined, 417
- effects of, on meteorological conditions, 507-510
- emergency episode regulations, 466
- episodes of, 419
- global implications of, 420-424
- indoor, 463

Air pollution control, approaches to, 516-518

Air Pollution Control Act of 1955, 420

Air Pollution Control Association, 464

Air-quality-criteria documents, 441

Air-quality management, 464

Air-quality modeling, 499, 500

Air-quality standards, national ambient-:

- for carbon monoxide, 448
- enforcement of, 466
- for hydrocarbons, 444
- for nitrogen oxides, 461
- for particulates, 441
- for photochemical oxidants, 463
- for sulphur dioxide, 455
- table of values for, 465

Air sampling devices, 439-440

Air stripping for ammonia removal, 296

Air viscosity as a function of temperature, 695

Alcohols from anaerobic decomposition:

- of solid waste, 659
- of wastewater sludges, 286

Alert level of air pollutant concentrations, 466

Algae, 22, 81, 499

- airborne, 435
- alkalinity changes by, 31
- effects of, on oxygen balance, 82, 85
- in oxidation ponds, 249-250

Algal endogenous catabolism, 85

Algal photosynthesis, 84

Algal respiration, 94

Aliphatic hydrocarbons, 442

Alkalinity:

- in anaerobic digesters, 290
- buffering capacity and measurement of, 35
- constituents of, 31
- in relation to pH, 32
- defined, 31
- effects of, on coagulation, 140-141

Alkalinity (*Cont.*):

- measurement of, 32-34
- as a water-quality parameter, 31-35

Aluminum sulfate for coagulation of turbidity, 134, 140

Ambient-air-quality standards (*see* Air-quality standards, national ambient)

Ambient lapse rate, 488-489

Ammonia:

- air stripping of, 295-298
- from biological decomposition of proteins, 45
- in equilibrium with ammonium, 45, 296
- in landfill leachate, 633
- in nitrogen cycle, 77
- reactions with chlorine, 186, 187

Anabolism, defined, 75

Anaerobic digestion:

- microorganisms in, 286
- process of, 285-291
- reactors for, 287-289
- of solid waste, 663-664
- of wastewater sludges, 285-291

Anemometer, 493

Anions, defined, 24

Aquifers, 13

Area method of landfilling, 629

Aromatic hydrocarbons:

- benzene, 442
- polynuclear hydrocarbons, 443

Articulated pickup mechanism for solid-waste containers, 600

Asbestos, 463, 472

Assimilation capacity of streams, 63

Atmosphere:

- composition and structure of, 420-424
- elemental properties of, 483
- standard properties of, 491

Atmospheric cleansing processes, 514

Atmospheric inversion, 490

Atmospheric moisture, 495

Atmospheric motion, scales of, 484-486

Atmospheric pressure, 491

Atmospheric systems, 492

Atmospheric stability, 489

- categories of, 502

Atmospheric surveillance systems, 476

Atom, 23

Atomic mass of the elements, 679

Atomic number of the elements, 679

Automobile emission control, 444

Automobile emission control systems: adsorption canisters, 564

- Automobile emission control systems (*Cont.*):
 catalytic converters, 565
 positive crankcase ventilation systems, 564
- Autotrophs, defined, 79
- Bacteria:**
 airborne, 435
 defined, 47
 in natural water systems, 79
 pathogenic, 47
 in solid-waste disposal systems, 632
 in wastewater treatment, 249, 250, 255, 298
- Bacterial cell structure, 80
- Bales of solid waste, 603
- Bar, 491
- Bar diagram of common ions, 30
- Barge for solid-waste transport, 624
- Barminutors, 220
- Barriers for controlling gas movement in
 landfills, 634
- Base units in SI, 680
- Bentonite, 140
- Benzene, 442, 472
- Beryllium, 472
- Best available technology, 212
- Biochemical oxygen demand (BOD):
 calculations of, 39-42
 carbonaceous, 42
 defined, 39
 nitrogenous, 42
 reaction rate constants for, 41
 table of values for, 43
 in streams, 83, 94
- Biochemical processes, 74-79
- Biodegradable organics (*see* Organics,
 biodegradable)
- Biofilms in wastewater treatment:
 metabolic processes, 256
 sloughing process, 256
 system biology, 255-257
- Biological conversion products from solid-waste
 recovery, 659
- Biological decay of organics in landfills, 631
- Biological decomposition in composting, 660
- Biological growth kinetics, 230-234
- Biological treatment of wastewater, 229-268
 (*See also* Secondary treatment of wastewater)
- Biosphere, defined, 1
- Bio-towers, 259-264
- Boiler scale, 36
- Bronchitis, 449, 456
- Brownian motion, 434, 436
- Carbon cycle, 77
- Carbon dioxide:
 in the atmosphere, 423
 from combustion of solid waste, 665
 in greenhouse effect, 487, 509
 in groundwater, 110
 reaction with water, 27
 removal of, in softening process, 151-153
 use of, in recarbonation, 160-162
- Carbon monoxide, 445, 448-449, 464, 474, 517
 analysis of, 447
 in automobile exhaust, 564
 catalytic combustion of, 562
 combustion of, 559
 control of, 447-448
 detection of, 447
 effects of: on humans, 445
 on materials, 445
 on plants, 445
 sources of, 446
 standards for, 447
- Carboxyhemoglobin, 445
- Carcinogens, 19, 104, 442
- Carmen-Kozeny equation, 167
- Cascade towers, 112
- Catabolism, 75
- Catalytic afterburners, 444
- Catalytic combustion, 562
- Catalytic converters on automobiles, 565
- Catalytic incineration, 565
- Cation, defined, 24
- Caustic soda in softening, 153
- Cell:
 bacterial, diagram of, 80
 in landfills, 629
- Centrifugal collectors, 523-528
 cyclones, 523
 dynamic precipitators, 527
- Centrifugal force, 523
- Char from pyrolysis of solid waste, 672
- Chemical oxidation of materials in landfills, 631
- Chemical oxygen demand (COD), 44
- Chemical precipitation for softening, 99, 151-162
- Chemical processes:
 in engineered systems, 99
 in natural water systems, 73
- Chlorination:
 in wastewater treatment, 278
 in water treatment, 183-188
- Chlorine, 19, 105, 183, 277
- Chlorine residual:
 combined, 187
 free, 184, 187

I-8 SUBJECT INDEX

- Cholera, 11, 47
- Chromatography, 21
(See also Gas chromatography)
- Cisterns, 105
- Clarification, 113
in wastewater treatment: primary, 224-229
secondary, 268-277
of activated sludge, 268
of sloughed biofilm, 277
- Clarification function, 270
- Clay liners in landfills, 631, 634
- Clean Air Act(s):
Amendments of 1977, 420, 464
of 1963, 420
of 1970, 420, 447, 464
- Coagulation in water treatment, 131-151
practice of, 140-151
theory of, 134-140
adsorption and charge neutralization, 134, 139
interparticle bridging, 136
ionic layer compression, 134
sweep coagulation, 136, 138, 139
- Coastal winds, 493
- Coefficient of drag:
for flocculator paddles, 147
in laminar flow, 115
for particles in water, 115
in transitional flow, 115
in turbulent flow, 115
- Coefficient of haze, 441
- Coefficient of permeability, 637
- Cold fronts, 492
- Coliform organisms, 50
- Collection of solid waste, 601-618
definition of terms, 609
routes, 615
schedules, 618
services, types of, 601-604
systems, types of, 605-615
(See also Hauled-container system for solid waste collection; Stationary-container system for solid waste collection)
vehicle and labor requirements, 607, 610
- Collection of wastewater (see Sanitary sewers)
- Colloids:
coagulation of, 131-151
defined, 14
- Color in water, 18-20
- Combined sewers, 349
- Combustion of air pollutants, 559-563
catalytic, 562
- Combustion of air pollutants (Cont.):
direct-flame, 560
thermal, 561
- Combustion of solid-waste materials, 665-670
air requirements for, 666
heat balance for, 668
oxygen requirements for, 666
- Commercial solid waste:
collection services, 603
generation rates, 595, 597, 599
- Comminutors, 220
- Common ions, 29, 31
- Compaction of solid waste, on-site, 601
- Compactors for solid waste, 603
self-loading, 606
stationary, 605
- Component separation of solid waste, 656
- Compost, 659, 660
- Composting, design considerations of, 661
- Condensation:
of carbon monoxide, 448
contact condenser, 558
of hydrocarbons, 444
surface condenser, 557
- Congressional Office of Technology Assessment, 464
- Constants, table of values for, 682
- Containers for solid waste, 599
drop boxes, 605
hauled, 608
location of, 600
open-top, 605
stationary, 603, 607
tilt-frame, 605
trash-trailer, 605
types of, 600
- Conversion factors:
metric, 687-692
for wastewater-treatment plant design parameters, 683-686
- Coriolis force, 485
- Corona, 536
- Corrosion by sulfur dioxide, 453, 499
- Council on Environmental Quality, 464
- Cover material, 629
suitability of soils for, 638
- Cross-connections in water distribution systems, 346
- Crustacea, 82
- Cumulative toxins:
metals, 38
organics, 44

- Cyclones (collectors), 523
 multiple arrangements of, 525
 standard dimensions of, 525
- Dalton's law, 68, 346
- Darcy-Wiesbach equation, 167, 341
- Darcy's law, 635
- DDT, 5, 44
- Deep-well injection of solid waste, 647
- Degasification in water treatment, 110
- Demineralization, 190
- Demolition waste, 606
- Denitrification, 298
- Density:
 of air as a function of temperature, 695
 of water as a function of temperature, 695
- Department of Commerce, U.S., 464
- Depression method of landfilling, 631
- Derived units, SI, 681
- Desalinization, 190
- Destructive distillation of solid waste, 672
- Detergent, 17, 35, 44
 alkyl benzene sulfonate (ABS), 44
 linear alkyl sulfonate (LAS), 44
 phosphate, 46
- Digestion, anaerobic (*See Anaerobic digestion*)
- Dilution of air pollutants, 495, 516
- Dilution capacity of streams, 64
- Dioxin, 5
- Direct-flame combustion, 560
- Disinfectants, 182
 chlorine, 183
 chlorine dioxide, 189
 ozone, 188
 ultraviolet light, 189
- Disinfection, 17, 49, 99, 106
 of wastewater, 277-278
 of water distribution systems, 348
 of water supplies, 182-190
- Dispersion of pollutants in air, 514
 effects on: of lapse rates, 496
 of moisture, 499
 of pressure systems, 498
 of winds, 498
- Dissolution, defined, 26
- Dissolved materials:
 defined, 14
 removal from wastewater, 302
 removal from water, 190
- Dissolved oxygen:
 equilibrium concentration of, table, 694
 requirement of, for fish, 83
- Dissolved oxygen (*Cont.*):
 Streeter-Phelps model for, 85
 utilization rate of, 86
- Dissolved-oxygen balance in streams, 83-94
- Dissolved-oxygen deficit, 84, 88
- Domestic solid waste, 599
- Drift velocity, 539
- Drinking-water standards:
 primary, 696-698
 secondary, 699
- Drying of solid waste, 657
- Dulong formula for energy value of solid waste,
 585, 667
- Dust, defined, 431
- Dustfall, 433
- Dynamic precipitator, 527
- Ecology, defined, 95
- Ecosystems:
 effects of air pollutants on, 421
 effects of wastewater discharge on, 94-98
- Effluent-limited streams, defined, 56, 212
- Electric motors for pumps, 375
- Electric-powered vehicles, 564
- Electrical conductivity of water, 28
- Electrodialysis, 191
- Electromechanical separation of solid waste, 656
- Electrostatic precipitator, 536-539
 applications of, 537
 efficiencies of, 538
- Emergency level of air pollutant concentrations,
 472
- Emission factor, 472
 defined, 472
 use of, 473
- Emission inventory, 474
- Emphysema, 449
- Energy:
 in metabolic processes, 76-79
 recovery of: from solid waste, 592
 from solid-waste conversion products, 672
 efficiency of, 674
 equipment for, 673
 (*See also Solid waste, resources and energy
 recovery from*)
 requirement of, for drying solid waste, 657
- Entamoeba histolytica*, 48, 49
- Environment:
 defined, 1
 impact on humans, 4
 impact of humans on, 2
- Environmental engineer, role of, 7-8

I-10 SUBJECT INDEX

- Environmental engineering, defined, 1
Environmental lapse rate, 488
Environmental quality, improvement of, 6-7
Enzymes, 75
 adaptive, 76
 constitutive, 76
Equilibrium concentration:
 of calcium and magnesium, 153
 table of values for common ions, 152
Equilibrium line, 549
Equivalence, defined, 24
Equivalent, defined, 24
Escherichia coli, 50
Evaporation, 13
Evapotranspiration, 13
- Fabric filters, 533-535
 application of, 535
 characteristics of media, 535
Facultative ponds and lagoons, 248-254
 design of, 250
 system biology of, 248
Fecal coliform organisms, 50
Fermentation, anaerobic, of solid waste, 663
Ferric chloride, 140
Ferric sulfate, 140
Ferrous metals, removal of, from solid waste, 656
Filter(s):
 components of, 175-181
 dual-media, 178
 granular-medium, 165-182, 301
 backwashing of, 170-175
 head loss in, 167-170
 hydraulics of, 167-175
 operation of, 181-182
 solids removal by, 166-167
 intermittent sand, 301
 media, 177
 effective size of, 177-179
 uniformity coefficient of, 178, 179
 mixed-media, 179
 moving bed, 302
 pulsed-bed, 302
 rapid sand, 178
 slow sand, 177
Filter galleries, 175
Filtering velocity:
 in dual-media filters, 181
 in granular-medium filters, 170
 in mixed-media filters, 181
 in rapid sand filters, 178
 in slow sand filters, 177
- Filtration, 90, 105
 in natural systems, 66
 in wastewater treatment systems, 301
 in water-treatment plants, 165-182
Flame ionization, 444, 447
Flare, 560
Flocculation:
 of airborne particulates, 514
 in water treatment, 141, 143-150
Flocculator design, 143-151
Flood point, 552
Fluoride, 36-37
 bone fluorosis due to, 37
 mottling of teeth due to, 37
Fluorocarbons, 423
Fly ash, 432, 516
Formaldehyde, 463
Formazin turbidity units (FTU), 18
Fossil fuels, 453, 509, 516, 561
Fountains in water treatment, 112
 design parameters for, 112
Friction layer, 486
Fronts:
 cold, 492
 stationary, 492
 warm, 492
Fulvic acid, 190
Fume, 432, 532
Functional elements of solid-waste management
 (see also Solid-waste management,
 functional elements of)
Fungi:
 airborne, 435
 in natural water systems, 96
- Gas, solubility of, in water, 67
Gas chromatography, 444, 447, 463
Gas transfer, 98, 110
 principles of, 66-71
 rate of, 67
 two-film theory of, 70
Gaseous air contaminants, control of, 540-563
 by absorption, 545
 by adsorption, 540
 by combustion, 559
 by condensation, 557
Gases in landfills, 632, 640
 constituents of, 632
 recovery of, 634, 660
 volume of, 632
Gaussian distribution, 501
General Accounting Office, 464

- Giardia lamblia*, 48, 49
- Global Environmental Monitoring Systems (GEMS), 424
- Gravitational settling:
 of airborne particulates, 514
 of suspended solids in natural water systems, 66
- Gravity thickening of wastewater sludge, 281
- Greenhouse effect, 487, 509
- Grit in wastewater, 221
 removal of, 221-223
- Groundwater, 13
- Groundwater contamination:
 by gases, 110
 by landfill leachate, 631
 by nitrate, 45
- Groundwater recharge, 308-310
- Hammermill, 654
- Hardness of water, 35-36
 carbonate, 35
 classification, 36
 defined, 35
 noncarbonate, 35
 removal of (see also Softening of hard water)
- Hauled-container system for solid-waste collection, 605-608
 analysis of, 611
 definition of terms for, 609
 definition sketch of, 608
 equipment and labor requirements of, 610
 haul coefficients, 610
- Hazardous air pollutants, 472
- Hazardous waste:
 categories of, 575
 deep-well injection of, 646
 defined, 575
 generation of, 576
 spillage of, 576
- Health concerns, 4-6
- Health effects:
 of carbon monoxide, 445
 of hydrocarbons, 442
 of lead, 436
 of nitrogen oxides, 455
 of particulates, 435
 of photochemical oxidants, 461
 related to PSI levels, 465
 of sulfur oxides, 449
- Heat balance for combustion of solid waste, 668
- Heat energy from visible light, 486
- Heat recovery from incineration of solid waste, 670
- Heating of the troposphere:
 by conduction, 487
 by convection, 488
 by evaporation-condensation, 487
 by greenhouse effect, 487
- Heating-degree-days, 488, 509
- Hemoglobin, 445, 455
- Henry's coefficient, 67
 table of values for, 693
- Henry's law, 67, 546, 549
- Hepatitis, infectious, 48
- Heterotrophs:
 aerobic, 79
 anaerobic, 79
 defined, 79
 facultative, 79
- Holland's equation, 506, 507
- Human needs:
 acquired, 3
 natural, 2
- Human respiratory system, 436, 455
 defense mechanisms of, 437, 450
- Humates, 19
- Humic acids, 19, 110, 190
- Humus, 660
- Hydraulic profiles, 399
- Hydrocarbons, 442-445, 474
 aliphatic, 442
 analysis of, 444
 aromatic, 442, 443
 control of: from automobiles, 564
 catalytic combustion in, 562
 combustion in, 559
 control technology for, 444
 detection of, 444
 emission of, table, 443
 sources of, 443
 standards for, 444
- Hydrogen sulfide:
 in air, control of, 546
 in groundwater, 110
- Hydrologic cycle, 12-13
- Hydrosphere, defined, 1
- Ignition temperature, 559
- Incineration:
 of hydrocarbons, 444
 of solid waste, 670
 on-site, 601
- Incinerators, 670
- Indicator organisms, 50-53

I-12 SUBJECT INDEX

- Industrial solid waste:**
collection services for, 603
defined, 574
generation rate of, 595, 597
landfarming with, 646
- Inversion:**
radiation, 490
subsidence, 490
- Ion balance, 29-31**
- Ion exchange:**
for demineralization, 190
for softening, 162-165
in wastewater treatment, 302
- Ions, 24**
- Iron, 110, 112**
- Irrigation with wastewater, 304**
- Isobars, 491**
- Isothermal lapse rate, 490**
- Jackson turbidity units (JTU), 18**
- Jar test, 136-140**
- Kitchen waste grinders, 598**
- Labor requirements for solid-waste collection, 607**
- Lagoon:**
aerobic, 248
facultative, 248-254
design of, 250
system biology of, 248
- Land application of wastewater, 303-304**
- Landfarming with solid waste, 646**
- Landfilling of solid waste, 628-638**
control of gas movement in, 634
control of leachate movement in, 637
gas movement in, 633
gases and leachate in, 631
leachate movement in, 635
methods and operation of, 629
site selection in, 628
- Landfills, design and operation of, 638-646**
control of gases and leachate, 640
equipment for operation, 646
estimation of capacity, 640
factors involved, 639
- Lapse rate, 488-491**
adiabatic, 489
ambient, 488
effects of, on contaminant dispersion, 496
environmental, 488
- Lapse rate (Cont.):**
neutral, 490
subadiabatic, 490
superadiabatic, 489
- Leachate, 631, 635-637, 640**
composition of, 633
defined, 633
recirculation systems for, 634
- Lead:**
air-quality standards for, 441
blood levels of, 437
health effects of, 436
reduction of, in gasoline, 442
sources of, 438
- Lead particulates, 436**
- Lead poisoning, 437**
- Lime, 151, 290, 296**
- Lithosphere, defined, 1**
- Load-count analysis of solid waste, 598**
- Load point, 552**
- Magnetic separation of solid waste, 656**
- Manganese, 110, 112**
removal of, in water treatment, 110-112
- Manning equation, 354, 356-357**
- Manual sorting of solid waste, 601, 627**
on-site, 601
- Mass action equation, 26**
- Mass transfer, 547**
- Mass volume analysis of solid waste, 598**
- Materials:**
effects on, of airborne particulates, 438
flow of, in society, 588
recovery of, from solid waste, 591, 622
reuse of, 590
- Materials recovery systems, 657, 675**
design of, 659
economics of, 657
flow sheet for, 658, 659
- Maximum contaminant level (MCL), 56**
in drinking water, 696-698
for fluoride, 697
for inorganic chemicals, 696, 697
for microbial contaminants, 698
for organic chemicals, 697
for turbidity, 698
- Maximum mixing depth, 499**
- Mean cell-residence time, 237**
- Mechanical aerators, 246-247**
- Mechanical collection of solid-waste containers, 600**
- Mechanical separation of solid waste, 656**
- Membrane filters for coliform test, 50**

- Membrane liners for landfills, 637
- Mercury, 472
- Metabolic pathways, 75, 76
- Metabolic processes, 75-79, 256
- Metabolic rates, effects of temperature on, 22
- Metabolism, defined, 75
- Metals, 37-38
 - cumulative toxins, 38
 - nontoxic, 37
 - recovery of, from solid waste, 657
 - synergism of, 38
 - toxic, 38
- Meteorological conditions, effects of air
 - pollution on, 507-510
- Meteorological phenomena, influence of, on air quality, 495
- Methane:
 - from anaerobic digestion: of solid waste, 664
 - of wastewater sludges, 286
 - in the atmosphere, 443
 - from biological conversion of solid waste, 659, 663
 - from landfills, 632
- Methanol:
 - from pyrolysis of solid waste, 672
 - use of, in wastewater treatment, 299
- Methemoglobinemia, 45
- Metric conversion factors, 687-692
- Microporous membranes, 191
- Millibar, 491
- Millicivalent, defined, 24
- Mist, defined, 432
- Mixed-liquor suspended solids, defined, 237
- Mixing zones in streams, 64
- Modeling:
 - air-quality, 499
 - dispersion models, 500
 - maximum mixing depth, 499
 - water-quality, 83, 85-98
 - Molar solution, defined, 23
- Mole, defined, 23
- Molecular mass, defined, 23
- Molecule, 23
- Monod equation, 232
- Most probable number (MPN) of coliform bacteria, 52
- Motor vehicle transport of solid waste, 622-624
- Multiple-tube fermentation test, 52
- Municipal solid waste:
 - chemical composition of, 583
 - collection of, 601
 - combustible compounds of, 585
 - compaction of, 627
 - components of, 574
 - Municipal solid waste (*Cont.*):
 - composition of, 577
 - density of, 581, 627
 - energy content of, 584
 - generation rates of, 595
 - incineration of, 627
 - moisture content of, 579
 - size of objects in, 578
 - sources of, 575
 - volume reduction of, 627
- National Academy of Sciences, 463
- National Commission on Air Quality, 464
- National Pollution Discharge Elimination System (NPDES), 56
- Natural purification process:
 - in air, 495
 - in water, 63
- Nephelometry turbidity units (NTU), 18
- Neutral atmosphere, 490
- Nitrate, 45
- Nitric acid, 421
- Nitrification:
 - in advanced wastewater treatment systems, 298
 - in bio-towers, 262
 - in rotating biological contractors, 266
- Nitrite, 45
- Nitrogen:
 - ammonia, 295
 - organic, 45, 295
 - in wastewater, 295
- Nitrogen cycle, 77
- Nitrogen oxides, 421, 428, 465, 517
 - analysis of, 460
 - from automobile emissions, 564
 - background levels of, 459
 - catalytic combustion of, 562
 - from combustion of solid waste, 665
 - control of, 461, 546
 - detection of, 460
 - effects of: on human health, 455
 - on materials, 457
 - on plants, 457
 - episode regulations for, 461
 - quantities of emissions of, 459
 - secondary reactions, 457
 - sources of, 458
 - standards for, 461
- Nutrients:
 - in natural water systems, 74
 - nitrogen, 44-46
 - phosphorus, 46

I-14 SUBJECT INDEX

- Nutrients (Cont.):**
removal of, from wastewater, 295-301
nitrogen, 296-298
phosphorus, 299-301
- Odor threshold of sulfur dioxide, 449**
- On-site handling of solid waste, 594, 599**
- On-site processing of solid waste, 594, 601**
evaluation of, 626
- On-site storage of solid waste, 594, 599-600**
- Opacity, 439**
defined, 440
evaluation of, 440
- Operating line, 549**
- Organic compounds from solid waste, 659**
- Organics:**
adsorption of, 195
biodegradable, 38-43, 83, 99
constituents of, 39
effects of, on stream ecology, 94-98
oxidation of, 39
by chlorine, 184
by chlorine dioxide, 189
by ozone, 189
reduction of, 39
in wastewater, 211
chemical oxidation of, 197-198
nonbiodegradable, 43-44, 190
oxygen equivalent of, 41
- Oxidants (see Photochemical oxidants)**
- Oxidation, 99, 110-112**
by chlorine, 186
by chlorine dioxide, 189
by ozone, 188
in wastewater, 302
- Oxidation ponds, 214, 248**
- Oxidation-reduction in natural water systems, 74**
- Oxygen:**
atmospheric, 423
dissolved (see Dissolved oxygen)
organic equivalent of, 41
requirements of: for combustion of solid waste, 666
for composting of solid waste, 662
utilization rate of activated sludge, 244
- Ozone:**
as an air pollutant, 442, 455, 457, 461, 462, 465
background concentration of, 462
as a disinfectant, 188
as an oxidant, 198
in the stratosphere, 423
- Packed tower, 554**
- Particles:**
concentrated suspension of, 114
dilute suspension of, 114, 116
discrete, 114, 116
flocculating, 114
settling in water, 114-123
terminal settling velocity of, 115
- Particulate(s), 431-442, 464, 474, 508**
biological characteristics of, 436
chemical characteristics of, 435
combined with SO₂, 450
defined, 430
detection and analysis of, 439
effects of, 435-438
physical characteristics of: formation mode, 431
optical qualities, 434
settling properties, 433
size, 431
settleable, 433
standards and controls for, 441
suspended, 433
- Particulate control devices, 518-539**
centrifugal collectors, 523-528
electrostatic precipitators, 536-539
fabric filters, 533-535
settling chambers, 520
wet collectors, 528-532
- Pasquill stability types, 503**
- Pathogens:**
bacteria, 47
defined, 47
helminths, 49
protozoa, 49
table of, 48
viruses, 48
in wastewater, 210
- Peroxyacetyl nitrate (PAN), 430, 442, 457, 461, 462**
- Pesticides, 463**
- Petroleum waste, 647, 648**
- Pharmaceutical waste, 647, 648**
- Phenols, 19, 110**
- Phosphate:**
condensed, 46
organic, 46
orthophosphate, 46
precipitation of, 300
in wastewater, 299
- Photochemical oxidants, 461-463, 465, 474**
analysis of, 462
control of, 463
detection of, 462

- Photochemical oxidants (*Cont.*):
 effects of: on human health, 461
 on materials, 462
 on plants, 462
 sources of, 462
 standards for, 463
- Photochemical smog, 457
- Photosynthesis, 45, 46
 interference with: by dust in atmosphere, 438
 by turbidity in water, 18
- Phototrophs, 79
- Plants, effects of airborne particulates on, 438
- Plate towers, 553
- Pneumatic transport of solid waste, 625
- Poliomyelitis, 48
- Pollen:
 as aeroallergen, 438
 airborne, 435
 evaluation scale for samples of, 441
 sampling of, 438
 test for, 439
- Pollutant standards index (PSI), 464
- Polymers:
 natural, on bacterial cells, 80
 synthetic, in water treatment, 136
- Ponds, wastewater:
 aerobic, 248
 anaerobic, 248
 facultative, 248-254
 design of, 250
 system biology of, 248
- Positive crackcase ventilation (PVC) systems, 564
- Precipitation, 13
 effects of air pollutants on, 508
- Precipitation, chemical, defined, 26
- Prefixes, table of standard, 682
- Preliminary treatment of wastewater, 217
- Primary air pollutants, defined, 430
- Primary drinking-water standards, 696-698
- Primary standards for air quality, table of values for, 465
- Primary treatment of wastewater, 212, 214, 217-229
- Processing techniques for resource recovery from solid waste, 653-657, 672
 component separation, 656
 drying and dewatering, 657
 magnetic and electromechanical separation, 656
 size alteration, 654
 summary table of, 654
- Processing techniques for solid waste, 626-627
 manual component separation, 627
- Processing techniques for solid waste (*Cont.*):
 mechanical volume reduction, 627
 thermal volume reduction, 627
- Proteins from solid waste, 659
- Protists, 79
- Protozoa, 79
 airborne, 435
 ciliata, 81
 defined, 81
 pathogenic, 49
- Psychrometer, 495
- Public health, 464
- Pump(s):
 capacity of, 378
 characteristic curves, 388
 drive units for: electric motors, 375
 fluid drives, 378
 gas turbines, 378
 internal-combustion engines, 377
 efficiency, 381
 head, 378
 operating characteristics: affinity laws, 384
 net positive suction head (NPSH), 387
 specific speed, 385
 type number, 385
 operation: multiple-pump, 391
 single-pump, 390
 terminology for: capacity, 378
 efficiency, 381
 head, 378
 power input, 382
 types of, 372-375
 centrifugal, 372
 axial-flow, 372
 mixed-flow, 372
 radial-flow, 372
 positive-displacement, 375
 piston-type reciprocating, 375
 pneumatic ejector, 375
 rotary, 375
- Pump stations:
 for wastewater, 397
 for water, 397
- Pump systems, analysis of:
 multiple-pump operation, 391
 single-pump operation, 390
 system head-capacity curve, 390
- Pyrolysis of solid waste, 672
- Pyrolytic oils, 672
- Radiation inversion, 490
- Radical, defined, 24
- Radioactive material, 423

I-16 SUBJECT INDEX

Radon, 463

Railroad transport of solid waste, 624

Rainout of air pollutants, 515

Rapid infiltration of wastewater, 303, 305

Rapid mixing, 141-143

back-mix impeller units for, 143, 144

of disinfectants, 188

in-line blenders for, 142, 144

Reactor:

for activated sludge, 234

for anaerobic digestion, 287-289

defined, 212

Reaeration of natural water systems, 84

Recarbonation, 160-162

(See also Softening of hard water)

Reclamation, 294

Recuperator, 561

Recycling:

of materials from solid waste, 590

of solid waste, 598

Refuse-derived fuel, (RDF), 657

preparation of, 659

use of, 671

Relative humidity, 495

Reservoir, distribution:

capacity of, 329

types of, 329

Residues:

filterable, 16

nonfilterable, 16

Reverse osmosis, 191

Rotating biological contactor (RBC), 264-267

Rotifers, 82

Route book for solid-waste collection, 618

Safe Drinking Water Act of 1974, 56

Salmonella typhosa, 47

Salvaging of solid waste, 598, 621

Sanitary sewers, 349-369

appurtenances of, 353

construction of, 371

design of, 360-369, 371

contract drawings and specifications, 369

design computations, 360

fieldwork and maps and profiles, 360

flow rates for, 354

maintenance of, 371

materials used for, 355, 359

minimum slopes of, 355

sizes of, 355, 359

velocities in, 355

Scales, 621

Scows for transport of solid waste, 624

Screens for wastewater, 217-221

Scrubbers, 528

(See also Wet collectors)

Sealants for landfills, 636

Secondary air pollutants:

defined, 430

from nitrogen oxide reactions, 455, 457

Secondary clarification, 268-277

design in, 273

process analysis in, 268

Secondary drinking-water standards, 699

Secondary standards:

for air quality, table of values, 465

for wastewater discharges, 699

Secondary treatment of wastewater, 214, 215, 229-294

Sedimentation, 65, 98, 113, 224-229

(See also Gravitational settling; secondary clarification; Settling chambers)

Settling basins:

circular, 128, 225

long-rectangular, 123, 225

solids-contact, 129

in wastewater treatment, 225

design parameters, 225

detention time, 225

overflow rates, 225

in water treatment, 123-131

design parameters, 126, 129, 131

detention time, 129

overflow rates, 126, 129

Settling chambers, 520

Settling column analysis, 116-123, 269-272

(See also Settling theory)

Settling operations, 123-131

Settling theory, 114-123, 268-270

Sewers:

appurtenances of: building connections, 354

drop inlets to manholes, 353

junction chambers, 354

manholes, 353

design of, 360

maintenance of, 371

systems: combined, 349

sanitary (see Sanitary sewers)

stormwater, 349, 371

types of, 349

building, 350

intercepting, 350

lateral, 350

main, 350

trunk, 350

Shredder for solid-waste processing, 654

Size reduction of solid waste, 654

- Sludge:
- from wastewater treatment operations, 278
 - characteristics of, 279
 - disposal of, 292-295
 - (See also Activated sludge)
 - from water treatment operations, 107, 161
- Sludge blanket, 130
- Sludge digestion, 99, 285-292
 - aerobic, 291-292
 - anaerobic, 285-291
- Sludge thickening, 281
- Sludge worms, 82
- Sludge zone in settling basins, 124
- Smog, 5, 418, 419, 457, 458
 - photochemical, 457
- Smoke, 418, 532, 561
 - defined, 432
- Soap, 17, 35
- Softening of hard water, 106, 151-165
 - by chemical precipitation, 99, 151-162
 - by ion exchange, 162-165
 - operations, 158-160
- Solid waste:
- chemical composition of, 582-586
 - chemical content, 585
 - combustible components, 585
 - computation of chemical composition, 586
 - energy content, 583
 - defined, 573
 - physical composition of, 576-582
 - density, 580-581
 - individual components, 576
 - moisture content, 577, 579-580
 - particle size, 577
 - sampling procedures, 582
 - properties of, 576-588
 - resources and energy recovery from: biological
 - products recovery, 659-660
 - (See also Anaerobic digestion; Composting)
 - energy recovery from conversion products, 672
 - materials recovery systems, 657, 675
 - processing techniques, 653-657
 - thermal conversion products recovery, 665
 - (See also Energy, recovery of)
 - salvaging and recycling of, 598, 621
 - sources of, 575-576
 - types of, 573-575
 - hazardous, 575, 576
 - industrial (see Industrial solid waste)
 - municipal (see Municipal solid waste)
- Solid-waste management, 588-592
 - collection in, 601-618
- Solid waste management (Cont.):
- definition of terms, 609
 - routes, 615
 - schedules, 618
 - services, types of, 601-604
 - systems, types of, 605-615
 - (See also Hauled-container system for solid-waste collection; Stationary-container system for solid-waste collection)
 - vehicle and labor requirements, 607, 610
 - concepts in, 588-592
 - day-to-day management, 592
 - energy recovery, 592
 - materials flow in society, 588
 - materials recovery, 591
 - reduction in raw materials usage, 589
 - reduction in solid-waste quantities, 590
 - reuse of materials, 590
 - functional elements of, 596-648
 - description of, 595
 - (See also specific elements, for example: collection in, above; generation in, below)
 - generation in, 594-598
 - estimation of quantities, 598
 - factors affecting, 598
 - on-site handling, storage, and processing in, 594, 599-601, 626
 - processing techniques in, 626-627
 - manual component separation, 627
 - mechanical volume reduction, 627
 - thermal volume reduction, 627
 - processing techniques for resource recovery
 - in, 653-657, 672
 - component separation, 656
 - drying and dewatering, 657
 - magnetic and electromechanical separation, 656
 - size alteration, 654
 - summary table of, 654
 - transfer and transport in, 618-625
 - ultimate disposal in, 628-648
 - deep-well injection, 647
 - landfarming, 646
 - landfilling (see Landfilling of solid waste; Landfills, design and operation of)
- Solids balance:
- defined, 398
 - use of, 398
- Solids flux, 271
- Solids removal in advanced wastewater-treatment systems, 301-303
 - dissolved, 302
 - suspended, 301

I-18 SUBJECT INDEX

- Solubility product:
 defined, 26
 table of values for, 27
- Source control of air pollutants, 516
- Species-diversity index, 47
- Specific conductance, 29
- Split treatment, 158
 (See also Softening of hard water)
- Spores, airborne, 435
- Spray, defined, 432
- Spray tower, 530, 552
- Stabilization of softened water, 154
- Stack:
 design of, 505
 height of, 506
- Stack gas, 488
- Standard atmosphere, 491
- Stationary-container system for solid-waste collection, 602, 612, 616
 analysis of systems, 613
 definition of terms for, 609
 definition sketch of, 608
 equipment and labor requirements of, 610
 manually loaded, 614
 self-loading compactors, 612
- Stokes' equation, 115, 433, 521
- Stormwater sewers, 349, 371
- Stratification, thermal, of lakes and reservoirs, 71
- Stratosphere, 423
- Stream ecology, 94-98
- Subadiabatic lapse rate, 490
- Subsidence inversion, 490
- Sulfur cycle, 77
- Sulfur dioxide, 449-455, 464
 catalytic combustion of, 562
 from combustion of solid waste, 665
 control of, 546
 corrosion by, 453, 499
- Sulfur oxides, 421, 428, 449-455, 474, 516
 analysis of, 454
 control of, 454
 detection of, 454
 effects of: on health, 449
 on materials, 453
 on plants, 451
 sources of, 453
 standards for, 454
- Sulfuric acid, 421
 from catalytic combustion of SO_2 , 562
 mists of, 453
 from sulfur oxides, 449
- Superadiabatic lapse rate, 489
- Suspended material, defined, 14
- Suspended solids, 15-17
 removal of, in advanced wastewater treatment, 301
 in wastewater, 209
- Symbiotic relationships, 250
- Synergism, 20
- Tannins, 19
- Taste and odor of water, 20-22
- Taste threshold of sulfur dioxide, 449
- Temperature, effects of:
 on algae, 22
 on biological oxidation, 23
 and changes in natural waters, 71
 on density, 23
 on dissolved-oxygen, 22
 on metabolic rates, 22
 on solubility: of chemicals, 22
 of gases, 23
 on viscosity, 23
 on wastewater treatment, 234, 250, 258
- Terpenes, 443
- Tertiary treatment of wastewater, 215, 294-303
- Thermal combustion, 561
- Thermal conversion products, recovery of, 665
- Thermal incinerators, 561
- Thickening of wastewater sludges, 281
- Thickening function of secondary clarifiers, 270
- Thickening zone, 269
- Threshold odor number (TON), 21
- Tipping ramps, 623
- Tobacco smoke, 463
- Total dissolved solids (TDS), 28-31
- Total organic carbon (TOC), 44
- Total oxidants, 461
 (See also Photochemical oxidants)
- Transfer stations for solid waste, 620-622
 capacity requirements, 621
 combined direct- and storage-discharge, 621
 direct-discharge, 620
 environmental requirements, 622
 equipment requirements, 621
 location of, 622
 multipurpose facilities, 621
 storage-discharge, 620
- Transport of solid waste, 618, 622-625
 by motor vehicle, 622-624
 by pneumatic means, 625
 by railroad, 624
 by waterway, 624
- Transport trailers for solid waste, 622
- Tray towers, 553
- Trench method of landfilling, 629

- Trickling filters, 257-259
- Trommel for processing solid waste, 656
- Troposphere, 420, 421
- Tugs in transport of solid waste, 624
- Turbidity, 17-18
 - coagulation of, 131-151
 - effects of, 65
- Typhoid, 47
- Ultimate disposal of solid waste, 628-648
 - deep-well injection, 647
 - landfarming, 646
 - landfilling (*see* Landfilling of solid waste; Landfills, design and operation of)
- Ultraviolet radiation:
 - absorption by ozone in the stratosphere, 423
 - as a water disinfectant, 189
- Unit operations, defined, 212
- Unit processes, defined, 212
- Urban heat islands, 486, 508
- Van der Waals force, 133, 167, 540
- Van't Hoff-Arrhenius rule, 69, 185
- Vapor pressure, 557
- Vehicle requirements for solid-waste collection, 607, 610
- Velocity gradients, 141, 143, 147, 149, 188
- Vents in landfills, 634
- Venturi scrubbers, 532, 557
- Vibrio comma*, 47
- Vinyl chloride, 472
- Viruses:
 - airborne, 435
 - defined, 48
 - destruction of, by disinfectants, 183, 186
 - pathogenic, 48
 - in water, 48
- Viscosity:
 - of air as a function of temperature, 695
 - of water as a function of temperature, 695
- Visibility reduction by airborne particulates, 434, 508
- Warm fronts, 492
- Warning level of air pollutant concentrations, 466
- Washout of air contaminants, 499, 505, 515
- Waste heat, 22
- Waste-heat boilers, 670
- Wastewater:
 - from air pollution control devices, 530
 - Wastewater (*Cont.*):
 - collection of (*see* Sanitary sewers)
 - disposal of, 303-306
 - effluent standards, 56, 211-212, 699
 - reuse of, 306-314
 - for groundwater recharge, 308-310
 - for industrial water supplies, 308
 - planning for, 312, 314
 - for potable water supplies, 310-312
 - for recreational facilities, 307
 - treatment of: history of, 207-208
 - terminology for, 212-216
 - treatment plant design, 397-399
 - treatment systems, 212
 - preliminary, 217
 - primary, 212, 214, 217-229
 - secondary, 214, 215, 229-294
 - tertiary, 215, 294-303
- Water:
 - density of, as a function of temperature, 695
 - physical properties of, 693
 - viscosity of, as a function of temperature, 695
- Water distribution, methods of:
 - gravity, 325
 - pumped, 326
 - pumped-storage, 326
- Water distribution systems:
 - capacity requirements in, 335
 - components of, 333-335
 - construction of, 347-348
 - cross-connections in, 346
 - design of, 337-338
 - hydraulic analysis of: by digital computer, 346
 - by method of sections, 339
 - by other methods, 338
 - maintenance of, 348
 - pressure requirements in, 336
 - reservoirs in, 326
 - capacity of, 329
 - types of, 329
 - types of: branching, 331
 - grid, 332
- Water pollution, defined, 14
- Water Pollution Control Act of 1972, 54, 211
- Water-quality-limited stream, defined, 56, 212
- Water-quality modeling, 83, 85-98
- Water-quality parameters:
 - biological, 46-49
 - chemical, 23-46
 - physical, 14-23
- Water-quality requirements, 54-57
- Water-quality standards, 54, 55, 696-699
- Water transport of solid waste, 624
- Water-treatment plant design, 397-399

I-20 SUBJECT INDEX

Weirs, 127, 128

Wet collectors, 528-532

 cyclone scrubbers, 531

 spray towers, 530

 venturi scrubbers, 532

Wind, 493

Wind barriers, 622

Wind rose, 493

Wind screens, 622

World Health Organization (WHO), 424, 464

World Meteorological Organization (WMO), 424

Zone settling, 268