

Subject Index

629.232 STA

Contact "Library Services" : info@dss.go.th

- A
- abrasion resistance 351
- ABS/ASA blends 207
- ABS/PC blend 55
- absorber tube 286
- absorption coefficient 359
- accelerators 84
- acoustics 16, 306, 354
 - bridges 372
 - glazing 329
 - mapping 224
 - test 223
- adapter frame 291
- adhesive 187, 198, 203, 303
 - applications 173, 174
 - bonding 22, 175, 178, 181, 192, 195
 - bonds 83
 - off-line 188
 - on-line 188
 - chemical thixotropic 197
 - cold-curing 183
 - collision-optimized 176
 - humidity-reactive fusion 198
 - one-pack 183
 - shrinkage 176
 - single-component 198
 - structural 176
 - systems
 - non-reactive 198
 - reactive 198
 - tapes 173
 - two-component 198
 - usage 22
 - warm-hardening 201
- adult head impactor 11
- advanced SMC 90, 94
- aeroacoustic 356
 - aerodynamics 354
 - improvements 245
 - simulation 357
- aftermarket versions 107
- aftershrinkage 231
- ageing 154, 156, 180
- air-borne sound 307, 367, 369
 - absorption 370
 - insulation 370
- air compression noise 371
- airflow 357
 - noise 356, 357
- Allianz Crash Test (AZT) 49
- aluminum 20, 21, 59, 68, 182
 - /CRP combinations 189
 - space-frame 316
 - wrought alloys 12
- angle of inclination 159
- anisotropic 146, 155, 156, 257
 - failure 257
 - failure model 258
- anisotropy 154, 171
 - due to glass fibers 257
- antenna 107
 - covers 43
 - integration 107, 211
- anti-graffiti-properties 378
- antireflectiveness 329
- anti-slip 374
- A pillar 235, 363
- A-pillar deflector 249
- appearance 246
 - harmony targets 26
- aramid fiber laminate 189
- armored cars 328
- assembly time 103
- atmospheric pressure plasma 200
- attachment concept 35
- autoclave technology 91
- automobile design 19
- automotive glazing 291, 347
- AZT test 284
- B**
- back-foaming process 297
- back-injection 99
 - molding 342
- back-molding 44, 104

- barrier layer 186, 300
 - basecoat 45, 212
 - batch consistency 84
 - behavior
 - linear-elastic 169
 - plastic 169
 - temperature-dependent 170
 - yield-rate-dependent 169
 - belt pulley 163
 - thermoplastic 164
 - thermoset 164
 - benchmarking 251
 - biaxial tension 268
 - birefringence 348
 - blackout printing 46
 - black specks 350
 - blind rivet
 - nuts 185
 - rust-resistant steel 187
 - Blue Angel 380
 - BMC 248
 - body 176, 189, 192
 - spot-weld-glued 176
 - spot-welded 176
 - body components
 - films used 206
 - horizontal 207
 - vertical 207
 - body construction 19
 - body design 182
 - Bodyflex 105
 - body-in-white (BIW) 62, 65, 89
 - body panels 205, 217
 - body rigidity 178
 - body shell 13, 15, 234, 236
 - module 240
 - body side molding 206, 207
 - body structure 176
 - dynamics 292
 - body tub assembly 21
 - bodywork
 - plastics 234
 - bolts 185
 - bonding 173, 194
 - joint profile 222
 - of SMC
 - primerless 195
 - process 222
 - technology 193
 - bonds
 - backing 175, 176
 - folded 175, 176
 - in the structure 175
 - bottom load system 290
 - B pillar 346, 363
 - braiding machine 275
 - braiding ring 275
 - brake system 244
 - brittle fracture 267
 - buckling resistance 58
 - bulkhead 189
 - bumper 207, 209, 227, 228
 - fascia 130, 256, 261, 280
 - bus 234
 - body shell 235
- C**
- cab 315
 - CAD data, 3D 137
 - CAD synchronization points 265
 - CAE exchange points 265
 - CAE systems 341
 - California Air Resources Board *see* CARB
 - CAMPUS 168, 171
 - CARB 86
 - car body
 - panels 208
 - temperature distribution 88
 - carbon-fiber-reinforced plastic (CRP) 59, 272
 - carbon fibers 71, 89, 90
 - CARB test 75
 - cargo roofs 109
 - carrier films 212
 - car underbodies 365
 - cascade-controlled injection molding 43
 - catalysts 84
 - central locking 106
 - CFD simulation 316
 - CFRP 59, 61, 192, 193
 - applications 59
 - body applications 62
 - cost 63
 - cost/performance trade-off 64
 - structural parts 62
 - chemical foam 119

- chemical resistance 216, 296
- child head impactor 11
- chrome-plate 302
- circulation method 331
- class A 210
 - body parts 206
 - component 302
 - finish 43, 44, 48, 109, 219
 - paintability 75
 - requirements 130
 - surface 178, 246
- clean room 99, 297, 351
 - conditions 45
- clearcoat 45, 207, 212
- clinching 183
- C-Mold 146, 148
- coating 337, 375
 - noise-reducing 369
 - systems 330, 351
 - techniques 344
- coefficient of linear thermal expansion 219
- coefficient of sliding friction 374
- coefficient of thermal expansion 221, 227, 232
- coextruded films 208
- collision
 - behavior 276
 - characteristics 175, 292
 - high-speed 283
 - low-velocity 283
 - safety 30
- color-matching 26, 215, 230, 246
- comfort 53
- component
 - design 34, 273
 - failure 156
 - performance 270
 - properties 127
 - rigidity 236
 - tests 270
- composite 5
 - body sides 22
 - fiber boxes 280
 - materials 20, 116
 - strength 287
- compression 157
 - gap
 - wedge-shaped 350
- computer-aided engineering (CAE) 49
- computer tomography 278
- concealed joints 173
- concept
 - holistic 1
 - jointing 2
- conditioning 37
- conductive components 229
- conductive primer 229
- conductivity 40
- continuous filaments 117
- continuous operating temperature 75
- convertible top 306, 309, 354, 362
 - frame 362
 - shape 357
- coolers 273
- cooling time 118
- corona 246
- corrosion 180, 185
 - bimetallic 186
 - electrochemical 186
 - proof 173
 - protection 12, 273, 278
- cost 245
 - benefit analysis 128
 - comparison 317
 - cutting 102
 - effectiveness 53
 - free take back 27
 - reduction 245, 248
 - savings 224
- cover shield 198
- cowl grille 226
- crack 212
 - propagation curve 163
- crash
 - analysis 172, 257
 - box 280, 284
 - efficiency 283
 - element 253, 271
 - management 280
 - simulation 57, 167, 264, 267, 268
 - simulation models 264
- crazing 212
- creep behavior 154
- creep tendency 86
- crevice corrosion 178
- critical section plane 159
- CRP component 183, 186

cure-shrinkage 195
 curing 83, 308
 cutting element
 – property profile 288
 cutting plate 282
 – encapsulated 286
 cutting speed 283
 cutting unit 302
 cyclical stress 145, 156
 cyclic crack propagation 162
 cyclic loading 162
 cyclic tensile/compressive stress 150

D

damage accumulation 145
 damping properties 369, 375
 data mining 70
 deflashing 302
 deformation behavior 268
 delamination 156, 189, 276
 demolding 302
 design
 – development 315
 – for recycling 365
 – freedom 347
 – of experiments (DoE) 69
 development
 – costs 264
 – phase 274
 – process 135
 – vehicles (DVs) 124
 dilatant polymer dispersions 54
 dimensional stability 75, 338
 dimensional tolerances 193
 dimensioning 220
 direct floor coating 380
 direct glazing 173, 340
 direct long-fiber-reinforced thermoplastics (D-LFT)
 365
 dirt repellence 246
 dismountability 222
 disposability 19
 disposal 249
 dissipation factor 16
 door 43, 226
 – locks 103
 – modules 103

– panels 207
 – systems 103
 double-shell design 194
 driving noise 371
 drumming noise 361
 dry paint film 207
 dual barrel cartridges 197
 ductile fracture behavior 79
 dynamic collision computation 273
 dynamic flexural rigidity 175
 dynamic impacts 253
 dynamic stress 146
 dynamic test 282

E

ECE R21 167
 elastomer 268
 electrical conductivity 278
 electrochromatic 107
 electroluminescence 110
 electrolytic solution 278
 electron beam 137
 electrophoretic coating dryer 228
 electrophoretic dip coating 87, 183, 188, 231
 – bath 88
 elongation at break 171
 emission 75, 300
 – limits 302
 EM shielding 352
 encapsulation 105
 End of Life Vehicle Directive 26
 energy
 – absorber 285
 – absorbing components 272
 – absorption principles 281
 – management system 284
 – transmission 342
 entropy elastic deformation 267
 environmental resistance 246
 epoxy 193
 – one-component systems 84
 – resin 82, 140
 – two-component systems 84
 EPP 92
 – content 76
 esthetic properties 246
 EuroNCAP 253, 254, 264, 280

- European End of the Life Vehicles Directive (ELVD)
 - 19
- expanded films 104
- expanding polypropylene *see* EPP
- expansion 83
 - compression technique 349
- exterior
 - body
 - body applications 42
 - body panels 192
 - noise 16
 - painted 13
- external body panels 21

- F**
- fabrication process
 - influences 159
- facelift 219
- failure
 - analysis 172
 - behavior 258
 - criteria 156, 157, 158
 - mechanisms 156, 157
 - potentials 157
- falling dart impact
 - test 222
- fast closing 302
- fastening 185
 - system 35
- fatigue 156
 - behavior 161
 - crack growth 162
 - endurance 163
 - life 13, 14, 143, 146, 148
 - life calculation 147, 151
 - life estimation 145
 - life prediction 143
 - strength 159, 193, 273
 - tensile stress 150
- FE analysis 155, 260
- FEM 35
 - analysis 169
 - calculations 176
 - programs 167
- FEMFAT 158
- FE model 260
- fender 13, 68, 207, 232
- fender module 225
- FE simulations 341
- fiber
 - detachment 156
 - distribution 145, 146
 - failure 156
 - -composite plastic 240
 - -matrix adhesion 162
 - -matrix system 154
 - -reinforced composite 189, 234
 - -reinforced composite plastics 182
 - -reinforced plastic components 189
 - -reinforced plastics (FRP) 153, 154, 156, 161, 171, 181, 185, 192
 - -reinforced PU 48
 - inorganic 154
 - local 154
 - natural 154
 - organic 154
 - orientation 145, 146, 147, 148, 154, 155, 160, 162, 171, 260, 275
 - synthetic 154
 - tear 195, 196
 - tearing 156
- fill time 260
- film 205, 206
 - gate 347
 - scratch-resistant 352
 - technology 25
- fine-celled foam 84
- finite element method 146
- finite element network 146, 149
- fixed side window 109, 332, 336
- flame treatment 105
- flaming 246
- flange plate 280
- flax fibers 99
- fleet business 312
- flexibly bonded 235
- flexion 219
- floor functionality 378
- flowability 72, 75
- flow-coating 331
- flow paths 309
- flow properties 54
- fluid injection 117
 - technique 104
- fluorination 246

FMVSS 301 10
 foam 280
 – cores 322
 – curing 87
 – -backing 207
 – -laminated fabric 324
 – -molding 309
 – incursions 309
 foaming 118
 – mold 308, 322
 foam structure 83
 foil technology 25
 folding boxes 280
 folding top 306
 folding without fold bed 176
 force-deformation characteristic 168
 force-to-area ratio 283
 fracture-mechanical 162
 framework construction 130
 freedom of design 227, 328
 frequency-dependence 154
 frontal collision 272, 273, 292
 front bumper 273
 front-end 21, 253, 272
 – components 239
 – module 68, 104, 105, 225, 240, 253
 – inside 241
 – structure 49
 front floor 189
 front mudguards 192
 front side window 363
 FRP 193
 – components 190
 fuel
 – cell 19, 56
 – consumption 244
 – door 229, 230, 231
 – economy 19
 full-scale production 128
 functional coating 372, 376, 380
 functional integration 330, 332, 347, 352
 functional properties 246
 function integration 218, 219

G

galvanic corrosion 278
 gas counterpressure method 121

gas internal pressure technique 117
 gas strut 220
 gearshift linkage 147, 148
 geometric stability 218
 glass-fiber-PP structure 367
 glass-mat-filled composites 115
 glass-mat-reinforced thermoplastics (GMT) 192, 365
 glass microspheres 93
 glazing 108, 235, 329, 335
 – automotive 327, 337, 347
 – mineral glass 339
 – organic 327
 – plastic 337, 339, 346
 – polarization 339
 – polycarbonate 339
 – safety 339
 glazing components
 – injection-compression molding 108
 gloss measurement 295
 glue selection 222
 gluing 173, 182, 187
 – surfaces 303
 – unit 303
 gravimetric feeding 197
 grille opening panel 24
 grinding 195

H

Haigh-Goodman diagram 144, 147
 handling strength 201, 202
 hardtop 289, 299, 301, 303, 304
 HC emissions 9
 head impactor 253
 headlamp lens 42
 headlight 111, 242, 273
 – bonding 198
 – lenses 328
 heating element 337
 heating technologies 222
 heat resistance 75, 194, 227, 296
 higate hybrid
 – assessment 224
 highroof 319
 high-speed collision 284
 high-speed frontal impact 253
 high-temperature light-fastness 374
 holistic analysis 69, 70

- hollow section 82
 - homogeneity 75
 - homogenization 258
 - honeycomb structures 280
 - hood 210
 - hinge 273
 - systems 226
 - horizontal components 210
 - horizontal panels 211
 - hot embedding 342
 - hot melts (RHM) 198
 - reactive 199
 - hot-runner nozzles 103
 - housing 198
 - hybrid
 - carrier 105
 - design 316
 - part 22
 - tailgate 219
 - comparison 224
 - technology 2
 - hybrid aluminum-FRP designs 182, 187
 - hydroforming 182
 - hydrogen storage 56
- I**
- IHS test 284
 - impact simulation 219
 - impact strength 232
 - in-line painting 229, 246, 247, 251
 - in-mold film lamination 110, 217
 - in-mold laminating 103, 331, 333, 337, 338
 - in-mold pressing 331
 - indicator 35
 - induction heating 176
 - infra-red
 - absorbers 342
 - absorption 337
 - reflection 337
 - injection-compression molding 103, 112, 113, 115, 348, 349
 - injection-compression molds 347
 - injection-compression process 107, 221
 - injection molding 4, 36
 - injection-molding simulation 258
 - inner panel
 - molded in color 222
 - insertion loss 358
 - insertion pins 185
 - instant-fix RWM 201
 - instrument panel 238
 - insurance classification 253
 - low speed 257
 - tests 262, 264
 - integral
 - components 2
 - foam structure 103
 - front-end 234, 235, 238
 - nose 236, 239, 240
 - rear-end 236, 237
 - integrated functions 248
 - integrating hybrid 2
 - integration 340
 - of simulation 264, 266
 - potential 227
 - integrative crash simulation 261
 - integrative simulation 57, 258, 259, 260
 - intelligent damping device 55
 - inter-fiber failure (IFF) 156
 - interior noise 354, 358, 359, 361, 371
 - interior trim
 - glued-in 324
 - interlayer resin technology 25
 - internal
 - noise 355
 - stresses 348
 - tension 338
 - IR reflection 46, 352
 - isotropic 155
- J**
- joining 173, 182
 - methods 22
 - mold 303
 - techniques 347
 - technology 181
 - joint
 - blind rivet 187
 - blind-riveted 184
 - blind-riveted metal/CRP 184
 - clinching 184
 - location 184
 - punch-riveted 184
 - strengths 196

just-in-sequence delivery 325

K

keyless entry 106
 keyless go 106
 knee-bending angle 49, 280
 knee shearing displacement 280

L

laminated film 45
 laminate structure 274
 landfill directive 27
 large-area components 331
 laser
 – beam 136
 – light 137
 – powder sintering 140
 – soldering 178
 – technology 99
 – welding 178
 layer 72
 LD-SMC microstructure 93
 leak 356
 leakage test 198
 LED light sources 111
 legform impactor 255
 legform impact test 255, 262
 leg impact kinematics 256
 leg impactor 11, 280
 life-cycle 249
 – properties 246
 life estimation 159
 light 111
 – transmission 337
 light-emitting diodes (LEDs) 111
 lightweight bodywork 82
 lightweight design 1, 30, 72, 102, 173, 181, 190,
 205, 293, 347
 lightweight door designs 104
 lightweight vehicle design 153
 linear thermal expansion coefficient 75, 77
 liquid-crystal films 109
 load capacity 155, 157
 load cycles 157
 loading state 2
 load transmission 196

long-fiber
 – composite 99
 – reinforced thermoplastics (LFT) 115
 long-haul operations 313
 long-haul segment 312
 long-stroke compression technique 349
 loudspeakers 103
 low-density (LD) SMC 70
 low density sheet molding compound (LD-SMC)
 90, 93
 lower bumper stiffener 253, 254, 255, 256, 257,
 258, 261
 – design 262
 lower impactor 280
 lower leg crash calculations 261
 lower legform 253, 255
 low impact
 – resistance 221
 low-stressed 338
 low-temperature viscosity 75
 low weight reinforced thermoplastics (LWRT) 365

M

macrocracks 156
 magnesium 59
 – alloys 12
 – die castings 12
 MAH (maleic anhydrid) 99
 manual lamination processes 91
 material
 – behavior 145, 258
 – under cyclic loading 143
 – data 172
 – acquisition 259
 – fatigue 156
 – model 172, 268
 – modeling 259
 – properties 13, 155, 259, 267, 268, 295
 – restrictions 27
 – structural ranking 252
 maximum acceleration 280
 maximum strain 157
 maximum stress 157
 mean stress 144, 154
 mechanical behavior 155
 mechanical fastening 22
 mechanical joining 182, 183

mechanical properties 75, 170, 196, 222
 – testing 302
 melting stability 75
 melt viscosity 118
 Mercedes-Benz Development System (MDS) 124
 mesh size 168
 metal-organic framework (MOF) 56
 meter-mix-machines 197
 methacrylate-base formulations 193
 microcracking 156
 micro-mechanical model 258
 microscratches 296
 microstructure foaming 106
 milling adapter 303
 Miner calculation 147
 Miner rule 145
 mirror galvanometer 136
 mirror triangle 363
 mixed materials 22
 modular concept 240
 module 22, 23
 – carriers 103
 modulus of elasticity 155
 moisture absorption 37, 39, 75
 mold design 308
 molded-in stress 348, 350
 molded-in color 219
 mold film technology 206
 mold flow 146, 151
 molding principle 261, 262
 mold temperature 300, 302
 molecular orientation 348
 molecular structures 53
 morphology 160
 moveable cores 103
 MuCell[®] 120, 121
 – technique 119
 multiaxial loading 154, 156
 multiaxial stress 157
 – states 156
 multi-component 116
 – injection molding 347
 multifunctionality 173
 multipurpose specimens 161

N

nano particles 330, 351

nano technology 25, 53, 54
 necking 167, 268
 – zone 168
 nickel shell 320, 321
 noise 369
 – damping 373
 – emission
 – buses 371
 – optimization 306
 – spectrum 354
 nominal strain at break 167
 non-fuel emissions 79
 non-linearity in stress-strain 257
 non-woven 275
 normal stress 147
 nose
 – cross-member 235
 – module 238
 – panel 241

O

oblique-angle impact 273
 occupant safety 253
 ODB crash 284
 OEMs 19, 61, 63, 65
 off-line coating 45
 off-line painting 205, 246
 on-line paintability 39, 227
 – thermoplastics
 – material properties 40
 on-line painting 205, 229, 231, 246, 247
 optical components 111
 organic coatings 186
 orientation distribution 258
 Original Equipment Manufacturers (OEM's) 19, 61, 63, 65
 orthotropic 155, 156
 outer body panels 68, 234
 outer skin 192, 194, 294
 outer skin bonding 179
 overlap 273

P

package situation 314
 packaging 308

- paint
 - polysiloxane-based 331
- painted
 - in-line 32, 228, 230
 - off-line 228
 - on-line 32
- painted film 210
- paint film 212, 214
- painting 304, 324
 - preparations 303
 - process 248
- paint systems 330
- panorama roof 46, 107, 108, 109, 346
- part cost reduction 219
- partial reinforcements 117
- parting line 221
- part marking 27
- PA/SAN blend 55
- passenger protection 167
- payload 244
- PC copolymer 207
- pedestrian
 - crash model 261
 - impact 49
 - lower leg protection 253
 - protection 10, 105, 130, 253, 254, 256, 257, 264, 280, 281
 - safety 253
- peeling stress 187
- pendulum impact 284
- perceived quality 246
- performance properties 246
- physical foam 119
- physical vapor deposition (PVD) 352
- plasma 246
 - CVD 337, 343
 - coating 344
 - layer 344
 - processes 330
 - generator 200
 - enhanced chemical vapor deposition (PECVD) 352
 - pretreatment 199
 - technology 109
 - treatment 105
- plaster printer 141
- plastic
 - body applications 7
 - utilization 20
- plastic-based inserts 117
- plastic-metal hybrid 104
- Pliogrip 7770 188, 189
- PMMA 207
- Poisson's ratio 155, 260
- polarization optics 338
- pole test 284
- polycarbonate 108, 109, 332, 339, 347, 348, 350
 - automobile glazing 335
 - glazing 45, 114
 - trunk-lid panel 333
- polymer-blend technology 100
- polyolefinic EEA 207
- polypropylene 207
 - long-fiber reinforced 103
- polypropylene-based films 207
- polysiloxane 109, 330
 - coatings 337, 351
 - paints 340
- polyurethane 46, 47, 193
 - adhesive 291, 303
 - foam system 307
 - insulation 306
 - part
 - process chain 141
 - primer 379
- post-treatment 229
- powder coating 232
- power windows 103
- PP catalysts
 - metallocen-based 81
- PP continuous-strand 103
- PPE+PA
 - heat resistance 33
 - mechanical characteristics 34
- PP/EPDM compounds 75
- PP/EPR 75
- precision backstroke technique 120
- preform 72, 73
 - production 274
 - technologies 91
- pre-gelling adhesives 87
- prepreg/autoclave technology 60, 90
- pre-treatment 27
- pressure loss 260
- pressure oscillations 357
- primer 351

- application 246
- coat 105
- primerless SMC adhesives 196
- priming 36, 195
- process ability 75
- process control 278
- processing window 232
- process simulation 257
- product brief 129
- product design 248
- production technology
 - evaluation 317
- product validation 222
- prototype
 - assembly 140
 - components 123, 125, 126, 130, 132
 - costs 125
 - molds 128, 131, 132
 - production 123, 274
 - requirements 125
 - suppliers 129
 - tools 127, 131
- PU LFI structure
 - material properties 293
- pumping equipment 203
- punch riveting 178
- PUR-LFI 210
- PUR-SRIM 210
- PU sandwich technology 47

Q

- quality 102
 - assurance 278
 - gates 124
- quick-fix 199
 - RWM 201

R

- radiator grilles 228
- rain flow
 - counting procedure 146
 - matrix 146
- rapid manufacturing (RM) 138
- rapid prototyping (RP) 135, 136, 138
 - methods 137
- rapid tooling (RT) 135, 138

- reaction injection molding *see* RIM
- reactive blending 100
- reactive warm melt (RWM) 200, 201
- rear
 - cover 192
 - door 192
 - impact at 80 km/h 10
 - paneling 236
 - window 357, 361
 - modules 346
- recovery 249
- recycling 10, 27, 104, 249
 - material 11
 - status 28
 - thermal 11
 - targets 27
- re-engineering 245
- reflection optics 337
- reinforced reaction injection molding *see* RRIM
- reinforcement 340
 - continuous strands 104
 - fabric 104
- relative movements
 - thermally induced 176
- release agents 84
- reparability 219
- required pressure 75
- requirement profiles 3
- resin 84
 - film infusion (RFI) 90
 - infusion (RI) 90
 - injection processes 92
 - transfer molding (RTM) 46, 47, 276
- re-use 249
- reverse engineering 168
- reversible deformations 268
- rigid components 12
- rigidity 12, 218, 235
- rigid pole collision 292
- RIM 46, 47, 276
- rivet 192
 - coated carbon-steel 187
- riveting 173
 - self-pierce 184
- rocker panels 206, 207, 228
- roll bar 235
- roof 226
 - antennae 292

- box
 - external 289
- fabric 358
- frame
 - front 364
- module 107, 289, 290, 291, 292, 294, 312
- panel 210
- rack 290
- spoiler 192
- strip 290
- rotary platen 349
- RRIM 47
- RTM 5, 90, 316
 - mold 92
 - setup 277
- running gear 147

S

- safety 53, 251
 - concepts 253
 - glazing 328, 339
- sag resistant 197
- samples
 - close-to-production 171
- sandblasting 195
- sanding 246
- sandwich
 - construction 103
 - design 235
 - injection molding 43, 44, 116
 - structure 377
- scale factor 258
- scratchproof 332
 - coating 335
 - paints 330
- scratch resistance 75, 216, 246, 296, 330, 343, 351, 352
- screw 192
 - connection 278
- sealed joints 193
- sealed pan concept 378
- sealing film 367
- seals 358, 360, 363
- seamless surfaces 75
- seat pans 57
- secondary finishing 302
- selective laser sintering (SLS) 136, 137
- self-cleaning 329
 - surfaces 54
- self-extinguishing 373
- semi-automated sequential preforming 91
- semiconductor light sources 111
- sequence effects 154
- sequential preform process 92
- sequential valve gate injection 221
- service life 13, 14, 153, 180, 242
 - calculation 158
- service temperatures 196
- shear
 - boxes 280
 - load 287
 - modulus 155
 - stress 348
- sheet metal 316
- sheet molding compound *see* SMC
- shore hardness 374
- short-term dynamic testing 86
- shrinkage 75
- side deflectors 245
- side panel 31, 43
 - attachment 38
- silicate coatings 25
- sill panel 13
- simulation 232, 253
 - non-linear behavior 169
 - parameters 172
 - techniques 53
- single-step process 116
- sink holes 176
- sink marks 118
- sinusoidal loading 161
- skin 295
- sliding sunroof 108
- slip resistance 373
- smart-surface technology 110
- smart windows 329
- SMC 5, 24, 25, 68, 93, 95, 192, 218, 248
 - blank 302
 - class A 299, 300
 - components 302
 - emission-optimized 301
 - emissions 299
 - fiber failure 195
 - formulations 299
 - headlight housing 194

- material properties 32
- production 301
- rear license-plate panel 194
- technology 68
 - lightweight potential 70
- visible components 299
- SMI technology 316
- snap fits 192, 347
- solid-borne sound 307, 369
 - dampening 367
 - damping 370
 - insulation 370
 - sound absorption 376, 378
- solvent-free coating 373
- sound
 - airborne 16
 - structure-borne 16
- sound insulation 103
- space-frame concept 182
- split control 302
- split markings 232
- spoilers 43
- spot-weld bonding
 - collision strength 177
 - comparison 177
- spot welding 178
 - collision strength 177
 - comparison 177
- stable dispersion 351
- standard mold unit 131
- standard rivet nuts 185
- static strength 156
- static stress analysis 156
- static tension 144
- statistical orientation distribution function 259
- steel 15, 20, 224
 - hot-formed 15
 - low-alloy deep-drawing 15
 - rust-resistant 186
 - stainless 15
- steel/aluminum plastic 316
- steel-plastic composites 16
- steel shell design 182
- steering column 235
- stereolithography unit 140
- stiffness 75, 222, 250
- stone impact protection 373, 376
- stone impact resistance 246
- stowage boxes 292, 298
- stowage facilities 289
- strain-rate dependence 257
- strength 250
- stress
 - amplitude 147
 - capacity 155
 - concentrations 196
 - distribution 146, 193
 - ratio 144, 147
- stress-strain
 - characteristics 267, 269
 - curves 168
 - hystereses 156
 - relation 155
- structural
 - behavior 219
 - body panels 68
 - bonding 176, 193
 - components 13
 - foam 82, 83, 87, 88
 - mechanical characteristics 85
 - components
 - fabrication 83
 - modules 95
 - plastics 21
 - rigidity 20, 287, 292
 - thermoplastics 250
 - validation vehicles (SVVs) 124
- structure-borne noise
 - noise reduction 375, 376
- styling 220, 248
 - freedom 218, 220
- styrene copolymers 207
- sun blinds 291
- sun test 222, 223
- support frame 293, 294
- surface 75
 - coating 351
 - decoration 104
 - defects 213, 214
 - finishes 24
 - preparation 195, 222
 - pretreatment 199
 - quality 232, 338
 - topology 231
- swivel-platen 330, 331, 338, 340, 341
 - system 116

- synchronization process 266
- syntactic core 60
- system suppliers 129

- T**
- tailgate 68, 218
 - hybrid 218
 - panel 109, 207, 210
- tapering tubes 280
- telescopic tubes 280
- telescoping edges 347
- temperature 156, 283
 - distribution 348
 - range 170
 - stability 296
- tempering 37
 - step 229
- tensile
 - modulus 167
 - strength 144
 - test
 - simulation 169
 - curve 172
- tension 157
 - -compression asymmetry 257
- test 80
 - compression 160
 - cyclic 161
 - monotonic tension 160
- testing 124, 178, 287
 - noise 356
- testing machine
 - servo hydraulic 160
- testing of ‘Class-A’ surfaces 129
- test methods 40
- test setup 282
- test specimen 77, 160
- testworthiness 125
- textile preform technologies, 3D 90
- thermal
 - behavior 75
 - comfort 342
 - conductivity 342
 - expansion 75, 182, 183, 193, 218, 294, 342
 - insulation 306, 329
 - loads 251
- thermoforming 251
- thermography 278
- thermojet 3D printer 141
- thermoplastic 249
 - chopped-strand-reinforced 143
 - material properties 32
- thermoplastic absorber 286
- thermoplastic composites
 - recycling 250
- thermoset 224, 249
- thermoset composites
 - recycling 250
- thermoset materials 162, 220
 - short-glass-fiber-reinforced 163
- thermoset technology 218
- thermosetting materials 245, 248
- thigh impactor 11
- thin film composites 44
- thin-walled 338
- tiger skin pattern 77
- time-critical 131, 132
- time-to-market 264
- titanium alloy 186
- top-load system 107, 290
- torsion 219, 221, 222
- torsional rigidity 175
- total lifecycle 19
- toughness 75
- towing loads 273
- TPO 79, 81
 - key properties 78
- track control arm 149
- transparent roof systems 346
- transverse stiffness 221
- trimming 276
- trim panels 207
- trim parts 209
- Triple C 69
- truck cab 243, 244, 245, 246
 - sun-visors 249
- trunk lid 210, 218
- tufting 276
- tufting head 276
- tufting threads 276
- two-component
 - injection molding 82, 330
 - method 340
 - parts 338
 - polyurethane 372

- technology 349
- two-pack 173
- type approval 27

U

- ultrasound 278
- ultraviolet
 - light 137
 - resistance 75
- underbody
 - airflow 357
 - covers 366
 - sealing 373, 376
- underseal
 - liquid PVC 365
 - panels 68
- uniaxial loading 268
- unidirectional reinforced material 155
- upper legform 253
- utilization scenarios 126
- UV 246
 - absorption 46
 - protection 351
 - stability 342

V

- vacuum-coat 343
- vacuum deposition methods 330
- validation 270
- valve-gated pinpoint gates 347
- vapor deposition 25
- vehicle development 270
 - process 265
- vehicle life-cycle
 - CFRP 64
- venting 309
- vertex load cycle 159
- vertical
 - flash face clearance 302
 - panels 209, 210
 - process chains 65
- vibration 357
 - excitation 356
- virtual development 264
- virtual tools 136
- virtual vehicle assessment gates 264

- viscoelasticity 267
- viscoplasticity 267
- viscosity 55
- visual properties 246

W

- wall impact 284
- warm melts (RWM) 198
 - reactive 199
- warm reactive bonding 198
- warpage 75, 105, 118, 221, 231, 260, 338
- wash resistance 246
- water absorption 232
 - /ambient medium 154
- water-based paints 229
- water content 267
- water injection molding 117, 118
- water tightness 222
- wear resistance 374
- weather resistance 330
- weight 244
 - reduction 7, 9, 19, 175, 219, 244, 248, 365
 - saving 103, 218, 224
- wet-chemical coating 340, 343
- wettability 199
- wind noise 354, 355, 357
- window heating 352
- windshield 329, 363
 - frame 364
 - wiper 235
 - panel 241
- Wöhler
 - curves 158, 159, 161, 162
 - master curve 144, 145, 147
 - tests 144, 161
- wrought steel alloys 15

X

- XRE technology 95, 96
- XRI technology 95, 96

Y

- yield rate 169
- yield strain 167
- yield stress 167