

- 'A' class divisions 559–60
- ABS Guide for Building and Classing Naval Vessels 531
- absorption of radiation 262
- accessory materials, firefighters' 474–5
- acetate rayon (cellulose acetate) 24
- acoustic insulation 578, 579–81
 - fire tests 594, 595
- acrylics 56, 163, 164
- acrylonitrile 201
- active countermeasures 369
 - benefits of passive and active measures working together 386–8
- additives
 - coatings and laminates 165–9
 - fire retardants for composites 419–25
 - polymeric additive halogen-free flame retardants 79–82
- Afghanistan 496, 497
- air ducts 578, 579, 580, 582
- Airbus Industries 576
 - A380 115
- aircraft 5, 115, 161, 566, 573–98
 - composites 400, 404–5, 582, 597
 - fire test methods 280–1, 585–96
 - future trends 596–7
 - fireproof cabin 596
 - polymer composite fuselage 597
 - unoccupied areas 596
 - history of fire regulations 574–7, 578
 - materials used in commercial aircraft 577–85
 - electrical components 578, 579, 583, 588–9
 - interior panels 578, 579, 581
 - linings 578, 579, 582–3, 593
 - nonmetallic air ducts 578, 579, 580, 582
 - seats 578, 579, 580
 - small parts 578, 579, 584–5
 - textiles 578, 579, 581–2
 - thermal-acoustical insulation 578, 579–81
 - windows 578, 579, 580, 583–4
 - military fire hazards 494
- Airlock 473
- airworthiness certification 573, 597
- aliphatic polymers 533
- alkylation of amino groups 51
- Allied Combat Clothing Publication ACCP-2 protocol 514–15
- alumina trihydrate (ATH) 114, 133, 150–2, 168–9, 200, 370
- aluminized fabrics 473
- aminophenyl phosphates 49
- aminopropylthoxysilane (APS) 17
- ammonium functionalising groups 126–9
- ammonium polyphosphate (APP) 18, 42, 52–3
 - coatings and laminates 169, 170, 178
 - replacement of halogen-containing fire retardants 171–4
 - nanocomposites 138–41, 142–5, 147, 150–2
- ammonium-substituted clays 99–100
- animal-based tests 276–7
- anion exchange 100
- anti-dripping properties 73–6
- Antiflame 501
- antimony oxides 191
 - risk reduction strategies for decaBDE/antimony oxide 205–6
- antimony trioxide (ATO) 167, 192, 201, 370
- appliances 310
- aramids 403, 499–500
 - composite flammability 409–12
 - inherently flame retardant 203

- see also* meta-aramids; para-aramids
 area, specimen 242–3
 Armoured Fighting Vehicle (AFV)
 crewmen's clothing 513
 armoured vehicles 493
 Army Combat Shirt (ACS) 511–12
 Army Combat Uniform (ACU) 511–12
 aromatic polymers 203, 533
 aryl phosphates 50–1
 ASTM
 flame spread tests 541–2, 543
 small-flame exposure ignition tests
 234, 235, 251
 atmospheric pressure plasma technologies
 183–4
 Attestation of Conformity (AoC) levels
 296–7
 automotive sector *see* road vehicles
 average heat release rate 548, 549–56
 azocyclohexane 73
- back-coatings 179
 cover fabric fire barriers 199
 halogen replacement 171–4
 balance of risk assessment 373–7
 barium sulphate nanoparticles 74
 barrier fabrics 197–9
 basalt fibres 35
 Basofil fibre 204
 batting
 cotton 200–1
 engineered cotton batting 198
 polyester 201
 Battledress Uniform (BDU) fabric 501–2
 bedclothes 197–201
 benzo(a)pyrene (BaP) 342, 353–4
 benzoguanamine-modified phenol
 biphenylene resin (BG-modified
 PB resin) 81–2
 BGDMSB 85, 86
 BHDB-polyphosphonate 82, 83
 bi-component fibres 483, 522
 bioaccumulation 190
 bioavailability 376–7
 biopolymers 23–4
 bis(benzo-dioxaborolanyl) oxide 85–6
 bis(cyclohexylazocyclohexyl) methane 73
 bisphenol A bis (diphenyl phosphate)
 (BDP) 44
 bisphenol C-based cyanate ester 534
 bis-tetramethyl-dioxaborolanyl oxide
 85–6
 blends
 fibre 33–4, 37
 nanocomposite formation 103
 Blumstein, A. 97
 Boeing 576
 787 aircraft 115
 borates 85–6
 boron fibres 35–6
 break-open resistance 503
 bromine-containing flame retardants 2,
 149
 coatings and laminates 166–7
 replacement 171–3
 environmental concerns 191–2
 see also halogen-containing flame
 retardants
 Budit 3118 products 54
 building *see* construction/building
 bulk polymers 95
 potential application areas 133–6
 burn injuries 493, 496–9
 burn through resistance 595
- cabin, aircraft
 fire test methods 585–6, 587–8,
 589–93
 fireproof cabin 596
 cables/wires 275
 Fire-LCA model 343–9
 results 345–8
 statistical fire model 344–5
 sheathings 114, 133–4
 60-degree Bunsen burner test 588–9
 eaged bicyclic flame retardants 75–6
 calorific potential 303
 candidate designs 454, 455
 carbon dioxide 340, 545–6
 carbon dioxide laser cell 521
 carbon fibres 34–5, 402–3
 composite flammability 409–12
 carbon monoxide 260, 276, 545–6
 carbon nanofibres 101–2
 mechanism of flammability reduction
 109–11
 carbon nanotubes (CNT) 29–30, 101–2,
 429–30
 mechanism of flammability reduction
 109–11, 112
 carbonaceous protective layer 169–71
 carboxyethylmethylphosphinic acid
 (CEMP) 83, 84
 carboxyethylphenylphosphinic acid
 (CEPP) 83, 84
 cargo compartment, aircraft 585–8, 593,
 596
 CASICO cable 343–9

- catalysis 70–3
- catalytic cracking 217
- cause-related fire incidence 367–8
- CBRN (chemical, biological, radiological and nuclear) protection 470–1
- CE marking 294, 295, 318
 - AoC levels 296–7
- cellulose acetate (acetate rayon) 24
- cellulosic/viscose rayon (regenerated cellulose) 201–2
- ceramic coatings 416–17
- ceramic fibres 35–6
- ceramic matrix composites (CMCs) 399
- certification
 - aircraft 573, 597
 - electrical engineering and electronics 317–18, 328
- Certified Body (CB) Scheme 317
- char formation 262, 408–9
- Char-Guard 327 54
- char promotion 138, 179
- chemical analysis 277
- chemical recycling 215, 216–17, 218–19
 - flame retarded polymers 222–3
- chemically cured systems 160
- China Compulsory Certification (CCC) Mark 328
- chlorine-containing flame retardants
 - environmental concerns 191–2
 - phosphorus and chlorine-containing flame retardants 167–8*see also* halogen-containing flame retardants
- cigarettes 207
- Civil Aeronautics Agency (CAA) 575
- Civil Air Regulations (CARs) 575
- Classification certification 317–18
- clay nanocomposites 27, 30–1, 115–16, 427–9, 430, 535
 - functionalising group type and stability 126–30
 - layered silicates 98, 99–100, 109, 110, 111
- Cloisite clays 126, 127, 128, 140, 141, 142, 144–5, 147
- closed box tests 279
- clothing 275
 - environmentally friendly flame resistant cotton 193–6
 - ignition of and burn injuries 498, 499
 - protective *see* firefighters' protective clothing; military fabrics
- Clothing Area Network (CLAN) 484–5
- coatings 4, 132, 159–87
 - additives 165–9
 - coating levels vs nanofilm challenges 179–80
 - composites 416–18
 - cotton 18, 171–3
 - halogen replacement in back-coated textile formulations 171–4
 - intumescent 416–17
 - formation of protective layer 169–71
 - military and naval applications 537–8
 - main types of fire retardant coatings 161–71
 - novel/smart approaches 179–80
 - plasma-initiated 181–4
 - potential applications of nanocomposites 148–9
 - role of nanoparticles 174–5
 - volatile phosphorus-containing species 175–8
- cobalt chelate 72–3
- co-cured resins 427
- Code of Federal Regulations (CFR) 574
- codes, fire safety 249–50
- cold plasma technologies 19, 21
- colemanite 74
- collisions 458, 461
- combinations of nanoparticles 116
- combustion furnaces 520
- compatibilisers 131–2
- composites 4, 95, 398–442
 - aircraft 400, 404–5
 - air ducting 582
 - fuselage 597
- core materials 403–4, 416
- fire retardant solutions 416–30
 - additive and reactive fire retardants 419–25
 - co-curing of different resins 427
 - hybridisation of reinforcing fibres 418–19, 420
 - nanoparticle inclusion 427–30
 - resin modification 425–7
 - surface coating and thermally insulative layers 416–18
- flammability of composites and their constituents 407–16
- future trends 435
- key issues and performance requirements by sector 404–7
- maritime and naval applications 400, 406–7, 527, 538–64
 - fire performance regulations 531, 532

- fire performance and test methods 540–64, 565
- mechanical properties 430–4, 435
 - degradation during and after fire 430–3
 - post-fire mechanical performance of fire retardant composites 433–4
- potential applications of nanocomposites 149–52
- reinforcing fibres *see* reinforcing fibres
- resins *see* resins
- and their constituents 400–4
- thickness 414, 415
- types of 398–400
- conductive heat transfer 468
 - measurement of protection against for firefighters' protective clothing 479–80
- cone calorimetry 106–8, 240, 241–2, 249, 321, 323
 - composites 547–8
 - fire toxicity testing 278–9
 - ignitability 265
 - measurement of heat release 269–71, 272
 - peak heat release rates of ear components vs random plastics 446, 447
- 'confined to building' fires 350–1
- 'confined to item' fires 350–1
- 'confined to room' fires 350–1
- construction/building 292, 293–309, 326–7
 - Attestation of Conformity 296–7
 - CE marking 294, 295
 - EU requirements and tests 293–4
 - Euroclasses 294, 298–301, 302
 - fire testing of construction products 301–9
 - harmonised product standards 297–8
 - heat release measurement for regulations and control of construction products 274–5
 - notified bodies 297
- Construction Products Directive (CPD) 294, 326–7
 - essential requirements (ERs) 294
- consumer electronics 310, 318–19
- Consumer Product Safety Commission (CPSC) 326
- consumer products 2, 363–97
 - active and passive countermeasures 369
 - balance of risk 373–7
 - benefits of flame retardants in 377–81
 - differentiating the effects of smoking and smoke alarm trends 381–91
 - fire hazards and risks in residential fires 364–7
 - future issues 391–4
 - competing and contradictory regulations 393
 - controlling and eliminating exposure risks 392–3
 - maintaining knowledge of fire impacts 391
 - targets for improvement in fire risk reduction 393–4
 - understanding exposure to flame retardants 391–2
 - primary risks of flame retardants in 369–73
 - product and cause-related fire incidence 367–8
 - role of flame retardants in reducing fire hazards and risks 368–9
- contact heat 468
 - measuring protection against for firefighters' protective clothing 479–80
- convective heat 468
 - measuring protection against for firefighter's protective clothing 478–9
- copolymerisation 82–6
- core materials 403–4
 - and composite flammability 416
- core spun yarns 196–7, 198–9
- cost 69
- cost-benefit analysis (CBA) 357
- cotton 15–19
 - back-coated and halogen replacement 171–3
 - cotton/nylon blends 33–4
 - environmentally friendly flame resistant cotton 193–7
 - potential applications 193–7
 - research needs 193
- military fabrics 196–7, 500–2
 - flame retardant cotton blends 501–2
 - flame retardant treatments for 100% cotton 500–1
- cotton batting 200–1
 - engineered 198
- cover fabrics 197–9
- cracking 216–17
- critical flux at extinguishment 542, 544
- critical heat flux for ignition 265

- curing agents 426
cyclic phenoxy-phosphazenes 45
cyclic phosphonates 46, 171–2, 178
- DDG-1000 Zumwalt class destroyer 115
death, risk of 374–5
decabromodiphenyl ether (decaBDE) 55, 167, 191–2, 199, 206, 220, 222
 replacement of 171–3
 risk reduction strategies 205–6
 toxicology 370–1
 VFCAP risk management 204–5
decontamination 337
decorative textiles, aircraft 578, 579, 581–2
deflagration 495
delaminated nanocomposites 103–4, 105
Department of Transportation (DOT) (US) 575
depolymerisation 216, 262
design criteria 454, 455
detonation 495
developing fire 257
DGDPS 85, 86
DGMPS 85, 86
dialkylphosphinate salts 45
diammonium hydrogen phosphate (DAHP) 78
dihydric phenol product 48–9
dihydrodihydroxycarbonylpropylphosphaphenanthrene oxide (DDP) 83–4
dihydro-oxaphosphaphenanthrene oxide (DOPO) 46, 48
diluents 261–2
dimethyloldihydroxyethyleneurea (DMDHEU) 15–17
dimethylpropylene spirocyclic pentaerythritol biphosphonate (DPSPB) 74–5, 76
dioxins 2
 Fire-LCA model 341–2, 347–8, 351–4
dipentaerythritol 150–2
dispersion 132–3
disposal *see* recycling and disposal
divisions, fire resisting 540, 558–64, 565
dopatriol 84, 85
dose-response assessment 191
draperies 581–2
dripping 262
duets
 aircraft 578, 579, 580, 582
 fires penetrating through in cars 459
durability requirements, military fabrics 521–2
- ease of extinction tests 266–9
economic costs and benefits 378–81, 382
edge effects 245–6
efficiency, flame-retardant 68
 halogen replacement and improving 69–73
electrical components, aircraft 578, 579, 583
 tests on wire insulation 588–9
electrical conductivity 102
electrical engineering and electronics (E&E) equipment 292, 309–19, 327–8
CE marking 318
 certification 317–18
 external ignition sources 318–19
 fire safety requirements 310
 fire safety standardisation 311
 fire tests 311–16
 German VDE approval procedures 318
Elementis Specialities clays 126, 127, 144–5
emergency firefighting conditions 469
encapsulation 77–9, 207
endocrine disruptors 208
energy recovery 215, 217–20
 recycled polymers 223
energy use in Fire-LCA model 339–40, 345, 346
engine compartment fires 452, 457, 458–60
engine covers 444, 459, 460
engineered cotton batting products 198
engineering design and analysis 250, 463
environmental impact 2
environmentally friendly flame resistant textiles 2, 188–212
 desirable properties of flame retardant chemicals 190–3
 future trends 206–8
 inherently flame retardant fibres 201–4
 key environmental/ecotoxicological issues 189–90
 potential applications for cotton-based textiles 193–7
 potential applications for mattresses, bedclothes and upholstered furniture 197–201
 risk management programmes 204–5
 risk reduction strategies 205–6
epoxy resins 131, 401–2, 412–14
 epoxy/amine hybrid resins 84
 epoxy/LDH nanocomposite 113

- phosphorus-based flame retardants
 - 48–50, 113
- EpSi 85, 86
- equivalence ratio 259, 260
- essential requirements (ERs) 294
- ethylene vinyl acetate (EVA) 114, 133–4
- ethylenediamine phosphate (EDAP) 53–4
- Euroclasses 294, 298–301, 302
- European Aviation Safety Agency (EASA) 573
- European Chemicals Agency 205
- European Committee for Electrotechnical Standardization (CENELEC) 311
- European Union (EU)
 - Construction Products Directive (CPD) 294, 326–7
 - decaBDE 192
 - Registration, Evaluation and Authorisation of Chemicals (REACH) 205, 373
 - regulations 292
 - building/construction 293–309, 326–7
 - fire testing of construction products 301–9
 - rail vehicles 320–1, 322, 323, 328
 - residential fire statistics 366–7
 - Restriction of Certain Hazardous Substances (RoHS) Directive 220
 - standards for firefighters' protective clothing 476
 - Waste Electrical and Electronic Equipment (WEEE) Directive 220–1
- exfoliated nanocomposites 103–4, 105
- Exolit OP products 45, 49
- explosion 495
- exposure assessment 191
- exposure to flame retardants 189
 - controlling and eliminating exposure risks 392–3
 - hazards and risks 372–3, 376–7
 - need to better understand 391–2
- exposure pathway 189
- exposure route 189
- extended-chain polyethylene (ECPE) 413–14
- external ignition/heat sources
 - electrical engineering and electronics equipment 318–19, 328
 - road vehicles 452, 461
- extinguishment in Fire-LCA model 336–7
- fabric construction 504–6
- Federal Aviation Administration (FAA) 573, 574, 575–7, 596–7
- Federal Aviation Regulations (FARs) 161, 404–5, 574–7
- federal countries 293
- Federal Motor Vehicle Safety Standard FMVSS 302 test 4, 13–14, 160–1, 237–8, 239–40, 445, 446, 462, 463–4
- feedstock recycling 215, 216–17, 218–19
 - flame retarded polymers 222–3
- fibre-reinforced composites *see* composites
- fibres
 - inorganic man-made fibres 34–6
 - natural fibres 14–23, 36
 - potential applications of nanocomposites 136–47
 - reinforcement *see* reinforcing fibres
 - synthetic fibres 23–34, 36–7
- field trials 475–6
- FIGRA index 307
- fillers 419–20
- filling materials for furniture 200–1
- films, nanocomposite 136–47
- Finland CLAN smart fire suit 484–5
- Fire-CBA 357
- fire classification 302–3
- fire curves 560, 561
- fire growth models 286
- Fire-LCA model 332, 334–56, 357
 - cable 343–9
 - furniture 349–55
 - television 337–43
- fire propagation apparatus 271–3, 285
- Fire Protection Research Foundation of NFPA (FPRF) 448–50
- fire resistance 575
- fire resistance testing 255, 256, 263
- fire resistant divisions 540, 558–64, 565
- fire restricting materials 540
 - room/corner test 548–58
- fire risks/hazards
 - maritime and naval 528–9
 - military 494–5
 - residential fires 364–7
- fire-safe cigarettes 207
- fire safety codes 249–50
- fire safety regulations *see* regulations
- fire scenarios (road vehicles) 452, 454, 455, 457–61
- fire stages 256–7
 - defining 258–61
- fire standards, EU (FEN) 298

- fire statistics 1, 9–10, 11, 335, 337
 - importance of collecting 391
 - residential fires 365–8
 - road vehicle fires 443, 444, 447–8, 449
- Fire Test Procedures (FTP) Code 292, 321–4, 328–9, 407, 529–30
- fire-test-response characteristics 251
- fire testing 3–4, 255–90
 - aircraft materials 585–96
 - areas of fire testing 255–6
 - chemical and physical processes 257–8
 - composites for maritime and naval applications 540–64, 565
 - conditions of each fire stage 256–7
 - construction products 301–9
 - defining the stages of a fire 258–61
 - electrical engineering and electronics equipment 311–16
 - factors affecting ignitability and fire development 261–2
 - fire resistance tests 263
 - fire toxicity testing 255–6, 275–86
 - firefighters' protective clothing 475–83
 - flammability tests *see* flammability tests
 - measurement of heat release 269–75
 - nanocomposites 106–8, 114
 - prediction of fire behaviour from material properties and models of fire growth 286
 - principles and problems 262–3
 - reaction to fire tests 255–6, 263–9
 - road vehicles 445, 446, 455–7
 - standards and methodologies for military fabrics 514–21
- fire toxicity testing 255–6, 275–86
 - animal exposure methods 276–7
 - chemical analysis methods 277
 - flow-through tests 282–6
 - general requirements 277–9
 - need to quantify toxic gases 275–6
 - NIST radiant furnace method 281–2
 - tests based on NBS smoke chamber 252, 280–1
 - toxic potency data 276
- firefighters' protective clothing 4, 467–91, 514
 - future trends 483–6
 - firefighters' work 483
 - new materials 483–4
 - test method development 486
 - wearable electronic technology 484–5
 - heat exposure in different types of firefighting conditions 469–71
 - materials 472–5
 - accessory materials 474–5
 - moisture barrier 474
 - outer shell 472–3
 - thermal liner 473
 - underwear 475
 - measuring flame and thermal performance 475–83
 - requirements 468–71
 - types and design of clothing 471–2
- Firegard Brand Products 198–9
- fireproof aircraft cabin 596
- firewalls 459
- First Attack Fire Suit 512–13
- flame propagation rate 12
- flame resistance 575
- Flame Resistant Organisational Gear (FROG) 511
- flame retardancy 4, 9–40
 - developments in assessing 10–14
 - future trends 36–7
 - inorganic man-made fibres 34–6
 - natural fibres 14–23
 - synthetic fibres 23–34
- Flame Retardant Environmental Ensemble (FREE) System 513
- flame spread index (FSI) 542, 543
- flame spread test 13–14, 476–7, 594
 - composites for maritime and naval applications 541–3, 544
- flaming combustion 188
 - fire toxicity tests 278
- flammability
 - aircraft materials compared with other applications 584–5
 - defining 233–4
 - polymer nanocomposites 106–8
 - mechanism of flammability reduction 108–12
- flammability tests 11–14, 233–54, 255–6
 - challenges in assessing material flammability 249
 - electrical engineering and electronics 311–12, 313, 314, 327
 - firefighters' protective clothing 476–7
 - future trends in material flammability assessment 251
 - limitations 250–1
 - nanocomposites 106–8
 - type I tests 234–40, 251
 - type II.A tests 240–6, 251–2
 - type II.B tests 246–9, 251–2
 - uses of 249–50
- flash resistance 575

- flashover 495, 528, 548
 flashover time 213
 flexural modulus 558, 559
 flexural strength 431
 floor coverings
 aircraft 580, 582
 EN ISO 9239-1 test 308-9
 Euroclasses 298, 300-1, 302
 flow-through tests 282-6
 fluorescent materials 474
 fluorocarbons 163, 164
 foams
 nanocomposite applications 152
 polymer 403-4
 polyurethane 50-1, 200
 formaldehyde-based resins 163, 164
 45-degree Bunsen burner test 194, 586-7
 FQ-POSS 28
 FR-370 51-2
 France
 furniture regulations 326
 rail vehicle regulations 320
 FS-2 54
 fuel production 261
 full-scale tests 462-3
 military fabrics 520-1
 room/corner test for composites with
 maritime and naval applications
 548-58
 fully developed fire 257
 fumed silica 174, 175
 functional unit 333
 functionalising groups 99-100
 type and stability 126-30
 furans 341-2, 351-4
 furniture
 Fire-LCA model 349-55
 results 351-4
 statistical fire model 349-51
 fire safety requirements and tests
 324-6, 329
 UK 1988 regulations *see* United
 Kingdom
 upholstered furniture and
 environmentally friendly flame
 retardant applications 197-201
 fuselage, composite 597
 fusible polymers 163-4
 Fyrol PMP 49-50
 Fyrol PNx 50
 Fyrolflex BDP 44
 Fyrolflex RDP 43-4
 Fyroltex HP 196
 gasification (partial oxidation) 216
 gelcoats 417
 Germany
 Chemikalienverbotsverordnung 221
 rail vehicle regulations 320
 VDE approval procedures 318
 glass fibres 35, 402
 composite flammability 409-12
 glow-wire tests 312-16, 327
 glowing/smouldering combustion 188
 goal and scope definition 333
 GORE-TEX 510
 grafted-PP 131-2
 graphite 99
 Haloclean process technology 223
 halogen-containing flame retardants 2, 55,
 420-1
 challenges posed by replacing 67-9
 coatings and laminates 166-8
 see also bromine-containing flame
 retardants; chlorine-containing
 flame retardants
 halogen-free flame retardants 2, 67-94
 attempts at successful halogen
 replacement 69-73
 back-coated textile formulations 171-4
 challenges posed by replacing halogen-
 containing flame retardants 67-9
 flame retardancy and anti-dripping
 properties 73-6
 flame retardancy and mechanical
 properties 76-86
 future trends 86-7
 hardeners 426
 harmonised product standards (hEN)
 297-8
 hazardous firefighting conditions 469
 hazardous materials firefighting 470
 hazards 190
 human exposure hazards and flame
 retardants 372-3
 identification 190-1
 and risks in residential fires 364-5
 role of flame retardants in reducing
 368-9
 see also fire risks/hazards
 heat exposure, firefighters and 469-71
 heat flux 414
 military fire hazards 494-5
 heat reflective finishes 180
 heat release 14
 measurement 269-75
 bench-scale measurement 269-73

- large-scale measurement 274–5
- microscale measurement 273
- reduction and road vehicles 464
- total (THR) 542, 544, 548, 549–56
- heat release rate (HRR)
 - aircraft cabin materials 589–91
 - charring materials 244
 - composites
 - fibre type and 409–12
 - maritime and naval applications 547–8, 549–56
 - peak *see* peak heat release rate (PHRR)
- heat source (ignition source) 257
 - characteristics 264
 - effects and flammability tests 238, 241–2, 248–9
- heat for sustained burning 542, 544
- heat transfer 12–13, 468–9
 - measuring protection against 477–80
- heat transfer index (HTI) 479, 520
- heavy-duty electrical enclosure
 - applications 134
- hexabromocyclododecane (HBCD) 192, 199, 206, 372
- hexakis(methoxymethyl) melamine (HMMM) 84, 85
- high performance fibres 23, 31–3
- high speed craft
 - fire resisting divisions 560
 - HSC Code 407, 529
- Hofmann elimination reaction 100
- honeycomb cores 403
- horizontal flame test 266–7, 311, 312, 313
 - aircraft 576, 587–8
- hot melt processes 160, 163–4
- human subject tests 475, 481–2
- hybridisation of reinforcing fibres 418–19, 420
- hydrocarbon emissions 340, 342, 345–7
- hydrocracking 217
- hydrogen chloride 545–6
- hydrogen cyanide 260, 545–6
- Hydroweave 484
- hydroxide functional organophosphorus oligomer (HFPO) 15–17
- hydroxy double salts (HDS) 99, 100
- ignition 257
 - factors affecting ignitability 264–5
 - factors and vehicle fires 448, 449
 - reaction to fire tests 264–6
 - time to *see* time to ignition
- ignition pilot 242
- ignition sources *see* heat sources (ignition sources)
- ignition temperature 263, 264, 265
- imidazolium derivatives 100, 116, 129–30
- immiscible nanocomposites 103
- impact assessment 333–4
- improvised explosive devices 509
- incapacitation concentration to 50% of exposed population (IC50) 276
- induction period 256–7
- Indura 501
- Indura Ultra Soft 502
- information technology 310, 318–19
- inherent flame retardancy 82, 83, 201–4, 502–4
- inhibitors 261–2
- inorganic flame retardants 168–9
 - see also* alumina trihydrate (ATH); magnesium hydroxide
- inorganic man-made fibres 34–6
- inorganic phosphorus compounds 56
- insulation
 - thermal-acoustical in aircraft 578, 579–81
 - fire testing 594, 595
 - thermally insulating layers in composites 416–18
- interealated nanocomposites 103–4, 105
- interfacial polymer 95–6
- interior fabric fire blocking barriers 198–9
- interior panels, aircraft 578, 579, 581
- interlayer fire blockers 23, 25
- International Civil Aviation Organization (ICAO) 574
- International Code of Safety for High-Speed Craft 407, 529
- International Convention for the Safety of Life at Sea (SOLAS) 247, 292, 529
- International Electrotechnical Commission (IEC) 292–3, 311
- International Electrotechnical Committee for Conformity Testing to Standards for Electrical Equipment (IECEE) 317
- International Forum of Fire Research Directors 285
- International Maritime Organization (IMO) 247, 321–4, 328–9, 407, 529
 - 'A' class divisions 559–60
 - FTP Code 292, 321–4, 328–9, 407, 529–30

- HSC Code 407, 529
 - lateral ignition and flame spread test (LIFT) 265–6
- International Organization for Standardization (ISO) 293, 311, 332
 - fire stages 258, 259
- intumescent flame retardants 17–18, 20–1, 74
 - coatings for composites 416–17
 - coatings and laminates 169–71
 - combined with nanoparticles 136, 138–41
 - intumescent/fire retardant fibre
 - interactive fire retardant systems 423–5
 - maritime and naval applications 537–8
 - phosphone-based 52–4
- inventory analysis 333
- Iraq 496, 497, 509
- isobutyl bis(hydroxypropyl) phosphine oxide (IHPOGly) 84, 85

- K-131 submarine 494
- Kabelwerk Eupen AG 114, 133
- kaolin 72
- Kermel 503–4
- Kevlar 203
 - blended with Nomex for military applications 503
- knitted fabrics 29–30
- Kynol 32, 504

- label legibility 519
- laminates 4, 159–87
 - main types of fire retardant 161–71
 - additives 165–9
 - intumescent systems 169–71
 - novel or smart approaches 179–80
 - role of nanoparticles 174–5
 - volatile phosphorus-containing species 175–8
 - lateral ignition and flame spread test (LIFT) 265–6
- laundering 522
- layered double hydroxide (LDH) 98–9, 100
- layered nanocomposites 98–100
- layered products 249
- layered silicates 98, 99–100
 - mechanism of flammability reduction 109, 110, 111
- layers, clothing 505–6

- Lenzing FR 202
- lethal concentration to 50% of exposed population (LC₅₀) 276
- life cycle assessment (LCA) 4, 331–59
 - cable case study 343–9
 - furniture case study 349–55
 - future trends 356–7
 - method 332–7
 - Fire-LCA system description 334–7
 - risk assessment approach 334
 - television case study 337–43
- life cycle inventory (LCI) 332–3
- limiting oxygen index (LOI) 12, 106, 108, 268–9
- linings
 - aircraft 578, 579, 582–3
 - test for cargo liners 593
 - Euroelasses 298, 301, 302
- Listing certification 317–18
- long-term health effects 376
- low-temperature heating elements 241–2
- low velocity impact (LVI) response 432
- Lyocell 24

- macromolecular chelates 72–3
- magnesium hydroxide 68, 77, 168–9
- manikin tests 12–13
 - firefighters' protective clothing 475, 481
 - military fabrics 519, 520–1
- maritime and naval applications 5, 115, 527–72
 - composites 400, 406–7, 527, 538–64
 - fire performance and test methods 540–64, 565
 - performance regulations 531, 532
 - fire safety regulations 529–31
 - maritime vessels 321–4, 328–9, 529–31
 - naval vessels 531
 - fire threat 528–9
 - methods of reducing flammability 531–8
 - flame retardants 534–7
 - intumescent coatings 537–8
 - modification of chemical structure 533–4
 - smoke chamber test 280–1
- mass loss cone fire test 462, 463
- mass loss rate reduction 108–12
- mattresses 197–201
- maximum optical density 545–6
- McDonnell Douglas 576
- measurement uncertainty 252

- mechanical properties
 - composites 430–4, 435
 - degradation during and after fire 430–3
 - post-fire mechanical performance of fire retardant composites 433–4
- halogen-free flame retardants and 68, 76–86
 - additive type and intrinsically flame-retardant polymers 79–82, 83
- encapsulation and microencapsulation 77–9
- reactive type flame retardants and copolymerisation 82–6
- mechanical recycling 214–16
 - flame retarded polymers 222, 223
- melamine 200, 371
- melamine cyanurate (MCA) 45, 78, 113
- melamine phosphates 42, 53, 150–2, 178
 - coatings and laminates 169, 170
- Melapur 200 53
- melt dripping 69
 - halogen-free flame retardants and anti-dripping properties 73–6
- melt viscosity 130–1
- melting 249
- membrane structures, military 507–9
- meta-aramids 32–3, 203
 - blends with PBO 472–3
- metal chelates 71–2
- metal hydroxides 135–6, 419–20
- metal matrix composites (MMCs) 399
- methylol
 - dimethylphosphonopropionamide (MDPA) 17
- microcapsulated red phosphorus (MRP) 78
- microcomposites 103
- microencapsulation 77–9
- military fabrics 4, 492–526
 - applications of flame retardant textiles 507–9
 - clothing 509
 - structural 507–9
 - burn injuries 493, 496–9
 - clothing protection 499–500
 - existing flame retardant solutions 500–7
 - cotton 500–1
 - cotton blends 196–7, 501–2
 - garment design and fabric construction 504–6
 - inherently flame resistant synthetics 502–4
 - nonwoven fabrics 506–7
 - fire hazards 494–6
 - future trends 522–3
 - performance standards and durability requirements 521–2
 - testing standards and methodologies 514–21
 - bench-scale tests 515–20
 - full-scale tests 520–1
 - types of military clothing 510–13
- modacrylics 201
- moisture
 - barrier 474
 - effect on firefighters' protective clothing 482
- molecular modification of chemical structure 533–4
- monoguanidine dihydrogenphosphate (MGHP) 17
- monohydric alcohols 50
- montmorillonite (MMT) 19, 98
- mounting, specimen 239–40, 245–6
- MPC 138–41, 142
- multi-climate protection system (MCPS) 510–11
- multivariate analysis 356
- multi-walled carbon nanotubes (MWNT) 29–30, 101–2
- municipal solid waste (MSW) 217
- N-Class Divisions 560–1
 - polymer sandwich composites 561–4, 565
- nanocomposites 3, 19, 20, 37, 95–158, 179–80, 483
 - applications for flame retardant nanocomposites 114–15
 - applications and processing challenges 125–33
 - dispersion 132–3
 - effect on rheology 130–2
 - functionalising group type and stability 126–30
 - clay-based *see* clay nanocomposites
 - combined with conventional flame retardants 87, 112–13, 136, 138–46
 - determination of morphology 104–6
 - environmentally friendly flame resistant textiles 207
 - flammability 106–8
 - formation 103–6
 - future trends 115–17, 153
 - halogen-free flame retardants 70, 87

- history in flame retardancy applications 97
- mechanism of flammability reduction 108–12
- one-dimensional 98–100
- plasma-coated polyamide 6 films 182–3
- potential application areas 133–52
 - bulk polymeric components 133–6
 - coatings 148–9
 - composites 149–52
 - films, fibres and textiles 136–47
 - foams 152
- role in composites 427–30, 435
- three-dimensional 102
- two-dimensional 101–2
- Nanocor Inc. 126, 132–3, 134
- nanofilms 179–80
- nanoparticles 96
 - inclusion in resin and fibre components of composites 427–30, 435
 - for nanocomposite use 98–102
 - role in coatings and laminates 174–5
- NAS report 192–3
- National Fire Protection Association (NFPA) (US)
 - FPRF white paper 448–50
 - hazard and risk committee (HAR) 450–2
 - NFPA 556 draft of 2007 451–63, 464
 - approaches to key fire scenarios 457–61
 - background information for fire hazard 453, 454
 - draft recommendations 462–3
 - methodology to decrease fire hazard 453–7
 - NFPA 2112 testing standards 514, 518–19
 - room/corner test 247–8
- National Highway Traffic Safety Administration (NHTSA) (US) 445, 446
- natural fibres 14–23, 36
 - see also* cotton
- natural rubber 162, 164
- naval applications *see* maritime and naval applications
- Naval Sea Systems Command (NAVSEA or Naval Technical Authority) 531
- NBS smoke chamber 252, 280–1
- needle-flame test 316
- needle-stick injuries 409
- Netherlands, the 484
- new materials 483–4
- NFX 70-100 test 282–3
- nickel formate 70–1
- NIST radiant furnace method 281–2
- nitrogen-containing flame retardants 87
- Noflan 21
- Nomex 32–3, 203, 502–3
 - Limitedwear military coverall 512
- non-break-open protection 503
- non-combustibility test 303, 304
- non-flaming fire stage 258–61
- nonwovens 22–3, 506–7, 522–3
- notified bodies 297
- novoloid fibres 504
- nylon *see* polyamides
- octabromodiphenyl ether (octaBDE) 191
- office electronics 310, 318–19
- Ohio State University (OSU) calorimeter 14, 589–90
- oil burner test
 - burn through resistance of thermal/acoustic insulation 595
 - cargo liners 593
 - seat cushions 592–3
- oligomeric phosphate-phosphonate 178
- oligomeric phosphates 42
- oligosalicylaldehyde complexes 71
- one-dimensional nanocomposites 98–100
- open tests for fire toxicity 278–9
- organically modified clays 99–100
- orientation, specimen 239, 244–5, 262
- Orkla mine sweeper 540
- outer shell protective clothing 472–3
- oxide fibres 35, 36
- oxidized PAN fibres 32
- oxygen consumption principle 547–8
- packaging derived fuel (PDF) 220
- para-aramids 32, 203
- partial oxidation (gasification) 216
- passenger compartment fires, in cars 452, 457, 458
- passive countermeasures 369
 - benefits of passive and active measures working together 386–8
- PBI Gold 504
- PBT 47
- peak heat release rate (PHRR) 96, 262–3
 - maritime and naval composites 542, 544, 548, 549–56
 - nanocomposites 107–8
- Pearl Harbour 498

- penetration of fire retardant upholstered furniture 389–91
- pentabromodiphenyl ether (pentaBDE) 55, 191
- pentabromodiphenyl oxide 50
- pentaerythritol (PER) 78–9, 138–41, 142
- performance-based codes and regulations 250
- performance standards for military fabrics 521–2
- persistence 190
- phenolic resins 48, 402, 412–14, 533–4
- Phoslite series 55
- phosphate-phosphonate ester flame retardant 196
- phosphine oxides 49
- phosphinic acid esters 42
- phosphonic acid esters 42–3
- phosphonium-substituted clays 99–100
- phosphoramides 45
- phosphoric acid esters 42
- phosphorus-containing regenerated cellulose 202
- phosphorus flame retardants 2, 41–66, 87, 206, 421
 - for celluloses 195–6
 - coatings and laminates 165–6
 - halogen replacement 172–3
 - cover fabrics 199
 - epoxy resins 48–50, 113
 - future trends 55–7
 - main types of 42–3
 - nanocomposites 150–2
 - phosphorus and chlorine-containing flame retardants 167–8
 - polycarbonate and its blends 43–5
 - polyesters and nylons 45–8
 - polyolefins 51–5
 - polyurethane foams 50–1
 - vapour-phase active systems 57, 166, 173, 175–6
 - volatile phosphorus-containing species 166, 173, 175–8
- phosphorus-nitrogen containing intumescent flame retardant (P-N IFR) 75–6
- phosphorus oxynitride (PON)_m 47
- phthalonitrile resin 534
- pilot flames 242
- PIPD (M5) 32
- plasma graft polymerisation 19, 21, 181–4
- plasma treatment 37, 483
- Plastics Recognized Component Directory* 318
- PNX 50
- Polartee fabrics 510–11
- polyacrylonitrile nanocomposites 147
- polyamides 26–7, 113
 - nanocomposite films 138–41, 182–3
 - nanocomposites 27, 137–8
 - phosphorus flame retardants 45–8
- polyaromatic hydrocarbon (PAH) emissions 340, 342, 352, 353–4
- polybenzimidazole (PBI) 472, 504
 - PBI Gold 504
- polybenzoxazole (PBO) 32, 472–3
- polybrominated biphenyls (PBBs) 220
- polybromodibenzodioxines and furans (PBDD/F) 221, 222
- polybromodiphenyl ethers (PBDEs) 191–2, 220
- polycarbonates 43–5
- polycarboxylic acids 196
- polychlorodibenzodioxines and furans (PCDD/F) 223
- polydimethylsiloxane (PDMS) star polymers 82
- polyester 24–6
 - batting 201
 - cotton/polyester blends 33, 502
 - inherently flame retardant 202
 - phosphorus-based flame retardants 45–8
- polyhedral oligomeric silsesquioxanes (POSS) 85, 102, 534
 - mechanism of flammability reduction 111–12
- polyhydroxy propylene spirocyclic pentaerythritol biphosphonate (PPPBP) 25–6, 75
- polylactic acid (PLA) 24, 26
- polymelamine fibre 204
- polymer composites *see* composites
- polymer foams 403–4
- polymer fuel 220
- polymer matrix composites (PMCs) 399–400
 - see also* composites
- polymeric additive-type halogen-free flame retardants 79–82
- polymerisation 103
- polymethyl methacrylate (PMMA) nanocomposites 107, 108
- polyolefins 51–5
- PolyOne Maxxam FR products 114
- polypropylene 27–31, 202
 - nanocomposites 141–6
- polystyrene nanocomposites 107, 134–5

- polysulphonyl diphenylene
 - thiophenylphosphonate (PSTPP) 80
- polysulphonyl phenylenephosphonate (PSPPP) 79–80
- polytetrafluoroethylene (PTFE) 583
- polyurea 535–7
- polyurethanes 163, 164
 - foams 50–1, 200
- polyvinyl alcohols (PVAs) 163, 164
- polyvinyl chloride (PVC) 133–4, 162, 164
 - cable and LCA 343–9
- pool fires 452, 457, 461
- precondensate/ammonia process 195
- primary fires 336
- primary mechanical recycling 214, 215
- Proban 500–1
 - Proban CC 138–41, 142
- product-related fire incidence 367–8
- production control 250
- protection goals 258
- protective barriers 108–12
- protective clothing
 - firefighters' *see* firefighters' protective clothing
 - military *see* military fabrics
 - standards and performance requirements 514, 516–17
- protective layer, carbonaceous/vitreous 169–71
- protective spring assembly 506
- PsiNII 81, 82
- Purser furnace 283–5, 286
- pyrolysis 216–17
- pyrolysis-combustion flow calorimetry (PCFC) 273
- Pyrovatex 195–6, 500, 501
- radiant furnace toxicity test 281–2
- radiant heat 468
 - heat source effects in flammability tests 241–2
 - measuring protection against for firefighters' protective clothing 477–8
- radiant heat transfer index (RHTI) 477, 478, 520
- radiant panel test 308–9, 321, 322, 594
- railway vehicles 280–1
 - composites 405–6
 - regulations 320–1, 322, 323, 328
- reaction to fire tests 255–6, 263–9
 - cone calorimeter 265
 - ease of extinction tests 266–9
 - ignitability and flame spread 264–5
 - LIFT/spread of flame apparatus 265–6
 - see also* fire toxicity testing; flammability tests
- reactive flame retardants 56
 - composites 419–25
 - halogen-free 82–6
 - phosphorus-based 195–6
- Recognition certification 317–18
- recycling and disposal 3, 213–30
 - directives on 220–1
 - processes 214–20
 - recyclability of flame retarded polymers 221–3
- red phosphorus 47–8, 55
 - encapsulation 77–8
- reduced ignition propensity (RIP)
 - cigarettes 207
- refuse derived fuel (RDF) 217
- regenerated cellulose 201–2
- Registration, Evaluation and Authorisation of Chemicals (REACH) 205, 373
- regulations 3–4, 249–50, 291–330
 - building/construction 292, 293–301, 326–7
 - competing and contradictory 393
 - engineering and electronics equipment 292, 309–19, 327–8
 - fire testing of construction products 274–5, 301–9
 - furniture 324–6, 329
 - UK 1988 regulations *see* United Kingdom
 - future trends 326–9
 - heat release tests for regulations and control 274–5
 - history of aircraft regulations 574–7, 578
 - maritime and naval 321–4, 328–9, 529–31
 - overview 291–3
 - transportation 320–4, 328–9
 - rail vehicles 320–1, 322, 323, 328
 - road vehicles 445–7
- reinforcing fibres 95, 402–3, 539
 - fibres type and flammability of
 - composites 409–12
 - resin/fibre combinations 412–14
 - hybridisation 418–19, 420
 - inclusion of nanoparticles 427–30, 435
- Reogard products 52, 54
- rescue tasks, firefighters' 470, 472

- residential fires 363
 - fire hazards and risks 364–5
 - in the UK, US and Europe 365–7
 - targets for improvement in risk reduction 393–4
 - see also* consumer products; smoke alarms
- resins 401–2, 538–9
 - co-curing of different resins 427
 - nanoparticle inclusion 427–30, 435
 - resin/fibre combinations 412–14
 - resin modification 425–7, 533–5
 - type and flammability of composites 407–9
- resoreinol bisdiphenyl phosphate (RDP) 43–4
- resorcinol bisdixylyl phosphate (RXP) 44
- Restriction of Certain Hazardous Substances (RoHS) Directive 220
- retainer frame 245–6
- retro-reflective materials 474
- rheology
 - of decomposing polymer 262
 - of nanocomposites 130–2
- risk 190
 - primary risks of flame retardants in consumer products 369–73
 - role of flame retardants in reducing 368–9
 - see also* fire risks/hazards
- risk assessment 334
- risk-benefit analysis 363–97
 - balance of risk 373–7
 - benefits of flame retardants in consumer products 377–81
 - differentiating effects of smoking and smoke alarm trends 381–91
 - importance of understanding risks and benefits 364–9
- risk management programme 204–5, 371, 373
- risk reduction strategies 205–6
- road vehicles 4–5, 160–1, 443–66
 - composites 405–6
 - FPRF white paper 448–50
 - improving survivability 463–4
 - NFPA 556 guide 2007 draft 451–63, 464
 - NFPA hazard and risk committee 450–2
 - regulatory requirements 445–7
 - US statistics 443, 444, 447–8, 449
- room/corner test 246–8
 - composites with maritime and naval applications 548–58
 - construction products testing in the EU 304–6
 - routine firefighting conditions 469
 - Royal Navy 501, 509
 - rubbers 162, 164
- Safety of Life at Sea (SOLAS) Convention 247, 292, 529
- SaFRon 5371 52
- sagging 249
- sandwich composites 539
 - fire resistant divisions 561–4, 565
- scaffolding effect 413
- scenarios, fire (road vehicles) 452, 454, 455, 457–61
- scorch 50, 51
- screening tests 250, 462, 463
- SCRIMP composite fabrication method 539, 540
- seat cushions, aircraft 576–7
 - oil burner test 592–3
- seats, aircraft 578, 579, 580
- secondary fires 336
- secondary mechanical recycling 215–16, 222
- self-extinguishing epoxy-LDH nanocomposite 113
- ships *see* maritime and naval applications
- short-term injury, risk of 375–6
- shredding technologies 215–16
- shrinkage 480, 518
- silica, fumed 174, 175
- silica-containing regenerated cellulose 201–2
- silicon carbide fibres 35
- silicon-containing flame retardant epoxy resins 85, 86
- silicone-based aliphatic polyamides 82, 83
- silicone-based aromatic polyesters and polyamides 82, 83
- silicones 163, 164
- silk 22
- simulated chair 325
- single burning item (SBI) test 274–5, 304, 306–7
- single European market 293–4
- single-wall carbon nanotubes (SWNT) 101–2
- 60-degree Bunsen burner test 588–9
- sleepwear 193–6
- small flame tests 234–40, 307–8
- small parts, aircraft 578, 579, 584–5
- smart fire suit 484–5

- smectite clays 98, 99–100
- SMOGRA index 307
- smoke 262
 - aircraft 576
 - cabin materials testing 591–2
 - composites for maritime and naval applications 543–7
- smoke alarms 381–91
 - trends 384–6
- smoke chamber tests 252, 280–1, 321, 323
- smoking 381–91
 - trends 381–4
- smouldering/glowing combustion 188
- soeio-economic factors 388–9
- solvent-based systems 160
- sorting technologies 216
- Southern Clays Inc. 126, 127
- spacer fabrics 505–6
- specialized firefighting 469, 471
- specific extinction area (SEA) 548, 549–56
- specific optical density 544–6, 591, 592
- specifications, technical 250
- specimen effects
 - area 242–3
 - mounting 239–40, 245–6
 - orientation 239, 244–5, 262
 - thickness 239, 243–4, 245
 - type I flammability tests 239–40
 - type II.A flammability tests 242–6
 - type II.B flammability tests 248–9
- sphere/colloid-based nanocomposites 102
- spirocyclic flame retardants 74–5
- spread of flame apparatus 265–6
- spring systems 505
- sprinkler systems 394
- standard substrates 303
- standards 188–9
 - electrical engineering and electronics equipment 311
 - firefighters' protective clothing 476, 489–91
 - harmonised product standards 297–8
 - military protective clothing performance standards 521–2
 - testing standards and methodologies 514–21
- static smoke chamber methods 251–2
- statistical fire model 336–7
 - cable 344–5
 - furniture 349–51
 - television 338–9
- steady state tube furnace methods 283–5, 286
- steam 482
- stiffness of composites 430, 432–3, 434
- storage compartment fires, in cars 452, 457, 460–1
- stored heat energy 483
- strength of composites 430–1, 433, 434
- structural fabrics, military 507–9
- structural firefighting 469–70, 471, 483
- structural integrity of composites 558–64, 565
- submarines 406–7, 494
- substrate 244
 - standard substrates 303
- Sud-Chemie AG 126, 127
- surfactants 97, 100
- survivability, improving in road vehicles 463–4
- sustainable development 356–7
- synthetic fibres 23–34, 36–7
 - inorganic 34–6
 - military fabrics 502–4
- synthetic rubbers 162, 164
- tapestries, wool 581
- Tecnofire ceramic webs 417, 418
- televisions 363
 - Fire-CBA 357
 - Fire-LCA 337–43
 - results 339–42
 - statistical fire model 338–9
- temperature
 - gradient in sandwich polymer composites 564, 565
 - ignition temperature 263, 264, 265
- tenability criteria 453, 454
- tensile strength 431
- tension membrane structures 507–9
- tents, military 507–9
- terrorism, war against 493
- tetrabromobisphenol A (TBBPA) 55, 371
- tetrabromodibenzo(p)dioxin-equivalents (TBDD-equivalents) 341–2, 351–4
- tetrachlorodibenzo(p)dioxin-equivalents (TCDD-equivalents) 341, 342, 347–8, 351–4
- tetrakis(hydroxymethyl) phosphonium chloride (THPC) 15, 43, 195, 500
- TGPS 85, 86
- thermal-acoustical insulation 578, 579–81
 - fire tests 594, 595
- thermal cracking (pyrolysis) 216–17
- thermal inertia 258

- thermal insulation layers, in composites 416–18
- thermal liner 473
- thermal protective index (TPI) 515
- thermal protective performance 515–20
- thermal resistance, measuring 480
- thread heat resistance 480–1
- thermogravimetric analysis (TGA) curves 409, 410
- thermomechanical models 435
- thermoplastic polyurethane (TPU) 133–4
- thermoset polymers 538–9
- thickness
- coating 180
- composites 414, 415
- specimen 239, 243–4, 245
- thermal thickness 137, 180, 243–4
- thinness, thermal 137, 180, 243–4
- thread heat/melting resistance 480–1, 519
- three-dimensional nanocomposites 102
- time to ignition 263, 264–5
- composites 409–11, 548, 549–56
- nanocomposites 96–7
- total heat release (THR) 542, 544
- composites 548, 549–56
- toxic gas products 364–5
- aircraft 576
- composites with maritime and naval applications 543–7
- fire stages and 260–1
- generation 277–9
- quantification 275–6
- toxicity
- characterisation of 190–1
- fire toxicity testing *see* fire toxicity testing
- traffic accidents 470, 472
- transition metal salts 173–4
- transmission electron microscopy (TEM) 104–5
- transportation 4–5
- regulations 292, 320–4, 328–9
- rail vehicles 320–1, 322, 323, 328
- ships 321–4, 328–9
- see also* aircraft; road vehicles
- Trevira CS 25, 202
- triaryl phosphates 50–1, 54
- triazine polymers 74
- tributyl phosphate (TBP) 176–8
- tri-component fibres 522
- trimethylolmelamine (TMM) 17
- triphenyl phosphate (TPP) 44, 176–8
- triphenylphosphine oxide (TPPO) 176
- tris-chloropropyl-phosphate (TCPP) 372
- trunk, fires in 452, 457, 460–1
- tube furnace fire toxicity tests 282–5, 286
- tube/rod-based nanocomposites 101–2
- see also* carbon nanotubes (CNT)
- tungsten filament lamps 242
- two-dimensional nanocomposites 101–2
- type I flammability tests 234–40, 251
- FMVSS 302 test 4, 13–14, 160–1, 237–8, 239–40, 445, 446, 462, 463–4
- general concepts 234
- heat source effects 238
- specimen effects 239–40
- standard ASTM small-flame exposure ignition tests 234, 235
- UL 94 vertical burning test 108, 235–7, 238, 239, 251, 266–8
- type II.A. flammability tests 240–6, 251–2
- general concepts 240
- heat source effects 241–2
- observations and measurements 246
- specimen effects 242–6
- type II.B flammability tests 246–9, 251–2
- ignition source and specimen configuration effects 248–9
- room/corner test 246–8, 304–6, 548–58
- Ukanol FR50/1 46
- underwear 475
- Underwriters' Laboratories (UL)
- certifications 317–18
- UL-94 tests 310
- classifications 237, 267
- horizontal burn method 266–7
- UL-94 V-rated plastics 114
- vertical burn test 108, 235–7, 238, 239, 251, 266–8
- under-ventilated flaming 258–61
- unit risk factor (URF) model 342, 353–4
- United Kingdom
- building regulations 293
- differentiating the effects of smoking and smoke alarm trends 381–91
- life cycle assessment of furniture 349–55
- 1988 legislation on furniture 324–5, 363
- benefits of 378–81, 382
- DTI study on effect of 355
- future prospective trends and benefits 389–91
- railway vehicle regulations 320
- residential fire statistics 365–8

- Royal Navy 501, 509
- United States (US)
 - Army 513
 - Natick Soldier Center (NSC) 492, 522
 - Coast Guard 530–1
 - DOT 575
 - FARs 161, 404–5, 574–7
 - firefighters' protective clothing 470–1
 - FMVSS 302 test 4, 13–14, 160–1, 237–8, 239–40, 445, 446, 462, 463–4
 - Marine Corps (USMC) 506–7
 - Navy 512, 558
 - N-Class Divisions 560–4, 565
 - polymer composite structures 539
 - PBDEs 191–2
 - regulations 292, 293
 - furniture 326, 329
 - residential fires 365–6
 - road vehicle fires 443, 444, 447–8, 449
 - smoking and smoke alarm trends 382–4, 385
- unoccupied areas of aircraft 596
- unsaturated polyester resins 401
- upholstered furniture 197–201
- Valzon 502
- vapour-grown carbon nanofibre (VGCNF) 101–2
- vapour-phase-active phosphorus systems 57, 166, 173, 175–6
- vertical flame test 194–5, 311, 312, 313
 - aircraft 575–6, 585–6
 - military fabrics 515, 518
 - UL-94 108, 235–7, 238, 239, 251, 266–8
- vinyl acetate copolymers 163, 164
- vinyl ester resins 401, 413–14, 535, 536
- vinylidene chloride 201
- vinylphosphates 56
- viscose-Kernel blends 503–4
- viscosity 130–1
- visibility of clothing 474
- VISIL 201–2
- vitreous protective layer 169–71
- volatile phosphorus-containing species 166, 173, 175–8
- Voluntary Emissions Control Action Program (VECAP) 204–5, 371, 373
- wainscoting 581
- warehouse structures, military 507–9
- Waste Electrical and Electronic Equipment (WEEE) Directive 220–1
- waste stowage compartment 586–7
- wear, effect of 522
- wearable electronic technology 484–5
- well-ventilated flaming 258–61
- wholly aromatic thermotropic copolyesters (PLCP) 80–1
- wildland firefighting 470, 471
- windows, aircraft 578, 579, 580, 583–4
- windshields, car 459–60
- wires *see* cables/wires
- wood crib tests 325
- wool 19–21
 - wool/PPTA blends 34
- World Fire Statistics Centre 391
- wrinkle-resist resin 196
- X-ray diffraction 104
- zinc borate 169
- zinc hydroxyl stannate 169
- zinc stannate 169
- zirconium compounds 206
- Zipro process 20