

# Index

- A**
- AACC Method, moisture and, 157–158
- Abu Abdullah Muhammad Ibn Battuta (Ibn Battuta), 13–14
- Accelerated aging test for vigor, 160–161
- Acetone as solvent, 367
- Acidity tolerance (low pH), breeding and, 50
- Acid-leaching process and protein concentrates, 688
- Acid/modified acid degumming, 379–380
- Acoustical properties, quality of soybeans and, 167
- Actinomucor elegans*, 472
- Adhesives. *See* Wood adhesives as biobased product
- Adsorption  
bleaching and, 396  
flavor binding and, 248  
membrane processing and, 697–699
- Aflatoxin, 90
- Agitation, hydrogenation and, 413
- Agricultural uses as biobased product, 565
- Agriculture Grain Processing (AGP), low-18:3 soybean oil and, 203
- Alcohol as solvent, 367
- ALCON Process, 341, 351
- Alfalfa mosaic virus, wild perennial *Glycine* species' resistance to, 8
- Alkali treatment and chemical refining, 382–383
- Alkyd, 576–580
- Alkyl resins, 575
- Alleles, 11. *See also* Genetics
- Allopolyploidization, and speciation of genus *Glycine*, 8–9
- Alternaria alternata*, 99–100, 165–166
- Alternative Agricultural Research and Commercialization Center (AARCC), 545
- Alternative (to hexane) solvents, 365, 367–368
- America, first soybeans of, 17–18
- American Newspaper Publisher Association (ANPA), 571–572
- American Oil Chemists' Society World Conferences, 669
- Amino acids. *See also* Protein tests; Proteins  
ground/whole soybeans and, 175  
with NIR calibration data, 174  
predictions as percentage of proteins, 176  
quality of soybeans and, 171–176  
soybean meal and, 172–173

- Ammonia, 177
- Amphicarpea* genera, 2–3
- Amplification fragment length polymorphism markers (AFLP), 44
- Antioxidants  
   in biodiesel, 518–519  
   tocopherols/tocotrienols and, 210
- AOCS Method, moisture and, 157
- Aphid resistance, 45
- Aphids, 107
- Aphis glycine*, 101, 107
- Aqueous alcohol processing  
   protein concentrates and, 688  
   SPCs/SPIs and, 699–700, 702
- Aqueous extraction processing (AEP), 371–373
- Arachidic acid, systematic name/  
 structure of, 194
- Archer Daniels Midland Company, TVP  
 of, 707
- Argentina  
   and global trends in production,  
   120–122  
   production and, 60  
   as soybean oil exporter, 140  
   world supply/distribution and, 34–35
- ASABE Standard, moisture and, 68, 157
- Ash in seed coats, 180
- Asian rust  
   Brazil, 782, 784–785  
   fungicide in U.S. and, 128
- Asoyia LLC, 203
- Aspergillus* spp., 88, 99–100, 459, 465,  
 474–476
- ASTM standards. *See* Standards
- Auckland, 18
- Augers, 83–85
- Australia, and speciation of genus  
   *Glycine*, 8–9
- Autoxidation, biodiesel standards and,  
 514–519
- B**
- Bacillus seed decay, 103
- Bacillus* spp., 468–469
- Backcross method of breeding, 57–58
- Bacteria. *See also* Specific bacteria  
   Bacillus seed decay, 103  
   in fermented foods. *See* Food use of  
   whole soybeans
- Baking applications and soy protein,  
 715–716
- Bartram, John, 17–18
- Basestock hydrogenation system,  
 416–419
- Batch hydrogenation, 415
- Bean cake manure, 542
- Bean leaf beetle, 107
- Bean pod mottle virus, 101–102
- Bean soup (foams), 564
- Beef cattle. *See also* Meat connection  
 with soybean production  
   advantages/disadvantages of soy diets  
   for, 637  
   degradability of protein in rumen of,  
   641–644  
   increase of bypass proteins and,  
   639–643  
   protein digestion in, 637–739  
   SBM economic implications for, 644
- Behenic acid, systematic name/structure  
 of, 194
- Belt conveyors, 83, 86
- Bentazon sensitivity, 43
- Bernard, Richard L., 20
- Better Bean Initiative (BBI), 93, 108
- Beverage applications and soy protein,  
 715–716
- Binders, 575–576
- Biobased products from soybeans  
 early industrial uses of, 542–545  
 oil  
   cosmetics, 595

- drying oil products, 586–588
- dust suppressants, 595–596
- herbicide/insecticide carriers, 596
- home-heating oils, 593–594
- industrial limitations, 565–566
- leather/textiles, 594
- lubricants, 566–570
- miscellaneous uses, 597
- oleochemicals, 588–592
- paints/coatings/varnishes, 574–581
- pharmaceuticals, 595
- plastics/plasticizers, 581–585
- printing ink, 571–574
- production versus demand, 565
- protein
  - agricultural uses, 565
  - cosmetics, 564
  - fire-fighting foams, 564
  - paper coatings, 561–563
  - paper/textile sizings, 563
  - plastics, 553–558
  - powder/paste paints, 565
  - printing ink, 564
  - textile fibers, 558–560
  - wood adhesives, 545–553
- Biodiesel production. *See also* Bioenergy/  
biofuels
  - additives, 511–512
  - diesel fuel/soybean oil price relationship, 141–143
  - effect of alcohol type, 512
  - genetic markers and, 204–205
  - historical information, 500–501
  - as market for soybean oil, 119, 148
  - methanol recovery, 510–511
  - oil extraction, 508–509
  - oleochemicals and, 588, 593
  - processing and, 141–145
  - reaction systems, 509–510
  - separation, 510
  - U.S. distribution (location/capacity/ feedstuffs) and, 142–145
  - washing, 511
- Bioenergy/biofuels
  - commercial biodiesel production
    - additives, 511–512
    - effect of alcohol type, 512
    - methanol recovery, 510–511
    - oil extraction, 508–509
    - reaction systems, 509–510
    - separation, 510
    - washing, 511
  - emissions and, 519–520
  - energy balance calculations and, 520–522
  - glycerol utilization and, 522–524
  - historical information, 500–501
  - influence of fats/oils on, 501–503
  - other methyl ester applications, 512–513
  - specifications/standards and, 513–519
  - transesterification
    - analysis of reaction products, 508
    - mechanics/kinetics, 503–504
    - other sources of biodiesel and, 507–508
    - reaction, 503–504
- Biomass Research and Development Act of 2000, 542
- BioPreferred program (FB4P), 545
- Bitter/astringent flavors, 250
- Black pycnidia, 94–95
- Black sclerotia. *See* Sclerotinia stem rot
- Bleaching
  - adsorbent/oil moisture influence, 396
  - agents/dosage for, 392–394
  - by-product of, 398–399
  - filtration influence, 397–398
  - general practices of, 390–392
  - postbleaching and, 427–428

- procedure modifications, 392  
 temperature influence and, 394–395  
 time influence and, 395–396
- Blood pressure**  
 and nutritional value of soybean oil, 738  
 and value of soybean protein, 747–749
- Bone mass and soy protein, 753–754**
- Bowen, Samuel, 17–18, 21–22**
- Bowman-Birk inhibitor (BBI)**  
 trypsin inhibitors and, 251–253, 305–307, 665  
 wild perennial *Glycine* species and, 8
- Boyer, Robert, 558**
- Bradyrhizobium elkanii*, 43
- Bradyrhizobium japonicum*, 40, 43
- Bradyrhizobium liaoningense*, 43
- Brazil**  
 acres harvested/produced in, 774, 777  
 Asian rust and, 782, 784–785  
 biodiesel and, 500  
 and cost of production, 779, 781–783, 795  
 crush margins and, 788, 790–793  
 crushing plants and, 787–789  
 fungi (rust) and, 129  
 and global trends in production, 120–122  
 prices and, 779–781  
 processability and, 186  
 processing and, 786–788  
 production (general) and, 60, 773–774  
 production/yield in, 778  
 soybean oil consumption in, 119  
 as soybean oil exporter, 140  
 trade and, 791, 794–797  
 transportation costs and, 782, 785–786  
 world production/yield and, 774–777  
 world supply/distribution and, 34–35
- Breeding. See also Genetically modified soybeans**  
 backcross method of, 57–58, 61  
 bulk method of, 55  
 conventional methods of, 48  
 early generation testing (EGT) and, 57  
 effect on minor constituents, 320, 322–323  
 genetic markers and, 59–60  
 historical selection of cultivars, 47–48  
 hybrid cultivars and, 60  
 inbreeding/selection/line evaluation, 52  
 male-sterile-facilitated cyclic breeding (MSFCB), 58–59  
 mass selection method of, 55–56  
 mutation method of, 59  
 objectives of, 48–51  
 parent selection of, 51–52  
 pedigree method of, 54–55  
 pure line method of, 52–54  
 recurrent selection method of, 58  
 single-seed descent (SSD) method of, 56–57, 61  
 transformation method of, 59, 61
- °Brix, 449–450**
- Brooks, W.P., 19**
- Brush hydrogenated basestocks, 417**
- Bucket conveyors/legs, 83, 86**
- Bud blight, 102**
- Bulk conveyors, 83**
- Bulk method of breeding, 55**
- Bunge, low-18:3 soybean oil and, 203**
- Butyl hydroxytoluene (BHT), 518**
- C**
- Cake of soybean, 332, 346**
- Calcium sulfate as tofu coagulant,**

- 450–451
- Calendic acid, 204–205
- Calopogonum* genera, 3
- Campesterol  
presence/content of, 213–215  
as soybean minor constituents,  
297–298, 300  
structure of, 212
- Canada  
first soybeans of, 17  
world supply/distribution and, 34, 39
- Cancer  
and bioactive properties of soy  
proteins, 254  
Bowman-Birk inhibitor (BBI) and,  
305–308, 665  
FA and, 740–742  
soybean protein and, 751–753  
sphingolipids and, 206, 303–304
- Capacitance principle of moisture  
meters, 68
- Capital recovery of machinery/  
equipment  
non-operating costs and, 132–133
- Carbohydrates  
and dehulled/defatted soybean flakes,  
685  
functional foods  
soy oligosaccharides/soy fiber,  
287–288  
minor constituents, 298, 309–310  
nonstructural  
low molecular weight sugars,  
270–271  
nonstructural  
low molecular weight sugars,  
270–271  
oligosaccharides, 271–272  
polysaccharides, 272  
nutritional aspects  
environment/genotype, 281–282  
enzyme treatment, 284–287  
historical information, 276–277  
nonstructural, 277–279  
processing conditions, 282–284  
structural, 279–281  
quality of soybeans and, 178–179  
structural  
cotyledon polysaccharides,  
274–275  
monosaccharide compositions,  
273  
nonstarch polysaccharides, 273  
processed soy protein products,  
276  
soybean hull polysaccharides,  
275–276
- Cargill, low-18:3 soybean oil and, 203
- Carletti, Francesco, 14
- Carotenoids, as soybean minor  
constituents, 298, 304–305
- Cartter, Jackson L., 20
- Carver, George Washington, 544
- Catalyst poisons, 414
- Catalysts  
hydrogenation and, 413–414  
transesterification and, 504–505
- Caustic-oil mixing and chemical  
refining, 383
- Cellulose  
and carbohydrate availability via  
enzyme activity, 285  
as dietary fiber in SBM, 269–270  
in seed coats, 180
- Cement as binder in drying oils, 586
- Central Soya Company, 332
- Cephalosporium* spp., 99
- Ceramide (Cer), 206, 305
- Cercospora kikuchii*, 96–97, 108,  
165–166
- Cercospora sojina*, 42, 99
- Cerebroside, 206, 305, 319

- Cerrado. *See* Brazil
- Chaetomium* spp., 99
- Chemical (caustic) refining  
 general practices, 382–384  
 miscella, 388–389  
 physical, 385, 387–388  
 short-mix, 384–386  
 silica refining/bleaching  
 modifications, 389–390  
 soapstock processing, 390
- Chemicals. *See* Herbicides
- Chemurgy Movement, 544–545, 670
- Chiang*, 460–464
- Chicago Board of Trade, 337
- Chiinese douchi, 475
- Chill roll operations, 434–435
- China  
 biodiesel and, 500  
 and distribution determination for  
 soybean dissemination, 11–12  
 early industrial use and, 542  
 global supply/distribution and, 34,  
 38  
 global trends, 120–122  
 introduction of germplasm from  
 (1920s), 20  
 production and, 60  
 and soybeans as food, 119, 441–442  
 and speciation of genus *Glycine*, 8–9,  
 151, 229, 441
- Chloride, 44
- Chlorimuron sensitivity, 43
- Chlorophyll deficiency/retention, 44
- Cholesterol  
 and bioactive properties of soy  
 proteins, 253–254  
 sphingolipids and, 206, 303–304  
 stearic acid and, 200  
 storage proteins and, 254–255  
*trans* fat and, 409–410
- Christiansen, Leo M., 544
- Cladosporium* spp., 99
- Cleaning, 343
- Coagulants for tofu, 450–451
- Codex Alimentarius Committee on Fats  
 and Oils, 491–492
- Cold-insoluble fraction, 694
- Colored soybeans  
 fungi and, 165–166  
 hilum color and, 166–167  
 postbleaching and, 428  
 soymilk beany flavor elimination and,  
 446  
 standards and, 154–155
- Color/morphological properties, quality  
 of soybeans and, 165–166
- Combines. *See also* Equipment;  
 Harvesting of soybeans  
 and adjustments for quality, 77  
 cleaning shoe of, 70, 74–75  
 clean-out for identity preservation,  
 77  
 feederhouse of, 70, 72  
 gathering head of, 70–72  
 loss measurements and, 76  
 operating costs and, 130–132  
 reel index of, 71–72  
 rotor/cylinder and concave of, 70,  
 73–74  
 safety and, 76  
 yield monitors/GPS of, 76
- Companion animals  
 advantages of soy diets for, 629,  
 636–637  
 fiber sources and, 634–635  
 physiological/gastrointestinal effects  
 of soy products for, 635–636  
 protein antinutritional factors and,  
 635  
 protein sources for, 631–634  
 soybean products used, 629–630
- $\beta$ -Conglycinin

- flavor binding and, 248–249
  - fractionation of, 235–236, 239–240
  - mixed systems thermal behavior and, 245–247
  - peptide molecular weight of, 235–236
  - rate of native structure loss of, 241–242
  - soybean protein and, 235–237
  - structure of, 663–665
  - thermal stability and, 240
- Consumer demand, production and, 117–119
- Converters, 415
- Conveyors, 83–85
- Cook, George H., 19
- Copper-chromite catalysts of hydrogenation, 413–414
- Corn
  - and soybean research/development, 144, 146–147
  - soybean yield/revenue trend and, 126–127
- Corn earworm, 45, 107
- Cornell method, 445
- Coronary heart disease (CHD), 298, 730–733. *See also* *Trans* fats
- Cosmetics as biobased product, 564, 595
- Costs. *See* Economics of production
- Cotyledon
  - dehulling and, 343–345
  - oil bodies, 200
  - polysaccharides, 274–275
- Cotyledon fiber, 705–706
- Cotyledon oil bodies, separation of intact, 700
- Counter Cyclical payments (CCP), 133–135
- Croatia, first soybeans of, 17
- Crown Iron Works, 687
- Crude oil conditioning and chemical refining, 382
- Crush margins
  - Brazil and, 787–793
  - percentages involving soybean meal/oil, 148–149
  - processing and, 136–139
  - source of returns and, 336
- Crusher, United States as leading, 122–123
- Cryoprecipitation, 694
- Cryoprotein. *See* Glycinin
- Crystallization
  - edible-oil flake, 434–435
  - general practices, 428–431
  - liquid shortening process, 432
  - margarine, 432–434
  - plasticized shortening process, 431
- Cultivar selection. *See also* Genetics
  - breeding and, 48
  - and FA modifications to improve stability/nutrition, 202–204
  - importance of, 40
  - protein levels and, 230
  - trans*-free margarine and, 202–204
- Cultivation. *See* Tillage
- Curvularia lunata*, 99
- Custom operations, 130–132
- Cylindrocarpon* spp., 99
- Cytogenetics, 46
- D**
- Daidzein, 184–185
- Dairy cattle. *See also* Meat connection
  - with soybean production
    - advantages/disadvantages of soy diets for, 645, 652–653
    - full-fat soybeans and, 649–650
    - protein applications for, 715–716
    - protein metabolism in, 630
    - protein utilization in, 647

- SBM and, 647–649  
and soy proteins in milk replacers,  
650–651  
soybean hulls and, 650
- Damaged soybeans. *See also* Fungi;  
Insects; Quality of soybeans  
(measurement/maintenance of)  
heat-damaged, 154  
over-drying and, 342  
total-damaged, 153–154
- Dampier, William, 15–16
- Dead-end hydrogenation system,  
415–416
- Deep-fat frying, 488–489, 494–495
- Defatted soy flours/grits, 666, 685–687
- Degumming  
acid degumming, 379–380  
enzymatic degumming, 380–381  
general practices, 377–378  
membrane filter degumming, 381  
modified acid-degumming, 380  
water degumming, 378–379
- Dehulling, 343–345
- Deodorization  
distillate of, 405  
general practices of, 399–400  
principles of, 400–402  
soymilk beany flavor elimination and,  
446  
systems of, 403–404
- Deoxynivalenol (DON), 90
- Desmet Ballestra, 355–357, 687
- Detergent fractionation, 426–427
- Detergents, 590–592
- “Developing and Promoting Bio-based  
Products and Bio-Energy”, 542
- Diabetes and soy protein, 742–743,  
754–755
- Diaporthe phaseolorum*, 42, 94
- Die Entstehung des Dieselmotors* (Diesel),  
500
- Diels-Alder reaction, 577–578
- Diesel, Rudolf, 500
- Dihydrosphingosine, 206–207
- Dimer acids, 587
- Dimethyl trisulfide, odor and, 247
- Diphylarrium* genera, 3
- Direct Payments (DP), 133–135
- Direct solvent extraction. *See also*  
Processing of soybeans  
equipment for, 339–340  
extraction mechanism, 350–351  
extraction operations, 357–358  
extractor design, 352–357  
flow diagram for, 337–338  
meal desolventizing and, 358–361  
solvent selection for, 349
- Directed chemical interesterification,  
422, 424
- Diseases. *See also* Health
- Asian rust, 128, 782, 784–785
- bacteria  
Bacillus seed decay, 103  
fatty acids and, 730, 732–733  
fungi  
miscellaneous, 99  
*Phomopsis* seed decay, 94–96  
purple seed stain, 96–97  
Sclerotinia stem rot, 97–98  
yeast spot (*Nematospora* spp.),  
98–99
- insects, 103–109
- mycotoxins, 99–100
- research and, 93
- resistance  
cultivars and, 41  
wild species and, 6, 8  
and value of soybean protein, 745
- viruses  
bean pod mottle virus, 101–102  
overview, 100–101  
soybean mosaic virus (SMV),



- 101–102  
tobacco ringspot virus (TRSV),  
102–103
- Disulfide bonds and heat stability,  
243–244
- Docosanoic acid, common name/  
structure of, 194
- Domestic hard butters, 427
- Domestication of soybean, 9–12. *See*  
*also* History of the soybean
- Dou jiang*. *See* Soymilk
- Double cropping of soybeans, 41
- Douchi*, 474–475
- Doufen*, 458
- Doufu hua*, 452
- Doufu ru*, 472
- Doufu zha*, 457
- Doufupi*, 456
- Dow Chemical Co., 590
- Downy mildew, 108
- Dried bean curd. *See* Yuba (soymilk  
film)
- Dried distiller grains and solubles  
(DDGS), corn-based ethanol and,  
147–148
- Dry extrusion, 678
- Dry fractionation, 426
- Dry matter weight and moisture  
content, 67, 179
- Drying of soybeans  
general practices, 341  
high-temperature drying, 79  
low-temperature drying, 78–79  
moisture content determination, 67  
natural-air drying, 78  
and reconditioning over-dry  
soybeans, 79–82  
SBM and, 358–359  
weather conditions and, 77–78
- Drying oil products as biobased  
product, 586–588
- Dual Fuel project of U.S., 501
- Dumasia* genera, 3
- DuPont/Pioneer Hybrid  
flatulence sugars and, 704  
low-18:3 soybean oil and, 203
- Dust suppressants as biobased product,  
595–596
- Dutch East India Company, 15–16
- Dwarfness, 43
- E**
- Early generation testing (EGT), 57
- Economics of production  
Brazil and, 779, 781–786, 795  
and cost of production, 129–130  
electricity and, 130–133  
farm overhead and, 132–133  
fertilizer and, 130–132  
global trends, 120–122  
net revenue (government payments)  
and, 133–135  
non-operating costs, 132–133  
operating costs, 130–132  
and percentage of arable land,  
117–118  
pesticide usage and, 127–129  
soybean oil as percentage of global  
oil, 193  
soybean processing  
biodiesel, 141–145  
crush margins, 136–139  
research/development, 144, 146  
soybean meal, 135–137  
soybean oil, 138, 140–141  
U.S. acres, 122–124  
U.S. prices, 124–127
- Edible-oil flake process of crystallization,  
434–435
- Edison, Thomas A., 544
- Edwards, Benjamin Franklin, 18
- Eicosanoic acid, common name/

- structure of, 194
- 18:3 soybean oil
  - companies providing, 203
  - stability/nutrition enhancement and, 202–204
- Electrical conductivity test for vigor, 161
- Electricity
  - auger power requirements and, 84–85
  - non-operating costs and, 133
  - operating costs and, 130–132
- Electronic moisture meters, 68, 157
- Eminia* genera, 3
- Emissions, 519–520
- Empresa Brasileira de Pesquisa Agropecuária (EMBRAPA), 773, 795
- Endocrine functions and soy protein, 751–752
- Energy consumption for processing, biodiesel and, 520–521
- England, first soybeans planted in, 16
- En-masse conveyors, 83, 86–87
- Environment
  - Brazilian impact on, 797
  - dehulling and, 344
  - effect on oil composition, 205–206
  - effect on sterol content/composition, 215
  - soy plastics and, 555–556, 581–582
  - and variability of carbohydrate nutritional value, 281–282
- Environmental factors
  - quality of soybeans and, 187
- Enzymatic degumming, 380–381
- Enzymatic interesterification, 424–426
- Enzyme-active full-fat soy flours/grits, 666, 676–677
- Enzymes
  - aldehyde oxidase as alternative, 250
  - and carbohydrate availability, 284–287
  - cellulase, 637
  - coagulants for tofu and, 451
  - FA elongation stage and, 196–197
  - flatulence sugars and, 310
  - isozymes of lipoxygenase, 217–218
  - modified SPIs, 700–701
  - modified whipping proteins, 701, 703–704
  - protein products and, 669–670
  - protein tests and, 177
  - role of catabolic, 340–341
- Epoxidized soybean oil (ESO), 581–585
- Equilibrium moisture content, 69
- Equipment
  - belt-type extractor, 356–357
  - chain-type extractor, 354
  - combines
    - and adjustments for quality, 77
    - cleaning shoe of, 70, 74–75
    - clean-out for identity preservation, 77
    - feederhouse of, 70, 72
    - gathering head of, 70–72
    - loss measurements and, 76
    - operating costs and, 130–132
    - reel index of, 71–72
    - rotor/cylinder and concave of, 70, 73–74
    - safety and, 76
    - yield monitors/GPSof, 76
  - deep-bed, rotary-basket extractor, 355
  - dehulling and, 344–345
  - direct solvent extraction, 339–340
  - down-draft desolventizer (DDD) system, 360–361
  - expander/collets, 334, 351
  - expeller, 332
  - extruders, 679–680
  - flash-desolventizing system, 360
  - gas-supported screw pressing (GSSP), 370

- hard screw pressing, 333
- mill run, 343
- non-operating costs and, 132–133
- operating costs and, 130–132
- prepress/direct solvent extraction and, 335
- scalper, 343
- Schumacher-type desolventizer/dryer, 359
- stationary basket extractor, 356
- storage, 341–342
- supercritical fluid extraction (SFE), 369
- Ernst, A.H., 18
- Esterification, phytosterol distribution and, 213
- European biodiesel standards, 515–518
- European Union, 60, 118–119
- Euschistus servus*, 105
- Executive Order 13134 “Developing and Promoting Bio-based Products and Bio-Energy”, 542
- Expander, 334, 351
- Expellers, 332
- Exports. *See also* Brazil
  - leading countries of, 121
  - world supply/distribution and, 34
- Extracted flake products
  - aqueous extraction processing, 699–700, 702
  - defatted flours/grits, 682–686
  - enzyme-modified SPI, 700–701
  - enzyme-modified whipping proteins from, 704
  - fractionation and, 693–697
  - general practices, 681–682
  - membrane processing, 697–699
  - protein concentrates, 686–691
  - protein isolates, 690, 692–693
  - re-fatted/lecithinated flours, 684, 686
  - salt extraction, 700
  - separation of intact protein bodies, 700
  - whipping proteins, 701–704
  - white flakes, 682
- Extraction
  - aqueous processing, 371–373
  - commercial biodiesel production and, 508–509
  - direct solvent extraction
    - extraction mechanism, 350–351
    - extraction operations, 357–358
    - extractor design, 352–357
    - flow diagram, 338
    - meal desolventizing and, 358–361
    - solvent selection for, 349
  - early, 47
  - effect on carbohydrate concentration in SBM, 270
  - extrusion-expelling (EE), 368
  - flavor binding and, 249
  - free fatty acid (FFA) and, 90
  - gas-supported screw pressing (GSSP), 370–371
  - processability and, 186
  - SBM qualities for different methods of, 364–365
  - solvent extraction
    - alternative (to hexane) solvents, 365, 367–368
    - flavor binding, 249
    - hexane, 349, 357–358, 362
    - prepress, 347–349
    - processability, 186
  - soy protein concentrates (SPCs) and, 689–690
  - supercritical fluid extraction (SFE), 368–369
  - yield/composition of isolated soy protein by, 694
- Extruder-prepared full-fat soy flours/grits, 678–681

Extruder-texturized products, 706–710

Extruding-expelling (EE)

hard screw pressing and, 347–349

soy protein isolates (SPIs) and, 693

uses, 681

Extrusion-expelling (EE)

local processing and, 368

processability and, 186

texturized vegetable protein (TVP)

and, 276

## F

F<sub>1</sub> generation. *See* Hybrid cultivars

F<sub>2</sub> generation. *See also* Breeding

bulk method of breeding and, 55

early generation testing (EGT) and,

57

male sterility and, 59

pedigree method of breeding and, 54

single-seed descent (SSD) breeding

and, 56

Farm overhead as non-operating costs,

132–133

Farm Security and Rural Investment Act

of 2002, 545

Fatty acid methyl esters (FAME)

oleochemicals and, 588, 593

Fatty acids (FA). *See also* Lipids

biosynthesis

elongation/monounsaturations,

196–198

location, 196–197

breeding for non-edible products,

204–205

changing via hydrogenation, 486

changing via plant breeding, 486

in commodity soybean oil, 201

composition of crude regular/

modified oils, 492

and compositions of regular/

hydrogenated oils, 484

environmental effects on

composition, 205–206

nutritional value of, 728–731

oil composition for food use

considerations, 200–201

modifications to increase stability/

function/nutrition, 202–204

*trans* fats, 201–202

processability and, 186

profile of SBO and, 727

quality of soybeans and, 169–171

Federal Grain Inspection System (FGIS)

grading steps, 155

inspection summaries, 155–156

protein/oil contents and, 336–337

Feeding values to livestock

beef cattle

advantages/disadvantages, 637

degradability of protein in rumen,

641–644

increase of bypass proteins,

639–643

protein digestion, 637–739

SBM economic implications, 644,

646

soybean hulls, 644, 646

companion animals

advantages, 629, 636–637

fiber sources, 634–635

nutritional characteristics of soy

products, 629–630

physiological/gastrointestinal

effects of soy products, 635–636

protein antinutritional factors, 635

protein sources, 631–634

soybean products used, 629–630

dairy cattle

advantages/disadvantages, 645,

652–653

full-fat soybeans, 649–650

protein utilization, 647

- SBM, 647–649
- soy proteins in milk replacers, 650–651
- soybean hulls, 650
- historical report of, 16–17
- poultry
  - energy sources, 620–621
  - genetic modified products, 621
  - protein for broiler chickens/turkeys, 618
  - protein for laying hens, 618
  - protein quality, 617–620
  - SBM advantages, 616–617
- quality of SBM in, 615–616
- swine
  - advantages, 622
  - amino acids digestibility of proteins, 624–625
  - energy digestibility of proteins, 626
  - full-fat soybeans, 627–628
  - new protein sources, 628
  - nutrients/energy concentrations, 622–624
  - phosphorus digestibility of proteins, 625
  - SBM, 626, 628–629
  - soy protein concentrates/isolates, 627
  - soybean oil, 627
- Fermentation. *See* Food use of whole soybeans
- Fermented soymilk, 472
- Fermented tofu (sufu), 473–474
- Fertility/sterility, loci controlling, 43
- Fertilizer, operating costs and, 130–132
- Fiber. *See also* Carbohydrates
  - isoflavones and, 745
  - quality of soybeans and, 180–181
  - soy cotyledon fiber, 705–706
  - soy hulls, 705
  - soy oligosaccharides/soy fiber, 287–288
  - soy protein extracts and, 689
- Field resistance/tolerance, breeding and, 49
- Finished oil handling, 405–406
- Fire-fighting foams as biobased product, 564
- Firm tofu, 452–453
- Flakes. *See* Extracted flake products
  - edible-oil flake process of crystallization, 434–435
- Flash-desolventizing systems (FDSs), 671
- Flat partially hydrogenated basestocks, 417
- Flavonoids. *See* Isoflavones
- Flavor
  - high-oleic oil and, 490
  - lipoxygenase and, 177
  - protein products and, 669–670
  - reversible/irreversible bonds and, 247
  - and soybean oil modification, 409
  - soymilk beany flavor elimination, 444–446
- Flooding seeds after imbibition
  - quality of soybeans and, 162
- Flora Indica* (Roxburgh), 16
- Flora of Tropical East Africa* (Verdcourt), 5
- Flours. *See* Food use of soy proteins
- Foams, 564
- Folic acid, 316
- Food use of soy proteins
  - baking applications, 715–716
  - dairy/beverage applications, 715–716
  - functionality, 710–711
  - meat applications, 713–715
  - selection of protein preparations, 710–713
- Food use of soybean oil

- and applications for oils with modified FA, 487–490
- and changing FA composition of oils, 485–486
- minor oil constituents, 495–496
- oil consumption statistics, 483–484
- oil types
  - liquid soybean oil, 484–485
  - standards and, 490–495
- Food use of whole soybeans
  - fermented foods
    - fermented soymilk, 472
    - fermented tofu (sufu), 473–474
    - Indonesia tempah, 470–472
    - Japanese natto, 467–470
    - soy nuggets, 474–476
    - soy sauce, 465–467
  - non-fermented foods
    - green vegetable soybeans, 453–454
    - okara, 457–458
    - roasted/cooked soybeans, 458–459
    - soymilk, 442–447
    - sprouts, 454–456
    - tofu, 447–454
    - yuba, 456–457
- Food-grade soybeans
  - carbohydrates/sugars, 178
  - and flowsheet for full-fat/defatted soy flours, 683
  - lipxygenases and, 218
  - meat analogs and, 708
  - pounds (2005) of, 409
  - protein levels of, 230
  - protein solubility and, 177
- Foots (cellular debris), 347
- Ford, Henry, 544–545, 553–555
- Ford Motor Co., 560. *See also* Ford, Henry
- Foreign material
  - standards and, 152–153
- Fractionation
  - $\beta$ -conglycinin and, 235–236
  - extracted flake products and, 693–697
  - soybean oil modification and, 426–427
  - of soybean storage proteins, 238–240
  - SPCs/SPIs and, 690–697
- France, first soybeans planted in, 16
- Franklin, Benjamin, 17–18
- Free fatty acid (FFA), storage of soybeans and, 90. *See also* Fatty acids (FA)
- French Oil Mill Machinery Co., 356
- Fuchok*, 456
- Fuel. *See* Biodiesel production
- Fuju*, 472
- Full-fat soy flours/grits
  - definition, 666
  - enzyme-active, 676–677
  - extruder-prepared, 678–681
  - toasted, 677
- Fully hydrogenated hardfats, 418, 423
- Fumonisin, 90
- Functional foods, soy oligosaccharides/soy fiber, 287–288
- Fungi
  - color/morphological properties and, 165–166
  - Phomopsis* seed decay, 94–96
  - post-harvest bulk storage and, 88
  - purple seed stain, 96–97
  - Sclerotinia stem rot, 97–98
  - U.S. usage of, 128–129
  - yeast spot (*Nematospora* spp.), 98–99
- Furu*, 472
- Fusarium solani*, 42, 165–166, 185
- Fusarium* spp., 99–100
- Fuzhu*, 456

**G**

- Garlicky soybeans, 155
- Garvan, Francis P., 544
- Gas-supported screw pressing (GSSP), 370–371, 693
- GDL (glucono- $\delta$ -lactone) as tofu coagulant, 450–451
- Genetic diversity via wild species' resistance, 6, 8
- Genetic markers, 59–60
- Genetically modified soybeans  
effect on minor constituents, 320, 322–323  
FA composition of, 170  
and modified FA compositions, 487–490  
for non-edible products, 204–205  
non-GMO niche market, 185  
soybean seed composition and, 171
- Genetics. *See also* Breeding  
and changing FA composition of oils, 486  
cytogenetics, 46  
flavor binding and, 249  
molecular genetics/genomes, 46–47  
qualitative, 42–45  
quantitative, 45  
soymilk beany flavor elimination and, 445–446  
and variability of carbohydrate nutritional value, 281–282
- Genistein, 184–185
- Genomics, 46–47
- Genus *Glycine*  
immediate allies of, 2–3  
taxonomic history of, 4–8
- Geographical distribution of the soybean, 2–3, 8–9
- Germination  
effect of flooding seeds after imbibition, 162  
effect of impact damage/germination temperature, 162  
grading standards and, 151  
LOX-1/-2/-3 isozymes during, 217–218  
quality of soybeans and, 159–160  
seed vigor and, 159–162  
soybean sprouts and, 455  
stink bug damage and, 105–106
- Germplasm  
collection development (1949), 20–22
- Germplasm, genetic modification and, 322–323
- Glidden Co., 565
- Global positioning system (GPS), 76
- Glucosylceramide (GlcCer), 206–208, 319
- Glyceride biosynthesis  
biosynthesis pathway, 198  
FA biosynthesis  
elongation/monounsaturations, 196–198  
initiation, 196, 198  
triacylglyceride/phospholipid biosynthesis  
oil bodies, 200  
polyunsaturated FA biosynthesis, 199–200
- Glycerin  
commercial biodiesel production and, 510
- Glycerol  
transesterification and, 522–524
- Glycine* genera, 3–7
- Glycinin  
cold-insoluble fraction and, 694  
flavor binding and, 248–249  
and fractionation of storage proteins, 238–239  
gene families of, 233–234

- mixed systems thermal behavior and, 245–247
  - rate of native structure loss of, 241–242
  - seed deposition of, 231
  - structure of, 663–665
  - sulfur amino acid content of, 234
  - synthesis of, 231–232
  - thermal stability and, 240
  - Glycitein, 184–185
  - Glycosphingolipids, 304
  - Glyphosate, U.S. usage of, 127–128
  - Glyphosate-tolerant genetics
    - breeding and, 50–51
    - hectares planted due to, 48
    - post-emergent, 41
    - transgenic seed and, 127, 130
  - GOS, oligosaccharides as, 277–279
  - Government payments
    - biodiesel and, 141–142
    - general practices, 133–135
    - research/development and, 146
  - Goyer, Peter de, 15
  - Grading standards. *See* U.S. grading standards
  - Grain Inspection Packers and Stockyards Administration (GIPSA), 155–156
  - Grain quality. *See* Diseases; Insects
  - Grain-damage standards, 70. *See also* Damaged soybeans
  - Grasshoppers, 107
  - Green, Daniel, 18–19
  - Green manure, 542
  - Green vegetable soybeans, 453–454
  - Greenbean syndrome, 102
  - Grits. *See* Full-fat soy flours/grits
- H**
- Hamanatto*, 474–475
  - Han Dynasty and soybean domestication, 10
  - Handling of soybeans
    - conveying, 82–87
    - hauling, 82
  - Hansen, N.E., 20
  - Hard screw pressing, 332–333, 345–349
  - Hardfats, 418, 423
  - Hartwig, Edgar E., 20
  - Harvesting of soybeans
    - and acres in Brazil, 774, 777
    - acres in U.S., 122–124
    - combines
      - and adjustments for quality, 77
      - cleaning shoe of, 70, 74–75
      - clean-out for identity preservation, 77
      - feederhouse of, 70, 72
      - gathering head of, 70–72
      - loss measurements and, 76
      - rotor/cylinder and concave of, 70, 73–74
      - safety and, 76
      - yield monitors/GPSof, 76
    - drying
      - high-temperature drying, 79
      - low-temperature drying, 78–79
      - moisture content determination, 67
      - natural-air drying, 78
      - reconditioning over-dry soybeans, 79–82
      - weather conditions and, 77–78
    - general practices, 41
    - handling
      - conveying, 82–87
      - hauling, 82
    - storage
      - free fatty acid (FFA) and, 90
      - insects and, 90–91
      - moisture content and, 87–88
      - moisture migration and, 88–89
      - mycotoxins and, 90



- timing and, 69–70
- Health. *See also* Nutrition
  - and bioactive properties of soy proteins, 253–255
  - Bowman-Birk inhibitor (BBI) and, 305–308
  - effects of sterols on, 215
  - isoflavones and, 310, 312
  - and nutritional value of soybean oil, 733–743
  - and nutritional value of soybean protein, 743–755
  - phytosterol consumption and, 298–299
  - protein products and, 665–666
  - soy oligosaccharides/soy fiber and, 287–288
  - soy proteins and, 254
  - sphingolipids and, 206, 303–304
- Health flours, 669
- Heat-damaged soybeans, standards and, 154
- Heats of adsorption, flavor binding and, 248
- Heat-treated full-fat soy flours, 677
- Heco, Joseph, 18
- Hemagglutinins. *See* Lectins
- Hemicellulose in seed coats, 180
- Herbarium Amboinense* (Rumphius), 16
- Herbicides
  - carriers from biobased soybean products, 596
  - operating costs and, 130–132
  - resistance to, 50–51
  - sensitivity to, 43
  - weed control and, 41
- Hermann, Paul, 16
- Heterodera glycines*, 42
- Hexadecanoic acid, common name/  
structure of, 194
- Hexanal, flavor binding and, 249
- High-stability liquid oils, 427
- Hilum bleeding, 101–102
- Hilum color, quality of soybeans and, 166–167
- History of the soybean
  - age of discovery for soybean (1500–1700), 15–16
  - carbohydrates and, 277
  - China and, 8–9, 151, 229, 441, 542
  - and cold grinding method of soymilk production, 443
  - dissemination of soybean, 10–12
  - dissemination of soybean (modern), 16–21
  - domestication of soybean, 9–10
  - early food uses, 670–671
  - early industrial uses, 542–545
  - first documentation of nitrogen fixing, 19
  - genus *Glycine* immediate allies and, 2–3
  - genus *Glycine*'s geographical origin, 8–9
  - genus *Glycine*'s taxonomic history, 4–8
  - hard screw pressing and, 332
  - inks and, 571
  - Marco Polo era (1200–1500), 13–14
  - oil recovery and, 331
  - paint and, 574–575
  - pre-Marco Polo era knowledge of soybean, 12–13
  - protein products and, 669
  - soy nuggets and, 475
  - tofu and, 448
- Hizozaemon. *See* Heco, Joseph
- Holdup solvent, 671
- Home-heating oils as biobased product, 593–594
- Honeymoon System of adhesives, 551
- Hormone-sensitive conditions, and

value of soybean protein, 751–755  
*Hortus Cliffortianus* (Linnaeus), 16  
Hot-water leaching process and protein concentrates, 688–689  
Hulls. *See* Seed coats  
Humidity  
  equilibrium moisture content and, 69  
  post-harvest bulk storage and, 88  
  and reconditioning over-dry soybeans, 81–82  
Hybrid cultivars, 60. *See also* Cultivar selection  
Hydrocarbons as solvents, 367  
Hydrothermal cooking (HTC), 445

## I

Ibn Battuta, 13–14  
Identity preservation  
  and clean-out of combines, 77  
  whole soybean and seed weight, 162  
I.F.Laucks Co., 544  
Immersion extractors, 352–353  
Impact damage/germination temperature on germination percentages  
  quality of soybeans and, 162  
Imports, 34, 39  
Inbreeding, 52, 55–56. *See also* Genetics  
India  
  biodiesel and, 500  
  and distribution determination for soybean dissemination, 11–12  
  and global trends in production, 120–122  
  world supply/distribution and, 34  
Indonesia tempah, 470–472  
Industrial limitations as biobased product, 565–566  
Industrial margarine/spread, 434  
Infested soybeans, 155  
Inflammation

  and value of soybean oil, 738–740  
  and value of soybean protein, 750  
Innovative Growers, LLC, 203  
Insects. *See also* Diseases  
  aphids, 107  
  damage/plant injury and, 103–104  
  and grading damaged seed, 108  
  management of, 107–108  
  operating costs and, 130–131  
  pod-feeders, 105–107  
  research and, 108  
  stink bugs, 105–107, 153  
  storage of soybeans and, 90–91  
Insulin resistance and soy protein, 754–755  
Interesterification. *See also* Esterification  
  directed chemical, 422, 424  
  enzymatic, 424–426  
  general practices, 419, 421  
  random chemical, 421–423  
  *trans*-free margarine and, 203–204  
Iodine value (IV), biodiesel oxidative stability standards and, 515  
Iron, 44  
Iron-deficiency chlorosis (high pH), 50  
*Irori mame*, 452  
Isoelectric fractionation, 238–239  
Isoflavones  
  genetic modification and, 322  
  health benefits and, 310, 312, 665–666  
  intestinal conversion of, 745  
  quality of soybeans and, 182–185  
  as soybean minor constituents, 298, 310–312  
  structure of, 311  
Isozymes, 44  
  
**J**  
Jackson, J.J., 18  
*Jang*, 460–464

- Japan  
and distribution determination for  
soybean dissemination, 11–12  
introduction of germplasm from  
(1920s), 20  
Natto and, 178–179  
and Saris, John on food (1613),  
14–15  
and soybean introduction to America,  
18  
Japanese natto, 467–470  
Japanese hamanatto, 475–476  
Japanese rice miso, 460–464  
*Jiang*, 460–464  
John de Marginolli, 13  
John of Monte Corvino, 13  
John of Pian de Capine, 13  
Julian, Percy, 544
- K**  
Kaempfer, Engelbert, 16, 21  
KANWU Study, 742–743  
Karl Fischer titration method, moisture  
and, 158  
Keyzer, Jacob de, 15  
*Kinako*, 458  
*Kinugoshi*-tofu, 452  
Koji, 459–463, 465–466  
*Kong kook*, 456  
Korea  
and distribution determination for  
soybean dissemination, 11  
introduction of germplasm from  
(1920s), 20  
Kudzu, 3  
Kunitz trypsin inhibitor (KTI),  
251–253
- L**  
Labeling *trans* fat, 202, 486  
Labor costs, 130–133  
Laboratory simulation of extraction,  
361–363  
*Lactobacillus* spp., 472  
Lactone as tofu coagulant, 450  
Land  
average revenue/cost per acre (U.S.),  
133–134  
non-operating costs and, 132–133  
Lea, John H., 18  
Leaf-feeding insect injury, 103–104  
Leather/textiles as biobased product,  
594  
Lecithin, 667  
Lectins  
as soybean minor constituents, 298,  
307–308  
wild perennial *Glycine* species and, 8  
Legumins, 230–231, 239  
Lignin in seed coats, 180  
Lignoceric acid, systematic name/  
structure of, 194  
Line evaluation and breeding, 52  
Linnaeus' classification of soybean  
species, 4–6, 16  
Linoleic acid  
food usage and, 201  
systematic name/structure of,  
193–194  
Linolenic acid  
deep-fat frying and, 489  
food usage and, 201  
nutritional aspects and, 727  
quality of soybeans and, 169  
stability/nutrition enhancement and,  
204  
systematic name/structure of,  
193–194  
Linseed oil, 543–544  
Lipases  
biodiesel and, 507  
enzymatic interesterification and, 425

Lipid bodies, 200

## Lipids

FA composition of oils

environmental effects on oil

composition, 205–206

oils for food use, 200–204

oils for non-edible products,  
204–205

FA/structures in soybean oils,

193–196

glyceride biosynthesis

FA biosynthesis, 196–198

triacylglyceride/phospholipid  
biosynthesis, 199–200

lipoxigenase

effect on food quality, 218

in soybean seed, 216–218

minor constituents

carotenoids, 298, 304–305

phospholipids, 298–299, 301–303

phytosterols, 297–300

sphingolipids, 298, 303–304

tocopherols, 297–298

non-glyceride components

phytosterols, 212–215

sphingolipids, 206–208

tocopherols/tocotrienols, 208–211

and nutritional value of soybean oil,

733–737

and value of soybean protein,

746–747

Lipoxygenase

actions of, 341

characteristics of, 250–251

effect on food quality of, 218

flavor binding and, 249

protein products and, 669–670

in soybean seed, 216–218

soymilk beany flavor elimination and,  
445–446

and tests for protein, 177

TOTOX value and oil deterioration,  
186

Liquid shortening process of  
crystallization, 432

Liquid soybean oil, 484–485

Livestock. *See* Feeding values to  
livestock; Meat connection with  
soybean production

Loan Deficiency Payments (LDP),  
133–135

Loci. *See* Genetics

Lodging resistance, 49

*Longtong*, 458

Loss measurements, harvesting and,  
76–77

Low molecular weight sugars as  
nonstructural carbohydrates, 270–271

Low-IV hardfat hardfats, 418

Low-linolenate soybean oil, 44–45

Low-linolenic soybean oil, 169–170

LOX-1/-2/-3 isozymes, 217–218

Lubricants as biobased product

current interests in, 570

general information for, 566

markets for, 569–570

performance properties of, 566–569

Lunasin as soybean minor constituent,  
298, 308

Lutein. *See* Carotenoids

## M

Machinery. *See* Equipment

Male-sterility-facilitated cyclic breeding  
(MSFCB), 58–59

Marc, 354, 358, 671

Marco Polo, 13–14

Margarine/shortening production

crystallization and, 428, 432–434

FA composition of oils and, 490

hydrogenation and, 485

oil consumption statistics and,

- 483–484
  - saturated FA and, 203–204
- Marginolli, John de, 13
- Marketing Loan Agreements/Loan Deficiency Payments (MLA/LDP), 133–135
- Markets. *See also* Economics of production
  - grading standards and, 151
  - for lubricants, 569–570
  - for paints/coatings/varnishes as biobased product, 580–581
  - for plasticizers, 585
  - for printing ink, 573–574
  - for wood adhesives, 546
  - world supply/distribution and, 34
- Masersia* genera, 3
- Mass flow conveyors, 83, 86–87
- Mass selection method of breeding, 55–56
- Maturity groups (MG) of soybeans, 20, 49
- McMillen, Wheeler, 544
- Meal grinding, 361
- Mease, James, 18, 22
- Measurement/maintenance of quality.  
*See* Quality of soybeans (measurement/maintenance of)
- Meat. *See* Cotyledon
- Meat analogs, 708
- Meat applications and soy protein, 713–715
- Meat connection with soybean production. *See also* Feeding values to livestock
  - China and, 121
  - livestock consumption, 117
  - offshore plants and, 136, 147
  - SBM nutritional characteristics for livestock feed, 364–367
- Melodogyne incognita*, 43
- Membrane filter degumming, 381
- Membrane processing and protein products, 697–699
- Menopause and soy protein, 751–752
- Mesorhizobium tianshanense*, 43
- Metabolomics, 47
- Methanethiol
  - odor and, 247–248
- Methanol
  - commercial biodiesel production and, 509–512
- Metribuzin sensitivity, 43
- Microsphaera diffusa*, 42
- Mildew, 108
- Mill run, 343
- Minerals, 298, 316–317
  - soymilk fortification with, 446
- Minor constituents. *See* Soybean minor constituents
- Miscella, 353, 357, 367
- Miscella chemical refining, 388–389
- Miso*, 460–464
- Moisture
  - and alcohols as solvents, 367
  - auger capacity/power and, 85
  - bleaching and, 396
  - desired moisture contents, 158–159
  - effects, 159
  - grading standards and, 151
  - measurement methods of, 156–158
  - measurement of, 68–69
  - moisture migration, 88–89
  - post-harvest bulk storage and, 87–88
  - processability and, 186
  - and storage of market-grade soybeans, 41
  - tocopherol content and, 183–184
  - wet-basis definition of, 67
- Molded soybean-based plastics, 557–558
- Molecular genetics, 46–47

- Momen* tofu, 452
- Monoglycerides, 193, 195. *See also*  
Lipids
- Monosaccharide compositions, 273
- Monounsaturated fatty acids (MUFA).  
*See also* Fatty acids (FA)  
blood pressure and, 738  
diabete/insulin resistance and FA,  
738–740  
inflammation and, 738–740  
nutritional aspects and, 727  
and soybean oil nutrient profile,  
728–730, 732
- Monsanto  
low-18:3 soybean oil and, 203  
modified soybeans from, 704
- Mori-Nu, 452
- Morrow, James, 19
- Morse, E., 670
- Morse, William, 20
- Mucor hiemalis*, 472
- Mung bean, 4
- Musaecum Zelanicum* (Hermann), 16
- Mutation method of breeding, 59
- Mycotoxins. *See also* Fungi  
general information, 99–100  
quality of soybeans and, 185  
storage of soybeans and, 90
- N**
- Named Vegetable Oil Standard, 491
- National Center for Agricultural  
Utilization Research, 678
- National crop value in U.S., 124–125
- National Farm Chemurgic Council, 544
- National Oilseed Processing Association  
(NOPA), 363–364
- Natto, 178–179, 467–470
- Navarette, Domingo, 15
- Near-infrared spectroscopy  
grading damaged seed via, 108  
as measurement technique, 151–152
- Nelson, R.L., 20
- Nematodes, 42–43
- Nematospora* spp., 98–99, 106
- Neng doufu*, 452
- Neonotonia* genera, 3
- New Jersey Agricultural Experiment  
Station, 19
- New Uses Council, Tennessee, 545
- Newsprint. *See* Printing ink as biobased  
product
- Niacin, 316
- Niche market for non-GMO soybeans,  
185
- Nickel catalysts of hydrogenation, 413
- Nielson, James, 19
- Nigari as tofu coagulant, 450
- Nitrogen Solubility Index (NSI), 666
- Nitrate reductase enzyme, 44
- Nitrogen fixing  
*Bradyrhizobium japonicum* and, 40  
first demonstrated, 19  
nodulation control and, 43
- Nitrogen solubility test (NSI), 177–178
- Nodulation control, nitrogen-fixing  
microsymbionts and, 43
- Nogra* genera, 3
- Nomenclature of soybean  
cytogenetics and, 46  
first use of soybean, 18, 22  
phylogenetic relationships and, 2–8  
species of *Glycine* genera, 4–7
- Non-glyceride lipid components  
phytosterols as, 212–215  
sphingolipids as, 206–208  
tocopherols/tocotrienols as, 208–211
- Nonhydratable phospholipids (NHP),  
processability and, 186
- Non-operating costs, 132–133
- Nonstarch polysaccharides, 273
- Nonstructural carbohydrates

- oligosaccharides, 271–272
  - polysaccharides, 272
  - Northern Regional Research Center, 545
  - Nutrition. *See also* Feeding values to livestock; Health
    - carbohydrates
      - environment/genotype, 281–282
      - enzyme treatment, 284–287
      - historical information, 276–277
      - nonstructural, 277–279
      - processing conditions, 282–284
      - structural, 279–281
    - characteristics for livestock feed, 364–367
    - DASH diet and, 754–755
    - FA modifications to improve, 202–204
    - ration of FA types and, 201
    - saponins and, 315
    - soybean oil
      - blood pressure, 738
      - cancer and FA, 740–742
      - chronic disease risk and FA, 730, 732–733
      - diabetes/insulin resistance and FA, 742–743
      - dietary recommendations, 756
      - FA absorption, 728
      - FA/nutrient profile, 728–731
      - inflammation, 738–740
      - lipids/lipoproteins, 733–737
      - nutritional aspects, 727
    - soybean protein
      - blood pressure, 747–749
      - chronic disease risk, 745
      - dietary recommendations, 756
      - hormone-sensitive conditions, 751–755
      - inflammation, 750
      - lipids/lipoproteins, 746–747
      - nutritional aspects, 743–745
      - vascular function, 749
      - and value of soybean protein, 743–745
- O**
- Ochratoxin A, 90
  - 9c,12c-Octadecadienoic acid, 194
  - 9c,12c,15c-Octadecatrienoic acid, 194
  - 9c-Octadecenoic acid, 194
  - Odoric of Pordenone, 13
  - Office of Foreign Seed and Plant
    - Introduction, 19–20
  - Official Methods and Recommended Practices of the American Oil Chemists' Society*, 671
  - Offshore soybean processing plants, 136
  - Oil. *See* Soybean oil
  - Oil bodies, 338, 340
  - Oil extraction. *See* Economics of production; Extraction; Processing of soybeans
  - Oil product qualities. *See* Soybean oil
  - Oil recovery. *See* Processing of soybeans
  - Oil Stability Index (OSI), 494, 515–516
  - Okara (soy pulp), 457–458
  - Oleic acid
    - deep-fat frying and, 489–490
    - food usage and, 200–201
    - stability/nutrition enhancement and, 204
    - systematic name/structure of, 193–194
    - trans* fat and, 170
  - Oleochemicals as biobased product, 588–592
  - Oleosomes, 200
  - Oligosaccharides
    - general information, 271–272
    - genetic modification and, 322
    - as nonstructural carbohydrates,

- 271–272
- Operating costs, 130–132
- Opportunity cost of unpaid labor, 132–133
- Organic soybean growers  
fungi (rust) and, 128  
processing and, 693
- Oxidative stability, biodiesel standards and, 514–519
- P**
- p34 allergen, wild perennial *Glycine* species and, 8
- Pachyrhizus* genera, 3
- Paints from soy proteins, 565
- Paints/coatings/varnishes as biobased product  
current interests in, 581  
general information for, 574–575  
markets for, 580–581  
technology/performance of, 575–580
- Palmitic acid  
food usage and, 200  
quality of soybeans and, 169  
systematic name/structure of, 193–194
- Pantothenic acid, 316
- Paper coatings as biobased product, 561–563
- Paper/textile sizings as biobased product, 563
- Paraguay, 34, 38
- Parent selection in breeding methods.  
*See* Breeding
- Partial pressures and processability, 187
- Pathogens. *See also* Diseases  
*Phakopsora pachyrhizi* (soybean rust), 3
- Pectin in seed coats, 180
- Pedigree method of breeding, 54–55
- Pediococcus halophilus*, 460
- Penicillium* spp., 99
- Pen Ts'ao Kong Mu* (Shennong), 10
- Percolation extractors, 352–354
- Peronospora manshurica*, 42
- Peroxide value (PV)  
oxidative stability and, 493–494  
processability and, 186–187
- Perry Expedition, 18–19
- Pesticides, U.S. usage of, 127–129
- Pests. *See* Insects
- Phakopsora pachyrhizi* (pathogen), 3, 42.  
*See also* Soybean rust
- Pharmaceuticals as biobased product, 595
- Phaseolus aureus* (mung beans), 454
- Phenolic compounds, 298, 310–312
- Phenotype. *See* Quantitative genetics
- Phialophora gregata*, 42
- Phoma* spp., 99
- Phomopsis longicolla*, 102, 108, 165–166
- Phomopsis* seed decay, 94–96
- Phosphatides, processability and, 186
- Phosphatidic acid (PA), 301
- Phosphatidylcholine (PC), 301–302
- Phosphatidylethanolamine (PE), 301–302
- Phosphatidylinositol (PI), 301
- Phosphatidylserine (PS), 301
- Phospholipases, 341
- Phospholipids (PLs). *See also* Lipids  
FA/structure of, 195–197, 300  
molecular structure of, 301  
as soybean minor constituents, 298–299, 301–303  
triacylglycerides and, 199–200
- Phosphorus. *See* Phytate
- Phylogenetic relationships of soybean, 2–8
- Physical chemical refining, 385, 387–388
- Phytate, 298, 315–316, 322



- Phytate, phosphorus and, 44, 181–182
- Phytochemicals  
  general composition of, 298. *See also*  
  specific component, i.e. Proteins  
  isoflavones/total phenolic  
  compounds, 298, 310–312  
  phytate, 298, 315–316  
  saponins, 298, 312–315, 317
- Phytophthora root rot, 6
- Phytophthora sojae*, 42
- Phytosterols  
  effect on health, 215  
  environmental effects on, 215  
  presence/content of, 213–215  
  processing effects on, 214–215  
  as soybean minor constituents,  
  297–300  
  structure of, 212
- PIM programs for insect management,  
  107–108
- Plant height, breeding and, 49
- Plant Introduction (P.I.), 20
- Plant Variety Protection Act (1970), 47
- Planting dates, general practices, 40–41
- Plasticity  
  crystallization and, 431  
  factors influencing, 428–431  
  plasticized shortening process of  
  crystallization, 431  
  plastics/plasticizers as biobased  
  product, 553–558, 581–585
- Plywood. *See* Wood adhesives as  
  biobased product
- Pneumatic conveyors, 83, 87
- Pod-feeding insect injury, 103–104
- Pollution  
  biodiesel emissions and, 519–520  
  as challenge, 373
- Polo, Marco, 13–14
- Polyamide resins, 587–588
- Polymeric materials. *See* Plastics/  
  plasticizers as biobased product
- Polyphagous species of insects, 108. *See*  
  also Insects
- Polysaccharides  
  cotyledon, 274–275  
  nonstarch, 273  
  as nonstructural carbohydrates, 272  
  soybean hull, 275–276  
  as structural carbohydrates, 272–275
- Polyunsaturated fatty acids (PUFA). *See*  
  also Fatty acids (FA)  
  biosynthesis of, 199–200  
  blood pressure and, 738–740  
  diabete/insulin resistance and FA,  
  738–740  
  nutritional aspects and, 727  
  and soybean oil nutrient profile,  
  728–730, 732
- Postbleaching, 427–428
- Post-emergent application, glyphosate  
  and, 41
- Post-harvest management. *See* Storage of  
  soybeans
- Poultry  
  energy sources for, 620–621  
  genetic modified products and, 621  
  protein for broiler chickens/turkeys  
  and, 618  
  protein for laying hens, 618  
  protein quality and, 617–620  
  SBM advantages for, 616–617
- Powder/paste paints as biobased  
  product, 565
- Powdery mildew, 6
- Power requirements for augers/  
  conveyors, 84–85, 130–132
- Precious metal catalysts of  
  hydrogenation, 414
- Pre-emergent application of herbicides,  
  41
- Pre-plant application of herbicides, 41

- Pressures  
hydrogenation and, 412  
processability and parital pressures,  
187
- Prices  
average in U.S., 124–125  
Brazil and, 779–781  
crush margins and, 136, 138  
effect of DDGS on, 148  
source of returns from crushing, 336  
soybean oil and, 141–142  
values/grades and, 342–343
- Printing ink as biobased product  
current interests in, 574  
general information for, 571–572  
markets for, 573–574  
performance properties of, 573  
SPI dispersions and, 564  
technology of, 572–573
- Processed meats and soy protein,  
713–714
- Processing of soybeans. *See also*  
Purification of soybean oil  
alternative (to hexane) solvents, 365,  
367–368  
aqueous processing, 699–700, 702  
aqueous processing and, 371–373  
biodiesel and, 141–145  
Brazil and, 786–788  
cleaning, 343  
commercial biodiesel production and,  
508–512  
crush margins and, 136–139  
crushing soybeans  
source of returns, 336  
dehulling, 343–345  
direct solvent extraction  
direct solvent extraction flow  
diagram, 337–338  
equipment, 339–340  
extraction mechanism, 350–351  
extraction operations, 357–358  
extractor design, 352–357  
meal desolventizing, 358–361  
solvent selection, 349  
drying, 341  
effect on minor constituent content,  
318–319  
effect on sterol content/composition,  
214–215  
extrusion-expelling (EE) and, 368  
flavor binding and, 249  
future challenges, 373  
gas-supported screw pressing (GSSP)  
and, 370–371  
general practices, 332–335  
hard screw pressing, 345–349  
historical information, 331  
laboratory simulation, 361–363  
meal grinding, 361  
meal product qualities, 363–365  
membrane processing and extracted  
flake products, 697–699  
oil product qualities, 363–364  
oil/meal storage, 361  
organic, 693  
processability factors, 186–187  
processed products, 276  
protein products and, 675–676  
and protein versus oil, 333, 337  
research/development and, 144, 146  
seed handling, 337–338, 340–341  
soybean meal and, 135–137  
soybean oil and, 138, 140–141  
storage, 341–343  
supercritical fluid extraction (SFE)  
and, 368–369
- Procter & Gamble, 332  
*Prodromus* (DeCandolle), 5  
Production of soybeans. *See also*  
Economics of production  
Brazil and, 773–778, 791, 794–797

- general harvesting practices, 41
  - general practices, 39–41
  - general storage practices, 41
  - global trends, 120–122
  - hectares harvested/yield, 36–38
    - by state, 38
    - United States, 727
  - world supply/distribution, 33–35, 38–39, 60, 541
  - Production versus demand as biobased product, 565
  - Propane as solvent, 367
  - Prosize, 563
  - Protease inhibitors, 665. *See also* Trypsin inhibitors (TIs)
  - Protein bodies, 338, 340
  - Protein Digestibility-Corrected Amino Acid Score (PDCAAS), 743
  - Protein Dispersibility Index (PDI), 666
  - Protein meal, percentage of seed on moisture-free basis, 1
  - Protein products
    - analysis
      - antinutritional factors, 672–673
      - protein content, 671–672
      - protein solubility, 672
      - urease, 673–675
    - dietary fiber products
      - soy cotyledon fiber, 705–706
      - soy hulls, 705
    - extracted flake products
      - aqueous extraction processing, 699–700, 702
      - defatted flours/grits, 682–686
      - enzyme-modified SPI, 700–701
      - fractionation, 693–697
      - general practices, 681–682
      - membrane processing, 697–699
      - protein concentrates, 686–691
      - protein isolates, 690, 692–693
      - re-fatted/lecithinated flours, 684, 686
    - salt extraction, 700
    - separation of intact protein bodies, 700
    - whipping proteins, 701–704
    - white flakes, 682
  - food applications
    - baking applications, 715–716
    - dairy/beverage applications, 715–716
    - functionality, 710–711
    - meat applications, 713–715
    - selection of protein preparations, 710–713
  - full-fat soy flours/grits
    - enzyme-active, 676–677
    - extruder-prepared, 678–681
    - toasted, 677
  - future considerations, 716–717
  - health benefits and, 665–666
  - microbiological stability, 703
    - impact of modified compositions, 703–705
  - processing
    - general practices, 675–676
    - protease inhibitors and, 665
    - protein concentrates, 687
    - soy protein structure and, 663–665
  - texturized products
    - extruder-texturized products, 707–710
    - spun/fiber-like products, 707
  - types of, 666–671
  - typical compositions of, 668
  - uses, 667
- Protein tests
  - 2S/7S/11S, 176–177
  - amino acids and, 171–176
  - conversion factor for content, 671–672
  - dispersibility index-PDI, 178

- seed coats and, 180
  - solubility-KOH, 177–178
  - tofu gelling, 246–247
  - Protein/oil contents, quality of soybeans and, 167–169
  - Proteins. *See also* Protein products analysis
    - antinutritional factors, 672–673
    - protein content, 671–672
    - protein solubility, 672
    - urease, 673–675
  - $\beta$ -conglycinin, 235–237
  - $\beta$ -conglycinin thermal behavior, 244
  - and bioactive properties, 253–255
  - biobased products
    - agricultural uses, 565
    - cosmetics, 564
    - fire-fighting foams, 564
    - paper coatings, 561–563
    - paper/textile sizings, 563
    - plastics, 553–558
    - powder/paste paints, 565
    - printing ink, 564
    - textile fibers, 558–560
    - wood adhesives, 545–553
  - blood pressure and, 747–749
  - chronic disease risk and, 745
  - dietary recommendations of, 756
  - flavor binding, 247–250
  - glycinin, 231–234
  - glycinin thermal behavior, 241–244
  - historical information, 229
  - hormone-sensitive conditions and, 751–755
  - inflammation and, 750
  - levels in crop/cultivar variations, 230
  - lipids/lipoproteins and, 746–747
  - lipoxygenases and, 250–252
  - minor constituents
    - lectins, 298, 307–308
    - lunasin, 298, 308
    - trypsin inhibitors, 298, 305–307
  - mixed systems thermal behavior, 245–247
  - nutritional aspects of, 743–745
  - seed subcellular structures, 229–230
  - soy protein structure and, 663–665
  - soybean as source of, 336–337
  - storage protein fractionation, 238–240
  - storage proteins, 230–231
  - structures, 237–238
  - thermal stability of, 240–242
  - trypsin inhibitors and, 251–253
  - vascular function and, 749
- Proteomics, 47
  - Pseudeminia* genera, 3
  - Pseudomonas* spp., 42, 103
  - Pseudovigna* genera, 3
  - Pueraria* genera, 2–3
  - Pumped meats and soy protein, 714
  - Pure line method of breeding, 52–54
  - Purification of soybean oil
    - bleaching and, 390–399
    - degumming and, 377–381
    - deodorization and, 399–406
    - refining and, 381–390
  - Purple mottled soybeans, 155
  - Purple seed stain, 96–97
  - Pycnidia, 94–95
- Q**
- Qu*, 459–460
  - Qualitative genetics, 42–45
  - Quality of soybeans (measurement/maintenance of)
    - chemical factors
      - amino acids, 171–176
      - carbohydrates/sugars, 178–179
      - fatty acids, 169–171
      - fiber, 180–181
      - mycotoxins, 90, 99–100, 185

- phosphorus, 181–182
  - protein tests (2S/7S/11S), 176–177
  - protein tests (dispersibility index-PDI), 178
  - protein tests (solubility-KOH), 177–178
  - protein/oil contents, 167–169
  - tocopherol/isoflavones, 182–185
  - effect of flooding seeds after imbibition, 162
  - environmental factors, 187
  - germination, 159–160
  - historical approaches, 151–152
  - impact damage/germination temperature on germination percentages, 162
  - moisture
    - desired moisture contents, 158–159
    - measurement methods, 156–158
    - moisture effects, 159
  - NOPA rules for, 363–364
  - physical factors
    - acoustical properties, 167
    - color/morphological properties, 165–166
    - hilum color, 166–167
    - seed-coat cracks, 164–165
    - whole soybean and seed weight, 163–164
  - processability factors, 186–187
  - seed vigor, 159–162
  - U.S. grading standards
    - FGIS grading steps, 155
    - FGIS inspection summaries, 155–156
    - foreign material, 152–153
    - grades/grade requirements, 152–153
    - heat-damaged soybeans, 154
    - soybeans of other colors, 154–155
    - special grades, 155
    - splits, 152
    - total-damaged soybeans, 153–154
  - Quantitative genetics, 45
  - Quantitative trait loci (QTL), 45
- ## R
- Raffinose, 309–310, 322
  - Rancimat method of stability assessment, 515
  - Random amplified polymorphic DNA (RAPD), 44
  - Random chemical interesterification, 421–423
  - Randomization, 419, 421
  - RBD soybean oil, 377, 491. *See also* Purification of soybean oil
  - Reconditioning over-dry soybeans, 79–82
  - Recurrent selection method of breeding, 58
  - Reel index of combines, 71–72
  - Re-fatted flours, 666
  - Refining
    - chemical (caustic) refining
      - general practices, 382–384
      - miscella, 388–389
      - physical, 385, 387–388
      - short-mix, 384–386
      - silica refining/bleaching modifications, 389–390
      - soapstock processing, 390
    - purpose of, 381–382
  - Regenerated protein textile fibers, 558
  - Regular tofu, 452–453
  - Reniform nematode (*Rotylenchulus reniformis*), 43
  - Research/development
    - global trends, 148
    - incentives, 127, 146–147

need for structure-functionality  
 protein relationships, 255  
 and plastics as biobased product, 553  
 processing and, 144, 146  
 and vulnerability of piracy, 144, 146  
 and wood adhesives as biobased  
 product, 544–545

Restriction fragment length  
 polymorphisms (RFLP), 44, 46

Restructured meats and soy protein,  
 713–714

Reverse osmosis (RO) for membrane  
 processing, 697–699

Rhamnogalacturonan structures,  
 cotyledon polysaccharides and,  
 274–275

*Rhamnus* spp., 107

*Rhizopus* spp., 99

Riboflavin, 298, 316

Roasted/cooked soybeans, 458–459

Root knot nematode (*Melodogyne  
 incognita*), 43

Root-feeding insect injury, 103–104

Rotary hoeing. *See* Tillage

*Rorylenchulus reniformis*, 43

Roxburgh, William, 16

Rumphius, George Everhard, 16

Rust. *See* Fungi

## S

Safety during harvest, 76, 82

Salad oils, 488

Salt extraction for SPI, 700

Salt-tolerance

breeding and, 50

wild perennial *Glycine* species and, 8

San Francisco, Diego de, 15

Saponins, 298, 312–315, 317

Saris, John, 14–15

Scalper, 343

Schumacher-type desolventizer/dryer,

359

Sclerotinia stem rot, 45, 97–98

Seed. *See also* Processing of soybeans

accumulation/distribution of

tocopherols in, 211

deposition of glycinin in, 231

effect on minor constituent content,  
 317–318

handling of, 337–338, 340–341

operating costs and, 130–132

research/development and, 144, 146

Seed certification, 108–109

Seed coats, 180–181. *See also* Fiber

dehulling and, 343–345

as dietary fiber, 705

uses, 667

Seed oil, percentage of seed on moisture-  
 free basis, 1

Seed quality. *See also* Quality of soybeans

breeding and, 50

and grading damaged seed, 108

insects and, 103–107

Natto and, 178–179

research and, 93

research incentives and, 127

seed-coat cracks and, 164–165

Seed size, 49

Seed vigor, 151, 159–162

Semi-drying oil, 544

Sequeira, Diego Lopez de, 14

Serbia, first soybeans planted in, 17

Serum lipid alteration, soy proteins and,  
 254

Shang Dynasty and soybean

domestication, 9–10

Shattering

breeding for resistance to, 49

moisture content and, 71

Shelf life of unhydrogenated oils, 485

Shennong, Emperor, 10

Short-mix chemical refining, 384–386

- Shui doufu*, 452
- Shutera* genera, 3
- Silica chemical refining, 389–390
- Silken tofu, 452
- Sinerhizobium fredii*, 43
- Single cropping of soybeans, 41
- Single nucleotide polymorphisms (SNP), 44
- Single-seed descent (SSD), 56–57
- Sinodolichos* genera, 3
- $\beta$ -Sitosterol
- presence/content of, 213–215
  - as soybean minor constituents, 297–298, 300
  - structure of, 212
- Soap, 590–592
- Soap (side reactions of biodiesel), 506
- Soap-oil separation and chemical refining, 383–384
- Soapstock processing and chemical refining, 390
- Soft tub margarine/spread, 433
- Solubility of protein, 672, 676
- Solvent azeotrope extraction, flavor binding and, 249
- Solvent extraction. *See also* Direct solvent extraction
- and alternative (to hexane) solvents, 365, 367–368
  - flavor binding and, 249
  - hexane and, 349, 357–358, 362
  - prepress, 347–349
  - processability and, 186
- Solvent fractionation, 427
- South America
- first soybeans of, 17
  - and U.S. revenue trends, 126–127
- South Korea, whole soybean and seed weight, 162
- Southeast Asia, and speciation of genus *Glycine*, 8–9, 21
- Soy cotyledon fiber, 668
- Soy nuggets, 474–476
- Soy paste, 460–464
- Soy protein concentrate (SPC). *See also* Protein products
- carbohydrates and, 276
  - definition, 666
  - soy protein isolates and, 690–693
- Soy protein isolate (SPI). *See also* Protein products
- definition, 668
  - enzyme-modified whipping proteins from, 703
  - processed soy protein products and, 276
  - soy protein concentrates (SPCs) and, 690–693
- Soy protein products, 276
- Soy pulp. *See* Okara (soy pulp)
- Soy sauce, 465–467
- Soy trypsin inhibitor (STI), 252–253
- Soybean brown spot, 6
- Soybean cyst nematode, 8
- Soybean Fact Sheet*, 185
- Soybean Genetic Type Collection, 44
- Soybean hull polysaccharides, 275–276
- Soybean meal (SBM)
- amino acids and, 172–173
  - carbohydrate concentration in, 270
  - carbohydrates composition of, 269
  - composition at U.S. processing plants, 283
  - historical analysis of heated vs. unheated, 20
  - meal grinding and, 361
  - NOPA rules for, 363–364
  - nutritional characteristics for livestock feed, 364–367
  - processability and, 186
  - processing and, 135–137
  - product qualities of, 363–365

- protein solubility and, 177–178
  - and qualities for different methods of extraction, 365
  - and United States as leading crusher, 122–123
- Soybean minor constituents. *See also* specific component, i.e. Proteins
- carbohydrates, 298, 309–310
  - general composition of, 298
  - isoflavones/total phenolic compounds, 298, 310–312
  - lipids
    - carotenoids, 298, 304–305
    - phospholipids, 298–299, 301–303
    - phytosterols, 297–300
    - sphingolipids, 298, 303–304
    - tocopherols, 297–298
  - minerals, 298, 316–317
  - phytate, 298, 315–316
  - proteins
    - lectins, 298, 307–308
    - lunasin, 298, 308
    - trypsin inhibitors, 298, 305–307
  - saponins, 298, 312–315, 317
  - vitamins, 298, 316–317
- Soybean mosaic virus (SMV), 101–102, 108
- Soybean oil. *See also* Lipids
- analyses
    - chemical/physical characteristics, 493
    - FA composition, 493
    - frying oils and fried-food stability, 494–495
    - margarine/shortening, 495
    - oxidative stability, 493–494
  - and applications for oils with modified FA, 487–490
  - biobased products
    - cosmetics, 595
    - drying oil products, 586–588
    - dust suppressants, 595–596
    - herbicide/insecticide carriers, 596
    - home-heating oils, 593–594
    - industrial limitations, 565–566
    - leather/textiles, 594
    - lubricants, 566–570
    - miscellaneous uses, 597
    - oleochemicals, 588–592
    - paints/coatings/varnishes, 574–581
    - pharmaceuticals, 595
    - plastics/plasticizers, 581–585
    - printing ink, 571–574
    - production versus demand, 565
  - blood pressure and, 738
  - cancer and FA, 740–742. *See also* Cancer
  - and changing FA composition of oils, 485–486
  - chronic disease risk and FA, 730, 732–733
  - diabete/insulin resistance and FA, 742–743
  - dietary recommendations of, 756
  - FA absorption and, 728
  - FA/nutrient profile of, 728–731
  - inflammation and, 738–740
  - lipids/lipoproteins and, 733–737
  - minor oil constituents, 495–496
  - oil consumption statistics, 483–484
  - oil types
    - liquid soybean oil, 484–485
  - percentage of bean that is oil, 148
  - processability and, 186
  - processing and, 138, 140–141
  - product qualities, 363–364
  - purification
    - bleaching, 390–399
    - degumming, 377–381
    - deodorization, 399–406
    - refining, 381–390



- and qualities for different methods of extraction, 364
- standards and, 490–495
- tocopherol content and, 183
- United States consumption of, 727
- uses, 667
- Soybean oil modification
  - crystallization
    - edible-oil flake, 434–435
    - general practices, 428–431
    - liquid shortening process, 432
    - margarine, 432–434
    - plasticized shortening process, 431
  - fractionation, 426–427
  - general practices, 409–410
  - hydrogenation
    - basestock system, 416–420
    - systems, 415–416
  - interesterification
    - directed chemical, 422, 424
    - enzymatic, 424–426
    - general practices, 419, 421
    - random chemical, 421–423
  - postbleaching, 427–428
  - tempering, 436
- Soybean rust
  - kudzu and, 3
  - wild perennial *Glycine* species' resistance to, 6
- Soybeans of other colors, standards and, 154–155
- Soymilk
  - fermented, 472
  - isoflavone distribution and, 320–321
  - non-fermented
    - modern, 443–447
    - traditional, 442–443
  - traditional/modern techniques and, 442–447
- Special grades, standards and, 155
- Spectroscopy
  - grading damaged seed via, 108
  - as measurement technique, 151–152
- Spherosomes, 200
- Spherozomes, 338, 340
- Sphinganine, 206
- Sphingolipids (SLs)
  - presence/content of, 206–208
  - as soybean minor constituents, 298, 303–304
  - structure of, 206–208
- Sphingosine, 206–207
- SPI
  - lipoxygenases and, 251
  - trypsin inhibitors and, 252
- Spinnable dope, 706
- Split soybeans, 70, 342
- Splits, standards and, 152
- Spraysoy, 565
- Sprouts, 454–456
- Spun/fiber-like products, 707
- Squalene. *See* Phytosterols
- Stability
  - biodiesel standards and, 514–519
  - deep-fat frying and, 489
  - disulfide bonds and heat stability, 243–244
  - and environmental effects on oil composition, 205–206
  - and enzyme-modified whipping proteins, 702
  - FA modifications to improve, 202–204
  - microbiological, 703–705
  - oxidative, 493–494
  - tocopherols and, 210–211
- Stachyose, 309–310, 322–323
- Standards
  - commercial biodiesel production and, 513–519
  - FGIS grading steps and, 155
  - FGIS inspection summaries and,

- 155–156
  - and food use of soybean oil, 490–495
  - foreign material and, 152–153
  - grades/grade requirements, 152–153
  - heat-damaged soybeans and, 154
  - soybeans of other colors and, 154–155
  - special grades and, 155
  - splits and, 152
  - total-damaged soybeans and, 153–154
- Stearic acid
- food usage and, 200
  - quality of soybeans and, 169
  - systematic name/structure of, 193–194
- Stearines, 418
- Steep partially hydrogenated basestocks, 418
- Stem rot, 45, 97–98
- Stem termination, 43, 49
- Stem-feeding insect injury, 103–104
- Sterols. *See* Phyosterols
- Stick margarine/spread, 433
- Sticker and spreader, 565
- Stigmasterol
- presence/content of, 213–215
  - as soybean minor constituents, 297–298, 300
  - structure of, 212
- Stink bugs/pod feeders, 153
- Stink bugs/pod-feeders, 105–107
- Storage of soybeans
- fractionation of, 238–240
  - free fatty acid (FFA) and, 90
  - general practices, 41, 341–343
  - insects and, 90–91
  - moisture content and, 87–88
  - moisture migration and, 88–89
  - mycotoxins and, 90
  - new crop/old crop, 91
  - oil/meal storage, 361
- Storage proteins, 230–231, 254
- Streptococcus faecalis*, 460
- Structural carbohydrates
- cotyledon polysaccharides, 274–275
  - monosaccharide compositions, 273
  - nonstarch polysaccharides, 273
  - processed soy protein products, 276
  - soybean hull polysaccharides, 275–276
- Styrene-butadiene rubber (SBR), 563
- Sucrose, 309, 322–323
- Sudden death syndrome, 6, 45
- Sufu (fermented tofu), 473–474
- Sulfonylurea herbicide sensitivity, 43
- Sulfur-poisoned catalysts of hydrogenation, 413
- Supercritical CO<sub>2</sub> extraction, flavor binding and, 249
- Supercritical fluid extraction (SFE), 368–369
- Surfactants, 590–592
- Svedberg units and storage proteins, 230–231
- Swine
- advantages of soy diets for, 622
  - amino acids digestibility of proteins for, 624–625
  - energy digestibility of proteins for, 626
  - full-fat soybeans and, 627–628
  - new protein sources and, 628
  - nutrients/energy concentrations and, 622–624
  - phosphorus digestibility of proteins for, 625
  - SBM and, 626, 628–629
  - soy protein concentrates/isolates and, 627
  - soybean oil and, 627

## T

- T2 (micotoxin), 90  
*Tane-koji*, 459  
*Taotsi*, 460–464  
*Taicho*, 460–464  
Taxes/insurance, 132–133  
Tempah, 470–472  
*Tempeh gembus*, 458  
Temperature. *See also* Drying of soybeans; Food use of whole soybeans  
   $\beta$ -conglycinin thermal behavior and, 244  
  bleaching and, 394–395  
  and carbohydrate processing, 282  
  coagulants for tofu and, 451  
  and degradation of biodiesel, 516  
  drying and, 341  
  effect on biodiesel, 205  
  enzyme action and, 341  
  equilibrium moisture content and, 69  
  flavor binding and, 248–249  
  and glycinin thermal behavior, 241, 243–244  
  hydrogenation and, 412  
  impact damage/germination temperature on germination percentages, 162  
  insect control and, 91  
  liquid shortening crystallization and, 432  
  and lysinoalanine production in proteins, 692  
  margarine crystallization and, 432–434  
  mixed systems thermal behavior and, 245–247  
  Oil Stability Index (OSI) and, 494  
  soymilk beany flavor elimination and, 445–446  
  stability and, 202–204  
  tempering and, 436  
  and thermal stability of proteins, 240–241  
  trypsin inhibitors and, 177  
Tempering, 436  
*Teramnus* genera, 2–3  
Tetracosanoic acid, common name/structure of, 194  
Tetrazolium test for vigor, 161  
Textile fibers as biobased product, 558–560  
Texturized products  
  extruder-texturized products, 707–710  
  spun/fiber-like products, 707  
  texturized vegetable protein (TVP), 276  
Texturized soy protein (TSP), 707  
*Teyleria* genera, 3  
Thermal gel. *See* Tofu  
Thiamine, 298, 316  
Tillage, general practices, 40  
Toasted full-fat soy flours/grits, 677  
Tobacco ringspot, 6  
Tobacco ringspot virus (TRSV), 102–103  
Tocopherols  
  accumulation/distribution in seed, 211  
  antioxidant/vitamin properties of, 210  
  effect on oil stability, 210–211  
  genetic modification and, 320  
  molecular structure of, 299  
  oxidative stability and, 495–496  
  presence/content of, 209–210  
  quality of soybeans and, 182–185  
  as soybean minor constituents, 297–298  
  structure of, 208–209  
Tocotrienols  
  antioxidant/vitamin properties of,

- 210  
presence/content of, 209–210  
structure of, 208–209
- Tofu  
general information, 447–454  
isoflavone distribution and, 320–321  
mixed systems thermal behavior and, 246–247  
protein solubility and, 177
- Torulopsis* sp., 460
- Total nonstructural carbohydrates (TNC), 270–272
- Total phenolic compounds  
as soybean minor constituents, 298, 310–312
- Total-damaged soybeans, standards and, 153–154
- TOTOX value, 186
- Toufu ju*, 472
- Toushih*, 474
- Trans* fats. *See also* Health alternatives to  
applications for oils with modified FA, 487–490  
changing FA composition of oils, 485–486  
cholesterol and, 409–410  
enzymatic interesterification and, 424  
food labeling and, 44–45  
food usage and, 201–202  
inflammation and, 738–739  
interesterification and, 419  
lipids/lipoproteins and, 734–737  
quality of soybeans and, 169
- Transesterification. *See also* Bioenergy/ biofuels  
analysis of reaction products, 508  
mechanics/kinetics and, 503–504  
oleochemicals and, 589, 593  
other sources of biodiesel and, 507–508  
reaction, 503–504
- Transformation method of breeding, 50–51, 59
- Transgenic seed. *See* Glyphosate-tolerant genetics
- TREUS™, low-18:3 soybean oil and, 203
- Triacylglycerides (TAG)  
and alkyd resins for paint, 576–577  
biodiesel and, 501–502  
margarine/shortening and, 495  
phospholipid biosynthesis  
oil bodies, 200  
polyunsaturated FA biosynthesis, 199–200  
soy plastics and, 582  
stereospecific distribution of fatty acyl groups in, 195, 197
- Trichothecium roseum*, 99
- Triglycerides. *See also* Lipids; Soybean oil  
directed chemical interesterification and, 422  
and FA absorption, 728  
FA/structure of, 193, 195  
storage in oil bodies/spherozomes of, 338, 340
- Tris fractionation, 238–239
- Triterpenes. *See* Phytosterols
- Trypsin, 177
- Trypsin inhibitors (TIs)  
antinutritional factors and, 672–674  
genetic modification and, 322  
KTI/BBI as, 251–252  
protease inhibitors and, 665  
as soybean minor constituents, 298, 305–307
- U**
- Ulocladium botryritus*, 99
- Ultrafiltration (UF) for membrane processing, 697–699

- United Soybean Board
    - Better Bean Initiative (BBI) of, 93, 108
  - United States
    - acres harvested/produced in, 122–124
    - average prices/national crop value for, 124–125
    - and cost of production, 129–130
    - first soybeans of, 17–18
    - and global trends in production, 120–122
    - hectares harvested/yield, 36–38
    - net revenue (government payments) and, 133–135
    - non-operating costs and, 132–133
    - operating costs and, 130–132
    - pesticide usage and, 127–129
    - soybean meal production in, 135–137
    - soybean oil consumption in, 119
    - soybean oil production in, 138, 140–141
    - soybean production in, 39, 60
    - world supply/distribution and, 34–35
    - yield/revenue trend in, 126–127
  - United States Department of Agriculture (USDA)
    - breeding and, 47
    - Federal Grain Inspection System (FGIS), 336–337
    - Foreign Agricultural Services (FAS), 565
    - government payments and, 133–135
    - Grain Inspection Packers and Stockyards Administration, 155
    - and grain-damage standards, 70
    - Loan Deficiency Payments (LDP), 133–135
    - Northern Regional Research Center, 545
    - Office of Foreign Seed and Plant Introduction, 19–20
    - oil standards and, 490–495
  - Urease, 177, 673, 675
  - Uronic acid
    - in cotyledon polysaccharides, 274
    - in seed coats, 180
  - U.S. Environmental Protection Agency (EPA), biodiesel emissions and, 519–520
  - U.S. Food and Drug Administration
    - on soy health claims, 727
    - trans* fat labeling and, 202
  - U.S. grading standards
    - FGIS grading steps and, 155
    - FGIS inspection summaries and, 155–156
    - foreign material and, 152–153
    - grades/grade requirements, 152–153
    - heat-damaged soybeans and, 154
    - soybeans of other colors and, 154–155
    - special grades and, 155
    - splits and, 152
    - total-damaged soybeans and, 153–154
  - U.S. Regional Soybean Laboratory (Urbana, Illinois)
    - germplasm collection development and, 20–22
  - U.S. Soybean Grading Standards, 151
- V**
- Vacuum drying and chemical refining, 384
  - Valignano, 14
  - Van Linschoten, John Huyghen, 14
  - Varnishes, 575
  - Vascular function
    - and value of soybean protein, 749
  - Vicilin storage protein. *See*

- $\beta$ -conglycinin  
 Vigor, 151, 159–162  
 Viruses  
   bean pod mottle virus, 101–102  
   overview, 100–101  
   soybean mosaic virus (SMV),  
     101–102  
   tobacco ringspot virus (TRSV),  
     102–103  
 Vistive™  
   low-18:3 soybean oil and, 203  
 Vitamins  
   content in soybeans of, 316–317  
   dry seed weight basis of, 298  
   and presence of *Klebsiella* in tempeh,  
     472  
   and soy proteins in cosmetics, 564  
   soymilk fortification with, 446  
 Vomitoxin, 90
- W**
- Water  
   absorption, 178–179  
   production and, 41  
   and wet-basis definition of moisture  
     content, 67  
 Water degumming, 378–379  
 Water solubility, 671  
 Water washing and chemical refining,  
   384  
 Weed control, general practices, 41  
 Weiss, Martin G., 20  
 Whipped tub margarine/spread, 434  
 Whipping proteins, 701, 703–704  
 White flakes, 345, 681–682. *See also*  
   Extracted flake products  
 White mold, 6  
 Whole soybeans. *See also* Food use of  
   whole soybeans  
   and flowsheet for full-fat/defatted soy  
     flours, 683  
   industrial limitations as biobased  
     product, 542  
   seed weight and, 163–164  
   uses, 667  
 William of Rubruck, 13  
 Winterization, 427  
 Wood adhesives as biobased product  
   current interests  
     alkali modification, 549  
     blended adhesives, 551–552  
     building materials, 553  
     chemical bonding, 548–549  
     chemical modification, 550  
     enzymatic modification, 549–550  
     foaming adhesives, 552–553  
     miscellaneous adhesives, 553  
   general information for, 545–546  
   markets, 546  
   performance properties of, 547–548
- X**
- Xanthomonas campestris*, 42  
*Xiphimena americanum*, 102–103
- Y**
- Yeast spot (*Nematospora* spp.), 98–99  
 Yellow mosaic virus, 6, 8  
 Yield. *See also* Production of soybeans  
   and protein levels historically, 230  
   revenue trends and, 126–127  
 Younge, Henry, 17  
 Yuba (soymilk film), 456–457
- Z**
- Zearalenone, 90  
 Zeeland Farm Services, Inc., 203  
*Zygosaccharomyces rouxii*, 460