

Index

- α -lactoglobulin, 382
- α -tocopherol *see* vitamin E
- acid phosphatase, 384
- Actijoule, 312
- acyl-homoserine lactone, 100
- aequorin, 100
- Aeromonas hydrophila*, 31, 51, 443
- aflatoxicosis, 135
- aflatoxin, 134, 149, 156–7, 171
- aflatoxin M1, 77, 467
- Agricultural Marketing Service, 93
- airborne bacteria, 34
- aldrin, 123
- Alfa-Laval, 352, 363
- alkaline phosphatase, 10, 384, 412, 428
- All India Co-ordinated Research Project, 117
- allergen management program, 467
- allergens, 467
- alternating current, 415
- alternative feed supplies, 189
- alveolus, 13–14
- American Public Health Association, 94
- aminoglycosides, 466
- AMS *see* Agricultural Marketing Service
- anaerobic spores, 354
- ancillary equipment, 36
- angiogenin, 53
- animal feed processing technology, 77
- anionic salts, 9
- ankylosing spondylitis, 47
- antibiotics, 29, 132–4, 466
 - residues, 132–4, 149, 249
 - therapy, 258
- antibody–antigen reaction-based assays, 95
- antimicrobial drugs, 149
- antimicrobial residues, 132
- AOAC International, 94
- APHA *see* American Public Health Association
- apolipoproteins, 13
- aptamers, 99
- APV, 311
- Arrhenius equation, 335
- Arrhenius relationship, 335
- aspartic acid, 7
- Aspergillus*, 134
- Aspergillus flavus*, 77, 135
- Aspergillus parasiticus*, 135
- Atomic Energy Regulatory Board, 132
- auto-oxidation, 7
- automatic milking system, 21, 189
- Avure Technologies, 375

- β -carotene, 237
 - effect on milk shelf-life, 238–9
- β -casein, 8, 14, 15, 377
- β -defensins, 53
- β -lactam antibiotics, 149, 156
- β -lactoglobulin, 9, 18–19, 315–16, 428, 432
- Bacillus anthracis*, 100
- Bacillus cereus*, 39, 90, 91, 100, 188, 288, 355, 407, 410, 466
 - incidence in pasteurised milk in relation to storage, 189

- Bacillus nivea*, 410
Bacillus sporothermodurans, 303, 308
 thermal death curves, 183
Bacillus spp, 31, 182
Bacillus stearothermophilus
 Disc Method, 156
 thermal death curves, 183
Bacillus subtilis, 410, 439
 bacterial counts, 72–3
Bacteriologica Analytical Manual, 94
 bacteriological index, 305
 Bactocatch, 363
 bactofugation, 352
 average bacteria removal, 354
 bactofuge principle, 352–3
 performance and gains in milk processing, 353–6
 Bactosan, 68
 BAM *see* *Bacteriologica Analytical Manual*
 benzene hexachloride *see* hexachlorocyclohexane
 beta-lactam antibiotics, 466
 biofilms, 186–7
 biohydrogenation, 228–9
 biosensors, 99–101
 biotechnology, 80–1
 bird droppings, 34
 blebbing, 13
 blood serum albumin, 382
 bloody diarrhoea, 31
 bound water polarisation, 434
 bovine immunoglobulins, 52
 bovine spongiform encephalopathy, 76–7
 BRC *see* British Retail Consortium
 breeding, 216
 British Retail Consortium, 477, 478
Brucella abortus, 29
Brucella spp, 466
 brucellosis, 29, 43, 90
 BSA *see* blood serum albumin
 BSE *see* bovine spongiform encephalopathy
 bulk tanks, 36, 38
 butter, 127–8, 154
 butyrophilin, 6
- CAC/GL 21, 91
 CAC/RCP 57, 91
 cadmium, 129
 calcium phosphate, 379, 381
Campylobacter jejuni, 36–7, 38, 47, 48, 51, 88, 98, 466
Campylobacter spp, 39, 94
 campylobacteriosis, 44, 88
 Canadian Food Inspection Agency, 455
 Canadian Quality French Arilait Guide, 270
 CANARY *see* cellular analysis and notification of antigen risks and yields
- carbon, 415
 carotenoids, 7
 casein, 7, 15, 317–18, 377, 379–82
 factors affecting particles reformation during prolonged HP treatment, 381
 genetic variants and molecular characteristics, 8
 proteolysis, 11
see also specific casein casein loci, 19
 casein micelles, 4, 7–9, 13, 379–82
 affecting factors
 disruption under high pressure, 380
 particles reformation during prolonged HP treatment, 381
 size in HP-treated milk, 382
 cathelicidins, 53
 cathepsin B, 12
 cathepsin D, 12
 cathepsin G, 12
 cavitation, 424, 425
 CBD *see* cell wall-binding domains
 CCP *see* colloidal calcium phosphate
 cell-based biosensors, 100
 cell count level, 249
 cell wall-binding domains, 99
 cellular analysis and notification of antigen risks and yields, 100
 CEN/TC 153, 186
 centrifugal acceleration, 351
 centrifugal force, 6
 centrifugation, 350–6
 anaerobic spores removal, 354
 average bacteria removal, 354
 bactofugation performance and gains in milk processing, 353–6
 bactofuge principle, 352–3
 configuration, 356
 removal of bacteria, spores and somatic cells from milk, 349–70
 Stoke's law and centrifuge acceleration, 350–1
 cesium-137, 430
 CFIA *see* Canadian Food Inspection Agency
 cGMP *see* current Good Manufacturing Practices
 Charter of Good Practice for Livestock Farming, 270
 chemical contaminants, types, 114
 chemical index, 305
 chemotherapeutic residues, 248–9
 chemotherapy, 132, 258
 Chernobyl accident, 131
 chocolate milk, 414

- chromium, 415
- Chronic Reference Dose, 159
- chymosin, 8, 12
- chymotrypsin, 384
- Clostridium* spores, 31
- Clostridium tyrobutyricum*, 184, 349, 352, 355, 366, 410
- clover, 233
- coagulase-negative staphylococci, 28
- cobalt-60, 430
- Code of Good Hygienic Practices for Milking with Automatic Milking Systems, 269–70
- Code of Hygienic Practice Milk and Milk Products, 267
- Milking with Automatic Milking Systems, 269–70
- Code of Hygienic Practice for Milk and Milk Products, 91
- Codex, 77
- Codex Alimentarius, 91
- Codex Alimentarius Commission, 158, 452
 - standards, 266–8
 - Code of Hygienic Practice for Milk and Milk Products, 267–8
 - General Principles of Food Hygiene, 267
- CODEX General Principles of Food Hygiene, 452, 461
- Codex International, 130
- cold plasma, 421
- coliforms, 28, 30, 34, 35, 44
- colloidal calcium phosphate, 9, 378
- colostrum, 15
- commercially sterile, 305
- Compliance Policy Guide, 93
- concentrates, 226, 228
 - effects of source on milk fat content and composition, 234–5
 - fat content and composition, 227
- concentration polarisation, 357
- conductance, 411
- conjugated linoleic acid, 5
- Corynebacteriaceae, 28
- Corynebacterium* spp., 407
- cottage cheese, 12
- Council Directive 92/46/EEC, 181, 247
- Council Regulation (EEC) No. 2377/90, 253
- cows' diet
 - and milk composition, 223–41
 - diet and nutritional quality of milk, 224–5
 - milk fat content and composition, 225–35
 - milk protein content and composition, 236–7
 - minerals, 239
 - practical implications, 239–41
 - vitamins, 237–9
- Coxiella burnetii*, 39, 42, 466, 471
 - Q fever, 30
- creaming, 390
- Creutzfeldt–Jakob disease, 76
- critical control point, 268, 460–1, 464
 - defined, 460
 - for drug residues, 466
- critical limit, 268, 471
- Crohn's disease, 75
- Cronobacter sakazakii*, 89, 95
- crossflow filtration, 357
- cryptosporidiosis, 34
- Cryptosporidium parvum*, 34
- current Good Manufacturing Practices, 460
- Current Passage Tube, 312
- cysteine protease, 12
- Dairy, Food and Environmental Sanitation*, 186
- Dairy Australia, 271
- dairy cattle, 38
- dairy farm
 - assurance, 80
 - quality assurance schemes, 264–71
 - Codex Alimentarius Commission standards, 266–8
 - Food and Agriculture Organisation guides, 269
 - International Dairy Federation guides, 269–70
 - national and specific guides, 270–1
 - standards of International Organisation for Standardisation, 265–6
- dairy products, modelling heat processing, 330–46
 - deterministic modelling application to sterilisation, 338–40
 - deterministic modelling approaches, 335–8
 - future trends, 345–6
 - heat processing optimisation of milk, 330–4
 - modelling: focus on process, product and cost, 334–5
 - stochastic modelling application to pasteurisation, 341–5
 - stochastic modelling approaches, 340–1
- Darcy's law, 360
- DDE *see* dichlorodiphenyldichloroethylene
- DDT *see* dichlorodiphenyltrichloroethane
- dead-end filtration, 357
- deposit formation, 316–18
 - casein, 317–18
 - type A, 317
 - type B, 317

- detergents, 137, 150, 158
- deterministic modelling
- application to milk sterilisation, 338–40
 - simulated impact of sterilisation, 340
 - UHT temperature profiles, 339
 - applications to optimise heat processing, 336–8
 - cleaning optimisation, 338
 - flavour optimisation, 337–8
 - fouling reduction, 336–7
 - multi-variable optimisation, 336
 - approaches, 335–8
 - limitations, 338
- DGAT1 *see* diacylglycerol acyltransferase
- DGAT 1 gene, 18
- diacylglycerol acyltransferase, 210–11
- effect of DGAT1 K232A polymorphism, 211
- dibenzofurans, 148
- dichlorodiphenyldichloroethylene, 118, 119
- dichlorodiphenyltrichloroethane, 116–19, 152, 153
- contamination of dairy milk samples in India, 117
 - residues in dairy milk samples, 117
 - vs HCH residue levels, 123
- dieldrin, 123, 125
- dielectric breakdown, 407
- dielectric constant, 435
- dielectric polarisation, 435
- dielectric rupture theory, 407
- dietary fat, digestion and metabolism, 228–31
- biohydrogenation in the rumen, 228–9
 - dietary lipids hydrolysis, 228
 - fat metabolism in the rumen, 228
 - microbial fat, 229
 - milk fat synthesis, 229–31
 - small intestine digestion and transport, 229
- dietary lipids hydrolysis, 228
- dioxins, 77, 148
- direct current, 415
- direct heat exchangers, 332
- direct process, 310–11
- direct resistance heating, 438
- disinfectants, 137, 150, 158
- disulphide bonds, 7, 9
- dry cow therapy, 29
- Dutch Chain Quality of the Milk Foundation, 270
- Dutch HACCP, 478
- Dutch Milk Genomics Initiative, 199–200, 201, 208
- E-DNA sensor, 100
- EC Regulation 852/2004, 185
- ectoparasitocides, 132
- EHEC *see* enterohemorrhagic *Escherichia coli*
- electric arcs, 416
- electric pasteurisation, 437
- electric permittivity complex, 435
- electro-heating, 438
- electro-osmosis, 438
- Electro-pure, 402
- electrofusion, 407
- electron beams, 430
- electronic pasteurisation, 430
- electropermeabilisation, 402, 407
- electroporation, 402, 407, 439
- mechanism induced during PEF processing, 409
- ELISA *see* enzyme-linked immunosorbent assays
- endocarditis, 48
- endoparasitocides, 132
- endoplasmic reticulum, 13
- enrofloxacin, 466
- Enterobacter sakazakii*, 431
- Enterococcus* spp., 98
- enterohemorrhagic *E. coli*, 466
- enterohemorrhagic *Escherichia coli*, 31, 49
- environmental contaminants, 77
- Environmental Protection Agency, 159
- enzyme-linked immunosorbent assay, 157
- enzyme-linked immunosorbent assays, 99
- enzymes, 20
- EPA *see* Environmental Protection Agency
- Escherichia coli*, 28, 33, 40, 100, 248, 386, 407, 409, 410, 433, 439, 440, 442, 443
- verocytotoxin-producing, 47
- Escherichia coli* ATCC 25922, 443
- Escherichia coli* K12, 444
- Escherichia coli* K12DH5 α , 427
- Escherichia coli* O157, 47, 95
- Escherichia coli* O157:H7, xxi, 32–3, 38–9, 47, 51, 89, 98, 100, 101, 431, 443, 445
- prevalence on farms, 33
- Escherichia coli* O157:H7 932, 411
- ethidium bromide monoazide, 98
- European Hygienic Equipment Design Group, 186
- European Regulation 178/2002/EC, 91
- European Regulation 2073/2005/EC, 92, 93
- European Union, 159
- exocytosis, 13
- extended shelf-life milk, 297–8
- extended shelf life processing, 306–7
- FA *see* fatty acids
- FAO *see* Food and Agriculture Organisation

- farm
 - assurance programmes, 78–80
 - animal welfare, 79–80
 - GAP, 78–9
 - general, 80
 - future trends, 189–91
 - good hygienic practice, 184–6
- fat percentage, 208
- fat separation, 323
- fat-soluble vitamins, 224
- fatty acids, 5
 - correlation with fat percentage, 208
 - dietary sources, 225–8
 - concentrates, 226, 228
 - forages, 225–6
 - effect of DGAT1 K232A polymorphism on composition, 211
 - effects of forage source on cow milk fat, 231
 - genetic correlation, 205–8
 - normal content in bovine milk, 230
 - properties
 - chemical, 5–6
 - technological, 5–6
- fault tree analyses, 345–6
- FBO *see* food business operators
- FDA *see* Food and Drug Administration
- FDA 2359b, 475
- feed, 147, 159, 184
- ferrocenedicarboxylic acid, 100
- five point plan, 258
- flow cytometry, 100
- Fluorophos, 289
- FluXXion, 369
- fodder, 147, 159
- Food and Agriculture Organisation, 429
 - guides, 269
- Food and Drug Administration, 93, 159, 429
- food business operators, 91
- food irradiation *see* irradiation
- food safety
 - criteria, 92
 - objectives, 477
 - systems, 451–78
- Food Safety and Inspection Service, 453
- Food Safety Enhancement Program, 455
- food safety management systems, 266, 477
- forage source
 - effects on milk FA profile of cow milk fat, 231
 - effects on milk fat content and composition, 231–4
 - botanical effects, 232–4
 - farming system effects, 234
 - fresh grass and conservation effects, 231–2
 - forages, 225–6
 - fat content and composition, 227
- formic acid, 318
- fouling, 187, 316–18, 335, 361
 - simulated impact of direct and indirect sterilisation, 340
- free water polarisation, 434
- freezing point depression, 67
- French Quarter of Good Practice for Livestock Farming, 271
- fresh grass, 231–2
- FSEP *see* Food Safety Enhancement Program
- FSIS *see* Food Safety and Inspection Service
- FSMS *see* food safety management systems
- Fusarium*, 134
- Fusarium oxysporum*, 309
- γ -glutamyltransferase, 384
- γ -glutamyltranspeptidase, 428
- gamma rays, 430
- GAP *see* good agricultural practices
- gas chromatography-mass spectroscopy, 152
- gastroenteritis, 88–9
- GEA Westfalia, 352
- gel permeation chromatography, 151, 153
- gelation, 319–20
- General Principles of Food Hygiene, 267
- genetic alleles, 18
- genetic variation
 - between cows, 202–10
 - cluster tree based on principle component analysis, 207
 - effects of season on genetic parameters, 204–5
 - fat percentage and fatty acids correlation, 208
 - genetic correlations between fatty acids, 205–8
 - heritabilities and variation in winter and summer samples, 204
 - heritabilities found in winter samples, 203
 - heritability estimates, 209
 - individual FAs genetic correlations, 206
 - unsaturation indices, 208–10
- Dutch Milk Genomics Initiative, 199–200
- milk samples analysis, 200
- exploiting variation in fatty acid composition, 215–17
 - breeding for improved composition, 216
 - on-farm segregation, 215
- milk-fat composition from dairy cows milk, 197–217

- mean composition in winter and summer, 200–2
- phenotypic means and coefficient of variation, 201
- molecular genetics, 210–15
 - allele substitution effects for QTL, 214
 - effect of DGAT1 K232A polymorphism on FA composition, 211
 - genes involved in desaturation, 211–12
 - role of diacylglycerol acyltransferase 1, 210–11
 - whole genome scan, 212–15
- genosensor array, 100–1
- Geobacillus stearothermophilus*, 340
- GFSI *see* Global Food Safety Initiative
- ghee, 128, 154
- Global Food Safety Initiative, 477, 478
- glycosylation, 13
- gold, 415
- gold electrodes, 100
- golgi apparatus, 13
- good agricultural practices, 78–9
- good hygienic practice
 - milk production and processing, 179–91
- Good Manufacturing Practice, 190, 452
- Gouda cheese, 89
- Grade A milk, 93, 253, 255
- grade 'A' program, 467, 475
- growth potential, 36
- Guide to Good Animal Welfare in Dairy Production, 270
- Guide to Good Dairy Farming Practice*, 269
- Guide to Good Farming Practices for Animal Production Food Safety*, 269
- Guidelines for the application of ISO 9001:2000 for the food and drink industry*, 266
- Gullain–Barré syndrome, 44, 48, 88
- HACCP *see* Hazard Analysis Critical Control Point
- haemolytic uremic syndrome, 31, 43, 49, 89
- haemorrhagic colitis, 31
- Hagen Poiseuille equation, 360
- Hazard Analysis Critical Control Point, xxi, 44, 184, 190, 266
 - background, 452–6
 - plan vs system, 456
 - preliminary steps as described in the NACMCF and CODEX documents, 454
 - principles and definitions of related terms, 454
 - timeline for documented activities in system criteria development, 453
- determination, 464–70
 - alternative worksheet for the raw milk receiving, storage and pasteurisation heat and hold step, 469–70
 - biological hazards, 466
 - chemical hazards, 466–7, 470
 - hazard analysis worksheet, 465
 - physical hazards, 470
- milk processing, 451–78
 - initial steps, 456–60
 - prerequisite programs, 460–3
 - product description form for pasteurised fluid milk, 458
- plan, 471–6
 - corrective action plan (principle 5), 473–4
 - critical limits (principle 3), 471
 - effective record-keeping procedures (principle 7), 476
 - monitoring procedures (principle 4), 471, 473
 - records required for auditing process, 476
 - required verification activities, 474
 - summary table for pasteurisation CCP, 472
 - validation and revalidation, 475
 - verification procedures (principle 6), 474
 - required prerequisite programs under the NCIMS-HACCP program, 462
- HCH *see* hexachlorocyclohexane
- heat exchange systems, 332
- heat processing
 - application of modelling in dairy products, 330–46
- deterministic application to sterilisation, 338–40
 - simulated impact of sterilisation, 340
 - temperature profiles used for UHT, 339
- deterministic modelling approaches, 335–8
 - applications, 336–8
 - limitations, 338
- future trends, 345–6
 - fault tree analyses, 345–6
 - model-based process control, 346
 - predicting trained panel scores, 346
 - real-time 3D computational fluid dynamics, 345
- modelling: focus on process, product and costs, 334–5
 - cost aspects, 335
 - process: modelling design aspects, 334

- product quality and safety aspects of modelling, 334–5
- optimisation, 330–4
 - approaches, 332–4
 - criteria, 333
 - purpose, 330
 - time-temperature graph, 331
 - types, 331–2
- stochastic modelling application to pasteurisation, 341–5
 - increased holding temperature effect on logarithmic inactivation, 343
 - log inactivation variability, 345
 - microbial inactivation temperature and processing temperature, 343–5
 - probability and cumulative density function, 344
 - process parameters and dimensions of equipment, 342
 - temperature profile and cumulative logarithmic microbial inactivation, 342
 - stochastic modelling approaches, 340–1
- heat resistant mesophilic spores, 182
- heavy metals, 77, 149, 154–5, 169, 172
 - pollution in milk, 129–31
- heptachlor, 123
- heritability, 202
 - estimates, 209
- hexachlorocyclohexane, 119–22, 152, 153
- High Heat Infusion*, 312
- high pressure processing, of milk, 373–92
 - effect on milk constituents, 377–84
 - basic physical and chemical consideration, 377
 - carbohydrates, 378
 - caseins, 379–82
 - enzymes, 384
 - lipids, 377–8
 - proteins, 379–84
 - salts, 378–9
 - whey proteins, 382–4
 - effect on milk micro-organisms, 385–9
 - exogenous bacteria inactivation, 388–9
 - raw bovine milk indigenous bacteria inactivation, 387
 - future trends, 391–2
 - principles and technologies, 374–7
 - commonly used pressure units, 374
 - pressure build-up using high pressure pump or piston, 376
 - principles, 374–5
 - technologies, 375–7
 - processing characteristics of high pressure-treated milk, 390–1
 - shelf-life of high pressure-treated milk, 390
- high resolution gas chromatography, 154
- high resolution mass spectrometry, 154
- high temperature short time, 278, 281, 298
- high temperature short time process, 331–2, 414, 438
 - pasteurisation system, 459, 473–5
- hlyA* gene, 99
- homogenisation, 6
- HTST pasteuriser, 287
 - heat exchange sections, 285
 - layout, 286
- HTST process *see* high temperature short time process
- hybridisation, 99
- hydrogen peroxide, 52
- hydroxymethylfurfural, 318
- Hygiene of Foodstuffs' Directive, 186
- IAEA *see* International Atomic Energy Agency
- IDF *see* International Dairy Federation
- IDF 2004 Guide, 79–80
- IDF Code of Practice for Design and Construction of Milk Collection Tankers, 185
- IDF Document 128, 185
- IFS *see* International Food Standard
- immune-PCR, 99
- immunoglobulin A, 382
- immunoglobulin G, 382
- immunoglobulin M, 382
- immunoglobulins, 15, 20, 383
- inactivation ratio, 412
- incidence rate of clinical mastitis, 28
- Indian Council of Medical Research, 117, 120
- indirect heat exchangers, 332
- indirect process, 311
- infant food, 129
- infections
 - asymptomatic, 45
 - secondary, 45
- infrared radiation, 445
- innovative steam injection, 306
- International Atomic Energy Agency, 429
- International Dairy Federation, 78, 156, 186, 269, 293
 - animal welfare, 79–80
 - GAP, 78–9
 - guides, 269–70
 - Code of Good Hygienic Practices for Milking with Automatic Milking Systems, 269–70
 - Guide to Good Animal Welfare in Dairy Production, 270
- International Food Standard, 478
- International Organisation for Standardisation, 186, 265, 477
- standards, 265–6

- International Telecommunication Union, 434
- Invensys APV, 364, 365, 367
- iodine, 239
- ion-pairing LC method, 155
- ionisation, 430
- IP values *see* isoelectric points
- IRCM *see* incidence rate of clinical mastitis
- iridium/ruthenium, 415
- iron, 415
- irradiation, 429–33
 - advantages and limitations, 433
 - applications, 431
 - classification
 - radappertisation, 431
 - radicidation, 431
 - radurisation, 431
 - definition, 429–30
 - electromagnetic spectrum, 430
 - features, 433
 - main effects
 - dissociation, 430
 - excitation, 430
 - ionisation, 430
 - milk processing, 431–2
 - mode of action, 430–1
 - regulatory issues, 432–3
 - sources of ionising radiation
 - electron beams, 430
 - gamma rays, 430
 - X-rays, 430
- irreversible electroporation, 403
- irreversible sulphhydryl–disulphide interchange reactions, 383
- ISO *see* International Organisation for Standardisation
- ISO 2005, 477
- ISO 8261:2001, 94
- ISO 9000, 247, 271
- ISO 9001, 266
- ISO 22000, 268, 271
- ISO 22000:2005, 478
- isoelectric points, 7
- Isoflux, 365
- ITU *see* International Telecommunication Union
- Johne's disease, 30, 75
- Joint FAO/WHO Expert Committee on Food Additives, 158
- Joint FAO/WHO Meeting on Pesticide Residues, 158
- κ -casein, 7–8, 15, 18
- ketones, 12
- Klebsiella* spp, 28
- laboratory pasteurisation count, 73
- lactation
 - early, 15
 - feedback inhibitor, 14
 - stage, 15–16
- lactic acid bacteria, 5, 53
- Lactobacillus acidophilus*, 99
- Lactobacillus brevis*, 407
- lactoferricin B, 52
- lactoferrin, 51
- lactoferrin-enriched jellies, 392
- lactoperoxidase, 52, 289, 291, 384, 412, 428
- lactose, 4–5
 - isomerisation, 318–19
- lactosylation, 320
- lactulose, 318–19
- lactulosyl-lysine, 318
- lauric acid, 198
- Le Chatelier's principle, 377
- lead, 129–30
- lethality index, 305
- Leuconostoc mesenteroides*, 409
- light-induced oxidation, 7
- lindane, 119
- lipase, 384, 412
- lipolysis, 6, 13
- lipoprotein lipase, 13
- liquid chromatographic analysis, 151
- liquid chromatography-MS-MS, 152
- Listeria*, 76, 431
- Listeria innocua*, 407, 409, 410, 411
- Listeria innocua* ATCC 51742, 427, 444
- Listeria monocytogenes*, xxi, 30, 39, 40, 187, 386, 466, 475, 477
 - bulk tanks, 38
 - complications from infection, 48–9
 - isolated from bulk tank milks, 37, 38
 - microbiological methods for detection, 95, 98, 99, 100, 101
 - microwave inactivation, 427
 - milk antimicrobial properties, 49, 51
 - as milkborne pathogen, 88, 90
 - ohmic heating inactivation, 439, 440
 - PEF inactivation, 407
 - regulatory requirement, 91, 94
 - silage, 31
 - ultrasound inactivation, 425, 433, 436
 - UV light inactivation, 443
- Listeria monocytogenes* Scott A, 411
- listeriosis, 89
- LPC *see* laboratory pasteurisation count
- lyso:Chrisin, 411
- lysozyme, 52, 410, 411
- Machinery Safety Directive (89/392/EEC), 186
- macrolides, 466

- macrophages, 20
- mad cow disease, 76
- magnetoelastic biosensor, 100
- Maillard browning, 332
- Maillard reaction, 5, 318, 320, 378
- malaaxon, 153
- malathion, 153
- mano-sonication, 425
- MAP *see* milk fat globules
- Marguerite, 367
- mass spectrometry, 12
- mastitis, 10–11, 20–1, 28, 68–9, 185
 - causes, 256–8
 - inflammation and susceptibility, 257–8
 - invasion and infection, 257
 - movement of infection, 257
 - pathogen types, 256
 - causing organisms, 28–9
 - changes in milk components, 21
 - clinical, 20, 28
 - control, 258–9
 - defined, 20, 28
 - effects on raw milk quality, safety and yield, 246–59
 - future trends, 259
 - mean deviation of selected milk constituents, 251
 - milk constituents physiological reference values, 250
 - milk contamination causes, 254
 - milk yield, 255–6
 - raw milk quality, 247–52
 - raw milk safety, 252–4
 - and somatic cell count, 20
 - subclinical, 20, 28–9, 36, 38
 - summary of changes in milk components, 21
- maximum residue limits
 - aflatoxin, 171
 - pesticides, 160–8
 - toxic metals, 169
 - veterinary drugs, 170–1
- Maxwell–Wagner water polarisation, 434
- MCP *see* micellar calcium phosphate
- melamine, 173–4
- Membralox, 365
- membrane, 358
 - rejection or retention of a solute, 361
- mercury, 129
- methyl ketones, 318
- Mexican-style cheese, 88–9
- MFG *see* milk fat globules
- micellar calcium phosphate, 378
- micelle, 229
- Micro Cel-E, 151
- microarrays, 98–9
- microbial fat, 229
- Micrococcaceae, 184
- micrococci, 31
- microfiltration, 356–69
 - application for bacteria, spores and somatic cells removal, 364–9
 - approximate bacteria retention in skimmed milk, 366
 - general aspects, 357–64
 - industrial applications, 367–9
 - operating conditions, 364–7
 - process schematic representation for whole milk, 366
 - general aspects, 357–64
 - concentration gradient on a membrane, 361
 - crossflow and dead-end membrane filtration process, 358
 - influence of transmembrane pressure, 362
 - membrane separation processes efficiency, 359–61
 - membranes and supporting structures, 358–9
 - module configurations comparison, 360
 - parameters affecting flux and rejection, 362–4
 - uniform transmembrane pressure system principle, 363
 - particle sizes for which separation may be applied, 357
 - removal of bacteria, spores and somatic cells from milk, 349–70
- micronutrients, 432
- microspheres, 99
- microwave, 433–7
 - advantages and limitations, 437
 - definition, 433–4
 - dielectric properties, 435
 - milk processing, 435–7
 - mode of action, 434–5
 - regulatory issues, 437
- milk, 28–39
 - antimicrobial properties, 49–53
 - bacteriocins and probiotics, 53
 - bovine immunoglobulins, 52
 - lactoferrin, 51–2
 - lactoperoxidase, 52
 - lysozyme, 52
 - other potential antimicrobial agents, 53
 - xanthine oxidase, 53
 - bacteria, spores somatic cells removal centrifugation and microfiltration techniques, 349–70
 - bacterial inactivation using novel technologies, 426
 - biochemistry, 3–21

- borne illnesses, 43
- bovine, 5, 6, 10, 11, 16
- causes of pasteurised milk outbreaks in the US, 41
- changes in components at mastitis, 21
- coagulation on sterilisation, 9
- composition and constituents, 4–10
 - fat, 5–7
 - lactose, 4–5
 - proteins, 7–9, 13
 - salts, 9–10
- diet and nutritional quality, 224–5
 - effects of different feeding strategies, 240
- distribution of cases according to etiological agent and milk type, 41
- factors affecting composition and processing properties, 15–21
 - breed, 19
 - diet, 16–18
 - genetic factors, 18–19
 - lactation stage, 15–16
 - mastitis, 20–1
 - seasonality, 16
 - somatic cell count, 20–1
- fat droplets, 6
 - size, 6
 - volume, 6
- flavour defects
 - chlorophenol taint, 71
 - feed taints, 71
 - oxidised, 71
 - rancid, 71
- freezing point, 9–10
- future trends, 189–91
 - farm, 189–90
 - product and process development, 190
 - production process monitoring, control and optimisation, 190–1
- good hygienic practice, 184–9
 - Bacillus cereus* incidence in pasteurised milk, 189
 - bacterial spores adherence on equipment surfaces, 188
 - end-products, 188–9
 - farm, 184–6
 - fouling of heat exchangers, 187
 - processing, 186–8
- good hygienic practice in production and processing, 179–91
- high pressure processing, 373–92
 - effect on constituents, 377–84
 - effect on micro-organisms, 385–9
 - future trends, 391–2
 - principles and technologies, 374–7
 - treated milk processing
 - characteristics, 390–1
 - treated milk shelf-life, 390
- identifying pathogens, 87–101
 - current detection techniques and their limitations, 94–5
 - milkborne pathogens overview, 87–91
 - new detection techniques, 95–101
 - regulatory aspects in Europe, the US and elsewhere, 91–4
- improving pasteurised and extended shelf-life milk, 277–98
 - determinants of keeping quality, 287–94
 - extended shelf-life milk, 297–8
 - further issues during pasteurisation, 295–6
 - legislation and control, 296–7
 - major changes over the last 50 years, 282–3
 - milk pasteurisation history, 280–2
 - original objections to pasteurisation, 279
 - other changes during pasteurisation, 294–5
 - pasteurisation equipment, 283–7
 - pasteurisation of other milk-based products, 296
- indigenous enzymes, 10–13
 - alkaline phosphatase, 10, 12–13
 - lipoprotein lipase, 10–11
 - plasmin, 11–12
 - somatic cell proteinases, 12–13
- microbial contamination, 28–36
 - contamination from the udder, 28–30
 - environmental sources, 34–6
 - fecal shedding, 31–4
- and milk products food safety criteria and analytical reference methods, 92
- novel processing technologies
 - undergoing research and approval, 422–3
- other novel preservation technologies, 420–45
 - irradiation, 429–33
 - microwave, 433–7
 - novel technologies for quality improvement, 421–4
 - ohmic heating, 437–40
 - other available technologies, 444–5
 - ultrasound, 424–9
 - ultraviolet light, 441–4
- outbreaks of illness associated with milk consumption, 46
- pasteurisation, 42, 43, 45, 51
- pasteurisation with pulsed electric fields, 400–16
- pathogens, 36–9
 - foodborne, 31, 36–7, 52
 - prevalence, 37

- pathways for major constituents
 - secretion in mammary epithelial cells, 14
- pesticides, veterinary residues and other contaminants, 113–37
 - comparison of OC levels, 124
 - DDT residues in dairy milk samples, 117
 - DDT vs HCH residue levels, 123
 - detergents and disinfectants, 137
 - heavy metal pollution in milk, 129–31
 - mycotoxins, 134–6
 - nitrate and nitrites, 136–7
 - pesticide residues and other chemical contaminants, 114–29
 - radionuclides, 131–2
 - veterinary drug residues, 132–4
- principal hazards, 180–3
 - microorganisms inactivation in raw milk, 181
 - pasteurised milk, 180–2
 - raw milk, 180
 - thermal death curves of *Bacillus stearothermophilus* and *Bacillus sporothermodurans*, 183
 - UHT-milk, 182–3
 - UHT-processing equipment types, 182
- quality and safety key requirements, 64–82
 - additional requirement, 72–8
 - basic requirements, 66–72
 - farm assurance programmes, 78–80
 - future trends, 80–2
 - processor's perspective, 65–6
- reported outbreaks of disease to be associated with unpasteurised milk, 42
- screening, 467
- secretion, 13–15
- sustainability, 81–2
- viscosity, 413
- milk allergen, 467
- milk composition
 - and cows' diet, 223–41
 - diet and nutritional quality of milk, 224–5
 - fats, 225–31
 - bovine milk lipids composition, 225
 - clover silages, 233
 - concentrate source, 234–5
 - digestion and metabolism of dietary fat, 228–31
 - fatty acids dietary sources, 225–8
 - forage source, 231–4
 - forage source on milk FA profile, 231
 - normal content of fatty acids, 230
 - various forages and concentrates, 227
 - and interdependence between mammary gland quarters, 251
- minerals
 - iodine, 239
 - selenium, 239
- practical implications, 239–41
 - effects of different feeding strategies, 240
- proteins, 236–7
 - feeding factors, 236–7
- vitamins, 237–9
 - β -carotene and vitamin A, 237
 - effect of β -carotene and vitamin E on milk shelf-life, 238–9
 - vitamin E, 238
- milk contaminants
 - analytical techniques, 150–8
 - detergents and disinfectants, 158
 - heavy metals and radionuclides, 154–5
 - mycotoxins, 156–7
 - nitrate and nitrites, 157–8
 - pesticide residues and POP, 150–4
 - veterinary drug residues, 155–6
 - causes of human pathogenic microorganisms contamination, 254
 - maximum residue limits
 - afatoxin, 171
 - pesticides, 160–8
 - toxic metals, 169
 - veterinary drugs, 170–1
 - routes of contamination, analytical techniques and methods of control, 146–74
 - contaminants management, 159, 168–9, 171–3
 - possible sources of contamination of animal body, 147
 - regulatory aspects, 158–9
 - sources of contamination, 147–50
- milk contamination
 - bulk tank, 30, 35
 - environmental sources, 34–6
 - aerial contamination, 34
 - milking and storage equipment, 35–6
 - personnel, 34
 - water, 34–5
 - pipeline milking equipment, 35
 - from udder, 28–31
 - external surface contamination, 30–1
 - udder infection, 28–30
- milk fat, 197
 - content and composition, 225–35
 - composition of bovine milk lipids, 225
 - effects of concentrate source, 234–5
 - fatty acids dietary sources, 225–8
 - digestion and metabolism, 228–31
 - biohydrogenation in the rumen, 228–9
 - dietary lipids hydrolysis, 228
 - fat metabolism in the rumen, 228

- microbial fat, 229
- small intestine digestion and transport, 229
- synthesis, 229–31
- effects of forage source on milk FA profile, 231
- exploiting genetic variation from dairy cows' milk, 197–217
 - Dutch Milk Genomics Initiative, 199–200
 - exploiting variation in fatty acid composition, 215–7
 - genetic variation between cows, 202–10
 - mean composition in winter and summer, 200–2
 - molecular genetics, 210–15
- milk fat globules, 5–6, 13
- milk fat globules membrane, 6, 20
- Milk Hygiene Directive 92/46/EEC, 182
- Milk Hygiene on the Dairy Farm Guide – Northern Ireland*, 270
- milk processing
 - bactofugation performance and gains, 353–6
 - HACCP and other food safety systems, 451–78
 - HACCP concept
 - background, 452–6
 - determination, 464–70
 - initial steps, 456–60
 - plan, 471–6
 - prerequisite programs, 460–3
 - HTST fluid milk processing system
 - basic flow diagram, 459
 - other food safety systems, 476–8
 - product description form for pasteurised fluid milk, 458
- and production
 - good hygienic practice, 179–91
 - required prerequisite programs under the NCIMS-HACCP program, 462
- milk processor
 - basic requirements, 66–72
 - antibiotic arrangements, 69–71
 - bacterial standards, 67–8
 - collection arrangements and seasonality, 71
 - compositional quality payments, 67
 - quality bonus, 72
 - sensory quality, 71
 - somatic cell counts, 68–9
- chemical issues, 76–8
 - BSE, 76–7
 - environmental contaminants, 77
 - mycotoxins, 77–8
- continuous quality improvement, 72–4
 - bacterial counts, 72–3
 - somatic cell counts, 73–4
- future quality and safety improvement, 78–80
 - animal welfare, 79–80
 - general, 80
 - good agricultural practices, 78–9
- microbiological issues, 74–6
 - MAP, 74–6
 - pathogens, 74
- quality and safety key requirements, 64–82
 - beyond the basic milk contract, 72–8
 - future trends, 80–2
 - industry safety issues, 74–8
 - key elements of processor's perspective, 65–6
- milk protein, 224
 - content and composition, 236–7
 - feeding factors, 236–7
- milk quality, 247–52
 - simulated impact of direct and indirect sterilisation, 340
- milk residues, 35
- milk safety, xxi, 252–4
- milk sterilisation
 - deterministic modelling application, 338–40
 - simulated impact, 338–40
- milk supply contract
 - additional requirements, 72–8
 - antibiotic arrangements, 69–71
 - reasons for failure, 70
 - residues legal limits, 69
 - specific practices for antibiotic control, 70–1
 - basic requirements, 66–72
- milk yield, 255–6
- milkborne pathogens
 - current detection techniques and their limitations, 94–5
 - food safety criteria and analytical reference methods, 92
 - identifying pathogens in milk, 87–101
 - microbiological methods for pathogen
 - bacteria detection and enumeration, 95, 96–7
 - new detection techniques, 95–101
 - established methods, 95, 98–9
 - future trends, 99–101
- overview, 87–91
- regulatory aspects in Europe, the US and elsewhere, 91–4
 - European Commission Regulation on milk and milk products, 91, 93
 - food standards in other countries, 94
 - international aspects, 91
 - US regulations on dairy products, 93
 - US FDA regulation on regulatory action levels for dairy products, 93
- milking parlour air, 34

- Miller–Fisher syndrome, 48, 88
 minerals *see* specific mineral
 modules, 359
 comparison of different configurations, 360
 molecular genetics, 210–15
 molecular weight cut-off, 359
 monoazide-linked dyes, 98
 Monte Carlo analysis, 343
 Monte Carlo simulations, 341
 moulds, 134
 multi-residue method, 152, 153–4
 Mutual Code of Goat Breeding, 270
Mycobacterium avium subsp.
 paratuberculosis, 74–6, 295, 443
Mycobacterium bovis, 29, 466
Mycobacterium paratuberculosis, 30
Mycobacterium tuberculosis, 10, 281, 295, 466
 mycotoxicosis, 134
 mycotoxins, 77–8, 134–6, 149, 156–7, 172, 467
 contamination preventive measures, 78
 myristic acid, 198
- NASA, *see* National Aeronautics and Space Administration
 National Academy of Sciences, 452
 National Advisory Committee on the Microbiological Criteria for Foods, 452
 National Aeronautics and Space Administration, 452
 National Animal Health Monitoring System Dairy 2002 Survey, 38
 National Conference on Interstate Milk Shipments, 455
 NC Hyperbaric, 375
 NCIMS *see* National Conference on Interstate Milk Shipments
 Netherlands Controlling Authority for Milk and Milk Products, 200
 New Zealand dairy farming, 201
 niche milk, 66
 nickel, 415
 nisin, 410, 411
 nitrates, 136–7, 150, 157–8, 172, 355
 nitrites, 136–7, 150, 157–8
 nitrosamines, 137, 150
 NIZO Premia, 343
 nonthermal technology, 400
 nutritional quality, 224
 effects of different feeding strategies, 240
- OCP *see* organo-chlorinated pesticides
 ohmic heating, 437–40
 advantages and limitations, 440
 definition, 438
 milk processing, 439–40
 mode of action, 438–9
 regulatory issues, 440
- oilseeds, 228
 omega 3, 66
 on-farm segregation, 215
Operational Prerequisite Programs, 268
 organo-chlorinated pesticides, 115
 organochlorines, 114, 115
 organophosphates, 126
 oscillating magnetic fields, 421
 oxytocin, 14
- Paenibacillus lactis*, 303, 309
 Pall-Exekia, 365
 paramagnetic CBD beads, 99
 pasteurisation, 88, 181, 277–80, 459, 466
 causes of pasteurised milk outbreaks in the US, 41
 conventional, 10
 cumulative logarithmic microbial inactivation
 effect of holding temperature, 343
 and temperature profile, 343
 definition, 280
 determinants of keeping quality, 287–94
 enzyme inactivation, 289–90
 microbiological aspects, 288–9
 post-pasteurisation contamination, 293
 process characterisation, 291–3
 processing conditions, 290–1
 raw milk quality, 287–8
 storage temperature, 294
 temperature-time conditions, 292
 disadvantages, 421
 equipment, 283–7
 continuous heating, 284–7
 heat exchange sections for HTST pasteuriser, 285
 holder or batch heating, 283–4
 HTST pasteuriser layout, 286
 process parameters and dimensions, 342
 extended shelf-life milk, 297–8
 further issues, 295–6
 history, 280–2
 improving pasteurised and extended shelf-life milk, 277–98
 legislation and control, 296–7
 major changes over the last 50 years, 282–3
 MAP, 75–6
 milk with pulsed electric fields, 400–16
 objections, 279
 other changes during the process, 294–5
 other milk-based products, 296
 parameters, 291–3
 pasteurisation unit, 291
 pasteurised milk, 180–2

- determinants of keeping quality, 287–94
- improving safety and quality, 277–98
- Pasteurised Milk Ordinance, 93, 253, 455
- pasteuriser faults, 41
- pathogenic bacteria, 180
- pathogenic microbes, 248
- PCBs *see* polychlorinated biphenyl
- PCR *see* polymerase chain reaction
- pedion AcH, 411
- pedion AcH plus nisin, 411
- PEF *see* pulsed electric fields
- Penicillium*, 134
- pepsin, 384
- permeation flux, 359, 360
- persistent organic pollutants, 125
- pesticide residues, 114–29, 467
 - analysis, 150
 - baby milk powder, 129
 - butter and ghee, 127–8
 - DDT residues, 116–19
 - endosulfan, 122–3
 - HCH residues, 119–21
 - organophosphate pesticide residue, 126–7
 - other OCPs and POPs, 123–6
- pesticides, 77, 114, 147, 160–8, 172
- PFGE genotypes, 35
- phage display technique, 99
- phagocytosis, 20
- phosphatase test, 280, 281, 289
- phosphohexoseisomerase, 384
- phosphorylation, 14
- photo-sensitiser, 7
- PIC *see* preliminary incubation count
- piezoelectric biosensor, 101
- plasmin, 10–11, 290, 384, 412
- plasminogen, 10–11
- plasminogen activators, 10
- plate heat exchangers, 284, 332
- plate incubation methodology, 68
- platinum, 415
- PMN *see* polymorphonuclear leucocytes
- PMO *see* Pasteurised Milk Ordinance
- polarisation concentration, 361
- polyacetylene, 415
- polychlorinated biphenyl, 77, 148
- polymerase chain reaction, 30, 98
- polymorphonuclear leucocytes, 11, 20
- polyphenol oxidase, 232
- polyunsaturated fatty acids, 226, 228
- POP *see* persistent organic pollutants
- post-pasteurisation contamination, 282
- potassium, 131
- power ultrasound, 424
- predictive modelling, 334
- preliminary incubation count, 73
- prerequisite programs, 269, 460–3, 464
 - defined, 460
 - vs CCPs, 461
- pressure-dependent region, 363
- pressure-independent region, 362
- prions, 76
- pro-oxidants, 6
- probability distribution functions, 341
- probiotic bacteria, 53
- procathepsin D, 12
- propidium iodide monoazide, 98
- protease, 412
- proteinase, 390
- proteins, 236–7
- proteolysis, 20, 21, 320, 384
- pseudocathepsin D, 11–12
- Pseudomonas fluorescens*, 407
- psychrotrophic spore-formers, 36
 - gram-negative, 35
- psychrotrophs, 72–3
- PUFA *see* polyunsaturated fatty acids
- pulsed electric fields, 427
 - drawbacks and limitations, 414–16
 - enzyme inactivation, 412–13
 - estimated element intake after PEF-treated meal consumption, 415
 - institutions currently working with PEF technology, 403
 - microbial inactivation, 407–11
 - electroporation mechanism induced during processing, 409
 - examples in milk using PEF technology, 408
 - modelling, 411–12
 - milk overall quality, 413
 - pasteurisation of milk, 400–16
 - principles of technology, 401–3
 - processing equipment, 403–7
 - basic configuration, 404
 - different chamber configurations, 406
 - different pulsed waveforms used in processing, 407
 - pulse wave shape, 406–7
 - treatment chamber, 405–6
 - shelf-life extension, 413–14
- Punjab Dairy Development Corporation, 116
- purine, 442
- pyrimidine, 442
- Q fever, 30, 34
- QTL *see* quantitative trait loci
- quality assurance, 78
 - Codex Alimentarius Commission standards, 266–8
 - Code of Hygienic Practice for Milk and Milk Products, 267–8
 - general principles of food hygiene, 267
 - Section 3 – Primary Production outline, 268
 - Food and Agriculture Organisation guides, 269

- International Dairy Federation guides, 269–70
 - Code of Hygienic Practices for Milking with Automatic Milking Systems, 269–70
 - Guide to Good Animal Welfare in Dairy Production, 270
 - ISO definition, 265
 - ISO standards, 264–71
 - schemes on the dairy farm, 264–71
 - texts related, 265
- quality management system, 266
- quantitative risk assessment, 477
- quantitative trait loci, 212
 - allele substitution effects affecting long-chain fatty acids, 214
- quarg, 12
- QuEChERS, 156

- radappertisation, 431
- radicidation, 431
- radio frequency, 444
- radionuclides, 131–2, 154–5, 172
- radurisation, 431
- raw milk, 11, 13, 180
 - alternative worksheet for receiving, storage and heat and hold step, 469–70
 - antibiotic residues, 69
 - antimicrobial systems, 50
 - effect of mastitis on quality, safety and yield, 246–59
 - elements of quality, 65
 - mastitis effects on quality, safety and yield, 247–56
 - mean deviation of selected milk constituents, 251
 - milk constituents physiological reference values, 250
 - milk contamination causes, 254
 - milk yield, 255–6
 - raw milk quality, 247–52
 - raw milk safety, 252–4
- microbiological safety, 27–53, 288–9
 - antimicrobial properties of milk, 49–53
 - foodborne pathogens routes of transmission, 45–9
 - limitations of testing as an indicator of safety, 39–40
 - microbial contamination, 28–36
 - outbreaks of illness associated with consumption, 40–5
 - pathogens and milk, 36–9
- microorganisms inactivation, 181
- microorganisms inactivation by various heat treatments, 181
- quality, 247–52, 287–8, 310
 - compositional quality, 249–51
 - herd bulk milk cell count level and antibiotic residues, 252
 - hygienic quality, 247–9
 - milk composition and interdependence, 251–2
 - reducing 2-D electrophoretograms, 321
 - safety, 252–4
 - transmission of microorganisms via three main routes, 184
- RCT *see* rennet coagulation time
- reactive arthritides, 47, 48
- reactive arthritis, 47
- Recommended International Code of Practice – General Principles of Food Hygiene*, 266
- reducing sugar, 5
- regeneration efficiency, 285
- Regulation (EC) No. 178/2002, 253
- Regulation (EC) No. 852/2004, 253
- Regulation (EC) No. 853/2004, 253
- Regulation (EC) No. 854/2004, 253
- Reiter's syndrome, 47
- rennet coagulation time, 391
- residence time distribution, 315
- resistance heating, 438
- retentate, 357, 367
- retinol *see* vitamin A
- reversible electroporation, 402, 409
- Reynold's number, 315
- @RISK, 343
- ruminal metabolism, 7

- Saccharomyces cerevisiae*, 409, 410, 439
- Safe Quality Food, 477, 478
- Salmonella*, 47, 402, 407, 431, 439, 440
- Salmonella choleraesuis* serotype *Dublin*, 443
- Salmonella* Enterica, 51
- Salmonella* Enteritidis, 32, 47, 49
- Salmonella* spp, 37, 40, 88, 89, 94, 95, 98, 100, 101, 433, 466
- Salmonella* Typhimurium, 47, 48, 100, 187, 411
- Salmonellae*, 38
- salmonellosis, 89
- sandwich hybridisation, 101
- Sanitary and Phytosanitary Measures, 158
- sanitation standard operating procedures, 461
- saturated free fatty acid, 229
- sedimentation speed, 351
- selenium, 239
- serine proteinases neutrophil elastase, 12
- Serratia marcescens*, 443
- Shiga toxin producing *E. coli*, 32, 88, 89
- Shiga toxins, 31
- Shigella* spp, 47
- short-chain fatty acids, 5

- silage, 39
- single nucleotide polymorphisms, 212
- skimmed milk, microfiltration, 365
 - approximate bacteria retention, 366
- skin disinfectants, 132
- solvent partitioning, 152
- somatic cell count, 28–9, 38, 39, 44, 68–9, 73–4
 - effect on milk composition and processing properties, 20–1
 - and mastitis, 20
- somatic cell proteinases, 11–12
- somatotrophin, 14
- sonication, 425, 427
- SPC *see* statistical process control
- Specialist Cheesemakers Association, 278
- Spheron DEAE, 157
- spoilage, 179, 181
- spoilage psychrotrophs, 187
- spongiform encephalopathy, 76
- spontaneous oxidation, 7
- spore-forming bacteria, 288, 308
- SPR *see* surface plasmon resonance biosensors
- SQF *see* Safe Quality Food
- SSOP *see* sanitation standard operating procedures
- stainless steel, 415
- Standards for Microbiological Safety of Food, 94
- staphylococcal enterotoxins
 - in the udder, 29
- Staphylococcus aureus*, 28–9, 39, 40, 49, 90, 98, 101, 182, 248, 254, 256, 349, 386, 407, 431, 443, 445, 466
- statistical process control, 477–8
- steam infusion, 311
- steam injection, 310–11
- stearoyl-CoA desaturase, 211–12
- STEC *see* Shiga toxin producing *E. coli*
- sterilisation
 - deterministic modelling application, 338–40
 - simulated impact on product quality and fouling, 340
 - UHT temperature profiles, 339
 - milk coagulation, 9
 - post-sterilisation contaminants, 309–10
- Sterilox, 365
- stochastic modelling, 341
 - application to milk pasteurisation, 341–5
 - holding temperature on cumulative logarithmic inactivation, 343
 - log inactivation during pasteurisation, 345
 - probability density function and cumulative density function, 344
 - process parameters and dimensions of equipment, 342
 - temperature profile and cumulative logarithmic microbial inactivation, 342
 - variability in microbial inactivation temperature and processing temperature, 343–5
- approaches, 340–1
- Stoke's law, 6, 350–1
- Streptococcus agalactiae*, 28, 248, 254, 256
- Streptococcus equi* subsp. *zooepidemicus*, 90
- Streptococcus thermophilus*, 439
- Streptococcus uberis*, 28
- sulfa drugs, 149
- sulphonamides, 466
- super-shedders, 30, 33
- surface plasmon resonance biosensors, 99–100
- survival ratio, 412
- synergism, 410–11
- Tami Industries, 365
- teat dipping, 29
- Tetra Pak, 311, 352, 365
- Tetra Therm Aseptik Plus*, 312
- 2,3,7,8-tetrachlorodibenzo-p-dioxin, 126
- tetracyclines, 466
- thermal processing, 330
- thermal regeneration system, 410
- thermoduric bacteria, 72, 288
- thermosonication, 425, 427
- thiocyanate, 52
- 3-A organisation, 186
- tick-borne encephalitis, 90
- time-temperature profile, 342
- TMP *see* transmembrane potential
- tocopherols, 7
- total bacterial count, 248
- total microbial count, 30, 35, 38
- toxic metals, 169
- toxic shock syndrome toxin-1, 29
- transfer coefficient, 122
- transmembrane potential, 407
- transmembrane pressure, 358
- transmission electron microscopy, 391
- Trends in Food Science and Technology*, 186
- triglycerides, 5
- Tube à Passage de Courant, 312
- tuberculosis, 43
- tubular heat exchangers, 284, 332
- udder, 13–14, 18, 20
 - infections, 28
- UF-feta, 12

- UHT *see* ultra-high-temperature processing
- UHT milk, 51, 182–3, 401
- UHT-milk, 182–3
- UHT milk products
and UHT processing, 302–23
- UHT-processing
equipment types, 182
- UK Food Standards Agency, 270
- UK National Dairy Farm Assured Scheme,
271
- ultra-high-temperature, 302, 331–2
- ultra-high-temperature processing
changes in milk, 315–19
fouling or deposit formation, 316–18
lactose isomerisation, 318–19
Maillard reactions, 318
whey protein denaturation and protein
complexes formation, 315–16
changes in milk during storage
2-D electrophoretograms of raw milk
and UHT milk, 321
fat separation, 323
flavour, 322–3
gelation, 319–20
protein changes, 320–2
definition and principles, 304–5
temperature–time combinations for in-
container sterilisation, 306
goal, 302
kinetics-based approach, 304
methods and characteristics, 310–15
direct plant temperature-time profile,
313
electrical heating, 312–13
indirect plant temperature-time
profile, 314
residence time distribution, 314–15
temperature-time profiles, 313–14
traditional steam and hot-water
systems, 310–12
microbiological aspects, 307–10
heat-resistance sporeformers, 308–9
post-sterilisation contaminants, 309–10
raw milk quality, 310
milk changes during storage, 319–23
temperature-time profiles
commercial direct UHT plant, 313
commercial indirect UHT plant, 314
trends, 303–4
and UHT milk products, 302–23
- ultrafiltration, 364
- ultrasonication, 427
- ultrasound, 424–9
advantages and limitations, 429
definition, 424
milk processing, 425–8
nutritional properties, 427–8
mode of action, 425
regulatory issues, 428–9
- ultraviolet lamp, 441
- ultraviolet light, 441–4
advantages and limitations, 444
definition, 441
milk processing, 442–4
mode of action, 441–2
pulsed vs continuous, 442
types
UV-A, 441
UV-B, 441
UV-C, 441
UV-V, 441
- undulant fever, 29
- uniform transmembrane pressure, 363
- unsaturation indices, 208–10
- uric acid, 7
- validation, 475
- vegetable fats, 5
- vegetative pathogens, 288
- verocytotoxin-producing *Escherichia coli*,
47
- verotoxins, 31
- veterinary drug residues, 132–4, 155–6
- veterinary drugs, 170–1
- vitamin A, 237, 466, 470
- vitamin D, 466, 470
- vitamin E, 238–9
- vitamin fortification, 463, 470, 473
- vitamins
content, 237–9
 β -carotene and vitamin A, 237
effect of β -carotene and vitamin E on
milk shelf-life, 238–9
vitamin E, 238
- volatile fatty acids, 228
- volume concentration ratio, 364
- VTEC *see* verocytotoxin-producing
Escherichia coli
- whey proteins, 9, 13, 378, 382–4
factors affecting HP-induced
denaturation in milk, 383
- whole genome scan, 212–15
- whole milk, 366
- X-rays, 430
- xanthine oxidase, 6, 13, 384
- Xanthomonas maltophilia*, 407
- xenobiotics, 114
- Yersinia enterocolitica*, 31, 37, 39, 47, 51,
95, 98, 187, 443
- zero-tolerance, 91
- Zygosaccharomyces bailii*, 439