

Index

- acetylcholinesterase (AChE)
inhibition test, 78
- Achromobacter* spp., 49, 59
- Acinetobacter* spp., 57
- additive framework Directive
89/107/EEC, 111
- aerobic plate count (APC),
157
- aerobic spore-formers, 58
- Aeromonas*, 49
- agricultural chemicals, 147–148
- Alcaligenes* spp., 49, 52, 59
- A. tolerans*, 54
- alkaline phosphatase (ALP), 37
- allergen, 255
- ampicillin, 153
- animal feed, contamination of,
146, 148–149
- animal health management, 9
- APV Pure-Lac™ system, 197
- aseptic packaging, 188–190
- Association of Official Analytical
Chemists (AOAC), 74
- 'athermal' effects of microwaves,
207
- Bacillus* spp., 42, 50, 53, 58, 60,
73, 177
- B. abortus*, 145
- B.adius*, 56
- B. cereus*, 1, 3, 11–12, 42, 48,
50, 53, 56, 58, 177, 181,
221
- B. circulans*, 53, 181
- B. coagulans*, 53, 56, 58
- B. firmus*, 181
- B. licheniformis*, 50, 53, 56, 58,
178, 181
- B. megaterium*, 50, 56
- B. melitensis*, 145
- B. mycoides*, 53
- B. polymyxa*, 56
- B. pumilis*, 58, 181
- B. sphaericus*, 56
- B. sporothermodurans*, 3, 56,
181, 240
- B. subtilis*, 50, 181, 215, 224,
240
- B. subtilis*, 56
- Bacillus stearothermophilus* var.
calidolactis spores, 78
- bacterial contamination,
prevention strategies for
addition of carbon dioxide,
62
- application of bio-preservatives,
62–64
- cleaning and sanitation,
61–62
- cooling during storage, 62
- multitarget attack/integrative
approaches, 65
- non-thermal treatments, 65
- thermal treatments, 64
- Bactofuge™, 181
- bactoscan, 245
- batch heating, 174
- batch pasteurisation time, 200
- benzalkonium chloride, 52
- bifidobacteria, 26
- Bifidobacteria* spp., 11
- biologically derived contaminants,
147
- bio-preservatives, 65
- blood serum albumin, in cow's
milk, 32
- booster pump, 176
- bovine serum albumin (SA), 32
- bovine spongiform encephalopathy
(BSE), 149–150
- Brevibacillus brevis*, 58
- Brucella* spp., 54
- contamination, of milk, 145
- buffering capacity, of milk, 38–39
- building construction, and hygiene
practice, 241, 258
- Buna rubber gaskets, 51
- butyric acid bacteria, 3, 15
- California mastitis test (CMT),
77
- Campylobacter* spp., 54, 153,
237
- C. coli*, 141
- C. fetus*, 141
- C. jejuni*, 1, 3, 50, 77, 177,
207
- contamination, of milk, 141
- capillary electrophoresis (CE), 86,
88, 90
- caprylic acid, 152
- caramelisation, 27
- carbon dioxide (CO₂), in milk
preservation, 62
- Carnobacterium piscicola* CS526,
144
- β-casein, 34, 89
- γ-casein, 34
- κ-casein, 34–35, 39, 86
- casein content analysis, 82
- casein micelles, 34–36, 169
- caseinomacropptide (CMP),
86
- caseins, in cow's milk, 33–36
- CCPs decision tree, 255
- chemical contaminants and
residues
- biologically derived
contaminants, 147
- industrially derived
contaminants, 146
- pesticides and residues of plant
health agrichemicals,
147–148
- residues of animal remedies,
148–149
- chloramphenicol, 154
- chromatographic techniques,
83
- chromatography, 82
- Chromobacterium*, 49
- CIP systems, 243
- Cl. perfringens*, 55

- Clostridium* spp., 50
C. beijerinckii, 7
C. botulinum, 180–181
C. butyricum, 7
C. perfringens, 55
C. sporogenes, 7
C. tyrobutyricum, 7, 10
Cloxiella burnetii, 131
Codex Alimentarius.
 See legislation, for market milks
coliforms, 49
colloidal calcium phosphate (CCP), in milk, 29
colloidal salts, in milk, 29
colostrum, 25
computer models, of processing technologies milk, 226–228
concentration/enrichment, of microorganisms, 76
contagious mastitis organisms, 4
contamination, sources of pasteurised milk
 air, 61
 packaging materials, 61
 processing equipment, 60–61
raw milk
 exterior of the udder, 59
 interior of the udder, 58–59
 milking equipment, 60
 water, 59–60
 UHT milk, 61
control, defined, 255
control point (CP), 255
cooling of milk, for preventing contamination, 8
corrective action, 255
Corynebacterium-like gram-positive non-spore-forming rods, 57
Corynebacterium spp., 54
C. bovis, 4
cows. *See also* cow's milk
 health status of, 25
 infection of, 1
 transmission of contagious pathogens, 4
cow's milk
 composition and properties of, 24–25
 various breeds, 25
 constituents
 indigenous milk enzymes, 36–37
 lactose, 25–28
 lipids, 29–31
 milk salts, 28–29
 proteins, 31–36
 heat-induced changes
 acid-induced coagulation properties, 40
 buffering capacity, 38–39
 coagulation properties, 40–41
 creaming or gravity-driven separation of, 39
 pH, 37–38
 rennet coagulation properties, 39–40
 mineral content, 28
 proteins, 31–36
 triacylglycerols in, 30
Coxiella burnetii, 54, 121
Creameries Acts 1928–1934, 119
creaming, of raw milk, 39
Creutzfeldt-Jakob disease, 149
critical limit, 255
Crohn's disease, 150
Cryptosporidium spp., 54
culling, of chronically infected cows, 9
Dairies (General) Regulations 1959, 115
Dairy Produce Acts 1924–1984, 119
deficiency, HACCP definition, 255
denaturation, of milk proteins, 85, 209
denaturation, of whey proteins, 32–33
density, 199
differential scanning calorimetry (DSC), 33
dioxins, 146
direct and indirect UHT heating systems, 189–190
direct microscopy (DMSCC), 78
dirt, transmission of, 5
disodium phenyl phosphate, 173
DNA-based methods, 77
DNA-based subtyping methods, 77
Drinking Milk Regulations 1998, 116
dry cow antibiotic therapy, 9
electrophoresis, 82
emission monitoring, 146
1,2-enediol, 26
energy units, 199
enolisation reaction, 26
ω-3-enriched milks, 91
Ent. faecalis, 60
Enterobacteriaceae, 49, 52
Enterobacter spp., 49
 E. sakazakii, 151–152
Enterococcus spp., 54
 Enterococcus faecium F58, 144
 environmental mastitis organisms, 4
 enzyme assays, 84
 enzyme-linked immunosorbent assays (ELISA), 145
 enzymes, in raw milk, 174
 ermC gene, 155
 ermX gene, 155
Escherichia coli (VTEC)
 contamination, of milk, 141–142
Escherichia spp., 49
 E. coli, 3–4, 6, 50–51, 177, 207, 214–215, 238
 E. coli O26, 54, 154
 E. coli O157, 54, 154
 E. coli O157:H7, 6, 76–77
 E. faecium strains, 155
 E. sakazakii, in PIF, 152
 ethanol stability test, 194–195
 EUR-LEX website, 102
 European Communities (Standards for Heat-Treated Milk in Intra-Community Trade) Regulations 1990, 119
 European Hygienic Engineering Design Group (EHEDG), 241
 European Union Statutory Instruments (SI), related to milk composition. *See* legislation, for market milks
 extended shelf life (ESL) milk, 102, 195–197
 microflora of, 57–58
 facility hygiene, 11–12
 fat globules, of milk, 31
 fatty acids, in cow's milk, 30
 Feed Hygiene Regulation, 11
 'flat sour' defect, 55–56
Flavobacterium spp., 49, 52, 59, 243
 fluorimetric detection, 78
 fluorimetry, 84
 fluoro-optical sensors, 78
 Food and Drugs Act 1955, 115
 Food Hygiene (England) Regulations 2006, 116

- Food Hygiene (Scotland) Regulations 2006, 116
- Food Standard Agency (FSA) website, 117
- Fossomatic method (FSCC), 78
- Fourier transform technique (FT-MIR), 80
- fresh bedding, microorganisms in, 5
- furosine, 85, 89
- galactosamine, 34
- gamma irradiation, 152
- General Agreement on Tariffs and Trade (GATT), 126
- Geobacillus stearothermophilus*, 56, 181, 192, 240
- γ -glutamyltransferase, 212
- glycosylation, 83
- good dairy farming practices, 8
- Grade A (Certified) Milk, 115
- Grade 'A' Pasteurised Milk Ordinance, 122
- gram-negative psychrotrophic microorganisms, 238
- GSUDT. *See* legislation, for market milks
- hazard analysis of critical control points (HACCP) systems, 1, 8, 11, 143, 244
- audit process, 291–293
- benefits of, 254–255
- commitment by management, 259
- concepts of, 253
- definitions, 255–257
- flow diagram for process, 263
- hazard components, 263–269
- implementation and maintenance of, 257–260
- letter of endorsement of, 259–260
- prerequisites, 269–277
- principle 1, 277–283
- principle 2, 283
- principle 3, 283–284
- principle 4, 284–285
- principle 5, 285–287
- principle 6, 287–288
- principle 7, 289–291
- product description form, 262
- in quality control, 73
- steps to implementation, 260–263
- team, 256, 260–262
- validation of plans, 288
- hazards, in milk
- antimicrobial resistance, 152–156
- bovine spongiform encephalopathy (BSE), 149–150
- chemical contaminants and residues, 147–149
- Enterobacter sakazakii*, 151–152
- M. avium* subsp. *paratuberculosis* (MAP), 150–151
- microbial hazards, 140–145
- headspace volume, 193
- heat exchanger design, 200
- heat film coefficient, 199
- heating effects, on milk
- buffering capacity, 38–39
- in caseins and casein micelles, 25–26
- coagulation, 40–41
- creaming, 39
- in lactose, 26–28
- in milk fat and fat globules, 31
- pH, 37–38
- rennet coagulation properties, 39–40
- in the salt balance, 29
- in whey proteins, 32–33
- heating processes, 170–171
- heat-resistant bacteria, of pasteurised milk, 53
- heat-resistant enzymes, 57
- heat-resistant spore-forming bacteria, 191–193
- heat transfer, principles of, 170–171
- high-performance liquid chromatography (HPLC), 78
- high pressure (HP) processing technologies, milk
- effects on properties, 210–212
- operating principle, 210
- state of the art and opportunities, 212–213
- high-temperature, short-time (HTST) process, 39, 172
- holder process, 174
- homogenisation, before pasteurisation, 176
- Hull method, 57
- human microbial pathogens, in milk, 1
- hurdle technology, 214
- hygiene practices, in liquid milk dairies
- building construction, 241
- cleaning, 243–244
- monitoring and control
- in-line detection of microorganisms, 245
- optimisation of CIP procedures, 245–246
- packaging materials, 244
- pasteurisation of milk, 238–240
- processing aids, 244
- processing equipment, 242–243
- quality of the raw milk, 237–238
- sterilised milk, 240
- zoning, 241–242
- hypothiocyanite, 62
- hypothiocyanite and its conjugate acid (HOSCN), 37
- immunoglobulins (Ig), in cow's milk, 32
- immunoassay-based biosensor systems, 76
- immunodetection methods, 76
- in-bottle sterilisation, 101
- in-container sterilisation, 181–183
- innovative steam injection processing technology, milk
- effect on product properties, 221–222
- operating principle, 221
- state of the art and opportunities, 222
- International Dairy Federation (IDF), 74
- International Standards Organisation (ISO), 74
- ionic calcium, role in sedimentation, 194
- Ireland Statutory Instruments (SI), related to milk composition. *See* legislation, for market milks
- isoelectrofocusing, 86
- isomerisation, 26
-
- Jersey cows, 29
- Johne's disease, 15, 54
- Johne's disease, in cows, 150
- Kjeldahl method, 79, 84
- Klebsiella* spp., 4, 49

- Lac. lactis* subsp. *lactis*, 64
 α -lactalbumin, 26, 89
 α -lactalbumin (α -la), in cow's milk, 32
 β -lactams, 78
lactate-oxidising yeasts, 10
lactation stage and fatty acid composition, 30
lactic acid bacteria, 50, 59, 64
Lactobacillus spp., 54, 197
Lactococcus lactis subsp. *lactis*, 155, 225
Lactococcus spp., 2
lactoferrin, 63
 β -lactoglobulin (β -lg), in cow's milk, 32, 185, 195, 212
lactoperoxidase inactivation, 178
lactoperoxidase (LPO), 37, 62–63
lactoperoxidase system (LPS), 177
lactose
 concentration, 25
 primary structure of, 26
 synthesis of, 26
 β -lactose, 26
lactose-derived compounds, 84
lactulose, 84
lactulose concentrations, 26
late-blowing defect, 7
latent heat, 199
Le Chatelier–Braun principle, 210
legislation, for market milks. *See also* hazard analysis of critical control points (HACCP) systems
 Codex Alimentarius, 173, 179
 Commission, 127
 concept, 125
 content, 127
 food additives and, 132
 hygiene codes of practice, 129–131
 membership and structures, 125–126
 standards, 126–128
 standards for direct human consumption, 128–129
 European Union
 amendment to compositional requirements, 105
 Article 12 of Regulation 178/2002, 117
 CN Code 04.01, 103
 compositional requirements, 102–105
 criteria for raw milk supply, 112
 dairy hygiene Directive 92/46, 117
 Directive 45/2007, 120
 Directive 85/397, 105–106, 119
 Directive 88/388, 111
 Directive 90/496, 105
 Directive 92/46, 106–107
 Directive 94/36, 111
 Directive 89/107/EEC, 111
 hygiene and food safety requirements, 105–115
 Hygiene Directive 92/46, 119
 hygiene requirements of milk and milk product production, 108
 labelling requirements, 112–113
 packaging requirements, 113
 Regulation 539/94, 103
 Regulation 852/2004, 107, 110, 117, 119
 Regulation 853/2004, 107–109, 120
 Regulation 854/2004, 108
 Regulation 1153/2007, 116
 Regulation 1411/71, 105, 119
 Regulation 2074/2005, 108–109
 Regulation 2597/97, 103, 105, 120
 shell life requirements, 114–115
 size requirements, 113–114
 website, 102
 Ireland
 background, 119
 compositional requirements, 120
 on hygiene, 119–120
 range of packaging sizes for fresh drinking milk, 120
 United Kingdom
 background, 115
 code of practice for HTST pasteurisation, 118
 compositional requirements, 115–116
 on hygiene, 116–117
 permitted range of packaging sizes for milk, 118
 United States of America
 background, 120–121
 Code of Federal Regulations, 124
 definitions and standards, 122–124
 historical details, 121
 Pasteurised Milk Ordinance (PMO) and the Code of Federal Regulations, 122
 sale of raw milk, 124–125
 lipids, of milk, 29–30
 lipolysis, 36, 84, 175, 180
 lipopolysaccharides (LPS), 63
 lipoprotein lipase (LPL), 36
 Listeria spp., 51, 54, 155, 214
 L. innocua, 143, 214
 L. monocytogenes, 1, 3, 6, 8, 50, 75, 77, 143–144, 156, 207, 224, 237–238
 listeriosis, in cattle herds, 6
 M. paratuberculosis, 77
 Maillard reaction, 26–28, 73, 89, 170
 effects of microwaves, 208
 Maillard reaction products, 85
 market milks, types of
 chocolate-flavoured milk, 311–312
 CLA-enriched milks, 309
 enriched and modified milks, 309
 lactose-reduced milk, 310–311
 milk enriched with fibre, 310
 mineral-enriched milk, 309–310
 raw and heat-processed milk, 306
 soy milk, 312
 whole and fat-reduced milk, 306–308
 mastitis organisms, 2–5, 12, 25, 51
 contamination, 148
 medium infrared spectroscopy (MIR), 80
 melanoidins, 28
 membrane filtration, 15
 metabolite testing, 76
 methicillin-resistant *Staphylococcus aureus* (MRSA), 155
 methylene blue test, 172
 micellar calcium phosphate (MCP), in milk, 29
 Microbacterium spp., 54
 microbial contamination, of milk control, 8–15
 future strategies for mass production, 15–16
 hazards, in milk, 264–266

- Brucella* spp., 145
Campylobacter spp., 141
E. coli (VTEC), 141–142
L. monocytogenes, 143–144
Mycobacterium bovis,
 144–145
 route of entering by
 microorganisms, 140
S. aureus, 142–143
Salmonella spp., 140–141
 significance for public health, 1
 significance to animal welfare, 1
 sources
 aerial contamination, 2
 exterior of the teats, 2
 farm environment, 5–7
 growth during milk storage, 8
 mastitis bacteria, 2–5
 microorganisms, 3
 psychrotrophic
 microorganisms, 2
 via the milking equipment,
 7–8
Micrococcus-like gram-positive
 non-spore-forming rods, 57
Micrococcus spp., 54
 microfiltration method processing
 technology, milk
 effect on product properties,
 219–220
 operating principle, 219
 state of the art and
 opportunities, 220
 microwave method processing
 technology, milk
 drawback, 207
 effects on properties, 207–209
 operating principle, 207
 Milk and Dairies Acts 1935–1956,
 119
 Milk and Dairies (Skimmed and
 Semi-skimmed Milk) (Heat
 Treatment and Labelling)
 Regulations 1973, 115
 milkborne antimicrobial residues,
 149
 milk composition, of dairying
 species, 24, 169–170
 milk concentration, at the dairy
 farm, 15–16
 milk fat globule membrane
 (MFGM), 31
 Milk Hygiene Directive
 92/46/EEC, 105, 238
 milking equipment, contamination
 of, 7–8
 milking operations, hygienic,
 12–13
 milk products, reconstituted,
 197–198
 milk sickness, hepatotoxicity
 syndrome of, 147
 Milk (Special Designations)
 Regulations 1977, 115
 milk yield, relationship with
 composition, 25
 Minispec (Bruker), 80
 Ministry Food (Continuance) Act
 of 1920, 115
 mislabelling, of functional
 processed milks, 90–91
 multi-residue analysis, 79
 mutarotation process, 26
Mycobacterium africanum, 144
Mycobacterium avium subsp.
 paratuberculosis (MAP),
 54, 118, 150–151, 173, 178
Mycobacterium bovis, 144–145
Mycobacterium paratuberculosis,
 3, 75
Mycobacterium tuberculosis, 172
 complex (MTC), 144
 mycotoxins, 78, 147
N-acetylneuraminic acid residues,
 34
 NACMCF guidelines, 280
 National Antimicrobial Resistance
 Monitoring System
 (NARMS), 153
 nisin, 64
 NIZO Premia software, 227, 246
 non-conformity, HACCP
 definition, 256
 non-spore-forming bacteria, 56–57
 non-thermal treatments, of milk,
 65
 nuclear magnetic resonance
 (NMR) spectrometry, 80
 4-*O*- β -*D*-galactopyranosyl-*D*-
 glucopyranose. *See*
 lactose
 Office International des Epizooties
 (OIE), 150
 Office of Public Sector
 Information (OPSI)
 website, 115
*Official Journal of the European
 Union*, 102
 online monitoring, of tank milk, 16
 online monitoring systems, 14
 OPTI-CIP, 246
 orthophosphate, 83
 overall heat transfer coefficient
 (OHTC), 174, 199
Paenibacillus lactis, 56, 191
Paenibacillus spores, 191
 Panton-Valentine leukocidin
 (PVL)-negative
 staphylococcal cassette
 chromosome
 (SCC)*mec*-type IVa strain,
 155
 paratuberculosis, 150
 Pasteur, Louis, 101
 pasteurisation, 16, 101, 139, 150,
 238–240
 Codex Alimentarius, 173
 factors affecting the quality of,
 177–180
 high-temperature, 195–197
 methods, 174–177
 principles, 171–174
 pasteurised milk, microflora of
 endospore-forming genera, 53
 gram-negative psychrotrophic
 bacteria, 51–52
 heat-resistant bacteria, 52–53
 Lactobacillus spp., 52
 Lactococcus spp., 52
 pathogenic organisms, 54–55
 vegetative bacteria, 53–54
 pasture preservation, 156
 pathogenic microorganisms
 in pasteurised milk, 54–55
 in raw milk, 50–51, 54
 in thermised milk, 54
 penicillin G, 154
 performance standards, HACCP
 definition, 256
 pesticide contamination, 147–148
 pH, of milk, 37–38, 169–170
 phosphoglycerides, 83
 phosphorylated carbohydrates, 83
 phosphorylation, 83
 phosphoserine, 83
 phytotoxins, 147
 plasmin activity, impact on milk,
 36, 90
 plate heat exchanger (PHF), 174
 polychlorinated biphenols (PCBs),
 146
 polymerase chain reaction (PCR),
 143
 post-milking teat disinfection, 9,
 12

- post-pasteurisation contamination (PPC), 179
- potentially hazardous food, *see* HACCP definition, 256
- powdered infant formula (PIF), contaminated, 151–152
- pre-incubation (PIC) test, 110
- prerequisite programme (PP), of HACCP, 269–277
- processing technologies, milk combined
 - effect on product properties, 224
 - preservation in the presence of antimicrobials, 224–225
 - state of the art and opportunities, 225–226
- computer models, 226–228
- high pressure (HP)
 - effects on properties, 210–212
 - operating principle, 210
 - state of the art and opportunities, 212–213
- innovative steam injection
 - effect on product properties, 221–222
 - operating principle, 221
 - state of the art and opportunities, 222
- microfiltration method
 - effect on product properties, 219–220
 - operating principle, 219
 - state of the art and opportunities, 220
- microwave method
 - drawback, 207
 - effects on properties, 207–209
 - operating principle, 207
- pulsed electric fields (PEF)
 - effect on properties, 214–215
 - operating principle, 213–214
 - state of the art and opportunities, 215
- ultrasound method
 - effects on product properties, 216–217
 - operating principle, 216
 - state of the art and opportunities, 217–218
- protease-producing bacteria, 57
- protein stabilisation step, 185
- proteolysis, 84
- proteose peptones, in cow's milk, 32
- pseudomonads, 49, 60
- Pseudomonas* spp., 3, 7, 11, 42, 49, 52, 59, 77, 243
 - P. aeruginosa*, 52, 178
 - P. fluorescens*, 49, 52, 207, 225
 - P. fluorescens* NCDO 2085, 64
 - P. fragi*, 49, 52
 - P. putida*, 52
- Psychrobacter*, 49
- 'psychro fast' test, 52
- psychrotrophic bacteria, 59–61
 - growth of, 190–191
- psychrotrophic microorganisms, 16
- pulsed electric fields (PEF)
 - processing technology, milk
 - effect on properties, 214–215
 - operating principle, 213–214
 - state of the art and opportunities, 215
- pulse-field gel electrophoresis (PFGE), 77
 - subtyping, 143
- pyrolysis-mass spectrometry, 89
- pyrrolizidine, 147
- Q fever, 121
- quality control. *See also* hazard analysis of critical control points (HACCP) systems
 - analysis of fraudulent addition of ingredients and authentication
 - mislabelling of fortified and functional milks, 90–91
 - non-dairy proteins, 89
 - reconstituted milk, 89–90
 - substitution of milk from a different species of mammals, 90
 - substitution of milk with different feeding or geographical origin, 90
 - water, 86
 - whey protein, 86–89
 - components analysis
 - degradation products formed during milk storage, 84
 - fatty acid composition, 83
 - heat load, 84–86
 - lactose, 79
 - milk components, 83
 - MRI standardised methods, 80
 - nuclear magnetic resonance (NMR) spectrometry, 80–81
 - protein concentration, 79, 82–83
 - Raman spectroscopy, 80
 - reference methods, 79–80
 - spectroscopic methods, 80
 - methods of analysis
 - abnormal milk, 75
 - mastic milk, 77–78
 - microbial analysis, 75–77
 - for residue compounds, 78–79
 - of processed milk, 73
 - of raw milk, 72
 - quality of raw milk and dairy products, 41–42
 - quaternary ammonium compounds (QAC), 154
- raw milk
 - hygiene practices for, 237–238
 - microflora of
 - gram-negative psychrotrophic bacteria, 48–49
 - gram-positive psychrotrophic bacteria, 49–50
 - pathogenic microorganisms, 50–51, 54
 - reaction kinetic parameters, 170
 - reasonably likely to occur, HACCP definition, 256
 - regeneration efficiency, 200
 - rehydration during storage, impacts, 10
 - rennet coagulation properties, of milk, 39–40
 - residue risks, in milk, 148–149
 - risk management strategies
 - harvest phase management of dairying, 156–157
 - post-phase management of dairying, 157–158
 - pre-harvest management of dairying, 156
 - roughages, microbiological quality of, 10
 - rybotyping, 77
- S. thermophilus*, 178
- safety, of raw milk. *See also* hazard analysis of critical control points (HACCP) systems

- chemical contaminants and residues
- biologically derived contaminants, 147
 - industrially derived contaminants, 146
 - pesticides and residues of plant health agrichemicals, 147–148
 - residues of animal remedies, 148–149
- emerging hazards
- antimicrobial resistance, 152–156
 - bovine spongiform encephalopathy (BSE), 149–150
 - Enterobacter sakazakii*, 151–152
 - M. avium* subsp. *paratuberculosis* (MAP), 150–151
- implication of milk in human disease, 139–140
- microbial hazards in milk
- Brucella* spp., 145
 - Campylobacter* spp., 141
 - E. coli* (VTEC), 141–142
 - L. monocytogenes*, 143–144
 - Mycobacterium bovis*, 144–145
 - S. aureus*, 142–143
 - Salmonella* spp., 140–141
- risk management strategies
- harvest phase management of dairying, 156–157
 - post-phase management of dairying, 157–158
 - pre-harvest management of dairying, 156
- Salmonella* spp., 1, 3, 50, 54, 72, 75–77, 177, 237–238
- contamination, of milk, 140–141
- S. Dublin*, 140
 - S. enterica*, 6
 - S. typhimurium*, 140, 207
 - Salmonella* ser. *typhimurium* DT104, 51
- salt balance, in milk, 29
- salt composition, of milk, 28–29
- sanitation standard operating procedure (SSOP), 256–257
- sensitive ingredient, HACCP definition, 257
- sensory properties, of market milks
- attributes of flavour defects, 297–303
 - evaluation, 295–267
 - factors influencing, 303–305
- serovars, 140
- severity, HACCP definition, 257
- silage contamination, 7
- simulated milk ultrafiltrated (SMUF), 214
- single-strand conformational polymorphism (SSCP), 144
- somatic cell count (SCC), 42
- specific enthalpy, 199
- specific gravity, 199
- specific heat, 199
- spectinomycin, 154
- spoilage microorganisms, of milk and dairy products, 237
- of pasteurised milk, 51–53
- spore concentrations
- in faeces, 5
 - in silage, 10
- spore-forming bacteria, 7, 49–50
- standard plate count (SPC), 76
- staphylococcal food poisoning, 142–143
- Staphylococcus aureus*, 2–4, 50–51, 72, 75, 177–178, 207, 224, 238
- steam infusion process, 186
- steam injection (ISI) process, 184, 186
- sterilisation, of milk, 180–181, 240
- in-container, 181–183
- Str. dysgalactiae*, 51
- Str. uberis*, 51
- streptococci species, 4
- Streptococcus* spp., 54
- S. agalactiae*, 4, 51, 155
 - S. dysgalactiae*, 4
 - S. thermophilus*, 3, 53, 178, 242
 - S. uberis*, 4–5
- streptomycin, 154
- sub-clinical mastitis, 4
- sulphonamide, 154
- sulphydryl–disulphide interchange reactions, 30
- surface plasmon resonance biosensor (Biacore), 85
- tandem mass spectrometry, 79
- target levels, HACCP definition, 257
- teat cleaning methods, 12
- tetracycline (ACSSuT), 154
- thermal conductivity, 199
- thermal diffusivity, 199
- thermal treatments, of milk, 64
- thermisation, 16
- of raw milk, 171
- thermistor cryoscope method, 86
- thermoduric bacteria, effects of, 172
- thermophilic organisms, 52
- thermoresistant streptococci (TRS), 245
- thin-layer chromatography (TLC), 78
- toxic compounds, HACCP definition, 257
- transmissible spongiform encephalopathies (TSEs), 149
- trichloroacetic acid (TCA), 79
- Trp fluorescence, 85
- tuberculosis bacillus, 172
- tubular heat exchanger (THE), 174
- turbidity test, 182
- tyndallisation, of raw milk, 171
- udder contamination, 58–59
- udder health programme, 9
- UK Dairy Industry Federation Code of Practice, 118
- UK Statutory Instruments (SI), related to milk composition. *See* legislation, for market milks
- ultra-high temperature (UHT) milk, 101, 168
- factors affecting, 190–193
- methods, 185–190
- microflora of
- heat-resistant enzymes, 57
 - heat-resistant spore-formers, 55–56
 - post-sterilisation contaminants, 56–57
- principles, 183–184
- quality control of, 73
- sediment formation and fouling, 193–195

- ultrasound method processing
 - technology, milk
 - effects on product properties, 216–217
 - operating principle, 216
 - state of the art and opportunities, 217–218
- USA Statutory Instruments (SI), related to milk composition. *See* legislation, for market milks
- validation, HACCP definition, 257
- vegetative bacteria, 53–54
- verification, HACCP definition, 257, 263
- viruses, in milk, 140
- viscosity, 175, 199
- Wales Food Advisory Committee (WFAC), 117
- water contamination, 59–60
- Weights and Measures (Miscellaneous Foods) Order 1988, 118
- whey protein denaturation, 85
- whey proteins, in milk, 31–33
 - effects of microwaves, 208
- world milk production, 23–24
- Yersinia* spp., 54
 - Y. enterocolitica*, 50, 177, 207, 238
- zoning, and hygiene practice, 241–242