

Index

- Abrasion, 15
 Absolute pressure, 60
 Acceleration, 24
 Accumulator, 187-209
 liquid, 306
 Acidity, 6
 normal, 6
 Acid passivation, 17
 Adjustable-speed pulley, 32
 Agitation, 1-7
 of milk, 306
 in pasteurizers, 364
 of viscous materials, 365
 Agitator forking, 449
 Air, weight of, 646
 Air-actuated valves, 573
 Air blowdown, 557
 Air cells, in ice cream, 304
 Air curtain, 259
 Air heaters, 106
 Air lock, 258
 Air-operated valves, 575
 Air-space heater, 365
 Albumin, 4
 Alfa-Leval process (butter), 484
 Allegheny metal, 11
 Alternating current, 35-37
 Aluminum, 12-18
 Ammeter, 35
 Ammonia, accidents, 204
 compressor, 190
 section, 190
 impurities, 242
 leakage in brine, 223
 leak detector, 234
 oil breakdown, 326
 properties of, 233
 purifier, 232
 shipment, 233
 specification, 234
 standards, 206
 storage, 200
 system care, 326
 table, 176-183
 weight to charge, 652
 Ampere, 35
 Antifriction bearing, 591
 Apparent power, 35
 Arc of contact, 29
 Area of surfaces, 20
 Aseptic canning, 386-387

- Atomizer, 412
 - rotary; 412
- Automatic CIP system, 571-572
- Automatic control refrigeration, 210
- Automatic diverter, 524
- Automatic expansion valve, 212
- Automatic flushing CIP, 581
- Automatic refrigeration, 208
- Automation, 34
- Axis of rotation, 23

- Back pressure, 188, 193
 - regulator, 212, 213
- Bag filter, 414
- Balance tank, 371
- Balata belt, 29
- Barium salts, 157
- Barometric leg, 397
- Belt, 28
 - care, 29
 - carrying capacity, 29
 - conveyor, 513
 - drive churn, 481
 - sizes, 29
 - speed, 29
 - tension, 29
- Biological oxygen demand, 637
- Blowdown, boiler, 157-158
- Boiler, automatic, 143
 - efficiency, 155-156
 - electric, 141
 - fire-tube type, 139, 140
 - fittings, 146
 - horizontal return, 140
 - hp, 142
 - hp/hr, 104
 - maintenance, 156
 - overload, 168
 - rating, 142
 - safety, 144, 146
 - Scotch marine, 141
 - strength, 144
 - types, 139
 - water tube, 142
- Boiling point, affected by concentra-
 - tion, 5
 - of liquids, 60
 - of milk, 5
- Booster, compressor, 202, 203
 - efficiency, 202
 - pump, 372
- Bottle, cap, 459
 - capper, 458, 470
 - head, 471
 - case, 534
 - etching, 465
 - fillers, 458, 465
 - care of, 474
 - filling, and casing, 540
 - defoaming, 472
 - gravity type, 465
 - layout, 619
 - plastic coated paper, 473
 - sterilization, 465
 - washer, 458, 459
 - care of, 464
 - jet-type, 459
 - rising jet, 463
 - soaker-type, 460-463
 - solutions, 463
- Brass tubing, 83
- Brine, 187, 215
 - acid, 218
 - air incorporation, 222
 - calcium, 215
 - care of, 218
 - circulation system, 224
 - clarification, 222
 - cooling, 289
 - corrosion, 217-218
 - foaming, 221-222
 - leaks in, 217
 - neutralization of, 218, 220
 - pH, 218
 - properties of, 215
 - sediment, 222
 - storage system, 225
 - storage tanks, 226
 - system, 204, 209, 215, 523
 - efficiency, 215
- Brushes, 38
 - wire, 17
- BTU, 104
- Building, 600
- Bulk-milk receiving, 455, 456, 616
- Bulk tanks, 426
 - standards, 451
 - sterilizing, 449-450

- Burning on, 268
- Burr, scraper blades, 308
- Butter, boat, 408
 - cutter, 495
 - fat, 2
 - printer, 496
 - pump, 475, 479
 - whipped, 479

- Calcium chloride, properties of, 216
- Can, drying, 435, 436
 - heating, 434
 - passing door, 257
 - washer, 428
 - care of, 440
 - cleaning, 431
 - jets, 428, 443
 - operation, 428
 - rotary, 441
 - selection of, 440-441
 - straight-a-way, 427, 442
 - temperature, 429
- Capillary tube control, 209
- Carbon dioxide in water, 630
- Carbon monoxide, 155
- Case combiner, 524
- Case flow through plant, 513
- Casein manufacture, 504
- Case, stacker, 529, 531
 - maintenance, 538
 - storage and washing arrangement, 544
 - unstacker, 532
- Ceiling coil, 260
- Centrifugal cream separator, 487
- Centrifugal equipment, 492
- Centrifugal force, 23
- CIP air connection system, 576-577
- CIP automatic control, 580
- CIP circuits, 557
- CIP cleaning pumps, 567
- CIP connections, 563
- CIP controls, 571, 573
- CIP installation system, 565
- CIP joints, 91
- CIP low-level alarm, 581
- CIP management, 582
- CIP piping-system design, 577
- CIP sequencing system, 576

- Chains, 29
 - horsepower transmitted by, 29
 - lubrication of, 530
 - tension in, 32
- Charging cylinder, 205
- Cheese, automated process, 505-506
 - freezing of, 4
 - manufacture of automated, 502-503
 - press, hydraulic, 500-502
 - vats, 498
 - care of, 500
- Chrome iron, 11
- Chum, barrel, 478
 - care of, 482
 - Cherry Burrell process, 486
 - cone, 478
 - construction, 477
 - Creamery Package process, 487-488
 - drive, 479
 - metal, 482
 - roll-less, 481
 - roll-type, 481
 - sanitizing, 482
 - setting, 483
 - temperature control, 478
 - types, 480
- Churning, principles of, 476, 477
- Circuit breakers, 48
- Circulating system, ammonia, 187
- Cleaners, bottle washers, 464
- Cleaning glass pipe, 84
- Cleaning labor, 621-622
- Clinkers, 150
- Clumping of butter fat, 7
- Coagulation, 6-7
- Coal, 149
 - hard, 151
 - powdered, 150
- Coefficient of expansion, 645
- Coils, room, 259
 - shelf type, 261
- Coking, method of firing, 151
- Cold diffuser, 259
- Cold-storage doors, 255
- Cold-storage rooms, 246-251
- Cold-wall tank, 204
- Combined case stacker, 537
- Combustion of fuels, 154
- Common equivalents, 643-644
- Commutator, 38

- Composition and weight of cream, 658
- Composition and weight of milk, 658
- Composition of dairy products, 1
- Compressor, 186-191
 - back-pressure, 194
 - capacity, 188, 191, 193
 - horsepower, 196
 - multi-cylinder, 194, 196
 - two-stage, 203
 - types, 191
- Concentrated milk, 2
- Concentration by freezing, 402
- Concentrator, 394
 - atmospheric, 396
 - low-temperature type, 396
- Condensate return, 116
- Condensation, 615
- Condensed milk, plain, 2
- Condenser, 186-200
 - air-cooled, 201
 - air-fin type, 200
 - double-tube, 200
 - economizer type, 401
 - evaporative type, 200
 - various types of, 399
 - wet type, 399
- Condensing pressure, 200
- Condensing steam requirements, 398
- Conductors, electric, 35
- Conduit, 79
- Congealing tank system, 227
- Contimab process, 484-485
- Continuous buttermaker, 483
- Conveyors, 615
 - belt, 527
 - bottle, 528
 - chain, 513
 - curve, 528
 - drive, 518
 - systems for stack-handling refrigerated storage, 549
- components, 523
- flat link, 528
- floor, types of, 517
 - in floor case, 514-516
 - on floor, 517
 - gravity, 513
 - horsepower calculation, 520-521
 - horsepower requirement, 529
 - lubrication, 525-526
- Conveyors, maintenance, 526
 - roller, 515
 - system design, 545
 - take-up unit, 523
 - wheel, 513, 527
- Coolers, 268
 - capacity of, 270
 - compact surface, 271
 - direct-expansion surface, 270
 - for viscous materials, 278-279
 - plate, 283
 - surface, 269
 - capacity, 289
- Cooling towers, 202
- Cooling-water refrigeration, 200
- Cooling-water-to-milk ratio, 288
- Copper, 11
 - alloy, 13-14
- Corkboard, 246
- Cork-covering insulation, 657
- Correction for temperature Baumé, 3
- Corrosion, 15
 - by chlorine, 16-17
 - by cleaning agents, 16
 - of equipment, 592
 - galvanic, 17
 - resistance, 12
 - retarders, 220
 - by stress, 17
- Corrosive water, 17
- Cottage-cheese automation, 503-504
- Counterflow, 269
- Crankshaft, 190
- Cream, 1
 - composition of, 658
 - weight of, 658
- Cream line, 362
- Cream separator, principle of operation, 491
 - rating, 491
 - types, 490
- Cubic foot equivalents, 645
- Culinary steam, 167
- Curd, mill, 499-500
 - tension, 6
 - versus homogenization temperature, 341
- Cut acid, 96

- Cycles, 35-37
 Cyclone separator, 412
 powder, 414
- Dairy cleaners, 12
 Dairy farm equipment sterilizer, 448
 Dairy plant design, 600
 Dasher, 306
 Decimal equivalents, 641
 Defrosting, 262
 Demand charge, 51
 Density, 1
 of gases, 646
 of insulating materials, 249
 of metals, 647
 of milk, 2
 Destabilization by freezing, 4
 Diaphragm, control, 213
 valve, 126
 Diesel-powered generator, 23, 52
 Diffuser, 62
 silver bowl, 54
 Direct-acting temperature controller, 125
 Direct current, 34
 Direct expansion cooler, 227-289
 Direct expansion system, 209
 Discoloration, 16
 Dispenser milk, 551
 Distribution stations, 545
 Dock loading, 543
 Doors, 612
 Drainage, CIP, 574
 Drains, 612
 Drive troubles, 32
 Drum dryer, 410
 Dryer, milk, 409
 roller, 410
 Dry ice, 174
- Economy, refrigeration system, 204
 Efficiency of pipe coverings, 656
 Efficiency of prime movers, 23
 Elbows swing, 565
 Electrical control, 51
 Electrical controller, 120
 Electric boiler, 50
 Electric heating, 50
 Electric lighting, 54
- Electric motor, 23
 Electric power, 53
 Electrolysis, 12
 Electrolytic action, 221
 Electrolytic process, tinning, 11
 Electromotive series, 12
 Electronic temperature recorder, 123
 Electronic weighing, 456
 Energy, 22
 Enzymes, 6
 Equipment, arrangement, 616
 maintenance, 584
 Equivalents, 644
 Eutectic solution, 189
 Evaporated milk, 3
 freezing point of, 3
 Evaporating and drying equipment, 394
 Evaporation, 6
 heat balance, 408
 Evaporative condensers, 202
 Evaporator, double effect, 404
 efficiency, 187, 403
 falling film type, 402-403
 multiple effect, 404
 refrigeration, 186, 188
 steam and water requirements, 405
 Expanding system, 189
 Expansion, 7
 coefficients of, 645
 Expansion coil, 186
 calculation, 239
 Expansion joints, 162
 Expansion of lines, CIP, 565
 Expansion valve, 203-209
 pressure type, automatic, 210
- Fahrenheit, 105
 Fahrenheit conversion to centigrade, 105
 Fancy-center (ice cream), 319
 filler, 323
 Fat, 1
 globules, 6
 breakup, 335
 clustering, 336, 337
 dispersion, 335, 337
 Feedwater heater, 106
 Feedwater impurities, 157
 Film heating, 7
 Filler, automatic, 321

- Filler, paper bottle, 470
vacuum type, 466-468
valve, 466
action, 469
- Finish on metal surfaces, 7
- Firing of boilers, 151
- First aid, ammonia, 204
- Fishy flavor, 14
- Fitting pipe, 94
- Fittings, CIP, 87
- Flake ice, 229
- Flash cooler, 227
- Flash point, 200
- Flavor, and metals, 14
changes, 7
removal, 378-379
treatment, 377
- Float control, 187
automatic, 208
- Flooded coils, 187
- Flooded method of heating, 364
- Flooded system, 187, 208, 212
- Flooding evaporator, 210
- Flooding of refrigerant, 204
- Floor finish, 609
- Floor paints, 609
- Floor sanitation, 611
- Floors, 607, 609
non-slip, 610
waterproofing treatment of, 610
- Flow diversion valve, 119, 121, 122
- Flow meter, 99, 100
- Flow sheet, process, 557
- Fluorescent light, 54
- Foam drying, 422
- Foam glass, 246
- Foaming, 60, 158
- Food plant, electrical equipment, 34
- Foot-pounds, 22, 24
- Force, 20, 24
- Formalin, 16
- Free iron, 17
- Freeze drying, 419
- Freezer, batch, 305
performance, 307
capacity, 329
versus refrigerant, 329
versus overrun, 330
- Freezer, capacity
versus temperature, 330
continuous, 309-310
accessories, 319
CP, 313-315
dasher, 314
management, 324
cylinder, 306
drawing temperature, 330
refrigeration, continuous, 327
Vogt, overrun control, 313
- Freezing, 3
- Freezing point, ice-cream mix, 3
milk, 3
sugar solution, 301
- Frequency, 37
- Frozen milk, 3
- Freon, 186-213
properties of, 234
system, 204
- Friction, of fittings, 71
of pipe, 71
- Frost, 204
damage, 255
- Fruit feeder, 321
- Fuel, 148-152
burning of, 158
heating value, 149, 150, 654
requirements, 156
storage, 153
- Fuel-oil properties, 152
- Fuses, 48
- Gas analyzer, 155
- Gas binding, in refrigeration machines,
209
- Gas fuel, 153
- Gaskets, CIP, 563
plate, 273-274
- Gage pressure, 58, 132
- Gears, 29
lubrication of, 29
types of, 29
- Glass pipe, 83
sizes, 84
- Glassteel diffusor, 54
- Gravity roller conveyor, 527
- Gravometric equivalents, 642
- Grease characteristics, 589

- Haloid lamp, 234
- Handling ice cream, 551-552
- Hardening room, coils, 202
 - floors, 253
 - temperature, 262
- Hardening time, ice cream, 263
- Hardening tunnel, 260-263
- Head, 60
- Header system for CIP, 558
- Head pressure, 193-200
- Heat, definition of, 104
 - kinds of, 105
- Heat balance of drying, 418
- Heat of compression, 186
- Heat conductivity materials, 107
- Heat content of brine, 227
- Heat equivalents, 104
 - of electricity, 51
- Heaters, 268
 - capacity rating, tubular, 272
 - direct injection, 284
 - infusion type, 285
 - triple tube, 272
- Heat exchange formula, 269
- Heat exchangers, 268, 269
 - barrel type, 277
 - flat surface, 280
 - plate, 272-273
 - management of, 286
 - swept surface, 277, 281
 - tubular, 271-272
- Heating by conduction, 106
- Heating by convection, 110
- Heat loss, 162
 - bare surface, 656
- Heat stability of products, 6
- Heat transfer, 106
 - air, 210
 - brine, 210
 - coefficient, 289
 - expansion coils, 240-241
 - evaporation, 188
 - formula, 108
 - refrigeration coil, 187
 - through walls, 248
- Heat transmissibility, 11
- Heat value of fuels, 654
- Henderson, 13
- High-level cutoff, 580
- High-pressure cutout, 232
- High side float, 209
- High-speed agitator, 366
- High-temperature short-time pasteuriz-
ers, 368-369, 370-371
- High-velocity flooded system, 365
- Holdover cooling plates, 189
- Hollywood storage box, 542
- Homogeneous metals, 16
- Homogenization, effect of pressure, 338
 - efficiency, 337
 - index, 338-339
 - standard for milk, 339
 - theory of, 343
 - versus curd tension, 340
- Homogenized milk, 379-380
- Homogenizer, 61, 334
 - accessories, 352
 - care of, 348
 - drive, 346
 - evaporated milk, 340
 - gaskets, 355
 - HTST systems, 372-374
 - lubrication, 347
 - multi-flow, 342
 - operation, 351
 - packing, 355
 - pumps, 345
 - sanitary construction, 348
 - sanitary type, 344
 - sanitizing, 350-351
 - 3A Standard, 353-355
 - timing pump, 376
 - two-stage, 342-343
 - uses of, 340
- Homogenizing pasteurized products,
367
- Homogenizing valve, 341-345
- Horsepower, 24
- Horsepower hour, 24
- Hot process, 11
- Hot-water requirements, 630, 631
- Hot-water tank, 159
- HTST accessories, 373
- HTST restricting orifice, 373
- Hydraulic coupling, 519
- Hydraulics, 58
- Hydrogen fuel valve, 154
- Hydrogen sulfide in water, 629
- Hydrometer scales, 650

- Ice, heat capacity, 173
 - refrigeration, 172-173
- Ice and salt cooling, 173
- Ice and salt refrigeration, 174
- Ice and salt temperatures, 173
- Ice-builder system, 228
- Ice cream, body breakdown, 304
 - cup filler, 325
 - freezer capacity, 327
 - freezer pump, 320
 - hardening room coils, 260
 - pipng for, 319
 - slow freezing, 4
 - soft, 309
 - stiff, 328
 - too stiff, 308
- Ice cream mix, air absorption, 303
 - calculations, 300-301
 - characteristics, 297-298
 - continuous pasteurizer, 376
 - effect of pressure, 304
 - freezing curves, 298-299
 - freezing point, 300
 - heat temperature curve, 302
 - requirements, 302-303
- Illumination standards, 54
- Immersion heater, 51
- Impellers rubber coated, 78
- Inconel, 12
- Inefficiency causes, 204
- Inspection welded fittings, 91
- Instant milk powder process, 423
- Instantizing milk powder, 418-419
- Instrumentation for vacuum pan, 422
- Insulated ceiling, 255
- Insulated floor, 256
- Insulated walls, 252-254
- Insulating materials, value of, 249
- Insulation, 44
- Insulation, application, 250-255
 - ceiling, 252
 - cold rooms, 613
 - conductivity, 249
 - floors, 253
 - pipes, 250, 656
 - thickness of, 253
 - value of, 247
- Insulators, 35, 247
- Inter-cooler, 202
- Interlock protection, 581
- Iron in water, 627-628
- Kilowatt, 24, 35
- Kilowatt hour, 25, 35
- Kinetic energy, 22
- Kold-Hold evaporator, 189
- Labor efficiency, 619
- Latent heat, 105
- Leak detection, Freon, 234
 - valve, 365, 367
- Light, 1, 53
 - glare, 54
 - trouble, 47
- Lighting, 613, 614
 - unit, 614
- Lignite, 149
- Load capacity, wires, 49, 50
- Load-out docks, 517
- Long dock system, 542
- Low-pressure cutout, 232
- Low-pressure refrigerant, 322
- Low-pressure refrigeration, 213
- Low-pressure system, 214
- Low-voltage release, 47
- Lubrication, 587, 590
- Machinery, setting of, 597, 598
- Maintenance problems, 586
- Manifold valve cluster, 578
- Mass (weight of materials), 22
- Materials handling, 509
- McDaniel tee, 100, 161
- Mechanical principles, 20
- Mechanical vapor compression, 406-407
- Melting points of metals, 646
- Mensuration of surfaces and volumes, 643
- Metal alloys, properties of, 648
- Metal and milk, 7
- Metals, 11
 - durability of, 15
 - melting points, 646
- Methyl chloride, 213, 234
- Micron, 334
- Milk, bottles, 458
 - cans, 449
 - capacity of, 449

- Milk, cans,
 - care of, 597
 - sterilization, 431
- composition of, 658
- clarifier, 492
- delivery, 511, 512
- filter, 493
 - 3A, Standard, 493, 494
- flavor, 11
- heating formula, 286
- paper container, 459
- properties of, 1
- meter, 455
- sterilizer, continuous, 389, 391
- stone, 7
- tank, 283
- tanker, 510
- weight of, 658
- Mirror finish, 11, 12
- Mix manufacturing, automatic, 376
- Model, plant layout, 617
- Moisture, capacity, air, 436
 - in cans, 437
 - in refrigeration systems, 199
- Mold prevention, 613
- Motor, across the line, 41
 - alternating current, 39
 - burn-out causes, 47
 - capacitor type, 40
 - current data, 53
 - direct current, 38
 - efficiency, 38
 - electric, 37
 - fittings, 45
 - geared head, 42, 43
 - induction, 37
 - management, 46
 - material and finish, 44
 - operating characteristics, 37
 - overloading, 37
 - performance, 41
 - phase, 37
 - pulley, 23
 - repulsion type, 40
 - sanitary design of, 44
 - series wound, 38
 - single-phase, 37
 - speeds, 37, 35
- Motor, split phase type, 40
 - splash proof, 39, 40
 - starting equipment, 47
 - synchronous, 42
 - temperature rise, 43
 - thermostat, 44
 - three-phase, 37
 - direction of rotation, 41
 - 3A, Standard, 39, 42
 - totally enclosed, 42
 - universal, 38
 - ventilation, 39
 - wound-rotor, 42
- Multi-groove pulley, 28
- Multi-tank spray cleaning, 561
- Neutrol soda, 16
- Nickel, 12
 - alloys, 11
- Nickel silver, 14
- Niro rotary atomizer, 418
- Niro spray dryer, 420
- Noise, gear chains, 32
- Noncondensable gas, 204, 231
- Novelty manufacturing machine, 324
- "O" rings, 87
- Off-flavor, 11
- Oil, accumulation, 188
 - additives, 198
 - breakdown, 199
 - burner, 152
 - compressor, 197
 - film, 197
 - flash point, 198
 - foaming, 197
 - impurities, 199
 - in refrigeration, 197
 - pour point, 198
 - removal, 263
 - separator, 203
 - stability, 198
 - traps, 197, 231
 - wax in, 197
- Overload relays, 47
- Overrun, calculation, 305
 - control, CP freezer, 317
- Oxidation, 14
- Oxidized flavor, 14

- Packaging, multi-color, 323
- Pack-ice machine, 229
- Packing, 595
- Palletizing, milk cases, 550
- Paper bottle, cases, 535, 536
 - filler, 472, 473
- Parts per million, table, 659
- Passivation, 17
- Pasteurizer, care of, 377
 - control, 365
 - batch, 120
 - HTST, 117
- Pasteurizing, equipment, 359
 - heat requirement, 363
 - long hold type, 363
 - time and temperature curve, 360
 - U.S.P.H.S. definition, 361
- Peltier effect, 214
- Percentage of solids (milk), 2
- pH, determination of, 218, 219
- Phenol, 16
- Pickle finish, metal, 11
- Pipe, ammonia, 78
 - carrying capacity, 160
 - sanitary, 91, 93
 - covering, thickness of cork, 657
 - cutting, 80, 81
 - fittings, 79, 80
 - compound, 83
 - ice cream, 322
 - plastic, 85
 - sanitary, 78, 83
 - sizes, 79, 82
 - standards, 3A, 92
 - threaders, 80
 - water, 78, 79
 - weight, 79
- Plant, automation, 555
 - design, 602, 618
 - check list, 623
 - operation chart, 602
 - site, 600
- Plastic pipe, 85
- Plate evaporators, 189
- Plate heat exchanger, capacity, 274-275
 - circuit, CIP, 570
 - pressure, 276
- Polyphase motor, 41
- Power, cost, 51
 - consumption dasher, 329
 - factor, 35
 - per ton refrigeration, 193
 - piping, 556
 - steam, 108
- Potential energy, 22
- Priming, 158
- Pressure, 58
 - gage, 147
 - homogenizer, 352
 - head, 60
 - processor, 282
 - spray atomizers, 418
 - variation, homogenizer, 345
 - versus power, homogenizer, 348-349
- Process control, CIP, 579
- Properties, refrigerants, 235
- Pulley, alignment, 29
 - size, 30
 - work, 32
- Pumping, 58
- Pumping oil, 233
- Pumping out, 207
- Pumps, calculation of, 74
 - capacity, piston, 75
 - centrifugal, 75
 - care of, 76
 - centrifugal, 61, 62
 - circulation, 188
 - construction, 68
 - efficiency, 64
 - finish, 67
 - gasket, 69
 - gritty materials, 72
 - high-pressure, 61
 - lubrication of, 77
 - open-impeller, 62, 63
 - packing, 76
 - performance of, 77
 - piston, 61
 - portable, 68
 - positive displace, 61, 62
 - power requirement, 73
 - rotary, 65
 - advantage of, 66
 - rubber rotor, 65-67
 - sanitary, 62, 65
 - selection, 76
 - self-priming, 62

- Pumps, shaft seal, 69
 single stage, 82
 standards, 3A, 60
 test, CIP, 569
 timing of, 69
 types of, 61
- Radiation, of food, 389, 390
 heating, 111
 from pipes, 655
- Railroad tank car, 453
- Receiver (refrigerated), 445
- Receiving room, 445
 equipment, 426, 444
 standard, 444
- Recirculating equipment, 567
- Recirculating filter, 634
- Reeves drive, 32
- Refrigerated storage, 517
- Refrigeration, accessories, 231
 control, freezer, 306
 machine, 175, 184, 185
 capacity, 186
 efficiency, 204
 types, 174
 oil, 198
 plant, charge of, 205
 principles of, 172
 requirement, ice cream, 328
 size calculation, 235
 standard operating conditions, 185
 storage, 541
 system, creamery package, 315-316
 direct expansion, 186
- Regenerative heating, 275-276
 calculation, 291
- Regenerator, 290
- Relative humidity, 200
- Reseating pipe fittings, 98
- Resistance (electrical), 35
- Resurfacing, 16
- RLM Reflector, 54
- Retinning, 11, 15, 596
- Roadhouse, 13
- Rogers dryer, 415
- Roswell heater, 277, 278, 279
- Rotary atomizer, 421
- Rotary seal, 307
- Safety-type fuse, 49
- Safety valve, 147, 148
- Salt glazed tile, 611
- Sanitary fittings, 86, 88
 care of, 98
- Sanitary pipe, carrying capacity, 87
 drain, 565
 gaskets, 87
 rack, 99
 sizes, 86
 supports, 566
- Sanitation, 388
- Sanitizing equipment, 448
- Scale, 24
- Scraper blades, sharpening, 308
- Scum, 6
- Seal, friction type, 66
- Selection of equipment, 624
- Sensible heat, 105
- Separator, air tight, 492
 care of, 492
- Shaft-speed, calculation of, 30
- Shell ice, 230
- Silica in water, 629
- Slow-speed agitator, 366
- Slugging ammonia, 210
- Sodium bichromate, 220
- Sodium chloride, 216
- Sodium chromate, 220
- Solder, 13
 composition of, 95
- Soldering flux, 96
- Soldering sanitary pipe, 97
- Solderless fitting, 95
- Solution control, CIP, 562
- Sonic vibrator, 352
- Soot removal, 156
- Space requirement, ice cream, 605, 608
 milk plant, 604, 606
- Specific gravity, Baumé, 2
 metals, 647
- Specific heat, 1
 apparent (cream), 1
- Spray-ball cleaning, 559-560
- Spray cleaning, heads, 559
 tankers, 559
- Spray dryer, 410-411
- Spray method of heating, 364
- Spray nozzles, 413
- Spray ponds, 202

- Spray vats, 282
- Spun metal, 12
- Squirrel-cage rotor, 40
- Stack handling, 546
 - techniques, 548
- Stacking crates, 514
- Stacking ice cream, 263
- Stainless steel, 11
 - composition, 12
 - hardenable, 12
 - versus brine, 12
- Standards (illumination), 614
- Starter (electric), 38
- Starting refrigeration machine, 207
- Starting torque, 38
- Static head, 60
- Steam, 129
 - boiler, 139
 - cost of, 169
 - dry, 131
 - engine, 24
 - flow orifice, 655
 - generator, 129, 141
 - injection heating, 284
 - injector, 147
 - jet ejector, 397
 - latent heat of, 133-136
 - low-pressure use, 164
 - physical properties of, 129
 - pipe insulation, 163-164
 - schedule, 160-161
 - pipng, 159
 - pressure in can washers, 433
 - properties of, 132
 - requirements, calculation of, 138, 167
 - supply, 384
 - system economics, 168
 - table, 133-136
 - sub. atmospheric pressure, 395
 - traps, 164, 165
 - utilization, 159
 - wet, 131
- Steel, 11
 - low carbon, 552
- Steel carts, for ice cream, 552
- Steel plate floors, 610
- Sterilizer, - Alfa-Laval, 386-388
 - chemical, 12
- Sterilization, milk, 386
 - Sterilization, procedure, 448
 - with light, 53
 - Sterilization curve, bacteria, 361
 - Sticky valves, 204
 - Stopping, compressor, 208
 - Stop-valve, 210
 - Storage battery, 34
 - Storage capacity, hardening room, 265
 - insulation, 292-293
 - milk, 265
 - refrigeration rooms, 266
 - tanks, 292-294
 - temperatures, 653
 - Stored refrigeration, 225
 - Strip heater, 52
 - Stuffing boxes, 594-595
 - Suction head, 70
 - Suction lift, 62, 64, 70
 - Sulfur dioxide, 186
 - Sulfur stick, 234
 - Superheat, refrigeration, 211
 - steam, 131, 137
 - Supply return system, 563-564
 - Surface and volumes, 643
 - Surface equivalents, 642
 - Surface film, effect, 108
 - Surfaces, tinned, 596
 - Surge chamber, 188
 - Sweetened condensed milk, 2, 3
 - Sweet-water cooler, 227, 289
 - Swenson evaporator, 415, 416, 417
 - Switch, centrifugal, 40
 - Synchronous motor, 191
 - Systems analysis, 509
 - Systems design for CIP, 555
- Tank, heat exchangers, 280
 - receiving, 444
 - trucks, 453-454
- Temperature, milk cans in washer, 430
 - sensing element, 124
- Temperature control, 117
 - air operated, 126
 - cascade type, 121-124
- Temperature controller, 118
- Temperature measuring equipment, 112
- Tempering valves, 631
- Testing ammonia, 206

- Thermal electric refrigeration, 214
 Thermal overload relays, 48
 Thermometers, calibration, 116
 care of, 116
 checking, 116
 comparison of, 349, 649
 electrical, 114-115
 indicating, 113
 mercury actuated, 114
 recording, 113
 types, 113
 Thermos bottle, 247
 Thermostatic expansion valve, 209-210
 Thermostatic valve system, 211
 Thermo-vapor compression, 406
 Time and motion study, 620
 Timed program controller, 580
 Tinned coil, 186-187
 Tinned copper, 11
 Ton, definition of, 186
 standard, 186
 Tools, 593-594
 Torque, 23
 limiting drive, 519
 Total solids, 2
 Toxicity, 11-14
 of gases, 852
 Traffic control, 525
 Transportation of milk, 453
 Tray dryers, 507
 Trickling filter, 634
 Trisodium phosphate, 16
 Truck refrigeration, 191
 Tubing flexible, 85
 Tygon pipe, 85

 Ultra-high temperature heating, 286
 Ultra-high temperature pasteurizer, 373
 Ultrasonics, 1
 Universal motor, change rotation, 39
 characteristics, 39
 Unload docks, 517

 Vacreator, 377-378, 382-383
 Vacuum, 58
 application to churn, 478
 drum dryer, 410
 flavor treatment, 381-382
 system, 374-375

 Vacuum, pan, 394, 396-397
 perfect, 60
 pump, 408
 Valves, air operated, 89
 CIP, 574
 churn, 477
 Vapor film vat, 282
 Vapor-proof lighting, 55
 Variable-speed drives, 32
 Vat pasteurizers, 367
 Velocity, 22-24
 head, 70-71
 Vending machine, 553
 Ventilated floor, 257
 Ventilation, 615
 Venting of tanks, 560
 Viscosity, 1-7
 of ice cream mix, excessive, 339
 of milk, 7
 Vogt freezer, 311-312
 Volt, 35
 Volume, 20
 frozen milk, 3

 Walls, for buildings, 611
 Washers, power requirements, 437
 steam requirements, 438-440
 Washing powders, 16
 Washing solutions, 430
 Waste, disposal, 632
 treatment, 663-664
 aeration, 635-637
 Water, cost of, 632
 cooling, 201
 defects, 625
 hardness, 158, 626
 heater, and circulator, 376
 noiseless, 161
 heating and circulating unit, 287
 heat temperature, diagram of, 130
 horsepower, 71
 pH, 158
 piping, 631
 supply, 625
 treatment, 157, 465, 627
 can washer, 431
 utilization, 631
 wheel, 23

Watering of milk, 3

Watt, 35

Weigh cans, 444

Weighing milk, 455

Weight of various materials, 648

Weight of various metals, 647

Welding, 14

of fittings, 90

of sanitary pipe, 89

Welds, 11

White metal, 13

Whole milk, 3

Windows, 612

Wire gage, 651

Wiring, 49

Withdrawing ammonia, 206

Work, 20-22

ability, 11

simplification, 620

Zeolite treatment, 627