

# Index

## A

- Abiotic attack, 198
- Abrasion resistance, 274
- Absorbtion agent, 300
- Accelerated corrosion testing, 261
- Acetone diffusivity, 47
- Acetylation, 190
- Acrylated epoxidized soybean oil, 263
- Acrylated triglycerides, 264
- Acrylic, 263
  - monomers, 256
  - resin emulsion, 56
- Activation energy, 74
  - barrier, 145
- Active packaging, 231
- Adhesive resin, 303
- Adipic acid, 76
- Advanced performance coating, 268
- Aegis multilayer film, 29
- Aerobic conditions, 177
- Aerobic fermentation, 222
- Aerobic microorganisms, 232
- Agglomerated tactoids, 189
- Agglomeration, 84, 174
- Air-curing process, 257
- Air-oxidation process, 259
- Airport improvement program, 162
- Air-sampling method, 314
- Alcoholysis, 259
- Aliphatic diolin, 187
- Aliphatic ester linkages, 60
- Aliphatic polyester, 77, 155, 186, 191
- Alkali metal alkoxides, 257
- Alkyd resin, 258
  - thixotropic, 277
- Ambient temperature, 171
- Amidation reaction, 253
- Amide pyrolysis, 94
- Ammonium-ion modified clay, 55
- Amorphous oligomeric resins, 76
- Amorphous silica, 300
- Amylopectin, 59, 185, 214
  - chains, 195
- Anaerobic conditions, 177
- Anaphoretic electro-deposition, 276
- Anisotropic organoclay, 126
- Anisotropic shape, 66
- Antibacterial agent, 233
- Anti-corrosion coatings, 276
- Anticorrosion pigments, 260
- Anticorrosion primers, 277
- Anticorrosive coatings, 258
- Anti-electromagnetic wave, 245
- Antifungal surfaces, 216
- Anti-hydrolysis properties, 74
- Antimicrobial activity, 121, 236
- Antimicrobial agents, 230, 231, 267
- Antimicrobial functional group, 267
- Antimicrobial mechanisms, 233
- Antimicrobial packaging, 222
  - methodology, 230
- Antimicrobial paint, 278
- Anti-mist coatings, 250
- Antimycotics, 232
- Antioxidants, 231
- Antiplasticizing effect, 221
- Antistatic electricity, 245
- Anti-ultraviolet property, 69
- Apparent activation energy, 119
- Aqueous clay suspension, 52
- Aqueous latex emulsions, 250
- Aramid fibers, 168
- Arginine-glycine-aspartic acid, 286
- Aromatic isocyanates, 263
- Aromatic polyesters, 77
- Aspect ratio, 299
- Astrocytes, 287
- Atomic force microscopy, 87, 150
- Atomic metal deposition, 240
- Atomic metal evaporation, 238
- Attapulgite clay, 115
- Attraction forces, 113
- Autoantigens, 309
- Automotive fuse boxes, 162
- Automotive radiator, 162
- Average mobility, 86
- Avrami equation, 19
- Axonal regeneration, 295

## B

Backscatter detector, 242  
 Ball milling, 216  
 Barrier data, 16  
 Barrier effect, 128  
 Barrier efficiency, 42  
 Barrier improvement factors, 35, 46  
 Barrier layer, 301  
   composition, 76  
 Barrier resin, 303  
 Basal cleavage, 36  
 Basal spacing, 20  
 Basal reflection peaks, 11  
 Bending strength, 175  
 Bentonite, 300  
 Biaxial orientation, 23  
 Biaxial stretching, 55  
 Bimodal, 256  
 Binder molecules, 250  
 Binodal phase boundary, 293  
 Binodal phase separation, 293  
 Bioaccumulation potential, 319  
 Bio-based materials, 198  
 Biobased polymers and composites, 220  
 Biocompatibility, 289  
 Biocompatible macromeric monomers, 289  
 Biodegradability, 25  
 Biodegradable macromonomers, 292  
 Biodegradable materials, 168  
 Biodegradable plastics, 155  
 Biodegradable polymers, 22, 176  
 Biodegradation rates, 28  
 Bioflexm film, 186  
 Biomass, 168  
 Bio-nanotechnology, 167  
 Bio-packaging, 167  
 Bioplastics, 197  
 Biopolymeric matrix, 168  
 Biotite, 36  
 Bleached kraft pulps, 170  
 Blending biopolymers, 168  
 Blend morphology, 192  
 Blocking effect, 51, 134  
 Blood-brain barrier, 308  
 Blown film extrusion, 5  
 Blow up ratio, 25  
 Blush degrades coating, 262  
 Boltzmann's constant, 145  
 Bond energy, 269  
 Bone-like matrix, 292  
 Bottle blowing process, 301  
 Bottle recycling process, 304  
 Brabender mixer, 20, 47  
 Bragg's condition, 240  
 Brain-derived neurotropic factor, 295  
 Brittle-ductile transition, 134  
 Brittle polymer matrix, 126  
 Broad spectrum, 244  
 Burning rate, 131

Butyl rubber, 47  
 Byrd applicator, 269

## C

Camouflage, 250  
 Cancer therapeutics, 233  
 Capillary rheometer, 18  
 Caprolactam polymerization, 304  
 Carbonation, 302  
 Carbon-based nanotechnology, 101  
 Carbon-centered radicals, 104  
 Carbon dioxide injection method, 13  
 Carbon dioxide retention period, 75  
 Carbon dioxide transmission rates, 19  
 Carbon fiber, 94  
 Carbon nanofibers, 286  
 Carbon nanotubes disentangling, 123  
 Carcinogenesis, 309  
 Carnauba wax, 210  
 Casein, 211  
   nanoparticles, 209  
 Cast extrusion, 25  
 Cast-film extrusion, 24  
 Castor oil elastomers, 263  
 Catalysis reaction, 121  
 Catalyzed ring-opening polymerization, 23  
 Cation exchange capacity, 67  
 Cation ion-exchange procedures, 19  
 Cell adhesion, 284, 285  
 Cell conductivity, 284  
 Cell cycle regulation, 309  
 Cell density, 146, 156  
 Cell pore structure, 193  
 Cell proliferation, 288  
 Cell seeding, 293  
 Cell size distribution, 152  
 Cellulose, 169  
   acetate butyrate, 174  
   biofibers, 168  
   fibers, 175  
   filler's agglomeration, 174  
   microfibrils, 169, 175  
   nanocrystals, 169  
   nanofiber extraction, 168  
   whiskers, 169  
 Centrifuge, 300  
 Chaotic advection, 12  
 Charged rigid rod macromolecules, 188  
 Charge exchange capacity, 100  
 Charpy impact test, 116  
 Charring process, 128  
 Chemical agent resistance, 272  
   coating, 263  
 Chemical analysis, 270  
 Chemical etching, 284  
 Chemical resistance, 230, 277  
 Chill-roll casting, 191  
 Chitin whisker, 214

Chitosan, 197  
  whey protein, 217  
Chronic inflammation, 309  
Circular dichroism, 208  
Classical nucleation theory, 144  
Clay cation exchange capacity, 304  
Clay concentration, 194  
Clay crystalline morphology, 300  
Clay dispersion, 200  
Clay exfoliation, 102, 127  
Clay-free polymer, 51  
Clay gallery, 101, 301  
Clay layers, 187  
Clay-nylon nanocomposites, 82  
Clay platelet individualization, 132  
Clay-polypropylene nanocomposites, 115  
Clay slurry, 84  
Clay-thermoset composite layers, 57  
Closed bottle test, 178  
Coarsening, 294  
Cocextrusion, 238  
Coinjection stretch blow-molding, 75  
Co-intercalation organophilic clay, 85  
Cold crystallization, 111  
Cole-cole plots, 109  
Collagen fibrils, 208  
Collagen synthesis, 285  
Colton and Suh's model, 146  
Compatibilization effect, 132  
Compatibilizer, 49  
  polymers, 108  
Compatibilizing agent, 197  
Complexation interactions, 222  
Composite diffusivity, 45  
Compostability, 178  
Compost matrix, 178  
Compression-molded polymer, 86  
Compression-molded samples, 122  
Compression molding method, 216  
Concentration fluctuations, 293  
Conducting matrix, 42  
Confocal microscope images, 271  
Contact angle measurements, 196  
Continuous chaotic advection blender, 12  
Conventional salt spray, 261  
Cooling rate, 85  
Corrosion, 258  
  accelerating agents, 232  
  resistance, 259, 274  
Counter rotating intermeshing, 7  
Coupling agent, 19, 116, 159  
  concentrations, 110  
Crack arrestors, 144  
Cracking catalysts, 300  
Creep compliance, 73  
Critical polymer concentration, 293  
Critical solution temperature, 293  
Cross-hatch adhesion testing, 261  
Cross-link density, 273  
Cross-linking reaction, 120, 209  
Crosslinkers, 292

Cryochemical methods, 240  
Cryocrushing, 171  
Crystalline morphology, 127  
Crystalline phase transition, 85  
Crystallization, 293  
  kinetics, 25  
  rate, 19  
  temperature, 20, 108  
  time, 124  
Cup over time, 217  
Cussler-Aris equation, 44  
Cyclic corrosion test, 261  
Cyclic olefin copolymer, 3  
Cyclic oligomers, 71, 72  
Cyclo-depolymerization, 72  
Cyclodextrins, 196  
Cytochromes, 233  
Cytosine, 288  
Cytotoxic analysis, 287

## D

Deagglomeration, 135  
Decomposition temperature, 190  
Deconvoluted derivative thermogravimetric, 242  
Defatted soy flour, 223  
Defibrillation, 170, 175  
Degradability, 200  
Degradable polyamide, 52  
Degradation rate, 194  
  time, 223  
Degree of exfoliation, 197  
Degree of grafting, 49  
Degree of polymerization, 170  
Delamination process, 20  
Depolymerization, 167  
Desideratum, 100  
Deter counterfeiting, 306  
Deterioration, 73  
Dextran, 289  
Dialdehyde starch, 209  
Diamine diffusion, 58  
Dichloromethane solution, 71  
Dichloromethane sorption curve, 113  
Die geometry, 146  
Dielectric constant, 68, 144, 246  
Dielectric loss, 189  
Dielectric relaxation analysis, 119  
Differential gas pressure, 2  
Differential scanning calorimetry, 16, 18, 51,  
  69, 196, 217, 221  
Diffraction intensity, 10  
Diffraction peak, 157  
  intensity, 8  
Diffusing molecule, 89, 299, 302  
Diffusion chamber, 177  
Diffusion distances, 5  
Diffusion-enhancing device, 146  
Diffusion path, 276

Diffusion rate, 144  
 Diffusivity, 42  
 Diglycerides, 251  
 Dihydrogenated-tallow ammonium ion, 94  
 Dimensional stability, 34, 73, 74, 111  
 Dioctahedral fluoromica, 17  
 Disintegration, 175  
 Dispersed smectite system, 59  
 Dispersive mixing, 147  
 Dissipating energy, 114  
 Dityrosine, 208  
 Driving force, 102  
 Droplet coalescence, 293  
 Dual-mode sorption, 49  
 Ductility, 34  
 Dynamical photografting, 134  
 Dynamic mechanical analysis, 18, 115, 174, 217, 269  
 Dynamic moduli, 194  
 Dynamic rheological experiment, 194

## E

Ecotoxicology, 319  
 Edge hydroxyls, 18  
 Elastic modulus, 126, 168  
 Electrical conductivity, 130  
 Electrical insulating laquers, 276  
 Electrical resistance, 246  
 Electro-active polymers, 222  
 Electrocoating processes, 277  
 Electrolytic corrosion, 223  
 Electromagnetic lenses, 242  
 Electromicrograph, 170  
 Electron beam cured acrylates, 275  
 Electron beam irradiation, 232  
 Electron cavity, 121  
 Electron energy analyzer, 270  
 Electron irradiation, 110, 191  
 Electron micrographic images, 324  
 Electron multiplier, 270  
 Electrophoretic patterns, 208  
 Electrospinning process, 215  
 Electrospun fibers, 215  
 Electrospun nano zein fibers, 221  
 Electrostatic attraction, 213  
 Electrostatic forces, 149  
 Electrostatic interaction, 207, 301  
 Electrostatic layer-by-layer self-assembly method, 5  
 Elmendorf tear strength, 16  
 Embedding nanoparticles, 216  
 Embedding reinforcing biofibers, 168  
 Emulsion-generated polymer particles, 188  
 Emulsion polymerization, 55, 188  
 Emulsion templating, 284  
 Endothelial cells, 295  
 Endothelial dysfunction, 309  
 Endothermic baseline shift, 271  
 Energy consumption, 168  
 Energy dispersive X-ray spectroscopy, 242

Engineered nanomaterials, 307  
 Enthalpic contribution, 84  
 Entropy, 102  
 Environmental effect, 94  
 Enzymatic hydrolysis, 199, 210  
 Enzymatic oxidation, 232  
 Epidemiology, 319  
 Epoxidized plant oils, 277  
 Epoxy resin, 58  
 Equilibrium concentration, 114  
 Equivalent inclusion, 46  
 Erucic acids, 252  
 Esterification, 190  
   reaction, 133  
 Etherification, 190  
 Ethylene-acrylic oligomer emulsion, 121  
 Ethylene propylene diene ter polymer, 132  
 Ethylene-vinyl alcohol copolymer, 151  
 Excellent chemical resistance, 74  
 Exfoliated nanocomposites, 28, 66  
 Exfoliation-adsorption method, 188  
 Extended X-ray absorption fine structure, 119  
 Extensional viscosity, 151  
 Extracellular matrix, 284  
 Extrusion, 5  
   processes, 304  
   rates, 18  
   residence time, 7

## F

Far-infrared-emitting ceramic powders, 232  
 Fatigue strength, 116  
 Fatty acids, 251  
 Feeding rate, 25  
 Fermentation mycelia, 235  
 Fermentation process, 155  
 Fiber mass fraction, 176  
 Fibroblasts, 287, 293  
 Fibrogenicity, 319  
 Fibrous materials, 170  
 Fickian sorption, 57  
 Field-emission scanning electron  
   microscopy, 121  
 Filler dispersion, 51  
 Filler efficiency, 35  
 Filler-free material, 61  
 Filler-matrix linkages, 104  
 Filler ratio, 117  
 Fish skin gelatin, 209  
 Flake-free polymer, 52  
 Flame resistance, 115  
 Flame-retardant polymeric materials, 128  
 Flame retardation, 151  
 Flat-film extrusion, 191  
 Flax bast fibers, 176  
 Flax nanofibers, 176  
 Flex modulus, 117  
 Flexographic inks, 277

Flexural modulus, 70, 73  
 Flexural strength, 91  
 Flocculation, 59  
 Fluid polymer phase, 206  
 Fluorine mica, 67  
 Fluorine surface enrichment factor, 271  
 Fluorohectorite, 36, 134  
 Fluoropolymer, 272, 278  
 Fluororubber, 48  
 Flux energy, 191  
 Fourier transform infrared spectra, 119  
 Fourier transfer infrared spectroscopy, 94  
 Fracture stress, 34  
 Free energy, 147  
 Freeze-drying, 294  
 Freezing points, 126  
 Frequency-independent elastic moduli, 194  
 Fricke theory, 42  
 Friction coefficient, 81  
 Fungal assisted synthesis, 235  
 Fungicides, 232

## G

Gallery expansion, 58  
 Galvanic cells, 260  
 Gamma-crystalline phase, 90  
 Gas analyzer, 216  
 Gas barrier, 20, 76, 176, 217,  
   effect, 94  
 Gas diffusivity, 151  
 Gas permeability, 25, 100, 125  
 Gas permeation, 49  
   rate, 197  
 Gate geometry, 147  
 Gaussian function, 106  
 Gelatinization, 194  
   process, 186  
   transitions, 186  
 Genetic engineering, 256  
 Genotoxicity, 319  
 Geometrical impedance, 42  
 Geometric factor, 44  
 Gibbs free energy, 293  
 Gibbsite, 35  
 Glass fiber, 94  
 Glass-rubber transition temperature, 176  
 Glass transition, 14  
   region, 293  
   temperature, 25, 217  
 Glassy polymers, 55  
 Glucuronic acid, 213  
 Glutenin-rich fraction, 208  
 Glycerol hydroxyl groups, 253  
 Glycerol plasticization, 215  
 Glycerol plasticizer, 177  
 Glycerol-propylene oxide, 223  
 Glycerol-rich domains, 195  
 Glycerolysis reaction, 253

Glycidyl methacrylate, 289  
 Glycinin, 207  
 Glyptal resins, 258  
 Gradual viscosity, 20  
 Graft copolymerization, 190  
 Graft copolymers, 193  
 Grafting density, 60  
 Grafting maleic anhydride, 118  
 Gram-negative bacteria's cell membrane, 233  
 Gram-positive organisms, 237  
 Granulomas, 309  
 Gravimetric feeding units, 111  
 Gravimetric methods, 300  
 Green polymers, 197

## H

Haake-extruder, 105  
 Harvested mycelial mass, 235  
 Hazardous air pollutants, 251  
 Heat distortion temperature, 19, 25, 91, 151  
 Heat emission, 241  
 Heat-radiation combination methods, 232  
 Heat release rate, 131  
 Heat resistance, 74, 216  
 Heat stability, 18  
 Hectorite, 36  
   clays, 105  
 Helical rosette nanotubes, 288  
 Helium leak measurements, 112  
 Helium permeability, 46  
 Hemicelluloses, 169, 171  
 Hemispherical analyzer, 270  
 Hemp nanofibers, 176  
 Henry's law type, 49  
 Henry sorption, 114  
 Henschel mixer, 16  
 Herman orientation function, 108  
 Heteroaddagulation, 238  
 Heterogeneous nucleation, 123  
 High-barrier platelet geometry, 61  
 High-barrier thermoplastic material, 29  
 High density polyethylene, 3, 16  
 High-dielectric constant, 68  
 High energy ball milling, 123  
 High-impact polystyrene system, 146  
 High pressure homogenization, 169  
 Hofmann elimination reaction, 128  
 Homogeneous dispersion, 111  
 Homogenization process, 171, 175  
 Homogenizing process, 170  
 Homogenous dispersion, 93  
 Homoheptamer, 208  
 Homopolymer, 26  
 Host matrix, 103, 184  
 Hot-pressing techniques, 174  
 Humus-type materials, 58  
 Hybrid coatings, 265  
 Hybrid materials, 184

Hydrazine aqua solution, 239  
 Hydrocarbon fluid resistance, 261  
 Hydrochloric acid permeation, 52  
 Hydrodynamic flow, 293  
 Hydrogels, 289  
 Hydrogen-bonding force, 195  
 Hydrolysable linkages, 177  
 Hydrolysis, 259  
 Hydrolytic cleavage, 138  
 Hydrophilic amino acids, 292  
 Hydrophilic clay particles, 112  
 Hydrophilic nature, 169  
 Hydrophilic plasticizers, 210  
 Hydrophilic surfaces, 295  
 Hydrophilic system, 10  
 Hydrophobic cavity, 196  
 Hydrophobic organoclay, 73  
 Hydrophobic particles, 289  
 Hydrophobic plasticizers, 211  
 Hydrophobic polymers, 174  
 Hydrophobic tails, 290  
 Hydrostatic pressure, 147  
 Hydrostatic strength, 284  
 Hydrous silicate particles, 35  
 Hydroxyapatite, 285  
 Hydroxylated oils, 253  
 Hydroxyl-functional ammonium-salt, 56  
 Hygroscopic, 221  
 Hyperbranched polymer, 265  
   systems, 266

## I

Ideal gas constant, 269  
 Identical test condition, 127  
 Imidazolium type, 72  
 Immune tolerance, 309  
 Immunogenicity, 284  
 Impact resistance, 261  
 Impact strength, 152  
 Incubation time, 235  
 Inflammation, 319  
 Infrared spectroscopic characterization, 108  
 Infra-red spectroscopy, 60  
 Injection molding process, 105  
 Injection-stretch blow-molding machine, 19  
 Inorganic fillers, 19, 34  
*In-situ* bubble stretching, 103  
*In situ* emulsion polymerization, 55  
*In situ* gravimetric method, 55  
*In-situ* intercalative polymerization method, 188  
*In situ* polymerization, 5, 67, 82, 121, 304  
 Insulating layer, 128  
 Intercalated nanocomposites, 66  
 Intercalation morphology, 125  
 Interfacial adhesion, 4, 66, 73, 191  
 Interfacial energy, 186  
 Interfacial free energy, 144  
 Interfacial free tension, 294

Interfacial interactions, 86  
 Interfacial polymers, 160  
 Interfacial thermal resistance, 129  
 Interlayer attraction, 120  
 Interlayer ion, 103  
 Intermediary subunits, 207  
 Interpenetrating networks, 262  
 Intertwined microfibrils, 171  
 Intra-gallery distance, 72  
 Intrinsic viscosity, 76  
 Invasion, 309  
*In vivo* cell culturing, 295  
 Ion-exchange reaction, 73  
 Ionic anchor monomers, 69  
 Ionic interactions, 72  
 Ionomer matrix, 73  
 Isopalmitic, 251  
 Isophthalic acid, 76  
 Isophthalic moiety, 70  
 Isotactic polystyrene, 293  
 Isothermal conditions, 239  
 Isothermal crystallization, 124  
 Isothermal regime, 191  
 Izod bar, 85

## K

Kadanoff cells, 43  
 Kaolin, 300  
 Kaolinite, 35  
   system, 60  
 Keratin, 212  
 Kneading extruder, 96  
 Kraft pulp, 175

## L

Lamella, 170  
 Landfilling, 167  
 Langmuir-type adsorption, 49  
 Laponite, 36  
 Larger-scale effect, 270  
 Laser ablation, 234  
 Laser-excited materials, 232  
 Lateral bilayer, 101  
 Latex polymer matrix, 176  
 Layered double hydroxides, 37  
 Layered inorganic fillers, 33  
 Layered polysilicates, 37  
 Layered silicates, 35  
 Layered vermiculite, 120  
 Leistritz micro twin-screw extruder, 18  
 Lepidolite, 36  
 Lewis rats, 295  
 Life-cycle assessors, 321  
 Light scattering analysis, 155  
 Lignin, 169  
 Lignocellulosic fibers, 168

Linear low density polyethylene, 120, 206  
 Linear regression analysis, 244  
 Linolenic acid, 255, 256  
 Linoleum, 251  
 Lipid molecules, 185  
 Liquid crystal polymer, 3  
 Liquid monomer, 56  
 Liquid phase separation process, 294  
 Lorenzian functions, 108  
 Loss modulus, 269  
 Low density polyethylene, 2, 176  
 Low molecular weight, 11

## M

Macroporous chitosan scaffolds, 295  
 Maddock barrier, 17  
 Maleic anhydride, 104, 120, 253  
   grafting, 101  
 Manton-Gaulin apparatus, 171  
 Manton-Gaulin laboratory homogenizer, 171  
 Marine adhesive protein, 222  
 Mass-produced commodity plastics, 169  
 Mass transfer barrier, 118  
 Masterbatch diluting technology, 87  
 Material viscosity, 147  
 Matrix diffusivity, 112  
 Matrix molar mass, 11  
 Matrix polymer, 67  
 Maxwell equation, 56  
 Mechanical integrity, 294  
 Mechanical kneader, 60  
 Mechanical stability, 94  
 Mechanical stirring, 103  
 Melt-blending method, 104  
 Melt blending techniques, 23  
 Melt-compounding, 67  
 Melt-extrusion, 55, 72  
 Melt-intercalation, 102  
   process, 74  
   technique, 120  
 Melt-mixing operation, 48  
 Melt-pressurization pressure, 147  
 Melt processing method, 5  
 Melt-processing temperature, 68  
 Melt-spinning, 71  
 Melt viscosity, 25, 109  
 Metallic corrosion, 250  
 Metal-polymer nanocomposite synthesis, 239  
 Methacrylated fatty acids, 265  
 Methacrylate functionality, 254  
 Methacrylic anhydride, 289  
 Microbe's cell membrane, 233  
 Microbial activity, 177  
 Microbial electron transport system, 233  
 Microbial infection, 231  
 Microbial vectors, 231  
 Microcell nucleation, 146  
 Microcellular foams, 215

Microcellular plastics technology, 144  
 Microcellular polymer nanocomposites, 143  
 Microcompounder, 103  
 Microelectronic circuit, 144  
 Microencapsulation methods, 238  
 Microfibrillated cellulose, 170  
 Microfibrils, 168  
 Microorganisms, 168, 199  
 Microvoids, 146  
 Microwave permeation, 201  
 Mini-emulsion polymerization, 265  
 Miscibility gap, 293  
 Mitochondrial perturbation, 309  
 Moisture content, 209  
 Moisture diffusivity, 57  
 Moisture permeability, 176  
 Moisture saturation concentration, 51  
 Moisture sensitivity, 200  
 Molar-mass copolymer, 54  
 Molecular dynamics simulations, 45  
 Molecular-grade filters, 144  
 Molecular manufacturing system, 311  
 Molecular mobility, 26  
 Molecular weight, 199  
 Molten caprolactam, 301  
 Molten polymer, 103  
 Molybdenum-based polyoxometalates, 266  
 Monoglycerides, 251  
 Monolithic microbioreactors, 288  
 Monoliths, 289  
 Monomer caprolactam, 82  
 Monovalent cation, 150  
 Monte-Carlo simulations, 44  
 Montmorillonite, 100, 178  
   clay, 301  
   composite films, 197  
   layered silicates, 1  
 Mori-Tanaka theory, 92  
 MuCell technology, 146  
 Multilayer injection molder, 75  
 Multilayer packaging structure, 18  
 Multiwalled carbon nanotubes, 220  
 Muscovite, 36  
 Mussel protein, 222  
 Muragenesis, 309  
 Myocardial infarction, 309

## N

Nanoclay loading, 155  
 Nanoclay masterbatch, 114, 118  
 Nanoclay morphology, 301  
 Nanoclay platelets, 154  
 Nanoclay technology, 299  
 Nanocomposite films, 23  
 Nanocomposite morphology, 11  
 Nanoengineering, 315  
 Nanofabrication, 317  
 Nanofiber dispersion, 179

Nanofillers, 100  
 Nano-hydroxyapatite compacts, 286  
 Nanomaterial enhanced scaffolds, 283  
 Nanometric subunits, 214  
 Nano-particulate coatings, 284  
 Nanophase ceramics, 286  
 Nanoreinforcements, 197  
 Nanoscale alumina, 309  
 Nano-scale technologies, 317  
 Nano-sized fibrils, 171  
 Nanotechnology, 305  
   resources, 311  
 Nanotox, 319  
 Nanotubes, 316  
 Naphthenic acid, 257  
 Natural plasticizer, 13  
 Negative economic driving force, 258  
 Neurons, 292  
 Newborn eye prophylaxis, 233  
 Newtonian region, 16  
 Nielsen model, 44, 89, 151  
 Nisaplin, 210  
 Nitrile rubber, 46  
 Nitrogen atmosphere, 73  
 Nitrogen permeability, 47  
 Noncovalent coupling, 196  
 Noncovalent interaction, 196  
 Noncovalent supramolecular, 196  
 Nonequilibrium chaotic dynamics, 215  
 Non-homogeneous dispersion, 23  
 Nonisothermal crystallization, 104  
 Nonpermeable barrier elements, 197  
 Nonpolar matrix, 121  
 Nonpolar polymers, 193  
 Nonpolar synthetic polymer, 193  
 Nonrenewable resources, 191  
 Non-specific protein adsorption, 284  
 Nontronite, 36  
 Nonvolatile plasticizers, 201  
 Nonwoven fabrics, 230  
 Novamont resin, 198  
 Nozzle orifice diameter, 147  
 Nuclear magnetic resonance, 94, 109, 150  
 Nucleating agent, 19, 20, 25, 67, 112, 146  
 Nucleating effect, 121  
 Nylon clay hybrid, 96  
 Nylon nanocomposites, 81

## O

Oblique angle, 243  
 Octadecyl amine, 301  
 Octadecyl ammonium ions, 113  
 Octahedral aluminium region, 115  
 Octahedral layer, 54  
 Octahedral sheets, 67  
 Octahedron, 36  
 Odor-causing bacteria, 245  
 Oil-based polyesters, 251

Olefinic fatty acids, 251  
 Olefin polymerization, 105  
 Oleic soybean oil, 252  
 Oligodynamic effect, 237  
 Oligosaccharides, 199  
 Omega-amino acids, 83  
 One-component protein-water system, 215  
 Optical clarity, 82  
 Optical excitation, 240  
 Optical microscopy, 53  
 Optical transparency, 70  
 Optimal barrier, 37, 60  
 Optimal compatibilizer, 18, 117  
 Optimal filler geometry, 35  
 Optimal interlayer population density, 72  
 Optimize intercalation, 17  
 Optimum compatibilizer, 104  
 Optimum diameter, 220  
 Optimum temperature, 18  
 Optoelectronic applications, 149  
 Oral cavity, 224  
 Organically-modified montmorillonite, 27  
 Organic matrix, 68  
 Organic modifier, 37  
 Organic polymer, 291  
 Organic rectorite, 104  
 Organic vapors, 112  
 Organoclay, 85  
   exfoliation, 94  
   soxhlet extraction, 117  
   technology, 299  
   ternary nanocomposite, 129  
 Organoleptic detection, 224  
 Organometallic intercalation compounds, 105  
 Organomodifiers, 61  
 Organophilic, 3  
   modified bentonites, 299  
 Orthopaedic infections, 233  
 Oscillatory deformation, 174  
 Osteoblast functions, 284  
 Osteoporosis treatments, 286  
 Ostwald ripening, 290, 293  
 Oxidation resistance, 236  
 Oxidative drying oils, 256  
 Oxidative stress, 309, 319  
 Oxidizing atmosphere, 115  
 Oxygen barrier, 3  
 Oxygen permeability, 75, 211  
   coefficients, 113  
 Oxygen plasma etched cross-section, 301  
 Oxygen scavenging system, 232  
 Oxygen transmission, 27  
   rate, 21, 96, 301

## P

Packing density, 101  
 Paint blistering, 261  
 Pancreatic cells, 284



- Paraffin-type monolayers, 101
- Paranchema, 171
- Partial exfoliation, 6, 103
- Particle-particle interactions, 196
- Pathogen transmission, 284
- Pectin-protein films, 218
- Penetrant diffusivity, 43
- Percolation threshold, 176
- Permeability, 42, 216, 299
  - coefficient, 67
- Permeation barrier, 90
- Permeation coefficient, 113
- Permeation resistance, 126
- Peroxide curing agent, 134
- Peroxide radical, 257
- Petroleum-based anhydrides, 251
- Petroleum-based polymers, 169, 185, 206
- Petroleum-derived plastic materials, 238
- Petroselenic acid, 252
- Phagocytic function, 309
- Phase diagram, 145, 293
- Phase homogeneity, 18
- Phase separating system, 294
- Phenol ether resins, 276
- Phenolic resin, 171
- Phlogopite, 36
- Phospho-proteins, 207
- Photodegradation, 177
- Photo-emission spectra, 270
- Photografting degree, 134
- Photoluminescence emission spectrum, 118
- Photolysis, 238
- Photo-oxidation, 135
- Photoresistant composite materials, 246
- Photosensitive dye oxidation, 232
- Phthalic anhydride, 71, 259
- Phyllosilicate minerals, 35
- Physical vapor deposition, 239
- Physicochemical methods, 239
- Phytigel, 213
- Pickering emulsions, 289
- Pigment opacity, 273
- Planar zig-zag chain conformation, 85
- Plant leaf extract, 236
- Plant oil composition, 251
- Plasma etching process, 302
- Plasma polymerization, 239
- Plasma spraying, 286
- Plastic-clay nanocomposite, 303, 304,
- Plasticizer, 59, 193
- Plasticizing effect, 74
- Plastograph mixer, 103
- Plateau stress region, 223
- Platelet dispersion, 49
- Platelet distribution, 44
- Platy materials, 299
- Pluripotent stem cells, 284
- Polar dichloromethane, 49
- Polar diluents, 221
- Polar ethylene copolymers, 131
- Polar matrix, 196
- Polar-polar interactions, 185, 193
- Polar solutes, 50
- Polyamide-based composites, 90
- Polyamide matrix, 88
- Polybutylene succinate, 192
- Polycaprolactone, 58
- Polycarbonate urethane, 287
- Polycondensation, 69, 74, 192, 291
  - reaction, 253
  - reaction process, 71
  - system, 69
- Polyesteramide, 52
  - nanocomposites, 59
- Polyester nanocomposites, 55
- Polyester recycling process, 72
- Polyethersulfone, 55
- Polyethyleneimine system, 266
- Polyethylene nanocomposite masterbatch
  - formulation, 17
- Polyethylene terephthalate, 19
- Polyfunctional scaffolds, 265
- Polyhedral oligomeric silsesquioxane, 97, 141
- Polyhydroxyalkanoate, 27
- Polyisocyanates, 276
- Polylactic acid, 13, 59,
- Polymer compatibility, 56
- Polymer diffusivity, 18
- Polymeric binder, 251, 274
- Polymeric capping reagent, 234
- Polymeric flattening agents, 274
- Polymeric matrix, 104, 135
- Polymeric protective coating, 251
- Polymeric quaternary ammonium salts, 103
- Polymerization, 290, 291, 301,
  - process, 301
  - system, 71
- Polymerizing monomers, 55
- Polyolefin, 99
  - nanocomposite, 135
- Polyol functionality, 263
- Polypropylene, 6, 169
  - matrix, 112
- Polysaccharide, 168, 190
- Polyvinyl alcohol, 193
  - coating, 276
- Polyvinyl chloride, 162
- Pore throat size, 290
- Porosity, 197
- Porous polymer foams, 288
- Potassium peroxodisulfate, 289
- Potential activation, 145
- Potential barrier, 68
- Potential dangers, 308
- Potential dissemination, 307
- Potential gaps, 326
- Potential hazard, 312, 316,
- Pristine epoxy, 58
- Pristine polymer, 47
- Proliferation, 284, 287
- Protective barrier, 131

Protein denaturation, 61, 309  
 Protein-free pectin films, 218  
 Protein hybrid fiber, 212  
 Proteinous nanomaterials, 205  
 Proton motive force, 233  
 Pseudo-classical nucleation, 145  
 Pseudotrimeric layers, 101  
 Punching method, 224  
 Pyrolysis temperature, 129  
 Pyrolyzing keratin fibers, 207  
 Pyromellitic dianhydride, 71

## Q

Quantum size effects, 149  
 Quaternary ammonium ions, 37  
 Quenching protocol, 293  
 Quenching temperature, 293

## R

Radiation methods, 232  
 Radical polymerization, 253  
 Radio frequency identification, 309  
 Radiolysis, 238  
 Rapid pressure-drop nucleation nozzle, 146  
 Reactive extrusion, 223  
 Reactive oxygen species, 309  
 Recalcitrant residues, 199  
 Receptor binding ligands, 284  
 Recrystallization temperature, 126  
 Rectorite clay, 60  
 Recyclability, 76  
 Recycling process, 167, 310  
 Regenerative medicine, 284  
 Reinforcing cellulose biofibers, 168  
 Reinforcing effect, 91  
 Reinforcing phase, 169  
 Reinforcing potential, 175  
 Relative crystallinity, 124  
 Relative deformation, 224  
 Relative humidity, 29  
 Relative permeability coefficient, 91  
 Relaxation processes, 195  
 Renewable biobased monomers, 168  
 Renewable resources, 168  
 Renormalization-transformation concept, 43  
 Repulsive electric double-layer force, 68  
 Residence time, 49  
 Residual epoxies, 263  
 Resilience, 74  
 Resin formulation, 258  
 Resin matrix, 6  
 Resin ratio, 303  
 Retention time, 147  
 Reticulo-endothelial system, 309  
 Rheological tests, 123  
 Rheology, 18

Rhodium catalyst, 252  
 Ricinoleic acid, 252  
 Rigid thermosetting resins, 263  
 Ring-opening metathesis copolymerization, 129  
 Ring-opening polymerization, 71, 155  
 Rock-salt filler, 34  
 Rotary die method, 224  
 Round-shaped nanofibers, 215  
 Rubber-filler interaction, 132  
 Rubber latex, 196  
   particles, 53  
 Rubber plateau modulus, 46  
 Rubbery modulus, 269  
 Rutabaga nanofibers, 176  
 Rutherford backscattering spectrometry, 266

## S

Salad dressing, 251  
 Salt spray resistance, 260, 261  
 Saponite, 36  
   system, 60  
 Scanning electron micrographs, 170  
 Scanning electron microscopy, 51, 196, 274, 291, 301  
 Scorch time, 47  
 Scratch hardness, 127  
 Scratch resistance, 276  
 Sedimentation boundary, 294  
 Self-assembling peptide hydrogel, 292  
 Self-assembling precursor molecule, 288  
 Self-assembly process, 288  
 Self-replicating machines, 308  
 Semiaromatic polyester, 65  
 Semi-crystalline polymer, 14  
 Semolina, 193  
 Sepiolite-filled nanocomposite, 92  
 Shatter resistance, 2  
 Shear forces, 4, 9  
 Shear viscosity, 18, 20  
 Sheet extrusion, 51  
 Shelf life, 303  
 Silane grafting, 119  
 Silicate layer, 35  
 Silicon rubber, 46  
 Silver foils, 234  
 Silver nanocomposites, 229  
 Silver therapy, 233  
 Single-phase polymer, 152  
 Single-screw extruder, 49  
 Single-walled carbon nanotubes, 196  
 Size-exclusion chromatography, 211  
 Small-angle X-ray scattering, 70, 109, 150  
 Small microfine particles, 307  
 Smectic clays, 149  
 Smectite, 59  
   organoclay, 18  
 Soil biodegradation test, 178  
 Solar loading pigments, 273  
 Solid-liquid phase separation, 294

- Solid-state polymerization, 71
  - Solid-state post-polymerization, 70
  - Solid-state shear pulverization, 14
  - Solubility parameters, 290
  - Solution dispersion, 55
  - Solution intercalation, 74
  - Solvent blending method, 135
  - Solvent precipitation method, 55
  - Solvent resistance, 112
  - Soptical microscopy, 122
  - Sorbing effect, 51
  - Sorption isotherms, 114
  - Soybean flour protein, 209
  - Soy flour, 209
  - Soy protein isolate, 206
  - Soy protein products, 223
  - Spectroscopic techniques, 196
  - Spheroids, 42
  - Spherulitic structure, 53
  - Spherulitic crystalline structure, 107
  - Spinning hybridization method, 212
  - Spinodal phase boundary, 293
  - Square-platelet orientation, 45
  - Starch matrix, 175
    - system, 196
  - Starch nanocrystals, 196
  - Starch-synthetic aliphatic polyester blends, 198
  - Starlink debacle, 256
  - Static dissipation, 149
  - Stearic acid, 117
  - Steric effect, 48, 53
  - Steric hindrance, 44, 264
  - Steric interaction, 117
  - Sterilizing effect, 237
  - Stiff polyesters, 262
  - Storage modulus, 74, 134
  - Stoving polyurethanes, 276
  - Strain–stress curves, 175
  - Strength–elongation curve, 221
  - Stress-strain curve, 157
  - Sturm test, 177
  - Styrene, 290
    - acrylonitrile/ethylene vinylacetate, 47
    - butadiene rubber, 46
    - polymerization, 238
  - Substantial effect, 73
  - Sulfhydryl–disulfide interchange reactions, 208
  - Sulfite pulping process, 170
  - Sunscreen ingredients, 307
  - Supercritical fluid, 144
  - Super-grinding method, 170
  - Superior scratch resistance, 127
  - Surface-active particles, 196
  - Surface coatings, 316
  - Surface concentrations, 270
  - Surface plasmon resonance, 233, 240, 241
  - Surface roughness, 284
  - Swelling agent, 114
  - Switching devices, 246
  - Syndiotactic polypropylene, 49
  - Synthetic biology, 317
  - Synthetic fillers, 169
  - Synthetic mica, 56, 91
  - Synthetic polyesters, 258
  - Synthetic polymer, 169, 189, 224
  - Synthetic tetrasilic fluormica, 18, 120
- ## T
- Tactoid formation, 26
  - Tallow-based quaternary ammonium compounds, 299
  - Tapping mode, 87
  - Tear resistance, 17
  - Technologiezentrum, 319
  - Teflon plate, 216
  - Tensile modulus, 3, 25, 43, 69, 72, 91, 103, 175
  - Tensile strength, 17, 24, 133, 153, 170, 175
  - Tensile testing, 57
  - Tensile yield stress, 110
  - Terephthalic acid, 73
  - Terpenoids, 236
  - Tetrahedral silicate, 115
  - Tetrahedrons, 36
  - Tetrahydrofuran, 290
  - Therapeutic modality, 245
  - Thermal analysis, 241
  - Thermal decomposition, 119
    - temperature, 73
  - Thermal degradation, 17, 200
  - Thermal energy, 15, 68
  - Thermal expansion coefficient, 87, 91
  - Thermal oxidative-degradation, 74
  - Thermal-oxidative process, 129
  - Thermal resistance, 75, 114
  - Thermal softening, 255
  - Thermal stability, 17, 23, 69, 71, 115, 119, 174, 271, 276
  - Thermal-stable aromatic cations, 73
  - Thermodynamic driving force, 270
  - Thermodynamic equilibrium, 215
  - Thermodynamic interactions, 84
  - Thermoforming, 187
  - Thermogravimetric analysis, 12, 72, 134, 269
  - Thermogravimetric profiles, 69
  - Thermogravimetry, 49
  - Thermo-kinetic machine gelimat, 15
  - Thermomechanical processing
    - method, 236
  - Thermo-mechanical properties, 175
  - Thermo mechanical stability, 174
  - Thermooxidation resistance, 191
  - Thermo-oxidative degradation, 114, 119
  - Thermo-oxidative product, 128
  - Thermo oxidative stability, 122
  - Thermoplastic, 100
    - composites, 171
    - dynamic vulcanizates, 134

elastomers, 134  
 hybrids, 193  
 mixer, 104  
 nanocomposites, 174  
 polypropylene, 82  
 polyurethane matrix, 267  
 resins, 1  
 starch, 175, 178  
 vulcanizate, 162  
 vulcanized nanocomposites, 116  
 Thixotropic agents, 276  
 Tissue engineering, 24, 283  
 Tissue function, 284  
 Titanium dioxide, 236, 250  
 Titanium matrix, 236  
 Toluene-cast films, 112  
 Tonnage reduction, 162  
 Tortuosity effect, 89  
 Tortuosity factor, 42  
 Tortuous diffusion path, 12  
 Tortuous path factor, 66  
 Tortuous pathway, 299  
 Tracking devices, 309  
 Transcrystalline zone, 195  
 Transected thoracic spinal cord, 295  
 Transesterification reaction, 70  
 Transglutaminase-modified protein, 218  
 Transmission electron microscopy, 70, 83, 187, 301  
 Transmission electron photomicrographs, 6  
 Transmission rate, 2  
 Transparent barrier film packaging, 96  
 Traumatic injuries, 245  
 Triethanolamine, 212  
 Triglyceride-based polyesters, 262  
 Triglyceride length, 255  
 Trilayer films, 76  
 Trimellitate ester oligomer, 71  
 Tubular scaffolds, 295  
 Twin-blade kneader, 49  
 Twin-screw extruder, 49  
 Twin-screw extrusion, 5  
 Twin-screw haake extruder, 18  
 Twist retention, 24  
 Two-phase degradation mechanism, 119  
 Two-phase lamellae stacks model, 86  
 Tyrosine residues, 207

## U

Ultimate tensile strength, 210  
 Ultrahigh vacuum, 270  
 Ultrahydrophobic surface, 268  
 Ultra-rapid freezing processes, 215  
 Ultrasonic amplitude, 49  
 Ultrasonic horns, 49  
 Uniaxial stress-strain behavior, 73  
 Universal ammunition coating, 259  
 UV-exposed films, 232  
 UV transmission, 69

UV-visible absorption spectroscopy, 118  
 UV-visible spectroscopy, 241

## V

Vacancy factor, 45  
 Valonia cellulose, 170  
 Van der Waals force, 68  
 Van der Waals interactions, 196  
 Vapor barrier analysis, 23  
 Vascular endothelial growth factor, 295  
 Vascular grafts, 284  
 Vermiculate solution, 47  
 Vermiculite, 37, 132  
 Vernolic acid, 251  
 Vernonia oil, 252  
 Verticillium biomass, 235  
 Vinyl ester matrix, 57  
 Vinyl ester thermoset, 56  
 Virgin matrix, 92  
 Viscoelasticity, 269  
 Viscoelastic properties, 103  
 Viscosity shear rate curves, 16  
 Volatile carboxylic acid, 94  
 Volatile organic compound, 257  
 Volume fraction, 42, 113  
 Vulcanization, 46, 132  
 effect, 134

## W

Warpage reduction, 162  
 Waterborne acrylic latexes, 276  
 Water diffusion coefficient, 176  
 Water diffusivity, 58  
 Water immersion resistance, 261  
 Water vapor barrier, 50, 197  
 Water vapor permeability, 27  
 Water vapor permeation, 50  
 Water vapor transmission, 169  
 rate, 301  
 Water vapor transmittance, 176  
 rate, 197  
 Wavelength dispersive X-ray spectroscopy, 242  
 Wear-resistance, 149  
 Weight ratio, 299  
 Wet-spinning process, 220  
 Wheat gluten films, 61  
 Whey-protein-coated plastic films, 217  
 Whey protein concentrate, 217  
 Whey protein isolate, 208  
 Wide-angle X-ray diffraction analysis, 196  
 Wide-angle X-ray scattering experiments, 86  
 Wilchinsky diagram construction, 109

**X**

- X-ray diffraction, 16, 83, 187, 300
  - patterns, 11
- X-ray intensity, 85
- X-ray photoelectron spectroscopy, 97, 115
- X-ray powder diffraction, 240
- Xylene, 258
  - adsorption, 134

**Y**

- Yellowing resistance, 258
- Yezo spruce, 170
- Yield strain, 24
- Yield strength, 127, 303

- Yield stress, 66, 118
- Yttrium, 286
- Young's modulus, 13, 291

**Z**

- Zein protein, 208
- Zeldovich nonequilibrium factor, 145
- Zero-concentration diffusivity, 50
- Zero flavor adsorption, 74
- Zero migration, 304
- Zero-valent metal, 246
- Ziegler–Natta polymerization homogenous catalyst, 105
- Zinc oxide nanoparticles, 276
- Zirconocenc catalysts, 122