660.281 PRO

Author Index

Page Numbers	*Definitions*
1, 2, . . .	Page numbers in textbook
C1S.X	Section number X in Supplement_to_Chapter_1.pdf in PDF Files folder on Web Site
C3S.X	Section number X in Supplement_to_Chapter_3.pdf in PDF Files folder on Web Site
C7S.X	Section number X in Supplement_to_Chapter_7.pdf in PDF Files folder on Web Site
C9S.X	Section number X in Supplement_to_Chapter_9.pdf in PDF Files folder on Web Site
C12S.X	Section number X in Supplement_to_Chapter_12.pdf in PDF Files folder on Web Site
C16S.X	Section number X in Supplement_to_Chapter_16.pdf in PDF Files folder on Web Site
C22S.X	Section number X in Supplement_to_Chapter_22.pdf in PDF Files folder on Web Site
C23S.X	Section number X in Supplement_to_Chapter_23.pdf in PDF Files folder on Web Site
C25S.X	Section number X in Supplement_to_Chapter_25.pdf in PDF Files folder on Web Site
AIIS-X to Y	Page X to Y in Supplement_to_Appendix_II.pdf in PDF Files folder on Web Site
PDF-GAMS	In GAMS.pdf Iin PDF Files folder on Web Site
PDF-IPE	In Aspen IPE Course Notes.pdf in PDF Files folder on Web Site

Abbott, M. M., 78
Abramowitz, M., 200
Achenie, L. E. K., 71, 72, 74, C3S.1
Adams II, T. A., C22S.1, PDF-IPE
Agassant, J. F., 518
Agrawal, R., 222
Al-Arfaj, M. A., 339
Albalak, R., 518
Allen, D. T., 17, 19, 64
Amin, S. I., C3S.1
Amundson, N. R., 17
Anderson, E., 44
Andueza, S., 675–677
Antis, Jr, D., 44, 46, 48, 391, 443
Araya Lopez, P., 72, 73, 75
Aris, R., 189
Arlt, W., 78
Asbjornsen, O. A., 195
Astrom, H. J., 195
Audette, M., 95
Avenas, P., 518

Baddour, R. F., 166
Bagajewicz, M. J., 307
Baille, R.C., 559
Bajpai, R. K., 672, C25S.1
Bakken, D., 402
Balzhiser, R. E., 78
Barbosa, D., 236
Barnicki, S. D., 204, 241, 243, 244, 246
Barrera, M. D., 315
Bauman, H. C., 559, 623
Bays, J., 589, 590
Beerbower, A., 73, 74
Bekiaris, N., 233
Belliveau, P., 392
Bello, J., 675, 676
Benedict, D. B., 86
Bequette, B. W., C12S.0, C12.5, C12.6
Bergman, T. L., C16S.1
Bever, M. B., 11
Beveridge, G. S. G., 642, 652
Bicerano, J., 524
Biegler, L. T., 160, 192, 312, 320, 647, 653
Bildea, C. S., 334
Bird, R. B., 68, 428, C16S.1
Birol, G., 672, C25S.1
Bisenberger, J. S., 518
Boelter, L. M. K., 489
Bogle, D., 44
Bokis, C. P., 65
Bonte, P., 311, 312
Booy, M. L., 529, 531
Borgnakke, C., C9S.11
Borsa, A. G., 93
Boston, J. F., 313
Bosworth, R. C. L., 198
Bottini, S. B., 72, 73, 75
Bowman, R. A., 484–486
Bravo, J. L., 227, 230, 231
Brealey, R., 633
Brennecke, J. F., 64
Bretherick, L., 11
Brian, P. L. T., 166
Brignole, E.A., 72,73,75
Bristol, E. H., 668
Britt, H. I., 313
Brockel, U., 376
Brook, A., PDF-GAMS
Busche, R. M., 546, 603, 604, 627, 628
Butler, R. M., 74
Buzad, G., 237, 238

Carson, R., 29, 30
Catoire, L., C3S.1
Cavett, R.H., 148
Chan, A., 66,78
Chan, H., 504
Chase, M.W., 11
Chen, C.-C., 65
Chen, Q.-M., 458
Cheng, C.-P., 387

Cheng, Y.-C., 436
Cheremisinoff, N. P., 11
Chiang, T., 324
Chibata, I., 423
Chilton, E. H., 559
Chou, M. A., 431
Chrien, K. S., 560–562
Chung, J., 461
Churchill, S. W., 187, 198, 200
Cid, C., 675, 676, 678
Cinar, A., 672, C25S.1
Cisternas, L. A., 245
Clarke, D. M., 65
Cleland, F. A., 197–199
Colburn, A. P., 489
Colmenares, T. R., 285, 288–290
Considine, D. M., 11
Constantinou, L., 73, 74
Cooke, G. M., 74
Cooper, R. G., 3, 11, 32, 33, 36, 442, 444
Copeland, R. A., 431
Corripio, A. B., 560–562, 570, 574, 575–577, 579
Costa, R., 412
Couch, C. R., 387
Cox, D. J., 369
Creveling, C. M., 391, 443
Crookes, D. A., 208
Crosby, S., 369
Crowe, C. M., 130,192
Crowl, D. A., 22, 24
Cunningham, W. A., 10, 11
Curtiss, C. F., C16S.1
Cussler, E. L., 412
Cuthrell, J. E., 312

Dam-Johansen, K., 376, 412
Dantzig, G. B., 648
Dare-Edwards, M. P., 61
Dassau, E., 66, 78, 110, 671, 673, C25S.1
Daugirdas, J. T., 423
Dean, B., 675, 676
Dean, J., 51
Deming, W. E., 41
Denbigh, K. G., 198
de Nevers, N., 24,78
Denn, M. M., 311
Derringer, G. C., 69
Desrosier, N. W., 675–677
DeWitt, D. P., C16S.1
Dhole, V. R., 282
Diaz, H. E., 559, 590
Dimian, A. C., 334
Dittus, F. W., 487, 489
Dockerty, S. M., 381, 382, 383
Doherty, M. F., 201, 204, 223, 229, 232–234, 236–239
Donohue, D. A., 490
Douglas, J. M., 94, 161, 162, 200, 204, 240, 243–245, 268
Durand, A., 376, 412
Duvedi, A. P., 71, 72
Dye, S., 245, 246
Dyer, J. A., C7S.4

Eagleton, L. D., 200
Eckerlin, P., 417
Eckert, E., 229, 238
Edgar, T. F., 327, 642, 643, 646, 648, 653
Eisenhauer, J., 17,18
El-Halwagi, M. M., 298, 299, 302, 304. 306, 307
Eliassen, J. D., 78
Emtir, M., 223
Evans, L. B., 315, 574–577, 579
Eymery, J. P., 166

Fair, J. R., 223, 227, 230, 231, 241, 244, 246, 504, 505
Favre, E., 376, 412
Feetham, F. M., 208
Felder, R. M., 186
Feldman, R. P., 551
Fidkowski, Z. T., 222, 229, 238
Filiba, E., 66, 78
Fistner, D. C., 387, 404, 405
Fjeld, M., 195
Floudas, C. A., 267, 276–278, 306, 647, PDF-GAMS
Flower, J. R., 255, 263, 265, 285, 292
Fogler, H. S., 160,182
Fonyo, Z., 223
Fraser, D. M., 306
Frazier, C. L., 402
Fredenslund, Aa., 71, 72, 75
Freeman, H. M., 11
Froment, G., 196
Fucci, M. J., 66, 78, 110

Gani, R., 64, 71–74, 376, 412
Garbe, S., 415, 417–419, 420
Garrett, D. E., 568, 569
Giannelis, E. P., 61
Gilliland, E. R., 234
Glasser, D., 192
Gmehling, J., 75, 78, 229
Goeddel, D. V., 95
Gogos, C. G., 518
Golbert, J., 66, 78, 110
Goldberg, D. N., 66, 78, 110
Gomez, A., 219
Gordon, R. E., C3S.1
Graham, M. B. W., 14
Green, D. W., 11, 78, 81, 172, 214, 223, 298, 489, 491, 499, 500, 502, 506, 510, 580, 582, 584, 587, 697
Grenzheuser, U., 78
Grievink, J., C12S.5
Griffin, A., 42
Grimison, E. D., 490
Grosman, B., 663, 678
Grossmann, I. E., 261, 264, 285, 293, 320, 647, 653
Gundling, E., 13
Gunther, A., 148
Guthrie, K. M., 545, 548, 549, 551, 557–559, 598
Guttinger, T. E., 233

Hall, R. S., 559
Hallale, N., 306
Halloran, M., 66
Hallowell, D. L., 43, 44
Han, S.-P., 653
Hand, W. E., 557
Hanloh, S., 415. 418, 420
Hansch, C., 73
Hansen, C. M., 73, 74
Hansen, H. K., 75
Haselbarth, J. E., 545
Hauser, J., 42
Hawley, G. G., 23
Heaven, M. S., 248
Heckert, D. C., 369
Heend, L. B., 458
Heinrich, K. R., 368
Henderson, B., 52
Hendry, J. E., 209, 219
Henley, E. J., 123, 125, 126, 164, 214, 215, 220, 223, 243, 424, 499, 500, 502–504, 506
Herring, A. M., 93
Hewitt, G. F., 487, 489, 491
Hildebrandt, D. A., 192
Hill, M., 376, 412

Hill, R. D., 553
Himmelblau, D. M., 642, 643, 646, 648, 653
Hindmarsh, E., 261, 272, 275, 290, 304
Hirschfelder, J. D., C16S.1
Hochemer, R. H., 159
Hoffmann, M. R., 159
Hoftyzer, P. J., 74
Hohmann, E.C., 255, 267, 268
Horn, F. J. M., 192
Horsely, L. H., 234
Horwitz, B. A., 235
Hougen, O. A., C7S.4
Hsu, H.-C., C3S.1
Hua, I., 159
Hudepohl, G. R., 369
Hughes, R. R., 160, 209, 219
Hutchison, H. P., 125, 126, 130

Ibanez, C., 675, 676
Iedema, P. D., 334
Incropera, F. P., C16S.1
Ing, T. S., 423
Irving, J., 461
Itoh, J., 287

Jameson, B. G., 74
Jirapongphan, S., 653
Joback, K. G., 67, 70, 71, C3S.1

Karunanithi, A. T., C3S.1
Katz, D. L., 426
Katz, G. M., 41, 42
Kawakita, J., 44
Kearney, D. R., 369
Keenan, J. H., 11
Keller, G. M., 210
Kendrick, D., PDF-GAMS
Kent, J. A., 11
Kern, D. Q., 490
Kind, M., 376, 412
King, C. J., 246
Kirksey, S. T., 369
Kirschner, E. M., 72
Kiss, A. A., 334
Kister, H. Z., 214, 504, 506
Klein, I., 518
Kletz, T., 22
Knapp, J.P., 233
Knudsen, J.G., 426
Ko, G. H., 93
Kofke, D. A., 68
Kohr, W. J., 95
Kolbe, B., 78
Konasewich, D. E., 73
Konemann, H., 74
Kovach III, J. W., 233
Krieger, C. D., 387
Krolikowski, L., 222
Kubicek, M., 229, 238
Kyle, B. J., 78

Lacey, W. N., 79,80
Lachman-Shalem, S., 663, 678
Lang, H. J., 555–558, 598
Lang, Y.-D., 653
Langmuir, I., 413, 414
Lapidus, L., 199, 274
Lasdon, L. S., 642, 643, 646, 648, 653
Lavie, R., 190
Lavine, A. S., C16S.1
Lecat, M., 223
Lee, K.-S., 240
Lee, P. L., 326, 338
Leo, A. J., 73
Leonard, E. C., 85
Leva, M., 506
Levenspiel, O., 182
Levin, J., 461
Levy, C., 240
Lewin, D. R., 66, 78, 110, 115, 116, 190, 276, 324, 376, 412, 663, 668, 671, 673, 678, C25S.1
Lide, D. R., 11,78
Lien, K. M., 195,196
Lightfoot, E. N., 68, 428
Lim, H. C., 311, 312
Lincoff, A. M., 285
Linnhoff, B, 254, 255, 261, 263, 265, 272, 275, 282, 287, 288, 290, 292, 304
Liu, Y. A., 274
Logeais, B. A., 166
Louvar, J. F., 22,24
Lu, S., 1
Luckiewicz, E. T., 105, 510, 575, 590, 684
Lukk, G. G., 74
Luyben, M. L., 326, 330–332, 334–336, 338
Luyben, W. L., 324, 326, 330–332, 334, 335, 336, 338, 339
Lyman, W. J., 74
Lytton, R. N., 387
Maeztu, L., 675, 676
Maginn, E. J., 64
Mah, R. S. H., 642
Malone, M. F., 204, 223, 229, 237–239
Manousiouthakis, V., 298, 299, 302, 304, 306, 307
Maranas, C. D., 70
Marchal-Heusler, L., 376, 412
Markham, R. L., 69
Martin, C., 519, 521, 532
Martin, T. M., C3S.1
Mathias, P., 65
Mathisen, K. W., C12S.5
Matley, J., 559
Matsuyama, H., 238
McAvoy, T. J., 323, 338, 668
McCabe, W., 257
McCorrnick, R. L., 93
McGough, A., 66
McKetta, J. J., 10, 11
McKinnon, J. T., 93
McMillan, Jr., C., 652
McNaughton, K. J., 559
McQueen, S., 17, 18
Meeraus, A., PDF-GAMS
Mehanso, G. R., 369
Meier, W., 376
Mellichamp, D. A., 201, 327
Meski, G. A., 233
Metallo, C., 95
Middelberg, A. P. J., 376, 412
Midgely, T., 62, 64, 70
Midoux, N., 376, 412
Mihalick, B. C., 68
Miller, R. E., 387
Mills, H. E., 559
Mizsey, P., 223
Modak, J. M., 311, 312
Modi, A. K., 219, 220
Moggridge, G. D., 412
Montgomery, S., 215
Morari, M., 233
Morgan, A., 646
Mori, T., 423
Mosby, F., 415
Motard, R. L., 125, 126, 130
Mueller, A. C., 484, 485, 486
Mulet, A., 574–577, 579
Mulholland, K. L., C7S.4
Mullin, J. W., C3S.2
Murray, F., 37
Myers, A. L., 82, 120, 125, 126, 164
Myers, S., 633

Nagle, W. M., 483–486
Naot, I., C12S.3
Nathanson, R. B., 66, 78, 110, C22S.1, PDF-IPE
Naudet, V., C3S.1
Nedwick, R., 696, AIIS-18 to 19, PDF-IPE
Newell, R. B., 326, 338
Ng, K. M., 376, 412
Nichols, J. H., 504
Nichols, N. B., C12S.4
Nickisch, H., 636
Nielsen, R., 71, 72
Nishida, N., 274
Nishimura, H., 238
Nishio, M., 130
Nootong, K., 95

O'Connell, J. P., 66, 67, 78
Ogunnaike, B. A., 665
Ohtaka, H., 364–366, 368
Olson, J. D., 387
Omtveit, T., 195,196
Onken, U., 78
Orbach, O, 130
Ostrovsky, G. M., 72, 74
Othmer, D. F., C3S.2

Papalexandri, K. P., 306
Papanastasiou, T. C., 565
Papoulias, S., 261, 264,285
Partin, L. R., 238
Pascual, L., 675, 676
Paulmier, S., C3S.1
Pauls, A. C., 653
Paz de Pena, M., 675, 676, 678
Pennica, D., 95
Perkins, J. D., C12S.2
Perry, R. H., 11, 78, 81, 172, 214, 223, 298, 489, 491, 499, 500, 502, 506, 510, 580, 582, 584, 587, 697
Peters, M. S., 555, 556, 559, 684, 697
Peterson, E. J., 238
Petlyuk, F. B., 221–223
Pham, R., 307
Phimister, J., PDF-GAMS
Pikulik, A., 559, 590
Piret, E. L., 202
Pirt, S., C25S.1
Pisano, G. P., 14, 65, 101, 613
Pistikopoulos, E. N., 306
Platonov, V. M., 221–223
Poling, B. E., 66, 67, 78, 79
Pons, M., 66
Post, A. J., 412
Powell, M. J. D., 653
Powers, G. J., 84
Prausnitz, J. M., 66, 67, 71, 78, 79
Pretel, E. J., 72, 73, 75
Prett, D. M., C12S.2
Prokopakis, G. J., 233
Prusoff, W. H., 436
Pugh, S., 32, 47, 48, 394, 395, 402–405, 446–449, 465
Pyzhev, V., 190

Quake, S. R., 431

Radu, C. M., 233
Rafal, M., 65
Ragsdell, K. M., 642, 646, 649, 653
Rajagopal, S., 245
Rant, Z., C9S.11
Rase, H. F., 188, 189, C7S.4
Rasmussen, P., 75
Rath, 662, 665, 666
Rauwendaal, C., 519
Ravindran, A., 642, 646, 649, 653
Ray, W. H., 665
Reamer, H. H., 79, 80
Reehl, W. F., 74
Reid, R. C., 66, 67, 71, 79, C3S.1
Reklaitis, G. V., 316, 642, 646, 649, 653
Reschke, M., 672, C25S.1
Reuss, M., 672, C25S.1
Rev, E., 223
Richards, R. J., 190
Rieder, R. M., 78, 79
Rivera, D. E., C12S.4
Robinson, C. S., 234
Rodrigo, B. F. R., 219
Roizard, C., 376, 412
Rosen, E. M., 123, 125, 126, 164
Rosenblatt, D. H., 74
Rosselot, K.S., 17
Rossiter, A. P., 245
Rotstein, G. E., C12S.4
Rousseau, R. W., 186
Rowley, R. L.., 68
Rudd, D. F., 84, 120, 221, 245, 314, 650
Russo, L. P., C12S.5
Ryan, A. J., 518
Ryan, P. J., 232
Ryans, J., 589, 590
Sage, B. H., 79, 80
Samuels, M. R., 78
Sanchez, J, 44
Sandelin, P. M., C12S.2
Sandler, H. J., 105, 510, 575, 590, 684
Sandler, S. I., 78
Saraiva, P. M., 412
Sato, T., 423
Savage, D. W., 376, 412
Schecter, R. S., 642, 652
Scheff, P. A., 23
Scherer, A., 431
Schiller, M., 75
Schmidt, L. D., 160, 182
Schnedler, E., 416, 417, 418, C16S.1
Schuegerl, 672, C25S.1
Scrivner, N. C., 65
Seader, J. D., 66, 78, 110, 115, 116, 199, 214, 215, 219, 220, 223, 233, 243, 376, 412, 424, 499, 500, 502–504, 506, 653
Seborg, D. E., 327
Seferlis, P., C12S.5
Seider, W. D., 66, 78, 82, 110, 115, 116, 120, 125, 126, 164, 233, 239, 376, 412, 653, C22S.1, PDF-IPE
Serafimov, L. A., 228
Sergent, J. P., 518
Shaeiwitz, J. A., 376, 412, 559
Shah, V. B., 313
Shalev, O., 276
Sherwood, T. K., 71
Sheu, Y.-W., C3S.1
Shinsky, F. G., 331
Shiroko, K., 287
Shonnard, D. R., 17, 19, 64
Shuldiner, A. T., 14
Sieder, E. N., 489
Siirola, J. J., 84, 204, 239
Sinha, M., 72, 74
Sivetz, M., 675–677
Skogestad, S., 334
Slavinskii, D. M., 221–223
Slutsky, J. L., 44, 46, 48, 391, 443
Smith, B. D., 120
Smith, J. M., 78, 188, 189
Snedeker, C. M., 387, 402–404
Solovyev, B., C12S.5
Sommerfeld, J. T., C9S.11
Sonntag, R. E., C9S.11

Souders, M., 213, 627
Southwick, L. M., 199
Spaeth, E. E., 427
Spangler, C. D., 544
Steckman, N, 240
Stegun, I. A., 200
Stephanopoulos, G., 70, 331, 332
Stephens, A. D., 190
Stewart, W. E., 68, 428
Stichlmair, J. G., 223, 227, 230, 231
Stigger, E. K., 504
Strong, 662, 665, 666
Subrahmanian, E., 376, 412
Sudo, R., 364–366, 368
Sussman, M. V., C9S.4
Swietoslawski, W., 223
Szitkai, Z., 223

Tadmor, Z., 518
Talamini, M., 424, 454
Tanskanen, J., 195,196
Tate, G. E., 489
Tayeb, Y. J., 311, 312
Taylor, M. J., 369
Tedder, D. W., 221
Tempkin, M., 190
Thiele, E., 257
Thompson, A. R., 78,79
Thorsen, T., 431
Timmerhaus, K. D., 555, 556, 559, 684, 697
Todd, D. B., 518, 520, 522
Toor, H. L., 302
Tosa, T., 423
Townsend, D. W., 287, 288
Trambouze, P. J., 202
Trivedi, Y. B., 664, 666
Tu, C.-H., C3S.1
Turner, J. A., 254
Turton, R., 376, 412, 559
Tyreus, B. D., 326, 330–332, 334–336, 338

Ulrich, G. D., 559, 588, 684, 697
Umeda, T., 257
Underwood, A. J. V., 483
Undey, C., 672, C25S.1
Unger, M. A., 431

Vadapalli, A., 233
van de Vusse, J. G., 192
van Heerden, C., 189, 190
van Krevelen, D. W., 66, 67, 73, 74
van Ness, H. C., 78
van Winkle, M., 234
van Wylen, G. J., C9S.11
Vanderbei, R. J., 649
Vasudevan, P. T., 559, 684, 697
Vehar, G. A., 95
Veith, G. D., 73
Venimadhavan, G., 237
Vila, M. A., 678

Wadden, R. A., 23
Wagner, G., 376
Walas, S. M., 78, 92, 94, 172, 214, 559, 563, 569, 584, 585
Waller, K. V., C12S.2
Walsh, P. J., C16S.1
Wang, H., 276
Ward, J. D., 201
Waring, J., 458
Watson, C. C., 120, 314, 650
Watson, K. M., C7S.4
Wegstein, J. H., 126, 127, 129, 130
Wei, J., 376, 412
Weidlich, U., 78
Weitz, O., 324
Welling, S., 518
West, R., 555, 556, 559, 684, 697
Westerberg, A. W., 125, 126, 130, 219, 220, 320, 376, 412, 647, 653
Westerlink, E. J., 194
Westerterp, K. R., 194
Wheeler, J. M., 665, 666
Whiteside, G. M., 432
Whiting, W. B., 559
Widagdo, S., 4, 233, 239
Wilhelm, R. H., 197–199
Wilkinson, A. N., 518
Williams, G. C., 504
Williams, R., 544
Windholtz, M. W., 23
Winter, P., 125, 126, 130
Wolfe, P., 653
Wolff, E. A., C12S.5
Woods, D. R., 11, 78, 81, 559
Woolly, O. B., 402–404
Wright, R. O., 222
Wu, K. L., 334

Xanthos, M., 518
Xia, Y., 432
Xu, J., 196

Yaws, C. L., C7S.3
Yee, T. F., 293
Young, D. M., C3S.1
Yu, B., 198
Yu, C. C., 334

Zadok, I., 671, 673, C25S.1
Zafiriou, E., C12S.2, C12S.4
Zain, M., PDF-IPE
Zajik, S. C., 198
Zemaitis, J. F., 65
Zharov, V. T., 228
Ziegler, J. G., C12S.4

Subject Index

Page Numbers	*Definitions*
1, 2, . . .	Page numbers in textbook
C1S.X	Section number X in Supplement_to_Chapter_1.pdf in PDF Files folder on Web Site
C3S.X	Section number X in Supplement_to_Chapter_3.pdf in PDF Files folder on Web Site
C7S.X	Section number X in Supplement_to_Chapter_7.pdf in PDF Files folder on Web Site
C9S.X	Section number X in Supplement_to_Chapter_9.pdf in PDF Files folder on Web Site
C12S.X	Section number X in Supplement_to_Chapter_12.pdf in PDF Files folder on Web Site
C16S.X	Section number X in Supplement_to_Chapter_16.pdf in PDF Files folder on Web Site
C22S.X	Section number X in Supplement_to_Chapter_22.pdf in PDF Files folder on Web Site
C23S.X	Section number X in Supplement_to_Chapter_23.pdf in PDF Files folder on Web Site
C25S.X	Section number X in Supplement_to_Chapter_25.pdf in PDF Files folder on Web Site
AIIS-X to Y	Page X to Y in Supplement_to_Appendix_II.pdf in PDF Files folder on Web Site
PDF-GAMS	In GAMS.pdf lin PDF Files folder on Web Site
PDF-IPE	In Aspen IPE Course Notes.pdf in PDF Files folder on Web Site
MMM-ASPEN	Refers to the multimeda ASPEN menu on the Web Site
MMM-HYSYS	Refers to the multimeda HYSYS menu on the Web Site
PSF-ASPEN	Refers to the Aspen Eng. Suite folder in Program and Simulation Files folder on the Web Site
PSF-HYSYS	Refers to the HYSYS folder in Program and Simulation Files folder on the Web Site
PSF-MATLAB	Refers to the MATLAB folder in the Program and Simulation Files folder on the Web Site

Accounting, 534–542
Acetaldehyde from acetic acid
  design problem, AIIS-12 to 13
Activity coefficients
  DECHEMA database, 78
  NRTL, 78
  UNIQUAC, 78
  Wilson, 78
Adenosine triphosphate (ATP)
  (see high-throughput screening case study)
Adiabatic reaction temperature, 164
AEROTRAN, 493
Affinity diagram process, 44
Alitame sweetener mfg.
  design problem, AIIS-44
Allyl chloride reactions, 159–160
Ammonia process, 148–149, 157–158, 178
  heat integration, 350–357
  synthesis reactor network, 189–192, 347–348
  TVA reactor, 166
Ammonia product case study, 341–361
  ammonia synthesis loop, 347–348
  economy of scale, 359–360
  Emek Projects Limited (EPL), 342
  heat and mass exchange technology, 343–344, 357–359
  heat integration, 350–357
    grand composite curve, 356
  membrane separation, 344
  postscript, 360
  refining the solution, 348–350
  sensitivity analysis, 348
  synthesis gas generation, 346–347
Ammonia separation process
  simulation, MMM-ASPEN, MMM-HYSYS
Ammonia synthesis loop, 347–348
Amortization, 538
Annual report, 535
Annuities
  (see time value of money)
Argon recovery process
  costing exercise, 599
Aromatics separation
  sequence exercise, 249
Artificial kidney
  case study
    (see Hemodialysis Device), 421–430, 454–456
ASPEN DYNAMICS
  (see also Aspen Engineering Suite), 111
Aspen Engineering Suite
  AEROTRAN, 115, 493
  ASPEN DYNAMICS, 111
  Aspen IPE, 596, 686, C22S.1, C23S.1
    Course Notes, PDF–IPE

Aspen Engineering Suite (*continued*)
ASPEN PINCH, 290
ASPEN PLUS
(see ASPEN PLUS)
BATCH PLUS
(see BATCH PLUS)
B-JAC, 115, 493–495
HETRAN, 115, 493–495
TEAMS, 493
Aspen IPE
(see also Aspen Engineering Suite), 596, 686, C22S.1, C23S.1
ASPEN PLUS, 110
backup files (.bkp), PSF-AES
batch distillation
BATCHSEP, 313
calculation sequence, 121–129
calculator, MMM-ASPEN
design specifications, 123–124, MMM-ASPEN
equation-oriented simulation, 131–132
flowsheet, 118, 127, 148
drawing, MMM-ASPEN
heat streams, MMM-ASPEN
inline FORTRAN, MMM-ASPEN
input forms, MMM-ASPEN
flash vessel simulation, MMM-ASPEN
input summary
(see also program), MMM-ASPEN
intro. case study—flash simul., 130–131, 147
main window, MMM-ASPEN
nested recycle loops, 127–129, MMM-ASPEN
optimization
(see flowsheet optimization)
output
history file, MMM-ASPEN
report file, MMM-ASPEN
paragraphs, MMM-ASPEN
PFD, MMM-ASPEN
program, 121, MMM-ASPEN
results forms
flash vessel simulation, MMM-ASPEN
sensitivity analysis
propylene-glycol CSTR, MMM-ASPEN
simulation flowsheet
MCB separation process, MMM-ASPEN
tear streams, 125–129, MMM-ASPEN
unit subroutines, 115–120
Aspen Technology, Inc., 66, 110
Assets, 534–538
Attainable region, 192–197
maleic anhydride mfg., 194–195
methane reforming, 196–197
AUTOCAD, 103
Autothermal steam reformer
design problem, AIIS-40 to 41
Auxiliary facilities, 546
Award competition, 691
Azeotrope
binary
maximum boiling, 224–225
minimum boiling, 224
fixed point, 226, 229
heterogeneous, 225, 230–231
multicomponent, 229
pinch point, 225, 229
reactive, 236–238
Azeotropic distillation
heterogeneous, 230–233
multiple steady states, 233

Balance sheet, 536–538
Bare-module costs, 546, 547, 550
Barrier to entry, 48
Base case design, 16–18, 96–104
detailed database, 106–107
flow diagrams
block flow diagram, 102
P&ID, 104–105
process flow diagram (PFD), 102–104
pilot plant testing, 107
process integration
(see also heat int. & mass int.), 106
process simulation
(see also process simulation), 107
Basic chemicals, 5
BATCH PLUS, 111, 138–146, MMM-ASPEN
equipment models, 140
Gantt chart, 146
recipe, 144–145
tPA process simulation, 143–146
Batch process units
batch product removal
(see also batch product-removal proc.), 313
batch size, 316, 318–320
batch time, 316, 318–320
exothermic batch reactor, 310–311
fed batch, 311–312
size factor, 310, 314, 318–320
Batch processing
(see scheduling batch processes)
favorable conditions, 309–310
multiproduct processing sequences, 318–320
reactor-separator processes, 314–316
single product sequences, 316–318
Batch product-removal process, 385
batch distillation, 389–391
BATCHSEP, MMM-ASPEN
Batch size, 316, 318–320
Batch time, 316, 318–320
BATCHSEP, 313
Battery limits, 546–547
Beta carotene, 364
Bidirectional information flow, 122–123
Binney & Smith Co., 383
Bio-availability, 365, 367
Biobutanol as fuel
design problem, AIIS-128 to 129
Bioconcentration factor (BCF), 73
B-JAC, 115, 493–495
Blowers, 514, 567–568
Boiling heat transfer
(see heat exchangers)
film boiling, 473
nucleate boiling, 473
Book value, 536, 628
Bottleneck, 143, 150, 317
Business case, 461–463
Business development, 2
Business opportunity assessment, 35, 342, 362, 390, 400, 443, 450, 455
Butadiene to n-butyraldehyde and n-butanol
design problem, AIIS-14 to 15
Butenes recovery system
example separation sequence, 209–210

C4 byproduct upgrade
design problem, AIIS-18 to 19
Calculation order, 121–129
Campaign time—batch, 316
Capital cost, 483
Aspen IPE—Icarus method, C22S.1, PDF-IPE
cost indexes
Chemical Engineering, 542–543
Engineering News-Record, 542–543
Marshall and Swift, 542–543
Nelson-Farrar, 542–543

direct permanent investment, 547, 550
economy of scale, 254, 359, 544–545
equations, 558–559
blowers, 567–568
compressors, 569–570
electric motors, 561–562
fans, 565–567
fired heaters (furnaces), 573
heat exchangers, 570–573
other equipment (Table 22.32), 591–595
packings, 578–579
plates (trays), 577–578
pressure vessels and towers, 573–579
pumps, 559–565
estimating methods, 553
definitive estimate, Aspen IPE, 596, C22S.1
order-of-magnitude estimate, 553–555
preliminary estimate, Guthrie, 557–558
study estimate, Lang, 555–557
installation costs
Aspen IPE, C22S.1, PDF-IPE
bare-module cost, 547–548
bare-module factors, 549
direct labor, 548–549
direct materials, 548–549
indirect costs, 549–550
other investment costs
allocated costs for utilities, 550
catalyst, 550
computers, 550
contingencies, 550–551
contractor's fee, 550–551
land, 551
royalties, 551
service facilities, 550
site factors, 551–552
site preparation, 550
spares, 550
startup, 551
storage tanks, 550
surge vessels, 550
working capital, 552, 615–617, 627, 633
pressure factor, 558
purchase-cost charts
blowers, 568
compressors, 570
double-pipe heat exchangers, 572
electric motors, 562
external gear pumps, 563
fans, 566
indirect-fired heaters (furnaces), 573
pressure vessels and towers, 574
radial centrifugal pumps, 561
reciprocating plunger pumps, 564
shell-and-tube heat exchangers, 571
six-tenths factor, 545
table of components, 547
total bare-module investment, 547
total capital investment, 547
total depreciable capital, 547
total permanent investment, 547
Aspen IPE, PDF-IPE
Guthrie method, 557–558
Lang factor method, 555–557
working capital, 552, 615–617, 627, 633
Capitalized cost, 626–627
Carbon dioxide fixation by microalgae
design problem, AIIS-92 to 93
Cash flow, 627–628, 633–635
investment costs, 634
MACRS tax basis for depreciation (see depreciation)
table of cash flows, 634
Cash flow statement, 539–540
Catalytic converter, 158–159
Cavett process
simulation exercise, 148
Center for Chemical Process Safety, 21
Central innovation coordination, 13
CFD curved-tube reactor model, C7S.6
Cheese whey to lactic acid
design problem, AIIS-116 to 117
CHEMCAD, 110
unit subroutines, 116–117
Chemical equilibrium
(see chemical reactors)
Chemical Marketing Reporter
(see ICIS Chemical Business)
Chemical reactors
batch reactor optimization, 310–311
chemical equilibrium calculations
equilibrium constant method, 183–184, MMM-ASPEN, MMM-HYSYS
free-energy minimization method, 184–185, MMM-ASPEN, MMM-HYSYS
complex configurations
external heat-exchange reactor, 165, 188–189
heat-exchanger reactor, 188–189
hot/cold shot reactor, 165, 188–189
use of a diluent, 165, 188–189
control. & resil. (C&R) analysis, C12S
CSTR control configuration, 328–329
CSTR model
ASPEN RCSTR, 185–186, MMM-ASPEN
HYSYS **CSTR**, 185–186, C12S, MMM-HYSYS
linear model formulation, C12S.1
model formulation, 185–186
dynamic simulation, C12S.5
equilibrium model
ASPEN REQUIL, MMM-ASPEN
ASPEN RGIBBS, MMM-ASPEN
HYSYS **Equilibrium Reactor**, MMM-HYSYS
HYSYS **Gibbs Reactor**, MMM-HYSYS
extent of reaction, 183
fed-batch reactor optimization, 311–312
fractional conversion, 311–312
key reactant, 311–312
kinetic models, 185
multiple steady states, 189
networks
attainable region, 192–195
bypass fractions, 190–192
reaction invariants, 195–197
optimal reaction rate trajectory, 190–192, MMM-ASPEN, MMM-HYSYS
PFR model
ASPEN RPLUG, MMM-ASPEN
HYSYS **PFR**, MMM-HYSYS
ideal model, 186–188
non-ideal model, 197–200, C7S.6
reaction kinetics
Langmuir-Hinshelwood model, 185
power-law model, 185
reaction stoichiometry, 206
stoichiometric model
ASPEN RSTOIC subroutine, MMM-ASPEN
HYSYS **Conversion Reactor**, MMM-HYSYS

Chemical state, 82–83
Chemicals, 485
  basic, 5
  bulk, 543
  commodity, 543–545
  fine, 543
  industrial, 5
  specialty, 543
  configured consumer, 5
ChemStations, 110
Chlorinated hydrocarbon separation sequencing exercise, 249
Classes of chemical products, 5
CO_2 from stack gas & sequestration design problem, AIIS-104
Coffee brewing control chart, 676
Combined cycle power generation design problem, AIIS-131 to 132
Commodity chemicals, 543–545
Compact heat exchangers, 422–424
Competitive analysis, 397, 450, 453
Compounding
  (see mixing in compounding)
  (see polymeric materials)
  (see screw design)
  extruders
    classification, 519–520
    single screw, 520
    twin screw, 521–522
  feeding, 519
  feeding protocols, 526–527
  melting, 519
  mixing, 519
  pressure development, 519
  pretreatment, 519
  processing conditions
    adiabatic temperature rise, 532
    viscous energy dissipation, 531
Compressors, 467, 514–515, 520–521, MMM-ASPEN, MMM-HYSYS
  brake horsepower, 516–517
  centrifugal, 516–517
  heuristics for equipment selection, 169, 516–517
  isentropic efficiency, 516
  isentropic horsepower, 516
  positive-displacement, 569–570
  purchase cost, 569–570
COMSOL, 197, C7S.6
Concept stage, 36–50
  ammonia product, 344–345
  environmentally friendly refrigerant, 362
  halogen light bulbs, 444–451
  home hemodialysis devices, 454–456
  labs-on-a-chip, 456–461
  thin-glass substrates for LCDs, 390–395
  washable crayon mixtures, 400–404
  water-dispersible beta-carotene, 366–369
Condensing heat transfer, 491
Configured consumer chemical products, 5
  cheese substitutes, 412
  halogen light bulbs
    (see halogen light bulb case study)
  hemodialysis devices
    (see home hemodialysis device case study)
  ice cream, 412
  labs-on-a-chip
    (see high throughput screening case study)
  soap bars, 411–412
Construction, 56, 59, 372, 374, 408, 410
Contingency, 551
Continuous processing, 142–143, 309–310
Control action
  direct acting, C12S.4
  reverse acting, C12S.4
Control blocks
  (see also design specifications), 123–124, MMM-ASPEN
Control variables
  selection of
    (see manipulated variables)
Control. and resil. (C&R) analysis
  CSTRs in series, C12S.5
  heat exchanger networks, C12S.5
  heat-integrated distillation, C12S.3
  MCB separation process, C12S.5
  shortcut, C12S.3
Controllability
  definition, 322
Controlled variables
  selection of, 326
Controller tuning
  definitions, C12S.4
  model-based tuning, C12S.4
    examples, C12S.4, MMM-HYSYS
Coolants, 471
Cost accounting, 541–542
Cost charts
  (see capital cost)
Cost equations
  (see capital cost)
Cost estimation
  (see cap. cost & profit. anal.)
Cost indices
  (see capital cost)
Cost of defects, 664–665
Cost of manufacturing, 604, 613
Cost of sales, 538
Cost sheet, 603–604
  cost of manufacture (COM), 604, 613
  cost of sales (total production cost), 538
  depreciation
    (see depreciation)
  feedstocks, 605
    ICIS Chemical Business Americas, 605
    transfer price, 605
  fixed costs, 613, 614, C23S.1
  general expenses, 604, 613
  maintenance
    materials and services, 604, 611–612
    overhead, 604, 611–612
    salaries and benefits, 604, 611–612
    wages and benefits, 604, 611–612
  operating factor, 605
  operating overhead, 604, 612
  operations
    control laboratory, 604, 610–611
    operators, number of, 604, 610–611
    salaries and benefits, supervisory, 604, 610–611
    supplies and services, 604, 610–611
    technical assistance, 604, 610–611
    wages and benefits, labor, 604, 610–611
  property insurance, 604, 612
  property taxes, 604, 612
  total production cost (C), 604, 613
  utilities
    (see utilities)
  variable costs, 614, C23S.1
Cracking products separation sequencing exercise, 248
Crayola, 383
Credits, 534–535
Critical-to-quality (CTQ) variables, 368, 393–394, 402, 445, 455–456
Cross-function collaboration, 13

Cumene mfg., C7S.1
exercise, 202–203
Customer interviews, 43
Customer requirements, 41–45, 391–392, 400–402, 445, 455
Customer value proposition, 4, 5
Customer verification, 397, 452
Cycle time—batch processes, 143–144, 316–318
Cyclohexane from benzene, C9S.9

Database
chemical prices, 81
DECHEMA, 78
detailed, 106–107
environmental data, 81
preliminary, 77–81
safety data, 81
thermophysical properties
(see also physical properties), 78–80
toxic chemical data, 81
vapor-liquid equilibria
(see also physical properties), 78–80
DDT, 18, 30
Debits, 534–535
Decanter
control loop pairings
exercise, C12S.9
DECHEMA database, 78
Defects per million opportun. (DPMO), 663
Degrees of freedom, 118, 120–122, 327–331
analysis, 327–331
Delay times, C12S.3
Demand clusters, 40
Depletion, 539, 632
Deposition process—microscopic modeling
design problem, AIIS-78 to 79
Depreciation, 536, 550, 604, 612, 628–632
book depreciation, 628
book value, 536, 628
market value, 536, 628
replacement value, 628
Depreciation methods
declining balance, 628–629
double-declining balance, 628–629
MACRS, 630–632
straight-line, 612
sum-of-the-years-digits, 630
Depropanizer distillation
ASPEN DISTL simulation, MMM-ASPEN
ASPEN DSTWU design calc., MMM-ASPEN
ASPEN RADFRAC simulation, PDF-IPE, MMM-ASPEN
HYSYS **Column** simulation, MMM-HYSYS
Design problem statements, 694–696, AIIS
Design report—oral, 689–692
DVDs, 690
evaluation of presentation, 690–691
media for presentation
computer projection software, 690
overhead projector, 690
preparation of exhibits, 690
rehearsing the presentation, 690
typical presentation, 689
video tapes, 690
written handout, 690
Design report—written, 682–689
page format, 688–689
preparation, 687–689
coordination of design team, 687
editing, 688
milestones, 687–688
project notebook, 687
word processing, 688
sample design reports, 696
sections—template, 682–687
specification sheets, 685–686
Design specifications
(see also control blocks), 123–124, MMM-ASPEN
Design stages, 323
Design steps, 56, 372, 408
basic chemicals, 56
configured consumer chemical products, 408
industrial chemicals, 372
Design team, 5, 772
Desulfurization of diesel oil—biocatalytic
design problem, AIIS-82
Development stage, 50
ammonia product, 360
environmentally friendly refrigerant, 363
halogen light bulbs, 453
home hemodialysis devices, 456
labs-on-a-chip, 464
thin-glass substrates for LCDs, 398
Di (3-pentyl) malate—batch process
design problem, AIIS-8 to 10
Diesel fuel production—low sulfur
design problem, AIIS-111 to 113
Diethyl succinate mfg. in a biorefinery
design problem, AIIS-123 to 126
Direct costs, 541, 548
Disprop. of toluene to benzene, C9S.1
Disruptive technologies, 45
Distillation
near-isothermal process, 148
Distillation boundaries, 227
Distillation lines, 228–229
distillation line boundaries, 229–230
Distillation towers
azeotropic
(see azeotropic distillation)
batch
(see BATCHSEP)
condenser, 216
control configurations, 329–331, C12S
diameter
packed towers, 505–506
tray towers, 504–505
dividing-wall columns, 222
ease of separation index (ESI), 221
equipment sizing
ASPEN PLUS RADFRAC, MMM-ASPEN
HYSYS, MMM-HYSYS
feasible product compositions, 229–230
Fenske-Underwood-Gilliland (FUG) method, 499–500
flooding velocity of Fair, 505
flooding velocity of Leva, 506
Gilliland correlation, 500
heat pumping, 283–290
HETP, 502–504
heuristics for equipment design, 161–162
material balance lines, 233
minimum equilibrium stages, Fenske, 499
minimum reflux, Underwood, 500
multipass trays, 506–507
number of stages, 500
plate efficiency, 502–504
pressure drop, tray, 506
pressure, operating, 216, 498–499
purchase cost, 573–579
residue curves
(see also residue curves), 225–227

Distillation towers (*continued*)
residue-curve maps, 225–227
rigorous models, 502–503
side streams, 221–223
video
lab tower and industrial complex, MMM-ASPEN, MMM-HYSYS
weeping, 506
Distillation trains
direct sequence, 217–218
heat integrated
(see heat-integrated distillation)
heat integrated
(see multiple-effect distillation)
indirect sequence, 217–218
number of sequences, 216–218
ordinary distillation, 216–221
Petlyuk towers, 221–223, 658, 659
prefractionator, 221–222
reboiler liquid flashing, 283–284, C9S.9
side stream rectifier, 221
side stream stripper, 255–256
vapor recompression, 283–284
Distribution of chemicals, 88–90, 97, 132–135, 154–161
excess reactant, 154–155
heat addition, 166–167
heat removal, 164–166
inert species, 155–157
purge streams, 157–159
reactive distillation, 160–161
recycle to extinction, 159
selectivity, 159–160
Disturbance cost (DC)
CSTRs in series, C12S.5
definition, C12S.2
heat exchanger networks, C12S.5
heat integrated distillation, C12S.3
interpretation, C12S.2
MATLAB script, C12S.6
MCB separation process, C12S.5
Mystery process, C12S.2
Shell process, C12S.2
Di-tertiary-butyl-peroxide mfg.
design problem, AIIS-20 to 21
Di-tertiary-butyl-peroxide mfg.
pressure swing distillation, 239–240, 251
DMAIC steps
analyze, 666
control, 666
define, 665
improve, 666
measure, 665–666
Dominant-eigenvalue method, 130
Dowtherm, 471
Dynamic simulation
ASPEN DYNAMICS
(see Aspen Engineering Suite)
HYSYS, MMM-HYSYS
CSTRs in series, C12S.5
heat exchanger network, C12S.5
heat-integrated distillation, C12S.3
MCB separation process, C12S.5

Earnings
after-tax (net), 602, 614
depreciation
(see depreciation)
pretax, 602, 614
Effluent remediation from wafer mfg.
design problem, AIIS-102
Encyclopedias, 11
Environment
aqueous waste removal, 298
bioconcentration factor (BCF), 73
data, 81
design problems, 20–21, AIIS
air quality, 20–21, AIIS
soil treatment, 20–21, AIIS
water treatment, 20–21, AIIS
factors in design
avoiding nonroutine events, 19
dilute streams, 20
electrolytes, 20
intangible costs, 20
materials characterization, 19
reaction pathways, 19
reducing and reusing wastes, 19
regulations, 19–20
$H2_S$ from tail gas, 299–303, 305–306
hazardous air pollutants (HAP) list, 72
issues
bioaccumulated chemicals, 23
burning fossil fuels, 17
sustainability and life-cycle design, 17–18
toxic metals and minerals, 18
toxic wastes, 18
mass integration, 297–307
ozone, 6, 20, 62, 64, 70, 361, 471, 596, 608
refrigerant design, 6, 62–64, 70–72, 361–363, CAIIS
toxic chem. release inventory (TRI), 81
toxicity measure, 81
Environmentally friendly refrigerant case study, 361–363
Enzyme kinetics
(see high-throughput screening case study)
Epitaxial silicon wafer by chem. vap. dep.
design problem, AIIS-76 to 77
Equation of state
Peng-Robinson (PR), 79
Soave-Redlich-Kwong (SRK), 79–80
Equation-oriented simulation, 131–132
Equipment design heuristics and methods
absorbers, 244, 449
shortcut (Kremser) method, 500–502
adsorption, 215, 243–244
azeotropic distillation, 223–243, 503
compressors, 169, 516–517
conveyors, 172
crystallization, 213–214, 244–246
distillation, 212–213, 216, 498–499, 503–508
rigorous method, 502–503
shortcut (FUG) method, 499–500
distillation sequences, 216–221
evaporators, 163, 245–246
expanders, 170, 516–517
extraction, liquid-liquid, 213
extractive distillation, 213
furnaces, 168, 482
heat exchangers, 168, 471–475, 483–495
membranes, 214, 243
phase separation, 205–209
pipe lines, 170
pressure-recovery turbines, 170
pressure-swing distillation, 233–236
pumps, 510, 513–514
reactive distillation, 236–237, 503
reactor networks, 192–197
reactors, 154–156, 159–160, 165, 166, 182–192
strippers, 499
shortcut (Kremser) method, 500–502
supercritical extraction, 214
vacuum systems, 171–172, 498–499

Equipment purchase costs
absorbers
(see pressure vessels)
adsorbents, 591
adsorbers, 580
agitators (propellers and turbines), 580, 591
autoclaves (agitated reactor), 580, 591
bins (for solid particles), 587, 594
blowers, 567–568
centrifuges, 585–586, 594
clarifiers, 585–586, 594
classifiers, 585–586, 594
compressors, 569–570
conveyors (for solid particles), 581, 587–588, 594
crushers, grinders, mills, 584–585, 593
crystallizers, 581, 586, 589, 591
cyclone separators, 582, 588, 592
distillation
(see pressure vessels)
drives (other than electric motors), 581, 591
dryers, 581–582, 586, 591
dust collectors, 582, 592
elevators (for solid particles), 587–588, 595
evaporators, 584, 593
expanders, gas (power recovery), 542, 554
expression, 586, 594
extractors, liquid-liquid, 583, 592
fans, 565–567
filters, 582, 585, 586, 592, 594
fired heaters, 573, 582–583, 592
flash drums
(see pressure vessels)
heat exchangers
air-cooled fin-fan, 592
compact units, 592
double-pipe, 571–572
shell-and-tube, 570–572
hydroclones, 582, 588, 592
liquid-liquid extraction, 583, 592
membrane separations, 583, 593
mixers for liquids
(see pressure vessels)
mixers for powders, pastes, doughs, 583–584, 593
motors, electric, 561–562
power-recovery turbine (liquid), 584, 593
pressure vessels and towers, 573–579
pumps, liquid
centrifugal, 560–561
gear, 562–563
reciprocating, 563–565
reactors
(see pressure vessels)
reflux drums
(see pressure vessels)
screens (for particle-size separation), 584, 593
settlers and decanters
(see pressure vessels)
size enlargement of solids, 584, 593
size reduction of solids, 584–585, 593
solid-liquid separators, 585–587, 594
solids-handling systems, 587–588, 594
storage tanks, 588–589, 595
strippers
(see pressure vessels)
tanks
(see storage tanks)
thickeners, 585–586, 594
vacuum systems, 589–590, 595
wastewater treatment, 595, 596
Equipment selection heuristics
absorbers, 244
adsorbers, 215, 244
blowers, 169, 567–568
compressors, 169, 516–517, 569–570
conveyors, 172
crushers and grinders, 584–585, 593
crystallizers, 581, 586, 589, 591
distillation, 212–213, 216, 498–499, 503–508
dryers, 164, 215, 581–582, 586, 591
expanders, 170, 516–517
extraction, liquid-liquid, 213
fans, 169, 565–567
filters, 163, 582, 585, 586, 592, 594
furnaces, 168, 482
heat exchangers, 168, 471–475, 483–495
leaching, 215
membranes, 247, 279
particle removal from fluids, 193
particle-size enlargement, 192
particle-size separation, 192
pressure-recovery turbines, 188
pumps, 187, 189, 461–466, 506–507, 512–514
separation of liquid mixtures, 175, 242
separation of slurries, 242
separation of vapor mixtures, 175, 242
solids-handling systems, 547–549
strippers, 246–247
vacuum systems, 190, 550–552
Equipment sizing
Aspen IPE—Icarus method
(see also capital cost), PDF-IPE, MMM-ASPEN
chemical reactors
(see chemical reactors)
compressors
(see compressors)
distillation towers
ASPEN PLUS RADFRAC, MMM-ASPEN
HYSYS, MMM-HYSYS
heat exchangers
(see heat exchangers)
other equipment, 580–596
pumps
(see pumps)
turbines
(see turbines)
Espresso machine, 675
Estimation of capital cost
(see capital cost)
Ethanol dehydration process, 230–233
Ethanol from corn syrup
design problem, AIIS-117 to 118
Ethics
ABET, 25
AIChE Code, 25
case studies
Ethics Center, 29
Engineers' Creed, 24
Global ethics, 25, 30
NSPE Code, 24, 25, 26–29
Ethyl chloride manufacture
maximizing venture profit, 656–657, MMM-ASPEN, MMM-HYSYS
simulation, MMM-ASPEN, MMM-HYSYS
Ethylene and acetic acid from ethane
design problem, AIIS-16 to 17
Ethylene carbonate manufact., 154
Ethylene from ethane
design problem, AIIS-13 to 14
Ethylene glycol manufacture, 154, 178
Ethylene separation process, 285–286, 289–290
Ethyl-tertiary-butyl-ether mfg.
exercise, 178
Exergy, C9S.4
Expanders
(see turbines)
Experiments, 81–82

Extent of reaction, 183
Externally defined variables
  disturbances, 327

F134a refrigerant mfg.
  design problem, AIIS-79 to 81
Fabricated process equipment, 546
Fans, 186, 514–515
Feasibility stage, 50
  ammonia product, 345–360
  environmentally friendly refrigerant, 362
  halogen light bulbs, 451–453
  home hemodialysis devices, 456
  labs-on-a-chip, 461–464
  thin-glass substrates for LCDs, 395–397
Fed-batch processing, 310, 311–312
Feedstock costs, 604, 605
Fifo-Lifo, 541–542, 597
Fifteen percent rule, 12
Financial ratio analysis
  acid-test ratio, 540
  current ratio, 540
  equity ratio, 540
  operating margin, 540
  profit margin, 540–541
  return on equity (ROE), 540
  return on total assets (ROA), 540
Fin-fan heat exchanger, 481
  video, MMM-ASPEN, MMM-HYSYS
Fitness-to-standard (FTS), 45
Fixed costs, 613, 614, C23S.1
Flammability limits, 28–29
Flash point, 22–23
Flash vessels, MMM-ASPEN, MMM-HYSYS
  ASPEN PLUS
    FLASH2 subroutine, MMM-ASPEN
    introductory case study, MMM-ASPEN
  control configurations, 329
  HYSYS
    Separator model, MMM-HYSYS
  video, MMM-ASPEN, MMM-HYSYS
Flash with recycle process, 130–131, 147
Flooding velocity, 505
Flow diagrams
  block flow diagram (BFD), 102
  piping and instrumentation diagram (P&ID), 104–105
  process flow diagram (PFD), 102–104
  process flowsheet, 111–112
  simulation flowsheet, 109–113
Flowsheet
  (see flow diagrams)
Flowsheet optimization
  ASPEN PLUS, MMM-ASPEN
  discrete changes, 656
  distil. tower with sidedraws, 657–658
    ASPEN PLUS, MMM-ASPEN
    HYSYS, MMM-HYSYS
  ethyl chloride manufacture
    HYSYS, 656–657, MMM-HYSYS
  heat exch. min. temp. app.
    exercise, 659–660
  HYSYS, MMM-HYSYS
  Petlyuk distillation
    exercise, 659
  propylene-propane dist.
    exercise, 659
  simulation design specs.
    convert to inequalities, 656
  successive quadratic prog.
    (see optimization)
  with recycle loops
    compromise algorithm, 655
    infeasible path algorithms, 655
    NLP with tear equations, 654
    repeated simulation, 655
    sensitivity analysis, 653
Fluidigm chip, 457–458
Fluidigm two-layer soft lithography
  (see high-throughput screening case study)
Fuel additives for cleaner emissions
    design problem, AIIS-29 to 30
Fuel cell
  fuel processor
    design problem, AIIS-110 to 111
Furfural & methyl-tetrahydrofuran biorefinery
  design problem, AIIS-118 to 121
Furfural & THF in China—corn to clothes
  design problem, AIIS-122 to 123
Future worth, F, 620

GAMS, PDF-GAMS
  batch reactor-separator optimization, 314–316
  linear program (LP)
    HEN minimum utilities, 259
  mixed-integer lin. prog. (MLP)
    HEN stream matching, 267
  nonlinear program (NLP)
    HEN superstructure opt., 276–278
  polymer design, 69–70
Gantt chart, 146, 317–320, 462–463
Gate review, 395, 404, 450, 453
Germanium from optical fiber mfg. effluents
  design problem, AIIS-103 to 104
Golden section search, 649–651
Google advanced patent search, 49
Google search engine, 12
gPROMS, 112, 131
Grass-roots plant, 546, PDF–IPE
Green diesel fuel—a biofuel process
  design problem, AIIS-129 to 131
Group contribution methods
  polymers, 67, 68–70
  refrigerants, 70–72
  solvents
    for crystallization, 75, C3S
  solvents, 72–75

Halogen light bulb case study
  critical-to-quality variables, 445
  customer requirements, 445
  fire hazard, 421
  gate review, 450
  house of quality, 445–446
  innovation map, 415–416
  Mosby patent, 415
  opportunity assessments, 445
  primary casing, 445
  product concepts, 446–450
  quartz primary casing, 421
  secondary enclosure, 448–450
  surface morphology, 418–420
  technical requirements, 445
  technology protection, 421
  thermal diffusion, 416–418, C16S.1
Handbooks, 11
Handwarmer
  Grabber Mycoal handwarmer, 75, C3S.2
  solutes for handwarmers, 75, C3S.2
  Zap Pak heat pack, C3S.2
HAZOP analysis, 24, 59, C1S.1
Heat and mass exchange technology, 343–344, 357–359
Heat and power integration
  ethylene separation process, 285–286, 289–290
  heat engine positioning, 286–287

heat pump positioning, 286–288
optimization methods, 288–290
typical process (ABCDE), 284–285, 288–289
Heat engines, 287, C9S.12
Heat exchanger networks (HENs)
(see heat integration)
control configurations, 323, 327–328
control. & resil. (C&R) analysis, C12S.5
Heat exchangers
B-JAC
(see also HETRAN and AEROTRAN), 492–495
boiling, 411
cocurrent flow, 410
cooling curves
(see also max. energy recovery (MER)), 406–409, 412–413
countercurrent flow, 410
crossflow, 410
equipment
air-cooled, 592
compact, 592
double-pipe, 571–572
fin-fan, 481
kettle reboiler, 480
shell-and-tube, 570–572
heat transfer coefficients
estimation, 487–491
typical, 488
heat transfer media, 471
heating curves
(see also max. energy recovery (MER)), 469–471, 474
heuristics for equipment design, 168, 471–475, 483–495
minimum temperature approach, 472
crossover, 473–474
one-sided, 470
pressure drop, 475
purchase cost, 570–572
simulator models, MMM-ASPEN, MMM-HYSYS
steel pipe data, 477
temperature driving force, 472–474, 483–484
tube data, 479
Heat integration
ammonia process, 350–357
annualized cost minimum
Chen approximation, PDF-GAMS
nonlinear program (NLP), 276–278
superstructures, 276–277
auxiliary heat exchangers, 253
composite curve
(see maximum energy recovery (MER))
controllability of HENs
control structure, 327–328, C12S.5
control. & resil. (C&R) analysis, C12S.5
controller tuning, C12S.5
dynamic simulation, C12S.5
distillation trains
(see heat integ. dist. trains)
grand composite curve
design for multiple utilities, 278–279, 356
interior heat exchangers, 253
lost work, 254, C9S.5, C9S.6, C9S.8, C9S.9
minimum heat exchangers
breaking heat loops, 267–271
definition, 267–268
minimum utilities
(see maximum energy recovery (MER))
multiple utilities, 278–280
optim. temperature approach, 274–276
software, 290–291
stream splitting, 271–272
styrene process
exercise, 295–296, MMM-HYSYS
Heat pump, 288
Heat streams, MMM-ASPEN
Heat transfer media, 471–472
Heat-integrated distillation trains
(see also multiple-effect distillation), 280–284
control. & resil. (C&R) analysis, C12S.3
dynamic simulation—HYSYS, C12S.3
heat pumping, 283–284
pressure effect, 281–284
reboiler flashing
(see also distillation trains), 283–284, C9S.9
T-Q diagram, 281–282
vapor recompression, 283–284
HEATX, 492, MMM-ASPEN
Henderson's law, 52–53
Heterogeneous azeotropic distillation, 230–233
HETRAN
(see also Aspen Engineering Suite), 493–495
Heuristics
compression, 168–169
conveying of solids, 172
crushing and grinding, 172–173
cyclones, 193
distribution of chemicals, 154–161
enlargement of particles, 173
entire flowsheet, 173
equipment design
(see equipment design heuristics)
expanders and turbines, 170
heat addition to reactors
diabatic operation, 166–167
excess reactant, 166–167
hot shots, 166–167
inert diluent, 166–167
interheaters, 166–167
heat exchangers and furnaces, 167–168
heat removal from reactors
cold shots, 166
diabatic operation, 166
excess reactant, 165
inert diluent, 165
intercoolers, 166
pumping, 169–170, 170–171
raw materials, 154
screening, 173
separation of liquid and vapor mixtures, 161–162
separations involving solids, 162–164
table of, 174–178
vacuum systems, 171–172
HEXTRAN, 291
HFC recovery and purification
design problem, AIIS-89 to 92
High throughput screening case study
adenosine triphosphate (ATP), 430
barcodes, 433
TransFluoSpheres, 433
business case, 461–463, C23S.1
Caliper Life Sciences data, 440–441
concept stage, 456–461
development stage, 464
enzyme kinetics
dual substrate, 435–436
single substrate, 435
feasibility stage, 461–464
Fluidigm chip, 457–458
Fluidigm two-layer soft lithography, 431

High throughput screening case study (*continued*)
Gantt charts, 462–463
IC50 (inhibitory concentration 50%), 431
inhibition detection methods
CCD cameras, 438
luciferase (firefly), 437–438
shot noise, 438
innovation map, 433–435
intellectual property (IP) analysis, 463–464
kinase enzyme reactions, 430
kinase inhibition reactions, 436–437
micro-array reader, 433
Agilent SureScan, 433
peristaltic pumps, 431–433
phosphorylation reaction, 430
poly-dimethylsiloxane (PDMS), 431
product concepts, 461
profitability analysis, C23S.1
RainDance chip, 458–461
RainDance micron-sized droplets, 432–433
technology protection, 438
Transcreener assay, 433
valves, 431–432
Nanoflex, 432
High-throughput lung cancer genotyping
design problem, AIIS-56 to 59
Hollow-fiber module, 423
Home hemodialysis, 424
Home hemodialysis device case study
concept stage, 454–456
critical-to-quality (CTQ) variables, 455–456
customer requirements, 455
development stage, 456
dynamic performance, 428
enzyme reactor, 423
feasibility stage, 456
hollow-fiber module, 423
C-DAK 4000 artificial kidney, 423
home hemodialysis, 424
innovation map, 424–425
mass-transfer model, 425–428
membranes, 423
sorbent dialysis, 429
Allient sorbent cartridge, 429
technical requirements, 456
technology protection, 429–430
House of quality (HOQ), 45–46, 445–446
halogen light bulbs, 445–446
interaction matrix, 46
thin-glass substrates for LCDs, 393–394
HX-NET, 290
Hydrogen mfg.
design problem, AIIS-93 to 94
Hydrogen peroxide mfg.
design problem, AIIS-19 to 20
Hyprotech, 110, 239
HYSYS
bidirectional information flow, 122–123
case study
(see also dynamic simulation), MMM-HYSYS
data recorder, MMM-HYSYS
databook, MMM-HYSYS
dynamic simulation
binary distillation tower, MMM-HYSYS
CSTRs in series, C12S.5
heat exchanger networks, C12S.5
heat integ. distillation towers, C12S.3
MCB separation process, C12S.5
steps, MMM-HYSYS
HYSYS case files, PSF-HYSYS
object palette, MMM-HYSYS
optimization
(see flowsheet optimization)
PFD view, MMM-HYSYS
physical properties
define property prediction pkg., MMM-HYSYS
PID controller model
installation, MMM-HYSYS
loop definition, MMM-HYSYS
property view, MMM-HYSYS
reaction package, MMM-HYSYS
recycle convergence
Recycle procedure, MMM-HYSYS
reverse information flow, 122
spreadsheet, MMM-HYSYS
subflowsheets, MMM-HYSYS
unit subroutines, MMM-HYSYS
workbook view, MMM-HYSYS

IC50 (inhibitory concentration 50%)
(see high-throughput screening case study)
ICIS Chemical Business
(formerly Chemical Market Reporter), 81
Idea generation, 3, 37
Incandescent light bulb
carbon filament, 412
coiled filament, 413
innovation map, 413–414
platinum filament, 412
tungsten filament, 413
Income statement, 538–539
Indexes, 11
Indirect costs (overhead), 541, 548, 549–550
Industrial chemicals, 5, 6, 7–8, 371–374, 375–377, 389
epitaxial silicon for integrated circuits, 376
fibers, 375
industrial catalysts, 376
marine anti-fouling agents for paints, 376
microspheres for controlled release, 376
monolayer films for food wraps, 376
pastes and creams, 375
polycarbonates for optical applications, 376
thin-glass substrates for LCDs
(see LCD glass substrate case study)
Industrial consultants, 696
Inflation, 635–636
Inhibition detection methods
(see high-throughput screening case study)
Innovation, 4
Innovation map, 4, 5
ammonia product, 342–343
basic chemicals, 6–7
configured consumer chemical products, 8–10
environmentally friendly refrigerant, 7, 62–64, 362
home hemodialysis devices, 421–430
industrial chemicals, 7–8
labs-on-a-chip, 430–438
light bulbs, 9, 412–421
thin-glass substrates for LCDs, 8, 377–383
washable crayon mixtures, 383–387
water-dispersible beta-carotene, 366
Installation costs
(see capital cost)
Intellectual property (IP) analysis, 49–50, 463–464
Intelligen, Inc., 110, 138
Interaction matrix, 46
Interest
compound interest, 620–622

cost of capital, 603
interest rate, 619–622
simple interest, 620
Intermediate storage, 318
Internet surfing, 14
Invention, 4
Inventory, 321
Investment costs
(see capital cost)
Ionic liquids, 64–65
iPhone, 38–39
Isentropic efficiency, 516–517
Isopipe process, 381–383

Keystone innovation, 14
Kinase inhibition reactions
(see high-throughput screening case study)
Kirk-Othmer Encyclopedia, 10
KJ process, 44
Krypton and xenon from air
design problem, AIIS-38 to 39

Ladder of abstraction, 44
Lang factors, 555–557
LCD glass substrate case study
active matrix LCDs, 377
Corning products, 389
critical-to-quality variables, 393
customer requirements, 391–392
DensePak, 378
house of quality, 393–394
innovation map, 379
Isopipe process, 381–383
liquid crystals, 377
opportunity assessments, 391
product concepts, 394–395
revenues, 390
technical requirements, 392
thin film transistors (TFTs), 377–378
Learning journeys, 14
Lennard-Jones pair potential, 68
Liabilities, 536–540
Life cycle design, 17–18, 453
Linear process model
state-space representation, C12S.1
transfer function representation, C12S.1
variable scaling, C12S.1
(see optimization)
analytical, C12S.1
Liquid fuels from coal
design problem, AIIS-31 to 32
Lost work
(see second-law analyis)
Lower critical limit, 663
Low-order dynamic models
steady-state gains, C12S.3
Low-order dynamic models
time constants and delays, C12S.3

Maleic anhydride mfg.
attainable region, 194–195
Manipulated variables
selection of, 326–327
Manufacturing, 2
Manufacturing stage, 50
halogen light bulbs, 453–454
thin-glass substrates for LCDs, 398
Market assessment, 37, 397, 453
Market driven, 4
Market segmentation, 39–40
Mass exchangers, 297–299, 304
Mass integration, 297–308
annualized cost minimum, 298
energy separating agent (ESA), 297
H2S from tail gas, 299–303, 305–306
mass separating agent (MSA)
(see minimum mass separating agent)
external, 298
process, 298
minimum mass exchangers, 306
breaking mass loops, 306
multiple solutes, 306–307
exercise, 308
Material safety data sheets (MSDS), 24, 78, 108, 154, 158
Materials factor, misc. equipment, 580
Materials of construction, 562, 571, 576, 697–698
Materials technology, 55
MATLAB
for control. & resil. (C&R) anal., C12S.6, PSF-MATLAB
Maximum energy recovery (MER)
graphical displays
composite curves, 257–258
cooling curves, 257–261, 352–354
heating curves, 257–261, 352–354
linear programming, 258–259
min. temperature approach
(see also heat exchangers)
pinch
distillation analogy, 257
pinch temperatures, 256, 258
stream matching
at pinch, 261–264
mixed-integer linear program, 264–267
pinch decomposition, 261
transshipment model, 264–267
targets, 254–261
temperature-interval method, 255–257, 263–264
interval heat balances, 255–257
threshold approach temp., 258, 272–274
Measured variables
selection of, 327
Membrane separation, 344, 423
Methane reforming
attainable region, 196–197
recycle to extinction, C7S.4
Methanol dehydration (distil.)
dynamic simulation
HYSYS, C12S.3, MMM-HYSYS
multiple-effect distillation
energy requirements, 323–324
Methylmethacrylate from methacrylic acid
design problem, AIIS-16
Methylmethacrylate from propyne
design problem, AIIS-17 to 18
Methyl-tert-butyl-ether mfg., 156, 237
Microsimulation, 67–68
Minimum mass separating agents, 299–303
approach to phase equilibrium, 299
composite-curve method, 302–304
mass exchange curves, 302–303
rich and lean curves, 302–303
concentration-interval method, 299–302
interval mass balances, 301
pinch, 301–302
pinch compositions, 301–302
stream matching, 303–305
at pinch, 304
pinch decomposition, 304
stream splitting, 304–306
stream splitting at pinch, 304–306
threshold approach to phase equil., 303
Minnesota Mining & Manufacturing (3M), 1
fifteen percent rule, 13
learning journeys, 15
Post-its, 51–52
process innovation tech. centers, 13
profit margin, 541
stretch goals, 13
tech forum, 13

Mixed-integer nonlinear prog., 69–70, 71, 72, 74, 276, 320, 362, 643
Mixers, 115–117
Mixing in compounding
  disbursive, 518–519
  distributive, 518–519
Molecular dynamics, 68
Molecular structure design, 14–15, 55, 61–76, 361–362
  ionic liquids, 64–65
  microsimulation, 67–68
    molecular dynamics, 68
    Monte-Carlo methods, 67–68
  optimization
    (see also optimization), 68–75
    polymer design, 67, 69–70
    refrigerant design, 70–72, 361–362, AIIS
    solvent design, 72–75
    solvents for crystallization of organic solids, C3S
  pharmaceutical product design, 65–66
  polymer property estimation
    (see also physical properties), 67, 69–70
  solutes for handwarmers, C3S.2
Monochlorobenzene separation
  Aspen IPE equip. sizes and costs, PDF-IPE
  ASPEN PLUS history file, MMM-ASPEN
  ASPEN PLUS program, MMM-ASPEN
  ASPEN PLUS report file, MMM-ASPEN
  ASPEN PLUS sim. flowsheet, 137
  control. & resil. (C&R) analysis, C12S.5
  dynamic simulation
    HYSYS, C12S.5
  process flowsheet, 137
  profitability analysis, C23S.1
  simulation, 136–138
Monosodium glutamate mfg.
  design problem, AIIS-42 to 43
Monte-Carlo methods, 67–68
MSDS (Material Safety Data Sheet), 24, 78, 108, 154, 158
Multiple-effect distillation, 282–284, 323–324, C12S.3
  control. & resil. (C&R) analysis, C12S.3
    exercise, C12S.3
  feed splitting (FS), 283, 324, C12S.3
    HYSYS dynamic simulation, C12S.3
  light split/forward (LSF), 283, 324, C12S.3
  light split/reverse (LSR), 283, 324, C12S.3
    HYSYS dynamic simulation, C12S.3
  PRO/II simulation results, C12S.3
  SIMULINK flowsheets, C12S.3
Multiproduct batch plants, 318–320
Multipurpose batch plants, 318–320

Natural gas to liquids
  design problem, AIIS-28 to 29
Nested recycle loops, 127–129, MMM-ASPEN
Net worth, 474–477
Newton-Raphson method, 129–130, 652–653
New-to-the-world products, 45
New-unique-and-difficult (NUD), 45
Nitrogen production
  design problem, AIIS-35 to 38
Nitrogen production—ultra-pure
  design problem, AIIS-34 to 35
Nitrogen rejection from natural gas
  design problem, AIIS-33 to 34
Nonlinear programming (NLP)
  (see optimization)
Novobiocin mfg.
  design problem, AIIS-47

Off-site facilities, 546
On-site facilities, 546
Open innovation concept, 13
Operating factor, 88, 605, 628
Operation, 20
Operational constraints
  examples, 325
Opportunity assessments, 48–50, 391, 400, 444
  intellectual property (IP) analysis, 49–50
  Porter five-forces analysis, 48–49
Optimal control problem, 310, 314
  minimum batch time, 310–311
  penicillin mfg.
    fed-batch process, 311–312
  Pontryagin maximum principle, 312
  reactor-separator processes, 314–316
Optimization
  classification, 644–647
  constrained, 644
  constraints, 644
  decision variables, 642–643
  distillation towers
    (see flowsheet optimization)
  flowsheet
    (see flowsheet optimization)
  formulation, 643–644
  GAMS
    (see GAMS)
  Golden-Section search, 649–651
  heat exchanger design, 650–651
  Himmelblau's function, 646–647
  Karush-Kuhn-Tucker (KKT) conditions, 652
  Lagrangian, 652
  linear program (LP)
    minimum utilities, 258–259
  linear programming, 647–649
  mixed-integer lin. prog. (MILP)
    stream matching, 264–267
  molecular structure design, 68–75
  nonlinear programming (NLP), 649–653
    decision variables, 642–643
    degrees of freedom, 652
    equality constraints, 644
    general formulation, 643, 652
    gradient methods, 652–653
    HEN superstructure opt., 276–278
    inequality constraints, 644
    Karesh-Kuhn-Tucker conds., 652
    Lagrangian, 652
    objective function, 643
    stationarity conditions, 652
  objective function, 643
  optimal batch time, 310–311
  optimal multiproduct batch plant, 319–320
  optimal solution
    global, 644
    local, 644
  process flowsheets
    (see also flowsheet optim.)
  quadratic programming (QP), 653
  reactor conversion, 314–316, C7S.3
  simplex method, 648
  stationarity conditions, 652
  successive linear programming (SLP), 623
  successive quad. prog. (SQP), 652–653
    quadratic program (QP), 653
    solution of stationarity conds., 652–653
    unidirectional search, 653
  unconstrained, 644

Overhead (indirect costs), 541, 548, 549–550
Oxygen mfg.—ultra-pure
design problem, AIIS-39 to 40
Ozone, 6, 62, 361, AIIS
Ozone deletion potential (ODP), 72

P&ID diagram, 104–105
Par value, 536
Patent searches
(see intellectual property (IP) analysis)
halogen light bulbs, 421–422
home hemodialysis devices, 429–430
labs-on-a-chip, 463–464
washable crayon mixtures, 386–387
Peng-Robinson equation of state, 79
Penicillin mfg.
design problem, AIIS-46 to 47
fed-batch process
optimal control problem, 311–312
six-sigma design, 671–675, C25S.1
Peristaltic pumps
(see high-throughput screening case study)
Perpetuities, 626–627
PFD
(see process flow diagram)
Pharmaceutical products, 14–15
clinical trials, 14
design
genetically-engineered drugs, 65–66
synthetic chemical drugs, 65
design problem
novobiocin mfg., AIIS-47
penicillin mfg., AIIS-46 to 47
tissue plasminogen activator (tPA) mfg., AIIS-44 to 46
discovery, 14
FDA approval, 15
penicillin mfg.
fed-batch process, 311–312
six-sigma design, 671–675, C25S.1
preclinical development, 14
process simulation
tPA process, 138–139, 143–146, MMM-ASPEN
process synthesis
(see also tissue plasmin. activ. proc.), 94–101
Phase envelope, MMM-ASPEN
Phase equilibria
bin. phase diags.-Txy, xy, etc., 78–79, 224–225, MMM-ASPEN
calculation, MMM-ASPEN
PHBV-copolymer mfg.
design problem, AIIS-63 to 64
Phosphorylation reaction
(see high-throughput screening case study)
Physical properties
ASPEN data regression
equilibrium data, 78–79, MMM-ASPEN
ASPEN PLUS option sets, MMM-ASPEN
ASPEN PLUS property meth., MMM-ASPEN
bin. phase diags.-Txy, xy, etc., 78–79, 224–225, MMM-ASPEN
data banks, 66, 78, MMM-ASPEN
estimation methods, 66–68, MMM-ASPEN
group contribution methods
(see also group contribution methods), 67, 69–75
microsimulation
molecular dynamics, 68
Monte Carlo methods, 67–68
param. estim.-pure species
ASPEN PLUS, MMM-ASPEN
phase envelopes
ASPEN PLUS, 79–80, MMM-ASPEN
phase equilibria, MMM-ASPEN
calculations, MMM-ASPEN
polymers
density, 67, 69–70
glass transition temperature, 67, 69–70
water absorption, 67, 69–70
refrigerants, 71–72
ozone depletion potential, 72
residue-curve maps
(see also residue curves), 225–227, MMM-ASPEN
solvents
crystallization of organic solids, C3S.1
solubility parameters, 73
thermophysical prop. diags., MMM-ASPEN
Phytoremediation of lead-contaminated sites
design problem, AIIS-106 to 108
PID controller tuning
(see controller tuning)
Pilot plant, 106, 107
Pipe (steel) data, 477
Pipeline models, 116–118
Plantwide control synthesis
acyclic process, 332–334
qualitative steps, 331–332
reactor-flash-recycle process, 334–336
vinyl chloride process, 336–337
PlasmaFluor microfluidic blood coag. anal.
design problem, AIIS-50 to 53
PM Acetate manufacture
design problem, AIIS-25 to 27
Poly-dimethylsiloxane (PDMS)
(see high-throughput screening case study)
Polymer design, 69–70
Polymeric materials
amorphous, 522–523
cellulose acetate, 524–525
crystalline, 522–523
phase changes, 524
polyethylene terephthalate (PET), 524
rheology (viscosity) curves, 526
thermogravimetric analysis (TGA), 524–525
Polysaccharides from microalgae
design problem, AIIS-43 to 44
Polyvinyl acetate mfg.
design problem, AIIS-60 to 62
Porter five-forces analysis, 48–49
Post-its, 51–52
Present worth, P, 620
Pressure-swing distillation, 233–236, 239–240, 251–252, AIIS
Pricing strategies, 51–53
experience curve, 52–53
Henderson's law, 52–53
penetration pricing, 51
skim pricing, 51
PRO/II, 110
unit subroutines, 117
Probability density function, 664
Process creation, 77–108
Process flow diagram (PFD), 102–104
AUTOCAD, 103
equipment summary table, 104, 105
processing units, 103
stream information, 103–104
utilities, 104, 105
VISIO, 103
Process flowsheet, 111–112

Process integration, 106
Process machinery, 546
Process simulation—batch
  BATCH PLUS sim.—tPA cultivators, 143–146
  BATCH PLUS sim.—tPA cultivators exercise, 150–151
  bottleneck, 143, 144, 150
  distillation
    BATCHSEP, 313
  equipment models, 138–142
    BATCH PLUS, 140
    SUPERPRO DESIGNER—procedures, 141–142
  Gantt chart, 146
  operations
    BATCH PLUS, 141
    SUPERPRO DESIGNER, 142
  recipes, 138, 144–145
  simulation flowsheets, 138, 139
Process simulation—dynamic
  (see dynamic simulation)
Process simulation—steady state, 107
  bidirectional information flow, 122–123
  calculation order, 124–125
  control blocks, 123–124
    feed-backward, 123
    feed-forward, 123
  design specifications, 123–124
  equation-oriented architectures, 131–132
  equipment parameters, 115, 121–122
  math. convergence units, 115
  recycle, 125–130
    Broyden's method, 126
    dominant eigenvalue method, 130
    flash with recycle problem, 130–131, 147
    interlinked recycle loops, 127–129, 150, 151
    nested recycle loops, 127–129, 150, 151
    Newton-Raphson method, 129–130
    successive substitutions, 130
    tear streams, 125
    Wegstein's method, 127, 130
  reverse information flow, 122
  simulation flowsheets, 112–120
    acyclic, 118–120
    drawing, 118
    incomplete, 127
    recycle, 112–114
  simulation units, 115
  stream manipulation
    duplication, 118
    multiplication, 118
  stream variables, 112, 114
  unit subroutines
    ASPEN PLUS, 115–116
    CHEMCAD, 116–117
    HYSYS, 116
    information transfer, 122
    PRO/II, 117
Process synthesis, 85, 161–200
  algorithmic methods, 181–321
  heuristics
    (see equipment design heuristics)
    changing particle size, size separation, 191–192
    distribution of chemicals, 154–161
    heat addition and removal, 164–167
    heat exchangers and furnaces, 167–168
    particle removal from gases & liquids, 173
    pumping, compression, pressure reduction, 168–171
    raw materials, 154
    separations, 161–164
    Table 5.2—53 heuristics, 174–178
  operations, 83–84
    mixing, 84
    phase change, 84
    pressure change, 84
    reaction, 83
    separation, 83
    temperature change, 84
  preliminary, 82–102
  problem, 83, 95
  separations
    gases, 162
    liquids, 162
    solids, 162–164
  steps, 84–85
    distribution of chemicals, 84–85, 88–90, 97
    elim. composition differences, 84–85, 90–91, 97–98
    elim. molec. type differences, 84–85, 86–88, 95–97
    elim. temp., pres., phase diffs., 84–85, 91–92, 98
    task integration, 84–85, 92, 98–101
  superstructures, 153, 264, 276–278, PDF-GAMS
  synthesis tree
    tissue plasminogen activator (tPA), 101–102
    vinyl chloride process, 93, 94
  tissue plasmin. activ. (tPA) process
    (see also tissue plasmin. activ. proc.), 85–96
  toluene hydrodealk. process
    (see also tol. hydrode. proc.), 132–134
  vinyl chloride process
    (see also vinyl chloride proc.), 85–94
Process/manufacturing technology, 57
Product concepts, 46–48, 494–495, 402–403, 446–450, 461
Product development, 2
Product technology, 5
Product-development pipeline, 32
  environment for innovation, 32–33
  product and technology strategy, 32–33
  resource management, 32–33
  technology and product development, 32–33
Product-introduction stage, 51–53
  halogen light bulbs, 454
  thin-glass substrates for LCDs, 398–399
Production schedule, 633–635, C23S.1
Profit
  gross, 87–88, 96
  net, 632
  venture, 617
Profit margin, 541
Profitability analysis
  approximate
    annualized cost (CA), 253, 298, 617–618
    payback period (PBP), 616–617
    return on investment (ROI), 616–617
    selling price, 618–619
    venture profit (VP), 617
  Aspen IPE—Icarus Corp., 596, C22S.1
  Nickisch spreadsheet, 636, C23S.1
  operating costs
    (see cost sheet)
  operating factor
    (see operating factor)
  production schedule
    (see production schedule)
  rigorous
    cash flows, 603, 627–628
    discounted cash flow rate of return, 603, 633–635

investor's rate of return (IRR), 603, 633–635
net present value (NPV), 603, 633–635
spreadsheet, 636, C23S.1
Project charter, 33–35, 341–342, 361–364, 389–390, 399–400, 442–443, 454–455
Propanediol(1, 3) from corn syrup
design problem, AIIS-126 to 128
Propoxylated ethylenediamine mfg.
design problem, AIIS-27
Propylene glycol reactor
control. & resil. (C&R) analysis, C12S
CSTR model
AUTO continuation, MMM-ASPEN
linear model, C12S.1
multiple steady states, C12S.5
sensitivity analysis, MMM-ASPEN, MMM-HYSYS
dynamic simulation, C12S.5, MMM-HYSYS
Propylene-propane distillation
optimization exercise, 659
ordinary distillation, C9S.9
reboiler flashing, C9S.9
Prototype products, 50
Pugh matrix, 47–48
halogen light bulbs, 446–449
thin-glass substrates for LCDs, 394–395
Pumps, 510–514
ASPEN and HYSYS models, MMM-ASPEN, MMM-HYSYS
centrifugal, 510–512
characteristic curves, 511–513
head, 510–513
heuristics for equipment selection, 169–170, 170–171, 560
motor efficiency, 561
NPSH, 512, 560, 564
positive displacement, 512–513
pump efficiency, 563, 564
purchase cost, 560–565
video, MMM-ASPEN, MMM-HYSYS
Purge streams, 157–159

Quality functional deployment (QFD), 41, 45

R125 refrigerant manufacture
design problem, AIIS-94 to 97
RainDance chip, 458–461
Rankine cycle, 287, C9S.11
Rapamycin-coated stents mfg.
design problem, AIIS-59 to 60
Raw materials
prices, 81
Reactive distillation, 160–161, 236–237
Reactors
(see chemical reactors)
Reactor-separator-recycle processes
control configurations, 324–325, 334–336
tradeoffs, C7S.2
Recipe, 138, 144–145
Recycle convergence, 129–130
Recycle to extinction, 159, C7S.4
Reference books, 11
Refrigerant design, 6, 62–64, 70–72, 361–363, CAIIS
Refrigerants, 471–472, 604, 607–608
Refrigeration
(see heuristics for equipment design)
Refrigeration cycle, C9S.6, C9S.9, C9S.12
cascade of heat pumps, 285–287, 289–290
Relative gain array (RGA)
definition
dynamic, C12S.2
steady state, C12S.2
dual reboiler column, C12S.2
heat exchanger networks, C12S.5
heat integ. distillation towers, C12S.3
LV configuration, C12S.2
MATLAB script, C12S.6
MCB separation process, C12S.5
mystery process, C12S.2
properties, C12S.2
sensitivity to uncertainty, C12S.2
utilities subsystem, C12S.2
Residue curves, 225–227, MMM-ASPEN
ASPEN PLUS, MMM-ASPEN
heterogeneous sys. (VLLE), 693
saddle, 226
simple distillation boundaries, 227
simple distillation still, 226
stable node, 226
unstable node, 226
Resiliency
definition, 322
Revenues (sales), 603–605
Risk analysis, 50
Royalties, 551, 613, 627
Safety
Bhopal incident, 21, 154
Center for Chemical Process Safety, 22
constraints, 325
data, 24
design approaches
fire and explosion prevention, 22
HAZOP analysis, 24, 59, C1S
material safety data sheets (MSDS), 24, 78, 108, 154, 158
reliefs, 24
Risk assessment, 24
di-tertiary-butyl-peroxide mfg., 240
flash point, 23, 74
hazardous intermediates
(see ethylene carbonate mfg.)
issues
dispersion models, 22–24
fires and explosions, 22
flammability limits, 22
toxic releases, 22–24
Scheduling batch processes
(see process simulation—batch)
bottleneck, 143–144, 150–151, 317–318
Gantt chart, 146, 317–320
intermediate storage, 146, 317–320
multiproduct sequences—optimal, 318–320
reactor-separator processes, 314–316
single product sequences, 316–318
tPA BATCH PLUS simulation, 143–146
zero-wait strategy, 317, 318
Scope, 34
Screen. kinase inhibitors using microfluidics
design problem, AIIS-48 to 50
Screening of kinase inhibitors
design problem, AIIS-53 to 56
Screw design
bi-lobal twin screw element, 528
Booy's region, 531
conveying element, 529
degree of filling, 530
gear mixer, 529
kneading block, 529
tip, 531
tri-lobal element, 528
volumetric flow rate, 530–531
waste region, 531

Second-law analysis, C9S
  availability balance, C9S.5
  availability changes, C9S.4
    isothermal mixing, C9S.4
    liquifying air, C9S.4
    superheating steam, C9S.4
    thermal mixing, C9S.4
    throttling, C9S.4
  availability flow diagram, C9S.4
  Carnot efficiency, C9S.5
  closed system, C9S.2
  coefficient of performance, C9S.6
  control volume, C9S.2, C9S.5
  cyclic process, C9S.2
  dead state, C9S.5
  efficiency
    isentropic, 516–517
    thermodynamic, C9S.7
  energy balance (first law), C9S.5
  entropy changes, C9S.4
  exergy, C9S.4
  heat reservoir, C9S.3
  heat transfer, C9S.5
  irreversible process, C9S.5
  lost work, C9S.5
    Benzene to cyclohexane, C9S.9
    C3=−C3 Distillation, C9S.9
    causes of, C9S.8
    compressor, C9S.9
    compressor—two-stage, C9S.6
    condenser, C9S.9
    evaporator, C9S.9
    flash separation exercise, C9S.12
    heat exchange, 254
    Petlyuk distillation exercise, C9S.12
    Rankine cycle exercise, C9S.12
    refrigeration cycle, C9S.9
    SO_2 oxidation exercise, C9S.12
    turbine, C9S.9
    valve, C9S.9
  open system, C9S.2
  reversible process, C9S.4, C9S.5
  shaft work, C9S.3
  state properties
    availability, C9S.4
    availability function, C9S.5
    enthalpy, C9S.4
    entropy, C9S.4
  surroundings, C9S.2
  system, C9S.2
Selling price, 618–619
Semicontinuous processing, 309–310
Sensitivity analysis
  propylene-glycol CSTR, MMM-ASPEN
Separation
  liquid mixtures, near ideal, 216–223
  liquid mixtures, nonideal, 223–240
  energy separating agent (ESA), 211
  equipment selection, 214–215
  gas mixtures, 240–244
    absorption, 244
    adsorption, 243–244
    cryogenic distillation, 244
    membranes, 243
  mass separating agent (MSA), 211, 297
  methods, 211
  recovery factor, 213
  separation factor, 213
  solid-fluid systems, 244–246
Separation section location, C7S.1
Separation trains
  azeotropic, 237–240
  heat integrated
    (see heat-integrated distillation)
  heuristics for synthesis, 219
  marginal vapor-rate synthesis method, 219–221
  nonideal, 223–240
  number of sequences, 217–218
Separators
  distillation towers
    (see distillation towers)
  split-fraction model
    ASPEN SEP2 subroutine, MMM-ASPEN
    HYSYS **Component splitter**, MMM-HYSYS
Shell-and-tube heat exchangers, 475–481
  area bounds, 475, 492
  ASPEN HEATX model, 492
  baffles, 476
  design procedure, 492–495
  friction factors, 487–491
  heat transfer coefficients, 484–491
    annuli, 490
    overall estimates, 488–489
    shell-side, 490–491
    tubes, 487–490
  HETRAN model, 115, 493–495
  HYSYS **Heat exchanger**, MMM-HYSYS
  kettle reboiler, 480
  pressure drop
    shell-side, 490–491
    tubes, 489–490
  TEMA designs, 475, 481, 493
  temperature driving forces, 472–474, 483–484
    correction factor, FT, 483–487
  tube clearance, 476, 477, 481
  tube data, 479
  tube length, 477, 492
  tube pitch, 476, 477
  tube sheet layouts, 491
  tube velocity, 492
  video, MMM-ASPEN, MMM-HYSYS
Shewhart chart, 662–663
Sigma level, 664
Silicon wafers—Czochralski growth
  design problem, AIIS-66 to 68
Silicon wafers for photovoltaic power
  design problem, AIIS-72 to 76
Silicon-germanium heteroepitaxial chips
  design problem, AIIS-69 to 71
Simulation Sciences, Inc., 110
Six sigma analysis
  defects per million opportun. (DPMO), 663
  DMAIC steps, 665–666
  probability density function, 664
  SIPOC charts, 665, 666
  variance reduction, 665–666
Six sigma design examples
  Espresso machine design, 675–677
    coffee brewing control chart, 676
    DMAIC steps, 675–677
    SIPOC chart, 676
    temperature-flavor characteristics, 676
  Heat exchanger network (HEN), 667–671
  Penicillin manufacture, 671–675
    DMAIC steps, 673–675
    penicillin process, 672
    process model, C25S.1
Six sigma in product design, 662–666
Six-tenths factor, 544–545
SMART principle, 33–34
Smog control (California)
  design problem, AIIS-84 to 87
Snowball effect, 334–336, C7S.5
Soave-Redlich-Kwong equation of state, 79–80
Socio-technical aspects, 15–16
Soil remediation and reclamation
  design problem, AIIS-108 to 110
Solvent design, 72–75

Solvent waste recovery
design problem, AIIS-105 to 106
Sorbent dialysis, 429
Specification sheets—process units, 685–686
Specialty chemicals, 5, 6
SPLIT
(see also Aspen Engineering Suite), 239
Splitters, 115–117
Stage-Gate Product-Development Process, 3, 36
concept stage, 36–50
development stage, 50
feasibility stage, 50
manufacturing stage, 50
product-introduction stage, 51–53
Stage-Gate Technology-Development Process, 3
Standard deviation, 663
Startup, 56, 58–59, 547, 551, 627
Steady-state gain, C12S.3
Steps in design
(see design steps)
Stockholders' equity, 536–538, 540
Storage tanks, 547, 550, 588–589, 595
Stretch goals, 13
Styrene from butadiene
design problem, AIIS-62 to 63
Styrene manufacture
cost compar. of dist. seqs., 639
heat integration, 295–296
reactant recovery, C7S.1
Successive quadratic program.
(see optimization)
Successive substitution method, 126, 130
Sulfur recovery using oxygen–enriched air
design problem, AIIS-83 to 84
Supercritical oxidation, 159
Superior concepts, 48
SUPERPRO DESIGNER, 110, 138, 139, 141–142
Surge vessels, 550, 588–589
Sustainability, 17–18
Switchability
definition, 322
Synergistic innovations, 13
Synthesis gas generation, 346–347
Synthesis tree, 93, 94, 101–102

TARGET, 291
Task integration, 84–85, 92, 98–101
Team (design, product development), 46–47, 443
TEAMS
(see also Aspen Engineering Suite), 493
Tear streams, 125–129, MMM-ASPEN
Tech forum, 13
Technical differentiation, 5
Technical feasibility, 396, 451–452
Technical requirements, 392, 402, 445, 456
Technical value proposition, 5
Technology assessment, 3–4
Technology development, 2
Technology driven, 4
Technology platform, 3–4
Technology scoping, 3–4
Technology transfer, 3–4
TEMA, 475, 481, 493
Thermodynamic efficiency, C9S.7
Thermophysical properties
(see physical properties)
Throughput yield (TY), 665
Time constants, C12S.3
Time line, 34
Time value of money, 603, 619–627
annuities
continuous compounding, 623–624
discrete compounding, 622–623
ordinary, 622
present worth, 624–625
capitalized costs, 626–627
compound interest
continuous compounding, 621–622
discrete compounding, 620–621
effective interest rate, 621
nominal interest rate, 621
discount factor, 622
future worth, F, 620
perpetuities, 626–627
present worth, P, 624–625
simple interest, 620
sunk costs, 625
Tissue plasminogen activator (tPA) process
Chinese hamster ovary (CHO) cells, 65, 94
cultivator section simulation
BATCH PLUS, 143–146
BATCH PLUS—exercise, 150–151
design problem, AIIS-44 to 46
E. coli cells, 96
Genentech patent, 95
growth rate of tPA–CHO cells, 95, 98
HyQ PF-CHO media, 95
process flowsheet
cultivator section, 100
separation section, 100
process simulation
exercise, 150–151
process synthesis, 94–101
simulation flowsheet—cultivator sec.
BATCH PLUS, 143–146
SUPERPRO DESIGNER, 139
synthesis tree, 101, 102
tPA protein structure, 95
Toluene hydrodealkyl. process, 136–142, 155
costing exercise, 600
distillation section, 132–133, 135–136
optimal reactor conversion, C7S.3
PFTR model, 186–187, MMM-ASPEN, MMM-HYSYS
process synthesis, 132–135
profitability anal. exercise, 639–641
reactor section, 132–133, 135
recycle biphenyl, 132–133, 179–180, C7S.4
Touch-screen technology, 38–39
Toxic chemical release inventory (TRI), 81
Toxicity measure, 74
Transfer units
height (HTU), 504
number (NTU), 504
Transmittal letter, 682
Transport properties
(see physical properties)
Turbines, 515–516
brake horsepower, 516
heuristics for equipment selection, 170
isentropic efficiency, 516
isentropic horsepower, 516

Unit cost estimation, 403–404
Upper critical limit, 663
Utilities, 604, 605
air-pollution abatement, 609
biodegradation cost, 609–610
boiler-feed water cost, 607
cooling water cost, 606–607
electricity cost, 606
fuels cost, 608–609
process water cost, 607
refrigeration cost, 607–608
solid wastes cost, 610

Utilities (*continued*)
steam cost, 605–606
waste treatment, 609
wastewater treatment, 609–610

Value innovation strategy, 13
Value proposition, 38
Valves
(see high-throughput screening case study)
Variable costs, C23S.1
Videos
compressor, MMM-ASPEN, MMM-HYSYS
CSTR, MMM-ASPEN, MMM-HYSYS
distillation tower
lab. tower, industrial complex, MMM-ASPEN, MMM-HYSYS
fin-fan cooler, MMM-ASPEN, MMM-HYSYS
flash vessel, MMM-ASPEN, MMM-HYSYS
pump, MMM-ASPEN, MMM-HYSYS
shell-and-tube heat exchanger, MMM-ASPEN, MMM-HYSYS
Vinyl acetate mfg.
design problem, AIIS-22 to 25
Vinyl chloride mfg.
B.F. Goodrich patent, 86, 89
condensation
cooling curves, 470–471
control system synthesis, 336–337
detailed database, 106–107
direct chlorination, 86–89, 92–93
flow diagrams
block flow diagram, 102
process flow diagram, 102–104
oxychlorination, 87
pilot plant testing, 107
process flowsheet, 92
process simulation exercise, 148
process synthesis, 85–94
pyrolysis, 87
quench, 93
stream summary table, 104
synthesis tree, 93, 94
thermal cracking, 87
VISIO, 103
Voice of the customer (VOC), 41–45
Voice of the market (VOM), 42
Volatile organic compound (VOC), 64
Volatile organic compound (VOC) abatement
design problem, AIIS-89

Washable crayon case study
alkoxylated fatty acids, 385
Binney & Smith Co., 383
Crayola, 383
environmental concerns, 387
history of crayons, 383
innovation map, 383–386
mixing, 386
molding, 386
polyethylene glycol (PEG) resins, 385
technology protection, 386–387
Waste fuel upgrading
design problem, AIIS-114 to 116
Water-dispersible beta carotene case study, 363–369
beta carotene, 364
bio-availability, 365, 367
coloration, 367
customer requirements, 367–368
delivery form, 367
dispersions, 365
emulsions, 365
innovation map, 366
product concepts, 368–369
project charter, 363–364
shelf loss by oxidation, 365
stability, 367
technical requirements, 368
vitamin A, 363
Wegstein's method, 127, 130
Working capital, 552, 615–617, 627, 633

Xantham biopolymer mfg.
design problem, AIIS-64 to 66

Zero emissions
design problem, AIIS-87 to 89
Zero-emissions solar power plant
design problem, AIIS-97 to 101
Zero-wait strategy, 317, 318