

---

# INDEX

- Absolute ratings, 21–2
- Absorbent media, 45
- Acid cleaning and pickling baths, 270
- Acid gas cleaning, 480–1
- Acid zinc baths, 275
- Activated carbon, 46, 230, 231, 276, 433–4
- Activated carbon filters, 379–80
- Adsorbent media, 45–6
- Adsorption, definition of, 433
- Adsorption clarifier, 458
- Agglomerators, 300
- Air filter tests, 37
  - types of:
    - particle concentration efficiency tests, 40
    - sodium flame test, 38
    - staining test, 39
    - weight arrestance test, 39–40
- Air filters, 302–6, 372, 499–501
  - cabin ventilation filters, 305–6
  - classification, 373
    - activated carbon filters, 379–80
    - bag and pocket filters, 381–2
    - electrostatic precipitators, 382
    - louvres, 382–3
    - pad and panel filters, 375–7
    - roll filters, 380
    - viscous panel filters, 377–8
  - dry air filters/cleaners, 304–5
  - selection, 375
  - sizing, 305
- Air flotation, 317–18
- Air flushing, 110
- Air handling systems, 383
  - building installations, 384
  - clean rooms, 390–1
  - fine filters, 385–6
  - HEPA filters:
    - and ULPA filters, 387–9
  - HVAC system requirements, 386
  - industrial air filtration, 387
  - prefilters, 384–5
  - stand-alone air purifiers, 386–7
- Air line filters, 434–6
- Airborne contaminants, 9
  - applications, 13
  - effect on:
    - humans, 12
    - machines, 12–13
  - liquid contaminants, 13
- Alkaline cleaning solutions, 270–1
- American Petroleum Institute, 313
- American Society of Heating, Refrigerating and Air-conditioning Engineers (ASHRAE), 373, 374, 505
- Anisotropic membrane, *see* Asymmetric membrane
- Anodizing solutions, 271
- Asbestos-free filter sheet, 254
- Asymmetric membrane, 86
- Atmospheric dust analysis, 423

- Automatic gravity filters, 229
- Aviation fuel treatment, 293
- Back projection microscope, 345
- Back-raked screen, 108
- Backflushing filters, 173–4
- Bag filters, 265, 266  
for gases, 153–5
- Bag filtration, 266, 413–15  
of liquids, 151–3
- Baghouses, *see* Fabric filters
- Band filters, 132–4
- Bar and wire structures, in filter media, 80–2
- Basic principle:  
contaminants, 7  
airborne, 9–13  
liquid flow, 14  
particle settlement, 9, 10
- filter ratings, 20  
absolute ratings, 21–2  
beta ratio, 23–4  
filter permeability, 25–7  
mean filter rating, 22–3  
nominal rating, 22  
pulsating flow, effect of, 27–8
- filter tests, 28  
air filter tests, 37–40  
bead challenge test, 28–1  
bubble point test, 33–5  
dirt capacity test, 35–6  
fatigue tests, 37  
media migration test, 36–7  
membrane characterization, 40  
multi-pass test, 31–2  
single-pass test, 32–3
- filtration and separation, 1  
environment, 6  
filtration business, 5–6  
filtration technology, 3–5  
surface vs. depth filtration, 18–20
- Basket strainers, 101–2, 103, 104, 105, 106
- Batch filtration, 270, 357
- ‘Bathub’ strainers, 102
- Bead challenge test, 28  
degree of filtration test, 31  
maximum particle passed test, 30–1
- Belt discharge, 124–6
- Belt press filters, 249
- Belt presses, 189–90
- Belts filters, 132, 290
- Beta rating, 491
- Beta ratio, 23, 31, 32, 501  
filter efficiency, 24  
microbial rating, 24  
vs. particle size, 502
- Beta values, 500–1
- Bilge water separators, 292
- Biofiltration, 401–2
- Biological filters, 46
- Biological treatment:  
of water, 230–1, 262
- Bioprocessing, 261–2
- Blow-by gases, 308
- Boil point pressure, *see* Open bubble pressure
- Boiler feed water treatment, 232–6
- Bonded media filters, 265
- Bonded porous media, 62–6
- Brownian movement, 453
- Bubble point test, 33–5
- Building installations, of filtration system, 384
- Bulk water filters, 210  
desalination:  
reverse electro dialysis, 223–4  
RO, 220–1  
RO membranes, 221–2  
raw water treatment:  
bulk water treatment, 211–13  
cooling water systems, 217–20  
moving bed filter, 214–16  
rain water recycle, 216–17  
upflow sand filters, 213–14
- Bulk water treatment, 211–13
- Bypass filtration, 310–11, 356–7
- Cabin air filters, 305–6, 307
- Cabin air filtration, 421–2
- Cabin ventilation filters, *see* Cabin air filters
- Cake discharge, 121–6, 180–2
- Cake filtration, 20
- Calculation model, 365
- Candle filters, 157–8
- Capillary disc filter, 130–1, 249–50
- Capsule filters, 159, 167
- Carbon dioxide, 448

- Carbon fibre, 66
- Carbon fibre-carbon composite (CFCC) membranes, 268–9
- Carbon monoxide, 447–8, 449
- Carbon treatment, purification by, 276
- Cartridge filters, 158, 372
  - constructed cartridges, 169–72
  - integral media cartridges:
    - capsule filters, 167
    - foams, 169
    - polymer melt filtration, 167–8
    - sintered media, 164–7
    - thick media, 163–4
    - thin media, 160–3
- Cassette, *see* Filter pads
- Catalytic oxidizer system, 400–1
- Comité Européen des Normalisations (CEN), 373
- CEN/EUROVENT classification:
  - of ventilation air filters, 374, 500
- Centrifugal clarifier, 322, 324
- Centrifugal concentrators, 322, 324
- Centrifugal filters, 136, 264
  - fixed bed centrifuges, 136, 137–42
  - moving bed centrifuges, 136
    - conical basket centrifuges, 142–4
    - pusher centrifuge, 144–6
- Centrifugal impaction separators, 398–9
- Centrifugal oil cleaning, 322–8
- Centrifugal oil filters, 311
- Centrifugal oil purifier, 322, 323–4
- Centrifugal separators, 281, 283
  - see also* Centrifugal filters
- Centrifugal skimmers, 402
- Centrifuges, 458
  - chamber bowl centrifuge, 462–3
  - disc-stack centrifuge, 463
    - hermetic centrifuges, 470
    - nozzle separator, 467–8
    - opening bowl centrifuge, 468–9
    - solids-ejecting separators, 466–7
    - solids retaining separators, 464–6
  - imperforate basket centrifuge, 461
  - scroll discharge (decanter) centrifuge, 470–2
  - sedimenting centrifuge, 459–60
  - tubular bowl centrifuge, 461
- Ceramic filters, 64–5, 415–16
- Ceramic microfiltration, 266
- CETOP RP70 system, 336–40
- Chamber bowl centrifuge, 462–3
- Chamber press, *see* Recessed plate press
- Chemical contaminant filter system, 231
- Chemical reaction plant, 246–7
- Chlorination, 225
- Cholera, 225
- Chromium plating, 274
- Clean pressure drop test, 36
- Clean rooms, 383, 390–1
- Coalescers, 474–8
- Coalescing filter media, 429, 430
- Coalescing plate separators, 291–2, 329–30
- Coalescing separators, 314–16
- Collapse test, 36
- Common air contaminants, 371
- Compressed air filtration, 422
  - air line filters, 434–5
  - condensate treatment, 426–7
  - dehumidification, 427–8
  - element life, 435
  - oil removal, 428–32
  - oil vapour, 433–4
  - prefiltration, 428
  - residual oil content, 432
  - sampling, 432–3
  - test filter, 433
  - water, dealing with, 425
- Concentration polarization layer, 319
- Condensate treatment, 426–7
- Conical basket centrifuges, 142–4
- Conpar method, 344
- Constructed cartridges, 169–72
- Contaminant levels, and hydraulic filter performance, 336
- CETOP RP70 system, 336–40
- counting, 344–5
- ISO 4406 cleanliness standard, 340–1
- patch tests, 344
- practice levels, 341–4
- Contaminants, 7
  - airborne contaminants, 9
    - decontamination applications, 13
    - humans, effect on, 12
    - liquid contaminants, 13
    - machines, effect on, 12–13
  - in compressed air, 423

- Contaminants (*Continued*)  
 in drinking water, 225–8  
 in hydraulic system, 345  
   effects of, 347  
   fluid, bulk storage of, 346–7  
   protection levels, 347  
 liquid flow:  
   applications, 14, 15  
   particle settlement, 9, 10
- Continuous deep bed filters, 206–7
- Contra-shear screens, 110, 111
- Coolant, 276–82, 285
- Coolant treatment process design, 286  
 filter, purpose and need for, 286  
 filter appraisal, 285–6  
 filter selection, 288–9  
 flow rate, 286  
 machine type, 287  
 material, expansion rate of, 288  
 metal cutting operations, 286  
 operating period, 288  
 optimum efficiency, 288  
 protective devices, 288  
 separation, degree of, 286  
 stock nature, 287  
 system capacity, 286–7  
 system safety, 288  
 system space, 288
- Cooling water systems, 217–20
- Copper plating, 275
- Cricket filter, 157
- Cross-flow filtration, 85, 86–7, 192, 193–4, 195
- Cryptosporidia*, 94
- Cryptosporidium*, 225–6
- Cuno, 172
- Cut-off-point, 21
- Cyclones, 402  
   vs. hydrocyclones, 473–4
- Dairy products, and liquid filtration, 257–8
- Dead-end filtration, *see* Through-flow filtration
- Decanter centrifuge, *see* Scroll discharge centrifuge
- Deep bed filters, 94, 205–7
- Deep-bed filtration, 92
- Deep-bed media, 94
- Degreasing baths, 268–9
- Dehumidification, 427–8
- De-ionization plant, 235–6
- Depth filter cartridges, 254, 265
- Depth filtration, 19  
   vs. surface, 18–20
- Depth straining, 19
- Desalination, 210  
   reverse electrodialysis, 223–4  
   RO, 220–1, 238  
   RO membranes, 221–2
- Dewatering and fuel treatment:  
   aviation fuel treatment, 293  
   bilge water separators, 292  
   coalescing plate separators, 291–2  
   fuel washing, 292  
   sludge dewatering, 290–1
- Dialysis, 92  
   *see also* Electrodialysis
- Diaphragm filter press, 187–8
- Diesel engines, 297, 298–301
- Diffusion behaviour, 17
- Di-octyl phthalate (DOP), 30, 39
- Dip plating solutions, 275
- Direct interception, 17
- Dirt capacity test, 35  
   clean pressure drop test, 36  
   collapse test, 36
- Disc centrifuge, 264, 325, 327
- Disc stack bowl, 463
- Disc stack centrifuge, 323, 463, 472  
   hermetic centrifuges, 470  
   nozzle separator, 467–8  
   opening bowl centrifuge, 468–9  
   solids-ejecting separators, 466–7  
   solids retaining separators, 464–6
- Dispersed air flotation, 317, 318
- Dissolved air floatation (DAF), 317, 458
- Distillates cleaning, 320  
   *see also* Oil cleaning
- Distillation, 330
- Domestic water treatment, 227–8
- Double belt presses, *see* Belt presses
- Double pump separators, 466
- Downflow sand filters, 211–12
- Drinking water contaminants, 225  
   domestic water treatment, 227–8  
   groundwater sources, 226

- Drinking water filters, 224
  - biological treatment, 230–1
  - contaminants, drinking water, 225–6
  - domestic water treatment, 227–8
  - groundwater sources, 226
  - temporary water supplies, 228–30
- Dry air filters/cleaners, 304–5
- Dry-laid spun media, 62
- Dry scrubbers, 412, 478, 481
- Dry scrubbing, 412–13
- Dry smoke, 398
- DSM screen, 112
- Dual disc plate filter, 180, 181
- 'Dummy' plating, 274
- Duplex filters, 302
- Duplex strainers, *see* Multi-basket strainer
- Dust collectors, 402
  - exhaust (flue) gas treatment, 410
    - bag filtration, 413–15
    - ceramic filters, 415–16
    - dry scrubbing, 412–13
    - semi-dry processes, 413
    - wet scrubbing, 413
  - fabric filters, 403–10
- Dust filtration, 146, 147–8
- Dutch twilled weave, 74, 75
- Dynamic cross-flow filter systems, 193
- E-line, 324
- Edge filters, 82–4
- Effective filter area (EFA), 24
- Electrically aided filters, 204–5
- Electrodialysis, 92, 259, 269–70
- Electroflocculation, 284
- Electroflotation, 284, 458
- Electroforming, 80
- Electronics industry, 250
  - etchants, aggressive acids, 251–2
  - filter specifications, 252
  - gas processes, 252–3
  - photoresists, 253
- Electroprecipitation, 284
- Electrospinning, 62
- Electrostatic filters, 353, 385
- Electrostatic precipitator (ESP), 382, 485–8
- Element cleaning vs. disposal, 353
- Emulsified oily wastes, 315–16
- Emulsion splitting, 283–4
- EN 1822 classification, of HEPA and ULPA filters, 389
- Enclosure, 397
- Engine filters, 295
  - air filters, 302
    - cabin ventilation filters, 305–6
    - dry air filters/cleaners, 304–5
    - sizing, 305
  - liquid fuel filters, 297
    - diesel engines, 298–301
    - heavy fuels, 302
    - petrol engines, 297–8
  - oil filters, 306
    - bypass filtration, 310–11
    - element life, 312
    - full flow oil filtration, 308–10
    - rating, 311
    - size, 311–12
- Environment, for filtration and separation, 6
- Equipment Selection and Process Design* (2006), 100
- Etchants, 251–2
- European Committee of Air Handling & Refrigerating Equipment Manufacturers (EUROVENT), 373
- Exhaust gas cleaning, 482
- Exhaust (flue) gas treatment, 410
  - bag filtration, 413–15
  - ceramic filters, 415–16
  - dry scrubbing, 412–13
  - semi-dry processes, 413
  - wet scrubbing, 413
- Expanded metal sheets, 80, 81
- Fabric collectors, 402
- Fabric filters, 403, 415, 425
  - cleaning, 406–10
  - types of, 405–6
- Fabrics, 46
  - bonded porous media, 62–6
  - nonwoven materials, 57
    - meltspun materials, 59–62
    - needlefelts, 59
    - wool resin media, 58
  - woven fabrics, 50
    - synthetic monofilament fabrics, 56
    - woven yarn fabrics, 52–3, 56
- Face mask, 444, 445

- Fatigue tests, 37
- Filler yarns, *see* Weft yarns
- Filter appraisal, 285–6
- Filter bags, 150
  - for gases, 153–5, 381
  - for liquids, 151–3
- Filter cartridges, 82
  - edge filters, 82–4
  - yarn-wound cartridges, 84
- Filter dryer, 263
- Filter efficiency, 24, 29
- Filter location, 354, 358
- Filter media, 41
  - absorbent media, 45
  - adsorbent media, 45–6
  - biological filters, 46
  - business, 43–4
  - cost of, 44
  - fabrics, 46–7
    - application for, 60
    - bonded porous media, 62–6
    - nonwoven materials, 57–62
    - properties of, 54–5
    - woven fabrics, 50–6
  - filter cartridges:
    - edge filters, 82–4
    - yarn-wound cartridges, 84
  - membranes:
    - module formats, 87–90
    - processes, 90–2
    - types, 85–7
  - packed beds, 92
    - deep-bed media, 94
    - precoat filtration, 94–5
  - paper, 46
  - paper media, 47–9
  - types:
    - by format, 43
    - by material, 42
  - woven wire and screens, 66–7
    - bar and wire structures, 80–2
    - perforated plate, 76–80
    - woven wire mesh, 67–76
- Filter pads, 148, 150
- Filter panels, 148–50
- Filter performance, 491
- Filter permeability, 25–7
- Filter pocket, *see* Pocket filters
- Filter presses, 183, 290
  - diaphragm filter press, 187–8
  - plate and frame press, 184–5
  - recessed plate press, 185–7
  - vertical filter presses, 188–9
- Filter pressure drop, 359–60
- Filter ratings, 20, 491
  - absolute ratings, 21–2
  - beta ratio, 23–4
  - filter permeability, 25–7
  - mean filter rating, 22–3
  - nominal rating, 22
  - pulsating flow, effect of, 27–8
- Filter selection, 288–9, 357–8, 429–30, 489
  - air filters, 375, 499–501
  - membrane selection, 501–5
  - reference standards, 505–6
  - selection process, 491
    - compatibility, 496–7
    - contamination levels, 497
    - filter size, 496
    - prefilters, 497
    - surface vs. depth media, 496
  - sterile filters, 443–4
- Filter sheets, 49, 50
  - in beverage processes, 259
  - sterile, 254
  - types, 50
- Filter size, 25, 363–4, 496
- Filter specifications, 252
- Filter tests, 28
  - air filter tests, 37–40
  - bead challenge test, 28
    - degree of, 31
    - maximum particle passed test, 30–1
  - bubble point test, 33–5
  - dirt capacity test, 35
    - clean pressure drop test, 36
    - collapse test, 36
  - fatigue tests, 37
  - media migration test, 36–7
  - membrane characterization, 40
  - multi-pass test, 31–2
  - single-pass test, 32–3
- Filter types, in hydraulic systems, 349–53
- Filtration business, 5–6
- Filtration efficiency, of fabric filters, 403–5
- Filtration parameters, 183

- Filtration requirements, for hydraulic system, 347
- batch filtration, 357
  - bypass filtration, 356–7
  - calculation model, 365
  - cost, 364
  - electrostatic filters, 353
  - element cleaning vs. disposal, 353
  - filter location, 354
  - filter pressure drop, 359–60
  - filter selection, 357
    - based on system parameters, 360–3
    - procedure, 358–9
  - filter size, 363–4
  - filter types, 349–53
  - flow rate, 363
  - off-line filtration, 357
  - pressure line filtration, 354–6
  - pressure surges, 364
  - protective devices, 364–5
  - return line filtration, 356
  - system parameters, 360–3
- Filtration technology, 3–5, 91
- Final stage filters, 370
- Fine chemicals, 262–4
- Fine filters, 385–6
- Fish tail extractor, 396–7
- Fixed bed centrifuges, 136, 137–42
- Flat disc strainers, 101
- Flat sheets, 88, 195
- Flexible fume extraction and recirculation, 392–3, 394
- Floc blanket clarifiers, 458
- Flocculation processes, 284
- Florentine filter, 133–4
- Flotation, 317–18, 457–8
- Flow rate, in hydraulic systems, 363
- Flue gas treatment, *see* Exhaust (flue) gas treatment
- Fluid filters:
- basic types of, 498
  - selection guide for, 499
- Flux reduction, 196–7
- Food and beverage processing, 253–61
- Forced ventilation, 392
- Fouling, 86, 196
  - biofouling, 110
- Fruit juice processing, 258, 259
- Fuel washing, 292
- Full flow oil filtration, 308–10
- Fume and vapour emissions, 391
  - collection equipment, 392–8
  - fume filtration, 398–9
  - vapour treatment, 399–402
- Fume filtration, 398–9
- G-force, 459
- Gas filters:
- and sterile air, 437
    - sterile filter systems, 441–4
    - sterilizing filters, 438–41
- Gas filtration, 100, 369, 490
  - compressed air filtration, 422
    - air line filters, 434–5
    - condensate, 426–7
    - dehumidification, 427–8
    - element life, 435
    - oil removal, 428–32
    - oil vapour, 433–4
    - prefiltration, 428
    - residual oil content, 432
    - sampling, 432
    - test filter, 433
    - water, dealing with, 425
  - dust collectors, 402
    - exhaust (flue) gas treatment, 410–16
    - fabric filters, 403–10
  - fume and vapour emissions, 391
    - collection equipment, 392–8
    - fume filtration, 398–9
    - vapour treatment, 399–402
  - indoor air quality, 370
    - air filter classification, 373–83
    - air handling systems, 383–91
  - machine air intake filters, 416
    - oil bath filters, 419
    - stationary installations, 419–20
  - pneumatic systems, 435–7
  - respiratory air filters, 444
    - contaminants, 447–9
    - packaged systems, 449–50
  - sterile air and gas filters, 437
    - filters ventilation, 438–41
    - sterile filter systems, 441–4
  - vehicle cabin filters, 421–2
- Gas processes, 252–3

- Gas separation membranes, 92
- Gas-tight vacuum belt filters, 135–6
- Gas turbine system, 420
- Gelatine liquor, 260
- Giardia*, 94, 226
- Giardia lamblia*, 226
- Glass fibres, 66, 373
- Glass micro-fibre, 66, 349, 358, 429
- Gravity band filters, 281
- Gravity clarifier, 455–6, 459
- Gravity filter, 205
- Gravity separators, 313, 314, 454  
lamella separator, 456–7
- Grey water, 14, 217
- Groundwater sources, 226
- Gyratory screen separators, 114
- Half-cone angle, 463
- Handbook of Filter Media*, 28, 41, 43, 160
- Health and Safety at Work Act, 1974,  
288
- Heating:  
and oil cleaning, 330
- Heavy fuels, 302
- Herdling, 155
- Hermetic centrifuges, 470
- High efficiency particulate air (HEPA) filter,  
66, 370, 387–9
- High gradient magnetic separation (HGMS),  
203–4
- High pressure filters, 334
- High-speed separator, 464
- Hindered settling, 453
- Hollow fibre cartridge, 440–1
- Hollow fibre membrane nodules, 89, 221–2,  
248, 258
- Hopcolite, 448
- Horizontal belt filters:  
band filters, 132  
Florentine filter, 133–4  
vacuum belt filters, 134–6
- HVAC system requirements, 386
- Hydraulic systems, 281, 331  
component clearances, 348  
contaminant levels:  
CETOP RP70 system, 336–40  
counting, 344–5  
ISO 4406 cleanliness standard, 340–1  
patch tests, 344  
practice, levels in, 341–4  
contaminants in, 345  
effects of, 347  
fluid, bulk storage of, 346–7  
protection levels, 347  
equipment range, 334–5  
filter selection, 357–9, 360–3  
filtration requirements, 347  
batch filtration, 357  
bypass filtration, 356–7  
calculation model, 365  
cost, 364  
electrostatic filters, 353  
element cleaning vs. disposal, 353  
filter location, 354  
filter pressure drop, 359–60  
filter size, 363–4  
filter types, 349–53  
flow rate, 363  
off-line filtration, 357  
pressure line filtration, 354–6  
pressure surges, 364  
protective devices, 364–5  
return line filtration, 356  
industrial applications, 333–4  
system management, 365  
commissioning, 366  
disposal, 367  
installation, 366  
maintenance, 367  
operation, 367  
personnel, training of, 367  
procurement, 366  
replacement, 367  
specification, 366
- Hydrocyclones, 281, 316–17  
applications, 475  
vs. cyclones, 473–4
- Hydroentanglement, 59
- Hydrostatic precipitator, 481
- Imperforate basket centrifuge, 461
- Impingement eliminator, 485
- In-line filter, 219–20, 298
- Inclined plate/tube separator, 314
- Indoor air quality (IAQ), 370  
air filter classification, 373



- activated carbon filters, 379–80
- bag and pocket filters, 381–2
- electrostatic precipitators, 382
- louvres, 382–3
- pad and panel filters, 375–7
- roll filters, 380
- viscous panel filters, 377–8
- air handling systems, 383
  - building installations, 384
  - clean rooms, 390–1
  - fine filters, 385–6
  - HEPA and ILPA filters, 387–9
  - HVAC system requirements, 386
  - industrial air filtration, 387
  - prefilters, 384–5
  - stand-alone air purifiers, 386–7
- Industrial air filtration, 387
- Industrial air intake installations, 420
- Industrial applications:
  - of coalescers, 477
  - of hydraulic systems, 333–4
- Industrial effluent, 290
- Industrial membrane elements, 247–8
- Industrial stationary compressors, 424
- Industrial wastewater treatment, 244–7
- Inertial filters, 425
- Inertial impaction, 17
- Insulating oil treatment, 330–1
- Intake filters, 418, 424–5, 491
  - fabric filters, 425
  - inertial filters, 425
  - labyrinth-type oil-wetted filters, 425
  - oilbath filters, 425
  - paper filters, 424
- Intake screen systems, 109–10
- Integral media cartridges:
  - capsule filters, 167
  - foams, 169
  - polymer melt filtration, 167–8
  - sintered media, 164–7
  - thick media, 163–4
  - thin media, 160–3
- Ion exchange system, 234, 235–6
- ISO 4406 cleanliness standard, 340–1
- ISO Medium Test Dust, 31
- Isotropic membrane, *see* Symmetric membrane
- Kieselguhr, 259, 260
- Labyrinth-type oil-wetted filters, 425
- Lamella separator, 283, 452, 456–7
- Laminar flow clean rooms, 390–1
- Large-scale precipitators, 487
- Leaf filters, 176, 177–9
- Legionella pneumophila*, 218
- Legionnaire's disease, 217
- Lenticular disc filter, 172
- Lip extractors, 398
- Liquid filtration, 209
  - bulk water filters, 210
    - desalination, 220–4
    - raw water treatment, 211–20
  - dewatering and fuel treatment:
    - aviation fuel treatment, 293
    - bilge water separators, 292
    - coalescing plate separators, 291–2
    - fuel washing, 292
    - sludge dewatering, 290–1
  - drinking water filters, 224
    - biological treatment, 230–1
    - drinking water contaminants, 225–8
    - temporary water supplies, 228–30
  - industrial wastewater treatment, 238–40, 244–7
  - metal working fluids, 276
    - coolant process design, 285–9
    - emulsion splitting, 283–4
    - final disposal, 282–3
    - tramp oil separation, 283
    - water-based coolants, treatment for, 280–2
  - municipal wastewater treatment, 238
    - primary treatment, 241–2
    - process alternatives, 244
    - secondary treatment, 242–3
    - sludge processing, 243–4
    - tertiary treatment, 243
    - treatment processes, 240–1
  - process filters, 247
    - bioprocessing, 261–2
    - electronics industry, 250–3
    - fine chemicals, 262–4
    - food and beverage processing, 253–61
    - paints and inks, 265–6
    - pulp and paper, 267
    - textiles, 267
    - vacuum process filters, 248–50

- Liquid filtration (*Continued*)  
  process water treatment, 231  
    boiler feed water treatment, 232–6  
    ultra-pure process water, 236–8  
  surface treatment chemicals, 267  
    acid cleaning and pickling baths, 270  
    alkaline cleaning solutions, 270–1  
    anodizing solutions, 271  
    carbon treatment, 276  
    chromium plating, 274  
    copper plating, 275  
    degreasing baths, 268–9  
    dip plating solutions, 275  
    electrodialysis, 269–70  
    nickel plating, 274  
    phosphating solutions, 271–2  
    plating solutions, 272–3  
    zinc plating, 275
- Liquid flow contaminants:  
  applications, 14, 15
- Liquid fuel filters:  
  diesel engines, 298–301  
  heavy fuels, 302  
  petrol engines, 297–8
- Local exhaust ventilation (LEV), 394–6
- Log Reduction Value (LRV), 24
- Louvres, 373, 382–3
- Low pressure filters, 334
- Lug screen, 112
- Machine air intake filters, 416  
  oil bath filters, 419  
  stationary installations, 419–20
- Machining process:  
  with coolants and cleaning systems, 278
- Macrofiltration, 4
- Magnetic filters, 198  
  combined magnetic and mechanical  
  filters, 201, 202  
  high gradient magnetic separation, 203–4  
  magnetic separators, 203  
  pipeline filters, 199–200  
  rotating disc clarifier, 202  
  trough filters, 200–1  
  vibratory magnetic filter, 201–2
- Magnetic separators, 203
- Maximum particle passed test, 30–1
- Mean filter rating, 22–3
- Mechanical/physical separation, 451–2
- Media characteristics, summary of, 492–5
- Media migration test, 36–7
- Medium pressure filters, 334
- Melt blowing, 61
- Melt spinning, *see* Spun bonding
- Meltspun materials, 59–62
- Membrane bioreactor (MBR), 198, 244
- Membrane cartridge filters, 439–40
- Membrane filter press, 187
- Membrane filters, 192, 194–8, 253, 254  
  applications, 255–6  
  flux reduction, 196–7  
  membrane bioreactor (MBR), 198  
  membrane manufacture, 197–8
- Membrane manufacture, 197–8
- Membrane processes, 90–2, 195, 236–8,  
  247, 267
- Membrane selection, 501–5
- Membrane systems, 192, 194–8, 400
- Membranes, 85, 244, 504  
  characterization, 40  
  module formats, 87–90  
  processes, 90–2, 93  
  types, 85–7
- Mesh, 50  
  Woven wire mesh, 67–76
- Metal cutting operations, 286
- Metal media, 63–4
- Metal working fluids, 276  
  coolant treatment process design, 285  
  filter, purpose and need for, 286  
  filter appraisal, 285–6  
  filter selection, 288–9  
  flow rate, 286  
  machine type, 287  
  material, expansion rate of, 288  
  metal cutting operations, 286  
  operating period, 288  
  optimum efficiency, 288  
  protective devices, 288  
  separation, degree of, 286  
  stock nature, 287  
  system capacity, 286–7  
  system safety, 288  
  system space, 288

- emulsion splitting, 283–4
- final disposal, 282–3
- tramp oil separation, 283
- water-based coolants treatment, 280–2
- Metallic impurities, 252
- Metallic membranes, 90
- Microbial rating, 24
- Microfiltration, 90, 236–7
- Microfiltration membranes, 90, 244, 504
- Micro-organisms, 437
- Microporous membrane, 86
- Milled hole profiles, 80
- Mineral wool, 65
- Mist eliminators, 481–5
- Mixed cellulose esters, 504
- Modern crankcase lubricants, 307
- Molecular weight cut-off, 90, 318, 504
- Monofilament, 52, 56
- Most Penetrating Particle Size (MPPS), 40, 387
- Moving bed centrifuges, 136
  - conical basket centrifuges, 142–4
  - pusher centrifuge, 144–6
- Moving bed filter, 214–16
- MTBE, 226
- Multi-basket strainer, 104, 106
- Multi-cyclones, 402
- Multifilament, 52, 56
- Multigrade oils, 307
- Multi-pass test, 31–2, 500
- Multiple compartment collectors, 407–8
- Multi-spindle rotary indexing machine, 285
- Multistage filter system, 372
- Multistage flash distillation, 220
- Multi-tubular membrane modules, 248
- Municipal wastewater treatment, 238
  - primary treatment, 241–2
  - process alternatives, 244
  - secondary treatment, 242–3
  - sludge processing, 243–4
  - tertiary treatment, 243
  - treatment processes, 240–1
- Nanofiltration (NF), 4, 90
- Natural fibres, 45, 51
- Natural ventilation, 392
- Needle punching, 59
- Needlefelts, 59, 414
- Nickel plating, 274
- Nitrous oxide, 448
- Nominal rating, 22
- Non-porous membrane, *see* Semi-permeable membrane
- Non-rigid filters, 266
- Nonwoven fabrics, 50
- Nonwoven filter fabrics, 403, 417
- Nonwoven materials, 57
  - meltspun materials, 59–62
  - needlefelts, 59
  - wool resin media, 58
- Nozzle discharge machine, 467
- Nozzle separator, 467–8
- Nutsche filters, 114–15
- Off-line filtration, 357
- Oil aerosol, 447–9
- Oil bath filters, 419, 425, 497
- Oil cleaning, 320
  - centrifugal oil cleaning, 322–8
  - coalescing plate separators, 329–30
  - distillation, 330
  - filtration, 321–2
    - and heating, 330
    - oil disposal, 331
- Oil disposal, 331
- Oil filters, 306
  - bypass filtration, 310–11
  - element life, 312
  - full flow oil filtration, 308–10
  - rating, 311
  - size, 311–12
- Oil removal, 428–32
  - methods:
    - air flotation, 317–18
    - filtration, 318
    - ultrafiltration, 318–20
- Oil vapour, 433–4, 447
- Oil–water separators, 312
  - coalescing separators, 314–16
  - hydrocyclones, 316–17
  - oil removal, from separators:
    - air flotation, 317–18
    - filtration, 318
    - ultrafiltration, 318–20

- Oils systems:
- engine filters, 295
    - air filters, 302–6
    - liquid fuel filters, 297–302
    - oil filters, 306–12
  - oil cleaning, 320
    - centrifugal oil cleaning, 322–8
    - coalescing plate separators, 329–30
    - distillation, 330
    - filtration, 321–2
    - heating, 330
    - oil disposal, 331
  - oil–water separators, 312
    - coalescing separators, 314–16
    - hydrocyclones, 316–17
    - oil removal, 317–20
- Oklahoma State University, 160
- Once-through cooling system, 217
- Open bubble pressure, 35
- Opening bowl centrifuge, 468–9
- Osmosis, 221
- Osmotic pressure, 221
- OSUF-Z test, 160
- Oxidizer systems, 400–1
- Oxygen filters, 442
- Packaged purification systems, 449–50
- Packaged water treatment plant, 230
- Packed beds, 92
  - deep-bed media, 94
  - precoat filtration, 94–5
- Pad filters:
- and panel filters, 146, 372–3, 375–7, 418
    - dust characteristics, 147–8
    - filter pads, 148
    - filter panels, 148–50
- Paints and inks, 265–6
- Paper elements, 49
- Paper filters, 424
- Paper media, 47
  - filter sheets, 49–50
- Particle collection mechanisms, 16
- Particle concentration efficiency tests, 40
- Particle settlement, 9, 10
- Particle test rig circuit, 342
- Patch tests, 344
- Perforated plate, 76
  - expanded metal sheets, 80, 81
  - hole dimensions, 77–8
  - patterns, 79
- Permanent strainers, 102–4, 105
- Permanently hydrophilic polymer membranes, 268
- Permeability, of filter, 25–7
- Permeates, 41, 192, 221, 222
- Pervaporation, 92
- Petrol engines, 297–8
- Phase formation processes, 284
- Phosphating solutions, 271–2
- Photo-etching, 80, 87
- Photoresists, 251, 253
- Physical/mechanical separation, 451
- Pickling bath, 270
- Pipeline filters, 199–200
- Plain/double crimped weave, 71
- Plain Dutch weave, 71, 74
- Plain weave, 53, 67, 68, 71, 74
- Plate and frame press, 184–5, 259
- Plate filters, 176, 179–82
  - cake discharge, 180–2
  - vibrating disc filter, 182
- Plating solutions, 272–3
- Pleated cartridge, 88, 160, 161, 163, 406
- Pleated paper roll filter, 289
- Pneumatic band filters, 281
- Pneumatic systems, 435–7
- Pocket filters, 155–6, 373, 381–2, 384, 385
- Pods, 218–19
- Poiseuille's law, 34
- Polishing filters, 254
- Polymer melt filtration, 167–8
- Porous membrane, 86
- Porous plastic sheet media, 63
- Porous plastic tubes, 63
- Portable oil purifier, 324, 325
- Precoat filter, 126–7
- Precoat filtration, 94–5
- Prefilters, 384–5, 497
- Prefiltration, 428
- Press belts, 135, 189
- Pressure line filtration, 354–6, 365
- Pressure vessel filter, 214
- Primary filters, 370
- Primary lamella clarifier, 242
- Principles of Industrial Filtration* (2005), 100

- Process filters, 247  
  bioprocessing, 261–2  
  electronics industry, 250  
  etchants, 251–2  
  filter specifications, 252  
  gas processes, 252–3  
  photoresists, 253  
  fine chemicals, 262–4  
  food and beverage processing, 253–61  
  paints and inks, 265–6  
  pulp and paper industry, 267  
  textiles, 267  
  vacuum process filters, 248–50
- Process gas cleaning, 482
- Process water treatment, 231  
  boiler feed water treatment, 232  
  ion exchange system, 234, 235–6  
  ultra-pure process water, 236  
  membrane processes, 236–8
- Projection microscope, 345
- Protective devices, 107, 288, 364–5
- Protecto-Screen, 111, 112
- Pseudomonas diminuta*, 24
- PTFE, 252, 314, 441, 504  
  filter media, 414
- Pulp and paper industry, 267
- Pulsating flow, effect of, 27–8
- Pulse cleaning cycle, 408
- Pulse energized electrostatic precipitators, 488
- Pulse-jet mechanism, 408, 410
- Pusher centrifuge, 144–6
- PVDF, 504
- Rain water recycle, 216–17
- Random fibre element filter, 289
- Rapid sand filters, 94, 205, 206
- Raw water treatment:  
  bulk water treatment, 211–13  
  cooling water system, 217–20  
  moving bed filter, 214–16  
  rain water recycle, 216–17  
  upflow sand filters, 213–14
- Recessed plate press, 185–7
- Reciprocating tray filter, 134–5
- Recirculating cooling system, 217
- Recommended ventilation air velocities, 395–6
- Reference standards, 505–6
- Regenerative thermal oxidizer, 401
- Respirator masks, 444, 445
- Respiratory air filters, 444  
  contaminants, 447–9  
  packaged systems, 449–50
- Return line filtration, 311, 356
- Reverse electro dialysis, 223–4
- Reverse filtration flow, 121
- Reverse flow cleaning, 83, 417, 418  
  of fabric filters, 407
- Reverse flow valves, 364
- Reverse osmosis (RO), 90, 195, 220–1, 237, 238  
  in dairy industry, 257–8  
  desalination, 220–2  
  in pulp and paper industry, 267  
  in textiles, 267  
  vs. UF, 4
- RO membranes, 221–2
- Reverse plain Dutch weave, 71, 75
- Reverse-pulse cleaning, 408, 410
- Wakeman, Richard, 489
- Rigid filter, 265, 266
- Roll filters, 271, 373, 380, 384, 385
- Roller discharge, 122, 123, 124
- Rotary disc filters, 128  
  capillary disc filter, 130–1
- Rotary disk technology, 168
- Rotary drum filters, 116, 290  
  rotary pressure drum filter, 127–8  
  RVDF, 117–27  
    cake discharge methods, 121–6  
    precoat filter, 126–7  
    reverse filtration flow, 121
- Rotary pressure drum filter, 127–8
- Rotary table filters, 116
- Rotary vacuum drum filters (RVDF), 117–27, 248, 290  
  applications, 119–20  
  cake discharge methods, 121–6  
  precoat filter, 126–7  
  reverse filtration flow, 121
- Rotating disc clarifier, 202
- Rotating screens, 110–11
- Rotating viscous panel filters, 373
- Royal Commission, 240
- Rubber belt filter, 135

- Salt cloud particle size distributions, 39
- Sand filter, *see* Deep bed filters
- Sand washer, 215
- Satin weave, 56
- Scale-up of Industrial Equipment* (2005), 100
- Scraper discharge, 118, 121, 122, 123, 139
- Screen bowl centrifuge, 472
- Screens, 107
  - intake screen systems, 109–10
  - rotating screens, 110–11
  - size classification screens, 112–14
    - gyratory screen separators, 114
    - vibratory screens, 113
  - stationary water screens, 107–8
  - vs. strainers, 107
  - well screens, 111–12
- Screw presses, 192
- Scrim, 57
- Scroll discharge centrifuge, 264, 470–2
- Scroll discharge version, 143
- Scrubbers, 373, 403, 412, 478
- Second-stage filters, 370, 384, 385
- Sectoral market shares, in 2007, 6
- Sedimentation theory, 3, 452–4
- Sedimenters, 4, 298, 300
- Sedimenting centrifuge, 322, 458–9, 459–60, 461
- Sedimenting separators, 454
  - floc blanket clarifiers, 458
  - flotation, 457–8
  - gravity separators, 454
  - lamella separator, 456–7
- Selection process, 491
  - compatibility, 496–7
  - contamination levels, 497
  - filter size, 496
  - prefilters, 497
  - surface vs. depth media, 496
  - for hydraulic systems, 358–9
- Self-cleaning clarifier, 324, 325
- Self-cleaning coolant filtration system, 280–1
- Self-cleaning filter system, for cooling water systems, 218–19
- Self-cleaning filters, 175–6, 218
- Self-cleaning oil and water separators, 315
- Self-cleaning strainers, 104, 106
- Semi-dry gas cleaning processes, 413
- Semi-dry scrubbers, 413, 480–1
- Semi-permeable membrane, 86, 194, 221, 319
- Semi-synthetic oils, 307
- Separating zone, 203, 465
- Separation equipment, 451
  - centrifuges, 458
    - chamber bowl centrifuge, 462–3
    - disc stack centrifuge, 463
    - hermetic centrifuges, 470
    - imperforate basket centrifuge, 461
    - nozzle separator, 467–8
    - opening bowl centrifuge, 468–9
    - scroll discharge centrifuge, 470–2
    - sedimenting centrifuge, 459–60
    - solids-ejecting separators, 466–7
    - solids retaining separators, 464–6
    - tubular bowl centrifuge, 461
  - coalescers, 474–8
  - cyclones, 473–4
  - dry scrubbers, 478, 481
  - electrostatic precipitator, 485–8
  - hydrocyclone, 473–4
  - hydrostatic precipitator, 481
  - mist eliminators, 481–5
  - sedimentation theory, 452–4
  - sedimenting separators:
    - floc blanket clarifiers, 458
    - flotation, 457–8
    - gravity separators, 454–7
  - semi-dry scrubbers, 480–1
  - wet, 478, 479–80
- Separation spectrum, 1, 2
- Settling rate, 454, 459
- Sewage Disposal, 240
- Shaker cleaning, of fabric filters, 407, 408
- Sheet filters, 259–60, 262
- Shut-off valves, 364
- 'Sick building' syndrome, 370
- Silver, 504
- Single basket-type strainers, 103, 104, 105
- Single-pass test, 32–3
- Single-stage air intake filters, 418
- Single-stage dry air cleaner, 304
- Sintered metal fibres, 63–4, 164–7
- Sintered wire mesh, 75–6
- Size classification screens, 112–14

- gyratory screen separators, 114
- vibratory screens, 113
- Skimmer, 283, 317
- Slip-on screen, 112
- Slow sand filters, 94, 205
- Sludge dewatering, 290–1
- Sludge processing, 110–11, 243–4
- Solid Liquid Filtration and Separation Technology*, 100
- Solid/Liquid Separation: Principles of Industrial Filtration*, 489
- Solid Liquid Separations* (2005), 100
- Solids-ejecting separators, 466–7
- Solids-retaining clarifier, 323, 324, 325
- Solids retaining separators, 464–6
- Spiral wound membrane, 88, 221, 222, 266
- Spun bonding, 59, 61
- Spun webs, 61
- Square mesh, 68, 71, 74
- Stacked disc filters, 83–4
- Staining test, 39
- Stand-alone air purifiers, 386–7
- Staple yarns, 51
- Star filter, 282
- Stationary installations:
  - of machine air intake filters, 419–20
- Stationary water screens, 107–8
- Steam boiler system, *see* Boiler feed water treatment
- Sterile air, 65
  - and gas filters, 437
  - sterile filter selection, 443–4
  - sterile filter systems, 441–3
  - sterilizing filters, 438–41
- Sterile filter systems, 441
  - oxygen filters, 442
  - selection, 443–4
  - ultra-pure gases, 442–3
- Sterilizing filters, 438–41
- Stokes's law, 313, 329, 459
- Strainers, 100, 265
  - continuous operation, 104, 106
  - performance, 105
  - permanent strainers, 102–4, 105
  - vs. screens, 107
  - temporary strainers, 101–2
- Suction line filters, 354, 365
- Sugar centrifugals, 140
- Surface:
  - and depth filtration, 14, 16–20
- Surface filters, 160, 266
  - vs. depth media, 496
- Surface straining, 18, 19–20
- Surface treatment chemicals, 267
  - acid cleaning and pickling baths, 270
  - alkaline cleaning solutions, 270–1
  - anodizing solutions, 271
  - carbon treatment, 276
  - chromium plating, 274
  - copper plating, 275
  - degreasing baths, 268–9
  - dip plating solutions, 275
  - electrodialysis, 269–70
  - nickel plating, 274
  - phosphating solutions, 271–2
  - plating solutions, 272–3
  - zinc plating, 275
- Surface water, 7, 210
- Symmetric membrane, 86, 194
- Synthetic fibre felt, 310
- Synthetic fibres, 51, 66, 149
- Synthetic lubricants, 307
- Synthetic oils, 307
- System management, in hydraulic filters, 365
  - commissioning, 366
  - disposal, 367
  - installation, 366
  - maintenance, 367
  - operation, 367
  - personnel, training of, 367
  - procurement, 366
  - replacement, 367
  - specification, 366
- System parameters, 155, 360–3
- Tangential-flow filtration, *see* Cross-flow filtration
- Tarleton, Steve, 489
- Temporary strainers, 101–2
- Temporary water supplies, 228–30
- Terminal velocity, 9, 453, 454
- Test sieves, 70, 72–3
- Textile fibres, 50
- Textiles, 267
- Thermo-compression distillation, 220

- Thick media cartridges, 163–4
- Thick media pressure filter, 289
- Thin media cartridges, 160–3
- Three-phase decanter, 327, 472
- Through-flow filtration, 192
- Tipping pan filters, 115–16
- Track-etched polycarbonate, 504
- Track etching, 87
- Tramp oil separation, 283
- Travelling screen, 108
- Trickle filter, 46, 243, 401
- Trihalomethanes, 225
- Trough filters, 200–1
- Tube press, 191
- Tubular bowl centrifuge, 263, 264, 461
- Tumbling centrifuge, 143
- Twill weave, 53, 71, 74
- Two-stage air intake filters, 418
- Two-stage multi-media filter, 212
- Types, of filters:
- backflushing filters, 172–4
  - belt presses, 189–90
  - candle filters, 157–8
  - cartridge filters, 158
    - constructed cartridges, 169–72
    - integral media cartridges, 160–9
  - centrifugal filters, 136
    - fixed bed, 136, 137–42
    - moving bed, 136, 142–6
  - classification of, 98–9
  - cross-flow filtration, 192, 193–4
  - deep bed filters, 205
    - continuous deep bed filters, 206–7
  - electrically aided filters, 204–5
  - filter bags, 150
    - for gases, 153–5, 156
    - for liquids, 151–3
  - filter presses, 183
    - diaphragm filter press, 187–8
    - plate and frame press, 184–5
    - recessed plate press, 185–7
    - vertical filter presses, 188–9
  - filtration parameters, 183
  - horizontal belt filters, 132
    - band filters, 132–4
    - vacuum belt filters, 134–6
  - leaf filters, 176, 177–9
  - magnetic filters, 198
    - combined magnetic and mechanical filters, 201, 202
  - HGMS, 203–4
    - magnetic separators, 203
  - pipeline filters, 199–200
  - rotating disc clarifier, 202
  - trough filters, 200–1
    - vibratory magnetic filter, 201–2
- membrane filters, 192, 194–8
- flux reduction, 196–7
  - membrane bioreactor (MBR), 198
  - membrane manufacture, 197–8
- Nutsche filters, 114–15
- pad and panel filters, 146
- dust characteristics, 147–8
  - filter pads, 148
  - filter panels, 148–50
- plate filters, 176, 179–82
- cake discharge, 180–2
  - vibrating disc filter, 182–3
- pocket filters, 155–6
- rotary disc filters, 128
- capillary disc filter, 130–1
- rotary drum filters, 116
- rotary pressure drum filter, 127–8
  - rotary vacuum drum filters, 117–27
- screens, 107
- intake screen systems, 109–10
  - rotating screens, 110–11
  - size classification screens, 112–14
  - stationary water screens, 107–8
  - well screens, 111–12
- Screw presses, 192
- self-cleaning filters, 175–6
- strainers, 100
- continuous operation, 104, 106
  - performance, 105
  - permanent, 102–4, 105
  - temporary, 101–2
- tipping pan and table filters, 115–16
- variable volume filters, 190–1
- UF/RO membrane plant, 93
- Ultra low penetration air (ULPA) filter, 66, 370, 387–9
- Ultrafiltration (UF), 4, 90, 226, 236–7, 258, 259, 318–20
- Ultrafiltration membrane, 90, 504



- Ultra-fine filters, 66, 370, 434
- Ultra-pure gases, 442–3
- Ultra-pure process water:
  - membrane processes, 236–8, 239
- Upflow sand filters, 211, 213–14
- Utility filters, 247
  
- Vacuum belt filters, 134–6, 190, 248–9, 290
- Vacuum process filters, 248–50
- van der Waals forces, 16, 479
- Vapour treatment, 399
  - biofiltration, 401–2
  - oxidizer systems, 400–1
- Variable chamber (VC) filter, 190, 191
- Variable volume filters, 190–1
- VDI, 505
- Vehicle cabin filters:
  - cabin filtration media, 421–2
- Ventilation air filters:
  - Eurovent and cen classifications of, 500
- Ventilation air velocities, gas filtration, 395–6
- Vertical decanter, 472
- Vertical filter presses, 188–9
- Vertical leaf pressure filter, 177
- Vertical vessel leaf filter, 178
- Very large-scale integration (VLSI) range, 250, 252, 390
- Vibrating disc filter, 182
- Vibratory magnetic filter, 201–2
- Vibratory screens, 113
- Vibratory Shear Enhanced Processing (VSEP), 193
- Viscous panel filters, 373, 377–8
- Volatile organic compounds (VOCs), 277, 380, 399, 400, 401
  
- Warp yarns, 52
- Wash water specification, 251
- Waste oil ultrafiltration, 318, 319
  
- Wastewater treatment, *see* Municipal wastewater treatment; Industrial wastewater treatment
- Water-based coolants, treatment for, 280–2
- Water desalination, *see* Desalination
- Weaves:
  - types of, 53, 56, 71–5
  - for wire cloth, 76
- Wedge wire edge filter, 170
- Wedge-wire screen, 81–2
- Weft yarns, 52
- Weight arrestance test, 39–40
- Weld screen, 112
- Well screens, 111–12
- Wet collectors, *see* Scrubbers
- Wet precipitators, 487
- Wet scrubbers, 478, 479–80
- Wet scrubbing, 413
- Wet smoke, 392, 398
- Wool resin media, 58
- Woven fabrics, 50
  - monofilament fabrics, 56
  - woven yarn fabrics, 52–3, 56
- Woven wire and screens, 66
  - bar and wire structures, 80–2
  - perforated plate, 76–80
  - woven wire mesh, 67–76
- Woven wire cloth, 68
- Woven wire mesh, 67
  - dimensions, 68, 69–70
  - sintered wire mesh, 75–6
  - weave types, 71–5
- Woven yarn fabrics, 52–3, 56
  
- Y-type strainers, 102, 103
- Yarn-wound cartridges, 84, 170–1
  
- Zero aperture filter cloths, 67
- Zinc plating, 275