

Index

A

Absorption (absorber), 8, 11, 200
 equipment, 225
 graphical design method, 231
 Kremser method, 201, 235
 minimum absorbent flow rate, 232
 reboiled, 8, 11, 15
 rigorous design methods, 366, 420
 stage (plate, tray) efficiency, 237
 Absorption factor, 201
 Acentric factor, 51
 Activity, 41
 Activity coefficient, 40
 Adiabatic flash, 162
 Adiabatic-saturation temperature, 809, 811
 Adsorbate loading, 670
 Adsorbents, 619–624, 626–633
 activated alumina, 621, 623
 activated carbon, 621, 623
 molecular-sieve carbon, 621, 623
 molecular-sieve zeolites, 621, 623
 polymeric, 621, 624
 silica gel, 621, 623, 645
 Adsorption (adsorber), 14, 617
 capacity, 651
 Freundlich isotherm, 630–632
 Henry's law (linear isotherm), 630
 Langmuir isotherm, 631–633
 membrane, 650–651
 pressure-swing, 14, 662–665, 673
 simulated moving-bed, 638, 650, 678
 slurry, 662, 663, 667
 thermal-swing, 14, 661, 663, 669
 transport, 638–644
 true moving bed (TMB), 678
 Air
 purification, 850
 particle sizes (in air), 850
 particle capture devices (for air), 851
 Amagat's law, 44
 Analogies, 124
 Chilton-Colburn, 124

Churchill-Zajic, 126
 Friend-Metzner, 126
 Prandtl, 124
 Reynolds, 124
 Aqueous two-phase extraction (ATPE), 374–378
 Arithmetic-mean diameter, 737
 Availability, 38
 Axial dispersion (backmixing), 366
 Azeotropes, 61, 63, 155
 Azeotropic distillation, 9, 11, 448, 468, 472

B

Baghouse, 855
 Balances
 Availability (exergy), 38
 energy, 39
 entropy, 39
 material (mole or mass), 14
 Batch distillation, 514
 differential, 514
 multicomponent,
 rapid method, 453
 rigorous method, 404
 shortcut method, 520
 Barrer unit, 548
 BET equation, 621
 Billet-Shultes correlations
 flooding, 262
 holdup, 262
 mass transfer, 264
 pressure drop, 264
 Binodal curve, 338, 344, 473
 Biocolloid interactions, 74–80
 bond energies, 74
 electrostatic double layers, 77
 flocculation, 74
 hydration forces, 77
 solvation forces, 77
 steric forces, 79
 surface force measurements, 79
 van der Waals forces, 76

- Biomolecule reactions, 80–82
 - affinity interactions, 82
 - bioaffinity, 81, 376
 - bonding, 80–81
 - Bioproducts, 21–23
 - biopolymers, 21–22, 368–369
 - cellular particulates, 21–22
 - extraction, 368–379
 - mechanical separations, 876–881
 - cell disruption, 877
 - coagulation, 878
 - extracellular products, 876
 - intracellular products, 877
 - precipitation, 877
 - sequencing of bioseparations, 30
 - proteins, 20–21, 23, 28, 31, 71, 73, 77, 79, 141, 142, 323, 325, 368, 369, 373–376, 542, 543, 555, 586–589, 591, 592, 594–595, 602, 647, 648, 691–693, 703, 708, 774, 877, 878
 - sizes, 23
 - small molecules, 25
 - thermodynamic activity of, 24, 28
 - Bioseparations, 20–30
 - activity, 24
 - chromatography, 617–628
 - crystallization, 729–730, 738, 740–743, 745–749, 752–756
 - electrophoresis, 688–694
 - example, 28
 - extraction, 368–379
 - features of, 23–26
 - membranes, 585–609
 - purity, 26
 - steps in, 26–28, 587
 - yield, 26
 - Blasius equation, 118
 - Boiling-point elevation, 767
 - Boilup, 11, 286
 - Bond energies, 74
 - covalent, 74
 - hydrogen, 74
 - hydrophilic, 78
 - hydrophobic, 78
 - Bow-tie region, 458
 - Brownian motion, 862
 - Bubble cap, 226–227
 - Bubble point, 160–161
 - Bubble-point (BP) method, 414
 - Buffers, 69–73
 - Phosphate buffered saline (PBS), 72
 - Bulk-flow in mass transfer, 91, 92
- C**
- Calculus of variations, 534
 - Candle particle collectors, 855
 - Carman-Kozeny (Kozeny-Carman) equation, 21, 552, 553, 867
 - Carrier, 163, 323
 - Cascades, 195
 - Catalytic distillation, 448
 - Cell disruption, 880–881
 - by freezing, 881
 - by mechanical means, 880–881
 - by ultrasound, 880
 - Cell reactions, 572
 - Centrifugal contactor, 225
 - Centrifugation
 - gas, 15
 - Ultracentrifugation, 141
 - Centrifuges, 872–874
 - basket, 873
 - bowl, 873
 - disk stack, 873
 - Sigma factor, 873
 - Chan-Fair correlation, 249
 - Chaotropes, 78
 - Chemical potential, 40, 41, 139
 - vs. physical potential, 139
 - Chemsep program, 504
 - Chromatography, 14, 587, 617, 626, 627, 637
 - affinity, 648
 - convection-dispersion model, 639
 - equilibrium wave pulse theory, 660
 - equipment, 662
 - hydrophobic interaction, 648
 - immobilized metal affinity, 80–81, 649
 - ion exchange, 28, 647–648, 650–651
 - kinetics, 638
 - loading, 639
 - plate height, 641
 - rate-based model, 642–646
 - resolving power, 642, 645
 - reversed-phase, 648
 - scale-up, 649
 - separation efficiency, 641, 649
 - size exclusion, 649
 - theory, 638–646
 - Chilton-Colburn analogy, 124
 - j*-factors, 124, 643
 - Clarifiers, 878
 - Cloud-point titration, 166
 - Coalescence and coagulation devices, 852
 - for bioproducts, 879
 - Co-ion, 573

- Composition, measures of, 17
 - Compressibility factor, 50
 - Concentration polarization, 568, 573, 577, 585, 596
 - Condenser, 293
 - Continuity equation, 246
 - Convergence pressure, 47, 54
 - Corresponding states, theorem of, 50
 - Counterion, 573
 - Critical solution temperature, 336
 - Crystal(s), 731, 773
 - biological, 773
 - habits, 733, 734
 - predominant size, 753
 - size distribution, 734
 - space lattices, 734
 - systems, 733
 - Crystallization (crystallizer), 10, 11, 729
 - batch, 776
 - constant supersaturation, 780
 - dilution, 777
 - bioproducts, of, 773–782
 - cooling curve, 776
 - equipment, 748, 759
 - growth, crystal, 745, 775
 - law of McCabe, 753
 - melt, 12, 758
 - micromixing, 780
 - MSMPR model, 752
 - nucleation, 744
 - population balance, crystal, 778
 - precipitation, 777
 - scale-up, 781
 - seeding, 776
 - size distribution, 777
 - solubility, 730, 731, 738
 - supersaturation, 743, 780
 - zone melting or refining, 12, 762
 - Cunningham correction, 863
 - Current density, 573
 - Cut, 562
 - Cyclones, 855
 - collection efficiency, 857
 - design, 861
- D**
- Dalton's law, 44
 - Darcy's law, 551, 866
 - Decanter (settler), 324, 327, 327, 852–853
 - design, 866
 - oil-water, 866
 - Degrees of freedom analysis, 150, 208
 - Deionization, 617
 - Demineralization, 617
 - Desublimation, 10, 12, 178, 764
 - Dew point, 160
 - Diafiltration, 603
 - Dialysis, 12, 570
 - Diffusion, 91
 - eddy (turbulent), 91
 - equimolar counterdiffusion (EMD), 93
 - Fick's first law, 92
 - Maxwell-Stefan equations, 137, 501
 - molecular, 91, 138
 - multicomponent, 497
 - pores, in, 103
 - shear-induced, 599
 - steady-state, 92, 109
 - unimolecular diffusion (UMD), 94
 - unsteady state, 108, 109
 - Newman's method, 112
 - velocities, 92
 - Diffusivity (diffusion coefficient), 96, 138
 - biological solutes, 102
 - effective, in porous solid, 103, 645
 - electrolytes, 102
 - gas mixture, 96
 - liquid mixture, 98
 - Onsager's reciprocal relations, 138
 - solids, 103
 - Dimensionless groups in transport, 123
 - Eotvos number, 360
 - Fourier number for mass transfer, 112, 825
 - Froude number, 123, 257, 356
 - Lewis number, 123, 810
 - Luikov number, 810
 - Nusselt number, 123
 - Peclet number, 123, 367
 - Peclet number for mass transfer, 123, 242
 - Power number, 355
 - Prandtl number, 123
 - Rayleigh number, 690
 - Reynolds number, 123
 - impeller, 355
 - Schmidt number, 123
 - Sherwood number, 123
 - Stanton number, 123
 - Stanton number for mass transfer, 123
 - Weber number, 123
 - Distillation, 7–9, 11, 280, 389, 410, 448, 496, 514
 - equipment, 225–229
 - operating pressure, selection of, 391
 - Distillation boundary, 451
 - Distillation curve, 457
 - Distillation curve map, 457

- Distribution coefficient, 42, 335
- DLVO theory, 74
- Donnan effect (exclusion), 73, 573
- Drag coefficient, 119, 245, 862
 - vs. Reynolds number, 862
- Dry-bulb temperature, 809, 811
- Drying of solids, 9, 11, 790
 - drying periods, 817
 - equipment, 791
 - models, 830
 - belt dryer, through-circulation, 832
 - direct-heat rotary dryer, 834
 - fluidized-bed dryers, 836
- E**
- Eddy diffusivities, 124
- Efficiency, stage
 - Murphree tray, 240
 - Overall of Lewis, 237
- Electrodialysis, 15
- Electrolysis, 15, 574
- Electrolyte solution models, 67
- Electrostatic precipitators, 856–857
- Electrophoresis, 15, 688
 - banding, 693
 - blotting, 693
 - detection, 692–693
 - gels, 692
 - geometries, 692
 - modes, 688, 690–692
 - capillary, 690
 - denaturing, 690
 - isoelectric focusing (IEF), 690–691
 - isotachopheresis, 691
 - pulsed-field, 691–692
 - two-dimensional, 691
 - resistive heating, 689–690
 - theory, 692
- Electrostatic double layer interactions, 75–76
- Energy-separating agent (ESA), 7
- Enthalpy-concentration diagrams, 310, 742, 769
- Eotvos number, 360
- Equation of state models, 44
- Equation tearing, 412
- Ergun equation, 262–263, 552
- Espresso machine, 5, 711
- Euler method, 452, 521, 526–527
- Eutectic point, 71, 173, 174, 729, 730, 758
- Evaporation (evaporator), 9, 11, 766–767
 - equipment, 767
 - model, 768
 - multiple-effect systems, 770
- Exergy, 38
- Expression, 858
- Extraction factor, 198
- Extractive distillation, 7, 8, 460
- F**
- F*-factor, 249, 265
- Fabric collectors, 855
- Fanning friction factor, 120, 123
- Faraday's law, 574
- Fenske equation, 392
- Fenske-Underwood-Gilliland method, 389
- Fick's first law, 92, 557
- Fick's second law, 110
- Field-flow fractionation, 15
- Film theory, 129
 - film-penetration theory, 132
 - film theory of Nernst, 129
 - Maxwell-Stefan relation to, 142
 - penetration theory, 130
 - surface-renewal theory, 131
- Film thickness, 129
- Filter aid, 849
- Filter cake, 848
 - cake resistance, 867
 - compressibility, 867
 - void fraction, 867
- Filter operation, 867–876
 - constant pressure, 867–871
 - constant rate, 871
 - variable rate, 871
 - wash cycles, 874–876
- Filter selection, P^c Select, 858
- Filters, types of, 851
 - bag, 855
 - belt, 858
 - Brink, fiber bed, 854
 - CEN/EUROVENT, ULPA classification, 853
 - coalescing, 854
 - depth, 850
 - HEPA, 850
 - leaf, 859
 - mesh, 860
 - plate and frame, 858
 - rotary drum, vacuum, 858
 - vanes and louvers, 855
- Fixed-bed adsorption (Percolation), 653
 - breakthrough, 653
 - constant-pattern front, 658
 - ideal (local) equilibrium, 653
 - linear driving force (LDF), 655

mass-transfer zone (MTZ), 658
 stoichiometric front, 653
 Flash vaporization, 7, 8, 157
 adiabatic, 162
 isothermal, 158, 182
 Flocculators, 852
 Flooding, 245
 packed column, 260
 plate column, 245
 Fluidization, 836
 Foam fractionation, 10, 12
 Fourier's law, 108
 Freundlich adsorption isotherm, 630
 Fugacity, 40, 41
 Fugacity coefficient, 40, 41

G

Gibbs phase rule, 150

H

Henderson-Hasselbach equation, 72
 Henry's law, 42, 105, 129, 133, 177, 235, 560,
 630
 Heterogeneous azeotropic distillation, 448, 472
 HETP (HETS), 252, 264
 Hofmeister series, 78, 375
 Holdup
 packed columns, liquid-liquid, 361
 packed columns, vapor-liquid, 256
 Hollow-fiber membrane modules, 548-550
 Homogeneous azeotropic distillation, 448, 468
 HTU, 254
 Humidity, 807, 809
 Hunter-Nash method, 339
 Hybrid systems, 206, 566, 582
 Hydrates, 174, 741
 Hydraulic diameter, 268
 Hydrogen bonds, 78, 81

I

Impellers, 326
 Inside-out method, 434
 Ion exchange, 14, 617, 624, 635, 646, 665, 687
 Ionic interactions, 80
 Ionic strength, 75
 Ionization, 69-71
 Isothermal flash, 158, 182

J

j-factors of Chilton and Colburn, 123, 124
 Jacobian matrix, 427
 Janecke diagram, 167, 349

K

K-values, 41, 42
 Kelvin equation, 622, 816
 Kick's law, 880
 Knudsen diffusion, 551, 558, 645
 Kosmotropes, 78
 Kozeny-Carmen equation, 871
 Kremser group method, 201, 235, 402, 676

L

Langmuir adsorption isotherm, 631, 632
 Leaching, 10, 14, 171, 708
 equilibrium-stage model, 716
 equipment, 709
 rate-based model, 721
 shrinking-core model, 725
 Liquid-liquid extraction, 9, 11, 198, 371, 403, 424
 bioproducts, of, 368-379
 equipment, 326
 graphical design methods, 337
 reflux, extract and raffinate, 347
 rigorous design method, 366
 liquid-liquid miscibility boundaries, 164
 Liquid membrane, 13
 Liquid-solid extraction, 10, 14
 Loading point in packed columns, 257
 Longitudinal (axial) mixing (dispersion), 242, 366
 Lost work, 38, 39

M

McCabe, law of, 752
 McCabe-Thiele method for binary distillation, 283
 McCabe-Thiele method for countercurrent adsorption, 676
 McCabe-Thiele method for leaching and washing, 716
 Magma, 729
 Maloney-Schubert method, 351
 Marangoni interface effect, 132, 337, 359
 Margules equation, 60, 61
 Mass-mean diameter, 737
 Mass-separating agent (MSA), 7
 Mass transfer, 6, 91
 bulk-flow effect, 91
 coefficient, 116
 volumetric, 252
 driving forces, 133
 droplet, 348
 interfacial area, 249, 358
 laminar flow, in, 114
 boundary layer on a flat plate, 118
 falling liquid film, 114
 fully developed flow in a tube, 120
 large driving force, case of, 135

Mass transfer (*Continued*)

- membranes, in, 638, 642
 - multicomponent, 137
 - Maxwell-Stefan equations, 137–144, 501
 - packed bed, 252, 307, 642
 - particle, for
 - external, 643
 - internal, 644
 - turbulent flow, in, 122
 - two-film theory of Whitman, 132, 265
- Mechanical Separations, 876–881
- Membrane cascades, 205, 566
- Membrane materials, 545
- asymmetric, 547
 - casting, 588
 - thin-layer composite, 547
 - transport in, 551
- Membrane modules, 548
- flow patterns in, 564
 - dead-end flow, 589
 - tangential flow, 594
- Membrane separations, 12–13, 542
- MESH equations, 411
- Method of lines (MOL), 672
- Microfiltration, 13, 590–591
- Micromixing, 731
- Minimum absorbent rate, 234
- Minimum equilibrium stages, 290, 392
- Minimum reflux ratio, 290, 395
- Minimum solvent rate, 341
- Minimum work of separation, 37, 38
- Mixer-settlers, 326, 354
- Moisture content of solids, 814
- Moisture-evaporation temperature, 812
- Molecular-sieve carbon, 621, 623
- Molecular-sieve zeolites, 621, 623, 624
- Moment equations, 753
- Monolithic membrane modules, 548–550
- MSMPR crystallization model, 752
- Multiple solutions (multiplicity), 477

N

- Nanofiltration, 594
- Nernst-Haskell equation, 102
- Net charge, 70
- Newton-Raphson method, 422, 427
- Newton's law of cooling, 116
- Non-equilibrium thermodynamics, 137
- NRTL equation, 60, 64
- NTU, (Number of transfer units), 254, 255, 368
- Nusselt number, 123, 643

O

- Occlusion, 225
- ODEPACK, 672
- Oldershaw column, 242
- Oldshue-Rushton column, 328, 330
- Onsager's reciprocal relations, 138
- Osmosis, 12, 575
- Osmotic pressure, 576

P

- Packed column (tower), 226
 - diameter, 260
 - flooding, 260
 - height, 254
 - HETP (HETS), 254
 - HTU, 254
 - liquid holdup, 256
 - loading, 257
 - mass transfer, 270
 - NTU, 254
 - packings, 227, 228, 258
 - pressure drop, 260
 - Ergun correlation for dry bed, 263
- Packings, 227
 - random (dumped), characteristics, 258–259
 - structured (arranged, ordered), characteristics, 260
- Parachor, 99
- Partial condensation, 7, 8
- Partial vaporization, 7, 8
- Particle density, 620
- Particle porosity, 620
- Particles, separation devices, 850
 - classification, 865
 - collection mechanisms, 851
 - settling mechanisms, 862
 - terminal velocity, 862
- Partition coefficient, 42
 - dependence of, 371
- Permeability, 546, 548
- Permeance, 546
- Permeate, 542
- Pervaporation, 13, 581
- pH, 70
- Phase equilibria, 40–44, 151
 - gas-liquid, 177
 - gas-solid, 179
 - liquid-liquid, 44, 163, 169
 - solid-liquid, 44, 171
 - vapor-liquid, 41, 152
- Phase splitting, 61
- Pinch points, 234, 394
- Plait point, 166, 335, 337

- Plate-and-frame membrane modules, 548–550
 Podbielniak centrifugal extractor, 331, 332, 364
 Poiseuille equation, 867
 Polymerase chain reaction, 74
 Polymer membranes, 546
 Pore-size distribution, 622
 Power number, 355
 Poynting correction, 42
 Precipitation, 756
 of bioproducts, 877
 Pressure diffusion, 140
 Pressure drop
 packed column, 260
 trayed tower, 247
 Pressure-swing adsorption (PSA), 14, 662–665, 673
 Pressure-swing distillation, 448, 466
 Proteins, 20–21
 aqueous two-phase extraction of, 374–375
 chromatography, 641, 645–646
 crystallization, 773
 counterflow separation of, 653
 fouling, 597
 interactions, 79
 ligand-receptor binding, 80
 molecular weights, 140, 597
 physical parameters, 596
 precipitation, 79
 Scatchard analysis, 82
 structure stabilization, 79
 ultrafiltration of, 605–609
 Product composition region, feasible, 458
 Pseudo-steady-state assumption, 725
 Psychrometric ratio, 811
 Psychrometry, 807
 definitions, table of, 809
 humidity charts
 air-toluene at 1 atm, 780, 812
 air-water at 1 atm, 808
 Pumps, 411
- Q**
- q*-line, 155, 287
- R**
- Rachford-Rice method, 159, 170, 183
 Raoult's law, 42
 deviations from, 57
 modified, 42
 Reactive distillation, 448, 479
 Reboiled absorption, 8, 11, 12
 Reboiled stripping, 9, 11
 Reboiler, 296
 Re-entrainment, 851, 853
 Reflux, 11, 283
 Reflux drum, 283, 306
 Refluxed stripping, 8, 11
 Regular solutions, 56
 Rejection, 577
 Relative volatility, 42
 Residence-time distribution, 131
 Residue curve, 451
 Residue curve map, 451
 Resins, ion exchange, 624
 Retentate, 542
 Reverse micelles, 372–379
 Reverse osmosis, 12, 575
 Reynolds number, 115, 122
 Reynolds stress, 126
 Rittinger's law, 880
 Ruth equation, 867
- S**
- Salt distillation, 448, 464
 Sauter mean diameter, 358, 737
 Screen analysis, 735
 cumulative, 735
 differential, 735
 Screens, U.S. standard, 735
 Second-law analysis, 38, 39
 Second-law efficiency, 38, 39
 Separation mechanisms, 5–7
 Separation factor (power), 19
 Separation specifications, 15–18
 activity, biological, 26
 component recoveries, 19–22
 product purities, 19–22, 26
 split fraction, 19–22
 split ratio, 19–22
 yield, 26
 Settling of particles, 863–865
 at intermediate Reynolds numbers, 863
 hindered, 864
 Newton's law, 863
 Stoke's law, 863
 velocity, 862–863
 Shrinking-core model, 725
 Sieve (perforated) trays, 226
 Sigma factor, 873
 Simulated moving-bed adsorber, 663, 665, 678
 Single-section cascade, 195, 200, 209
 Slop (intermediate) cuts, 523, 531
 Slurry adsorption (contact filtration), 667
 Solid-liquid extraction, 10, 14, 708
 Solid solution, 729, 730

Solubility, 740
 pH effects on biological, 73
 Solubility parameter, 56
 Solubility product, 739, 757
 Solution crystallization, 729, 748
 Solution-diffusion, 107, 551, 559, 560
 Solutropy, 169, 338
 Solvent selection, 370
 Sorption, 617
 Souders-Brown equation, 860
 Sphericity, 644, 734
 Spiral-wound membrane modules, 548–550
 Spray tower (column), 225, 327
 Stage, equilibrium, 208
 Sterile filtration, 592
 Stiff differential equations, 524
 Stoke's law, 863
 Stripping (stripper), 11, 200
 Kremser algebraic design method, 402
 rigorous design methods, 421, 427, 435
 Stripping factor, 203
 Sublimation, 12, 179
 Sum-rates (SR) method, 421
 Supercritical-fluid extraction, 11, 369, 485
 Superficial velocity, 257
 Supersaturation, 743
 Surface diffusion, 644
 Surface-mean diameter, 737

T

Temperature
 infinite surroundings, 38
 reference (datum), 44
 Terminal velocity, 862
 Ternary liquid-liquid phase diagrams, 165, 335, 448
 Thermal diffusion, 15, 139
 Thickeners, 852
 Thermal-swing adsorption (TSA), 14, 662, 667, 669
 Three-phase flash, 183

Tie-line, 154, 166
 Tortuosity, 104, 552, 557
 Trayed (plate) tower (column), 225
 Tray spacing, 245
 Tubular membrane modules, 548–550
 Turndown ratio, 226, 228, 246
 Two-section cascade, 195, 210

U

Ultrafiltration, 13, 547, 585
 Underwood equations, 394
 UNIFAC equation, 65, 66
 UNIQUAC equation, 60, 65

V

Valve cap, 226–227
 van der Waals interactions, 74, 76
 van Laar equation, 61
 Vapor pressure, 41, 45
 Velocity
 interstitial, 639
 superficial, 257
 terminal, 862
 Virus filtration, 590, 593
 Volume-mean diameter, 738

W

Wang-Henke (BP) method, 414
 Washing factor, 197
 Weeping, 225, 250
 Wilson equation, 62–64
 Work
 lost, 39, 40
 minimum, 39, 40

Z

Zeolites, 623, 624
 Zeotropic system, 449
 Zone melting, 762