

INDEX

Note: Figures and Tables are indicated by *italic page numbers*

- acetaldehyde dehydrogenase, in ethanol production 253, 254, 255
- “acid oil” (acidulated soapstock)
- acid-catalyzed conversion of free fatty acids 122–4
 - composition 120
 - conversion to biodiesel
 - from vegetable oil refining by-product 68–9, 120–7
 - in model system 66–8
 - glycerol-based esterification 124–6
 - pretreatment of 120–2
 - production of 66, 119
- acid-catalyzed esterification 98, 121
- free fatty acids from acid oil 122–3
- acid-catalyzed transesterification 122
- Acinetobacter calcoaceticus* 334
- DHase 359, 361
- acrolein, as glycerol reaction by-product 125, 160
- (4*R*,6*R*)-actinol, enzymatic synthesis 366, 367
- adipocytokines 405
- effect of docosahexaenoic acid in diet-induced lipodystrophy model mice 411–12
- Agrobacterium tumefaciens* 336, 359, 361
- ALA *see* α -linolenic acid
- alanine aminotransferase (ALT), as hepatic injury marker 408
- Alaska pollock, bioactive peptides produced from 502, 509, 511
- alcalase 494
- marine-derived proteins hydrolyzed by 503
- Alcaligenes* lipase, purification of tocopherols and sterols using 74–5
- alcohol dehydrogenases 341, 364
- in ethanol production 253, 254, 255
- alcohols, dynamic kinetic resolution of 340–1
- aldehyde reductases 364
- algae, PUFAs recovered from 467
- algal oils, benefits 484
- alkali-catalyzed biodiesel production
- method 60, 107–8, 117, 121
 - compared with non-catalytical processes 111
 - technical problems involved 60, 109–10
- 1-*O*-alkylglycerols, in shark liver oil 434
- American Oil Chemists’ Society (AOCS), oil stability index test 28
- Amycolatopsis orientalis* 324
- α -amylase 240, 529
- amylase corn 241
- amylomaltase 527, 529
- amylomaltose 314
- amylopectin 521
- cyclodextrins formed from 315, 529
- amylose 521
- production of 526, 528
- anaerobic bacteria
- hydrogen production by 280
 - see also* *Clostridium* spp.
- anaerobic digested sludge, *Clostridium* spp. extracted from 269–70

- anaerobic digestion 231, 232
- anaerobic sequencing batch reactor (ASBR), hydrogen production in 276
- analysis of variance (ANOVA), in response surface methodology 173
- anchovy peptides 512
- andiroba oil, methanolysis of 99
- angiotensin-converting enzyme (ACE) inhibitors 499–500
- in vitro* effects 500, 503–4
- in vivo* effects 504–8
- animal trials 504–7
- clinical trials 506
- marine-derived bioactive peptides as 500
- animal fat
- biofuel synthesized from 192
- see also* tallow
- antibacterial activities, bioconverted PUFAs 566–7
- anticoagulants, marine-derived peptides as 511
- antidepressant drugs 325
- antifungal agents, trihydroxy fatty acids 563
- antioxidants 32
- in food systems 507
- marine-derived peptides as 508
- NO_x emissions affected by 9, 10
- oxidative stability of biodiesels affected by 31–8
- in seaweeds 475, 481–2
- antiplatelets, marine-derived peptides as 511
- antiproliferative properties, marine-derived peptides 511–12
- anxiolytics, marine-derived peptides as 508
- aquatic plants
- total world production 482
- see also* seaweeds
- Aquifex aeolicus*, branching enzyme 526, 529
- Arabidopsis thaliana* 450
- 9-β-D-arabinofuranosyl guanine, prodrug, enzymatic preparation of 330
- arachidonic acid (AA)
- microbial production from plant oils 573, 576–7
- reactions of *B. megaterium* strain ALA2 295–6, 298
- arbutin
- coupling with gentisate 543–4
- oligomers 538–9
- peroxidase-catalyzed polymerization of 536–7, 537–8
- polymers 539–41
- arene *cis*-dihydrodiols, preparation of 333
- aromatic hydrocarbon dioxygenases 332–3
- arthrobacter* enzymes 311
- artificial skin 422
- Aspergillus melleus*, amino acid acylase 326
- Aspergillus oryzae* protease 494, 509
- astaxanthin, effect on cancer cell viability 478
- astaxanthin fatty acid ester, conversion to free form 76
- asymmetric dihydroxylation 332–3
- autolysis, protein hydrolysis by 495
- autoxidation of biodiesel 26–7
- reduction of 31–8
- avicelase 215, 219
- azelaic acid–glycerol oligomers 147, 148
- B20 blend (20/80 biodiesel/petrodiesel)
- effect of antioxidants on NO_x emissions 10
- effect of CFI additives on cold flow properties 20
- exhaust emissions 8
- use in Japan 109
- babassu oil, methanolysis of 99, 100
- Bacillus coagulans* 259–60
- Bacillus licheniformis*
- enzymes 340, 494, 507
- PWD-1 strain 233
- Bacillus megaterium* strain ALA2
- in vivo* reactions
- arachidonic acid 295–6, 298
- docosahexaenoic acid 296–7, 298
- eicosapentaenoic acid 296–7, 298
- linoleic acid 294, 295, 298

- α -linolenic acid 294–5, 298
 - γ -linolenic acid 295–6, 298
 - palmitic acids 298, 299
- P450_{BME-3}-like monooxygenase
 - enzyme 299, 324
 - genetic engineering 302
- Bacillus* spp.
 - enzymes 312, 313, 315, 340, 494, 523, 526
 - hydrogen production by 280
- Bacillus stearothermophilus*
 - enzymes 315, 523, 526
- Bacillus thermoglucosidasius* 257
- bacterial glycerol assimilation 134–5
- bathythermograph, scallop shell based
 - casing for 418–19
- batyl alcohol 434
 - in ether lipid synthesis 435
- benzene dioxygenase 333
- benzoin, deracemization of 341
- cis*-(3*R*,4*R*)-1-benzyl-3*R*-hydroxypiperidine-4*R*-carboxylate, enzymatic preparation of 329
- beta blockers 331
- bioactive peptides
 - antihypertensive properties 499
 - antioxidant properties 507–10
- biocatalysis, advantage over chemical processes (for chiral compounds) 320, 360
- biodegradable plastics,
 - polyhydroxyalkanoates 548
- biodiesel 3, 60, 132
 - advantages compared with petrodiesel 4, 41, 60, 132
 - blends *see* biodiesel/petrodiesel blends
 - cold flow properties 9–11, 12, 87
 - improvement of 12–24, 42
 - combustion properties 5–9, 41
 - cost optimization calculations 91–4, 174–80
 - crystallization fractionation of 15–18
 - government assistance in production 83
 - history 4–5
 - lubricity 39–40, 41
 - meaning of term 3, 60
 - oxidative stability 26–7, 88
 - improvement of 31–8, 42
 - monitoring 27–31
 - production from acid oil (soapstock by-product) 66–70, 120–7
 - production from free fatty acids 64–6
 - production from vegetable oils 11, 61–3, 98–103
 - production from waste edible oil 63–4, 109, 112–13
 - production methods 60, 98, 117, 164, 174
 - acid-catalyzed processes 98, 122–4
 - alkali-catalyzed processes 60, 98, 107–8, 109–10, 117, 121, 164
 - enzymatic reactions 61–9, 164–5
 - non-catalytic processes 110–11, 113, 123
 - tin-based catalytic systems 99–103
 - standard specifications 6, 28, 84, 85
 - links to fatty acid composition 88–9
 - technical problems as fuel 4, 41–2
 - types of production units 84
 - US production capacity 115, 116, 132
 - viscosity 38–9
 - winterization of 15–18
- Biodiesel Cost Optimizer* 91–6
 - blend calculations 91, 92
 - raw materials input data 91, 94
 - recommendations for use 95–6
 - simulation results 94–5
- biodiesel glycerol, products synthesized from 135–49, 157–60
- Biodiesel Standard(s) 84, 85
 - critical items in 86–8
- biodiesel/petrodiesel blends 8
 - cold flow properties 12–14
 - effect of antioxidants on NO_x emissions 10
 - effect of CFI additives on cold flow properties 20, 22, 23, 24, 25
 - exhaust emissions 8
 - lubricity 41
- bioethanol
 - cellulose as source 200, 207
 - starch as source 239–45
 - US production capacity 239

- biogas 231
 production by thermophilic anaerobic digestion 232–3
- biohydrogen production 267
 operating parameters 269–74
- biomass
 as energy source 185, 199
 Japanese policy 108
 structural components 197–8
- biomass hydrolysates 250
- biomass-to-ethanol process, factors
 affecting enzymatic reactions 213
- BIOSTAB project 28
- (*R*)-3,5-bis-trifluoromethyl-phenylethan-1-ol, preparation of 340–1
- bonito, bioactive peptides produced from 500, 501
- bovine spongiform encephalopathy (BSE), prion protein causing 235
- branched cyclic dextrans 530
- branched glucans, synthesis of 529–30
- branching enzyme 315, 525, 526, 529, 530
- bupirone 325
- calcium absorption, effect of marine-derived protein hydrolysates 511
- Caldicellulosiruptor saccharolyticus*, hydrogen production by 278
- cancer
 chemopreventive agents 424–6, 476–8, 508
 drugs to treat 323, 330
- cancer X-ray therapy, radiation sickness prevention during 434
- Candida antarctica* lipase
 acylation in drug intermediates synthesis 322, 330, 332, 341
 desymmetrization of diesters 331
 dynamic kinetic resolution of alcohols 340, 341
 ethanolysis of triacylglycerols 77–8
 ether lipid synthesis 435
 ethyl esterification of PUFAs 72–3
 inactivation by alcohols 61–2, 69, 71, 77, 178
 methanolysis of free fatty acids 64–5
 methanolysis of vegetable oils 62–3, 166, 174–80
- methanolysis of waste edible oil 63–4, 164–5
- regioselective acylation of ribavirin 322
- regiospecific ethanolysis 76–7
- stability affected by glycerol 69, 70
- triacylglycerol synthesis 432, 433, 437
- Candida boidinii* 336
- Candida bombicola*, sophorolipids produced using 143–4, 145
- Candida cylindracea* lipase 549
 applications 549
 biodiesel synthesis using 166
 production of 549–51
- Candida macedoniensis* 366
- Candida magnoliae* 336, 362, 364
- Candida parapsilosis* 329, 341, 357
- Candida rugosa* lipase, purification of tocopherols and sterols using 74, 75
- Candida tropicalis*, enantioselective reduction using 339
- canola oil
 lipase-catalyzed methanolysis 165, 166
 optimization by statistical methodology 174–80
 unsaturated fatty acids in 548
- canola oil methyl esters
 cold flow properties 12
see also rapeseed oil methyl esters
- carbohydrases 204, 205
see also cellulases
- carbohydrate-binding modules (CBMs) 207, 208
 classification 209
 interactions with substrates 207
- carbonyl reductases 364
- (–)-carbovir 324
- carboxylic acids, chiral, enzymatic synthesis of 336
- β -carotene, effect on cancer cell viability 478
- carotenoids
 industrial production 482
 physiological effects 476
 seaweed-derived 466, 471–2, 476–80
see also fucoxanthin
- carrageenan, sources 482

- carrier-induced granular sludge bed (CIGSB) reactors, hydrogen production in 271, 272
- castor oil
 biosynthetic pathway 450–1
 constituents 292, 449, 450–1
 diricinoleoylacylglycerols in 450
 HPLC separation of 452
- castor oil and derivatives
 as source of hydroxy fatty acids 558
 as strategic materials 292
- castor oil methyl esters 39
- catalytic transfer hydrogenation,
 formation of conjugated linoleic acids affected by 384–6
- cellobiohydrolases (CBHs) 202, 203, 210
- cellobiose
 amylose produced from 528
 α -glucose 1-phosphate produced from 524, 528
- cellobiose phosphorylase 524, 528
- cellodextrin phosphorylase 524
- cellulase-catalyzed reactions, in
 cellulose degradation, compared with chemical methods 200
- cellulases 200, 202–3
 non-productive binding of 213–14
 worldwide demand 205–6
- Cellulomonas fimi* cellulases 212
- cellulose 198, 250
 enzymatic degradation of 200, 202
- cellulose-binding domains (CBDs) 208
 interactions with substrates 210, 212
 structure 208
- cereal substrates, in microbial PUFA production 576, 577
- cetane number (CN) 5
 biodiesel 6, 86
 in *Biodiesel Cost Optimizer* 91
 effect of compound structure 5, 6–7, 14–15, 87, 89
 fatty acid esters (listed) 6
- chicken fat, biodiesel synthesized from 191, 192
- chicken feathers, degradation of 233–4
- chimyl alcohol 434
 in ether lipid synthesis 435
- chiral alcohols
 biocatalytic preparation of 356–7
 large-scale production system 361–6
- chiral amines, preparation of 339, 340
- chiral carboxylic acids, enzymatic synthesis 336
- chiral compounds
 biocatalytic synthesis methods compared 356
 enzymatic resolution of 326, 338, 356, 357–61
- chiral intermediates for drugs,
 biocatalysis for 319–53
- chirality, drug products 320
- chitanases 208
- chitin
 crab-derived 422
 squid-derived 421–2
- chitosan, as crab processing by-product 424
- chitosan-coated marine phospholipid liposomes 424–6
- (*S*)-2-chloro-1-(3-chlorophenyl)ethanol, enzymatic preparation of 328–9
- (*R*)-4-chloro-3-hydroxybutanoate ethyl ester (CHBE), enzymatic synthesis 362–4
- cholesterol, in seaweeds 472
- cholesterol metabolism, effects of
 docosahexaenoic acid in diet-induced lipodystrophy model mice 409–10
- Chondrus crispus* (Irish moss) 472
- Chorella* spp., omega-3 fatty acids in 484
- α -chymotrypsin 494
 marine-derived proteins hydrolyzed by 503, 510
- Citrobacter intermedium*, hydrogen production by 278
- Clostridium* spp.
 catabolic pathway 252, 268
 heat treatment 267, 269
 hydrogen production by 267, 268
- cloud point (CP) of diesel fuels 10
 biodiesel 12
 effect of CFI additives 20, 22, 24, 25
 prediction of 90–1

- cloud point (CP) of diesel fuels (*cont'd*)
 biodiesel/petrodiesel blends (listed)
 13
 effect of CFI additives 20, 22, 24
 correlation with CFPP and LTFT 11,
 14, 20
- cluster dextrans 315, 530
- coconut oil ethyl esters
 biodiesel/petrodiesel blends, cold flow
 properties 13
 cold flow properties 12
- cofactor regeneration systems,
 NAD(P)D-dependent enzyme
 reactions 362–4
- cold filter plugging point (CFPP) 10
 biodiesel 12, 87
 prediction of 90
 in *Biodiesel Cost Optimizer* 93
 biodiesel/petrodiesel blends 13, 93
 correlation with cloud point 11, 14, 20
 fractionated biodiesels (listed) 17
- cold flow improver (CFI) additives
 18–21
 development for biodiesel 21, 23,
 25–6
 glycerol used in synthesis 26
- cold flow properties of diesel fuels 12
 biodiesel 11, 12, 87
 approaches to improve 12–24, 42
 biodiesel/petrodiesel blends 12–14
- collagen, scallop mantle-derived 419,
 420
- collagen peptides, scallop mantle-
 derived 419, 420, 421
- combustion properties, biodiesel 5–9
- conjugated fatty acids
 formation mechanisms 471
 physiological effects 475–6
 in seaweeds 469, 471
- conjugated linoleic acids (CLAs)
 biotransformation of oils to 579–81
 characteristics 375–6, 579–80
 chemical synthesis 580
 diet-induced lipodystrophy model
 mice 407
 formation during hydrogenation of
 vegetable oils 376–8
 catalytic transfer hydrogenation
 used 384–6
 effect of reaction conditions 379–84
 effect of sulfur addition 384
 identification of CLA isomers 378–9
 health benefits 580
 levels in dairy products and meat 383
 metabolic effects 375, 406
 microbial production 580–1
- conjugated mono- and poly-alkenes,
 biocatalytic asymmetric
 dihydroxylation of 333
- conjugated polyenes
 physiological effects 476
 in seaweeds 469
- consolidated bioprocessing process
 (CBP) 251
- continuously stirred tank reactors
 (CSTRs), hydrogen fermentation
 in 272
- corn dry grind process 239, 240–1
- corn oil, unsaturated fatty acids in 548
- corn transgenic hybrids 241
see also amylase corn
- corn wet fractionation, in dry grind
 ethanol production 242–3
- corneal regeneration 422, 423
- Corynebacterium aquaticum* 366
- Corynebacterium* C12 epoxide
 hydrolase 341, 342
- Corynebacterium glutamicum* 257
- cost optimization, biodiesel production
 91–4, 174–80
- cottonseed oil, lipase-catalyzed
 ethanolysis 166
- crab chitin 422
- crab processing by-products, utilization
 of 424, 493
- crude palm oil (CPO)
 biodiesel, properties 190
 combined transesterification–
 esterification process 188–90
- crystallization, oils/fats and fatty acid
 esters 89–90
- crystallization fractionation of biodiesel
 15–18
 disadvantages 18
 effect on cold flow properties 15–16,
 17
- (*R*)-4-cyano-3-hydroxybutyrate,
 enzymatic preparation of 335–6

- cyclic α -1,4-glucans 522
 synthesis of 528–9
- cyclic oligosaccharides, with
 heterogenous linkages,
 development of 311–13
- cyclic pentasaccharides 313
- cyclic tetrasaccharides 311–13
- cycloamylose 314–15
- cyclodextrans 315, 316
- cyclodextrins 315, 316, 522
- cyclomaltodextrin glucanotransferase
 525, 527
- 2-cyclopentylbenzoxazole,
 biohydroxylation of 324–5
- cytochrome P450 monooxygenases
 P450_{BM-3} 293, 324
 P450_{BM-3:ALA2}
 analysis of reaction pathway for
 linoleic acid 300–2
 sequence information 299, 300
- D-enzyme 314, 527
- dark fermentation 267–8
- dehydrogenases, in chiral synthesis 321,
 327, 336, 338
- dendrimeric polymers 146, 159
see also hyperbranched polymers
- denim garments, “stone-washed” look
 213, 215
- denopamine, intermediates for,
 enzymatic synthesis of 332
- density effects, biodiesel 87
- 2-deoxyribose-5-phosphate aldolase
 (DERA) 335
- desmosterol 472, 473
- dextrins 240, 529–30
 branched cyclic 315, 316, 530
- diabetes mellitus
 type-2
 drugs to treat 320
 factors inducing 405–6
- diacid-glycerol oligomers 147–8
- 1,3-diacylglycerols (DAGs), synthesis
 432, 433
- dibutyltin oxide (DBTO) catalyst, in
 acid-catalyzed esterification in
 acid oil 125, 126
- 2,4-dideoxyhexose derivative, enzymatic
 preparation of 335
- diesel engines
 early use of vegetable oils 4, 97
 lubrication of 39
see also biodiesel
- diet-induced lipodystrophy model mice
 407
 physiological effects of
 docosahexaenoic acid 407–12
- diethyl 3-[3',4'-dichlorophenyl]glutarate,
 desymmetrization of 330–1
- differential scanning calorimetry
 (DSC), oxidative stability of
 biodiesel studied using 29
- dihomo- γ -linolenic acid (DGLA),
 microbial production from plant
 oils 573, 577
- 1-(2',3'-dihydrobenzo[b]furan-4'-
 yl)ethane-1,2-diol, dynamic
 kinetic resolution of 342
- (3*R*,5*S*)-dihydroxy-6-
 (benzyloxy)hexanoate, enzymatic
 synthesis 334–5
- 7,10-dihydroxy-8(*E*)-hexadecenoic acid
 (DHD), production of 560–1, 561
- 10,12-dihydroxy-8(*E*)-octadecenoic acid
 (DHOD), formation of 559, 560
- 7,10-dihydroxy-8(*E*)-octadecenoic acid
 (DOD)
 applications 551
 production of 558, 559, 561–2
- N,N*-dimethyl-3-keto-3(2-thienyl)-1-
 propanamine, enantioselective
 enzymatic reduction of 338–9
- dioxygenases 292, 344
see also aromatic hydrocarbon
 dioxygenases
- dipeptidylpeptidase IV (DPP-IV)
 inhibitors 320
- diricinoleoylacylglycerols (in castor oil)
 450
 HPLC separation of 452
 quantification of regioisomers
 457–9
- diricinoleoyl-lesqueroloyl-glycerol, MS³
 spectrum 457
- diricinoleoyl-linolenoyl-glycerol, MS³
 spectrum 456, 458
- diricinoleoyl-linoleoyl-glycerol, MS³
 spectrum 456, 457

- diricinoleoyl-oleoyl-glycerol
 MS² spectrum 452, 453
 with loss of oleic acid, MS³ spectrum 454–6
 with loss of ricinoleic acid, MS³ spectrum 453–4
- diricinoleoyl-palmitoyl-glycerol, MS³ spectrum 457
- diricinoleoyl-stearoyl-glycerol, MS³ spectrum 457
- distiller dried grains with solubles (DDGS) 239, 241
 fractionation to separate fiber 244–5
- docosahexaenoic acid (DHA) 65, 70
 anticancer effects 476
 bioconversion by *P. aeruginosa* strain PR3 564–5
 antibacterial activities of products 566–7
 oxidative effects of products 566
 in ether lipids 435
 ethyl ester (DHAEE) 70
 purification from fish oil 71–2
 lipase-catalyzed ethyl esterification of 72–3
 in marine algae 484
 microbial production from plant oils 573
 physiological effects on diet-induced lipodystrophy model mice
 adipocytokine levels 411–12
 cholesterol metabolism 409–10
 growth parameters 407–8
 hepatic triglyceride metabolism 408–9
 reactions of *B. megaterium* strain ALA2 296–7, 298
 in triacylglycerols 433, 437, 439
- drugs, chiral intermediates, biocatalysis for 319–53
- dry fractionation of biodiesel 15–16, 17
- dry grind ethanol production
 conventional process 239, 240–1
 emerging technologies
 corn wet fractionation 242–3
 DDGS fractionation 244–5
 feedstock (corn) development 241, 242
 raw starch hydrolysing enzymes 243–4
- dynamic kinetic resolution (DKR) 339–43
- eicosapentaenoic acid (EPA)
 bioconversion by *P. aeruginosa* strain PR3 564–5
 antibacterial activities of products 566–7
 oxidative effects of products 566
 in ether lipids 435
 microbial production from plant oils 573, 574, 577, 578
 physiological effects 476
 production by marine algae 484
 reactions of *B. megaterium* strain ALA2 296–7, 298
 in triacylglycerols 433, 437, 439
- electron transfer oxygenases 292
- elusieve process 244–5
- endoglucanases (EGs) 203
 in degradation of crystalline cellulose 214
 Trichoderma reesei 209–10
- Enterobacter cloacae*, hydrogen production by 278
- Enterococcus casseliflavus*, co-fermentation with *Lactobacillus casei* 259
- enzymatic production, marine-derived protein hydrolysates 492–8
- enzymatic reactions 199
 in biodiesel production 61–9, 164–5, 174
 optimization by statistical approach 174–80
 compared with chemical methods
 in biodiesel production 164, 165, 174
 in cellulose degradation 200
 corn dry grind ethanol production 240, 243–4
 in esterification of fatty acids 70–8
- enzymes, worldwide demand for 204–5
- epichlorohydrin, synthesis from glycerol 133
- epothiolone B, microbial hydroxylation of 323–4

- epoxides
 2,2-disubstituted, kinetic resolution of 341, 342
 formation from glycerol 157, 159
- ethanol
 cellulose as source 200, 207
 starch as source 239–45
 US production capacity 239
- ethanologens 252–8
- ether lipids (ELs), ALM-type
 structured ELs, chemoenzymatic synthesis 434–6
- ethyl 1-benzyl-3-oxo-piperidine-4-carboxylate, stereospecific microbial reduction of 329
- ethyl (*R*)-4-cyano-3-hydroxybutyrate, enzymatic preparation of 335–6
- ethyl (3*R*,5*S*)-dihydroxy-6-(benzyloxy)hexanoate, enzymatic synthesis 334–5
- ethyl 2-hydroxy-4-phenylbutanoate, deracemization of 341
- Excel workbook *Biodiesel Cost Optimizer* 91–6
- exhaust emissions 7
 biodiesel 8–9, 87
 factors affecting 6
- fats and oils
 price data 116, 119
 in *Biodiesel Cost Optimizer* 93
- fatty acid methyl esters (FAME) and biodiesel specifications 84, 86
 cold flow properties 9, 12
 enzymatic synthesis methods 61–9
 melting points 15
 non-catalytic synthesis methods 109–13
 oxidation of 30
 preparation from seaweed lipids 465
see also biodiesel
- fatty acid steryl esters
 conversion to free forms 75–6
 purification of 73–5
- fatty acid synthase (FAS) 409
- fatty acids, in seaweeds 468–9, 470
- feather-degrading enzyme 233–4
see also keratinase
- fed-batch culture, lipases produced using 549–51
- fermentation processes 250–1
see also consolidated bioprocessing process; separate enzymatic hydrolysis and fermentation; simultaneous saccharification and fermentation
- fish oil
 compared with algal oil 484
 effect of bioconverted PUFAs on oxidation 566
 effects as supplementation 411
 purification of DHAEE from 71–2
- fishery byproducts and waste, utilization of 418–27, 492–3
- Flavobacterium* sp., strain DS5, oxygenated fatty acids produced using 551–3, 559, 561
- Flavourzyme 494
- fluidized-bed bioreactors, hydrogen production in 273
- fluorescent materials, scallop shell 419
- formate dehydrogenases 321, 327, 336, 363, 398
- fossil fuels
 environmental consequences 200, 266
 prices 133
- free fatty acids (FFAs)
 acid-catalyzed esterification 65
 conversion to biodiesel 64–6
 lipase-catalyzed esterification 65, 66, 67, 68–9
 sources 66
 uses 64, 66
- fructo-oligosaccharide 310–11, 310
- fructose, mannitol produced from 394, 395
- fucosterol 472, 473, 474
 industrial production 482
 physiological effects 481
- fucoxanthin 466, 471–2
 anticancer effects 476–8
 anti-obesity effects 478–80
 physiological effects 476–80
- fucoxanthinol 472
- fungi, enzymatic reactions 199
- Fusarium oxysporum* lactonase 358, 359, 360

- Gabolysat PC60 512
- genetic engineering
- holocellulose-degrading enzymes 206
 - oleaginous microorganisms 578
- GLA *see* γ -linolenic acid
- glucagon-like peptide-1 (GLP-1)
- analogs 320
- 1,4- α -glucan branching enzyme 315, 525, 526, 529, 530
- α -glucan phosphorylase 522–4
- 4- α -glucanotransferase 314–15, 524, 525, 526
- glucanotransferases 524, 525
- α -1,4-glucans
- cyclic 522
 - synthesis of 528–9
 - linear, synthesis of 526, 528
- glucoamylase 208, 240
- glucose
- fermentation of 241
 - production from corn-derived dextrins 240
 - synthesis from glycerol 144
- glucose dehydrogenases 334, 336, 363
- α -glucose 1-phosphate
- amylose produced from 526, 528
 - production of 522–4, 528
- glucose polymers 521–33
- β -glucosidases 202, 203
- 6-glucosyltransferase 312
- glutaric acid–glycerol oligomers 147
- glycerin(e) *see* glycerol
- glycerol
- acid-catalyzed esterification in acid oil 124–6
 - business decision on installation of refining plant 156–7
 - as by-product in biodiesel production 68, 114, 117, 132, 133, 155, 156
 - Candida antarctica* lipase stability affected by 69, 70
 - in CFI additives synthesis 26
 - characteristics 155
 - chemical reactions 157–9
 - effect of market surplus on other chemicals production 133
 - enzymatic acylation 438, 439
 - epichlorohydrin synthesized from 133
 - glucose synthesized from 144
 - hyperbranched polymers synthesized using 145–7
 - market surplus 156
 - effect on other chemicals production 133 - microbial metabolism of 134–5
 - polymers synthesized from 137–42, 149, 159–60
 - propylene glycol synthesized from 133
 - refining of 156–7
 - surfactants synthesized from 142–5, 149, 160
 - triacylglycerols synthesized from 432–3, 437
- glycogen 521
- glycogen-debranching enzyme 529
- glycolipids, in seaweeds 468
- “glycopolymers” 537–44
- glycosylated arbutins, enzymatic polymerization 541–2
- Gram-positive bacteria
- ethanol produced by 252–8
 - lactate production by 258–60
- “green energy” *see* biodiesel; bioethanol
- greenhouse gases, reduction of emissions 60
- Hansenula polymorpha*,
- ketoreductase 327, 328
- hemicelluloses 198, 250
- enzymatic degradation of 202–3
- hepatic steatosis, factors affecting 408, 409, 411
- hepatic triglyceride metabolism, effects of docosahexaenoic acid in diet-induced lipodystrophy model mice 408–9
- hepatitis C, antiviral agents to treat 322
- heshiko* (fermented mackerel product) 505
- heterogeneous catalytic systems, tin-based 102–3
- n-hexadecane *see* cetane
- high-frequency reciprocating rig (HFRR) lubricity tester 39
- data on biodiesel, petrodiesel and fatty compounds 40, 41

- HIV infection, drugs to treat 324
- HMG CoA reductase inhibitor,
synthesis intermediates 334, 335,
336
- hoki (*Johnius belengerii*) 493
protein hydrolysate 509, 510, 511, 512
- Hokkaido Island (Japan), fishery
byproducts and waste; utilization
of 418–27
- holocellulose 201
enzymatic hydrolysis of 201–3
mechanism 203
- holocellulose-degrading enzymes 201–2
applications 203–6
effect of mechanical agitation and
shear forces 215–16
effect of surfactants and other
additives 217–19
effect of ultrasound 216–17
production of 206–7
and substrate-binding domains 207–9
- homoacetonic clostridia, hydrogen
production affected by 279–80
- homogeneous catalytic systems, tin
complexes in 99–100
- horseradish peroxidase (HRP) 536
in arbutin–gentisate coupling
reaction 543–4
in polymerization of arbutins 537–8
in polymerization of glycosyl
arbutins 541
- hydrolytic enzymes 522
- hydrogen, as substitute for fossil
fuels 266
- hydrogen production 266
in anaerobic sequencing batch reactor
(ASBR) 276
by biological processes 266–81
in carrier-induced granular sludge
bed (CIGSB) reactors 271, 273
in continuously stirred tank reactors
(CSTR) 272
in fluidized-bed bioreactors 273
limiting factors 275, 277
hydrogen partial pressure 275
methanogens growth 276
microbial populations 276–7
volatile fatty acids 275
in membrane bioreactors (MBR) 273
- operating parameters 269–73
feedstock characteristics 270
high-rate reactors 272–3
hydraulic retention time 272
inoculum 269–70
nutrients 273–4
pH 270–1
temperature 271–2
- optimum nutrient formula for 274
- practical limitations 277, 279
high substrate concentration
requirement 277
low hydrogen yield 277, 279
- in upflow anaerobic sludge blanket
(UASB) reactors 272
- hydrogenated vegetable oils, conjugated
linoleic acids in 376–86
- hydroxy fatty acids
biological activities 563, 565–7
industrial applications 558
production by *Flavobacterium* sp.
strain DS5 551–3
production by *Pseudomonas*
aeruginosa strain PR3 558–65
dihydroxy fatty acids 559–62
monohydroxy fatty acids 558, 559
trihydroxy fatty acids 562–4
- 2-(3-hydroxy-1-adamantyl)-2-
oxoethanoic acid,
enantioselective enzymatic
reductive amination of 320–2
- γ -hydroxyamides, kinetic resolution
of 342–3
- 6-hydroxybuspirone
enzymatic preparation of 325–8
by reduction process 327–8
by resolution process 326
- (*R*)-3-hydroxy-4-cyanobutyric acid,
enzymatic synthesis 336
- 3-hydroxyglutaronitrile, prochiral,
enzymatic desymmetrization
of 336
- 10-hydroxy-8-octadecenoic acid (HOD),
formation of 558, 559
- 4'-hydroxyphenylglucosides
peroxidase-catalyzed polymerization
of 536–7, 537–8
see also arbutins; glycosylated
polyarbutins; polyarbutins

- 10-hydroxystearic acid (10-HSA),
production by *Flavobacterium* sp.
isolate 551, 553
- hyperbranched polymers 146, 159
glycerol as precursor 145–7
- hypertension (high blood pressure) 499
drugs to treat 331–2, 499–508
physiology 499
- hypocholesterolemic effects, marine-
derived protein hydrolysates 511
- hypolipidemic effects, marine-derived
protein hydrolysates 510
- Ignition Quality Tester™ (IQT™) 7
- iminodiacetic acid–glycerol
oligomers 147, 148
- immobilized *Lactobacillus* cells, in
conjugated linoleic acid
production 581
- immobilized lipases
biodiesel produced using 61–9, 164–5,
166, 168, 174–80
see also Candida antarctica lipase
- immobilized tin complexes 100–1
- immunoreactivities, marine-derived
peptides 511
- inulin, mannitol produced from 395
- iodine value, biodiesel 88
- isocyclomaltopentaose 313, 314
- 3-isomaltosyltransferase 312
- isopropanol, enzymatic dehydrogenation
of 363, 364
- Japan
biodiesel usage 109
biomass energy policy 108
fishery byproducts and waste,
utilization of 418–27
Foods for Specified Health Use
(FOSHU) approval 309, 500
oligosaccharide production 309, 310
D-pantoyl lactone production 360
petrodiesel consumption data 109,
114
taxation on biodiesel and blends 109
- keratinase
feather-degrading 233–4
as feed additive 234–5
- prion proteins degraded by 235–6
- ketoisophorone (KIP), enzymatic
hydrogenation of 366
- ketopantoyl lactone, microbial reduction
of 357, 358
- ketoreductases 327, 328, 336
- 10-ketostearic acid (10-KSA),
production by *Flavobacterium* sp.
isolate 551–3
- kimchi, mannitol produced from 396
- kinematic viscosity
biodiesel 38–9, 87
see also viscosity
- Kyoto city (Japan), biodiesel use 60,
109
- Kyoto Protocol 60, 83, 108, 115
- lactate dehydrogenase, in mixed sugar
fermentation 254, 255
- lactic acid
polymerization of 258
US production capacity 258
- lactic acid bacteria
ethanol production using 252–7
genetically engineered strains
253–5
lactate production using 258–60
mannitol production using 392–8
Lactobacillus brevis 252–3, 395
Lactobacillus buchneri 252–3, 256
Lactobacillus casei 258
co-fermentation with *Enterococcus*
casseliflavus 259
Lactobacillus fermentum 397
genetically engineered 399–400
Lactobacillus intermedius 394, 395
Lactobacillus spp., in conjugated
linoleic acids production 581
Lactococcus lactis 259, 392
- lactonases 357–61
see also pantoyl lactone
- lesquerella oil 292
- L-tert-leucine, enzymatic
synthesis 363–4
- Leuconostoc lactis* 259
- Leuconostoc mesenteroides*, mannitol
production using 396, 397
- Leuconostoc pseudomesenteroides*
fructokinase-negative mutant 400

- mannitol production using 395–6,
397, 398
- leukemia, drugs to treat 330
- (6*R*)-levodione, enzymatic
synthesis 366, 367
- Lewis acid compounds, methanolysis of
soybean oil catalyzed by 99–100
- lignin 198, 250
degradation of 199
effect on cellulose degradation 213
- lignocellulose
components 197–8, 250
degradation of 199
hydrolysis of 200, 250
- linoleic acid
bioconversion by *P. aeruginosa* strain
PR3 563–4
bioconversion to conjugated linoleic
acids 580–1
hydroxy fatty acids produced
from 563–4
reactions of *B. megaterium* strain
ALA2 294, 295, 298
see also conjugated linoleic acids
- α -linolenic acid (ALA)
bioconversion to EPA 574, 577, 578
reactions of *B. megaterium* strain
ALA2 294–5, 298
- γ -linolenic acid (GLA)
microbial production from plant
oils 573, 576
reactions of *B. megaterium* strain
ALA2 295–6, 298
- linseed oil, polyunsaturated fatty acids
produced from 577
- lipase-catalyzed reactions
in biodiesel production 61–9, 164–5
compared with chemical
methods 164, 165, 174
optimization by statistical
approach 165, 168, 174–80
in esterification of fatty acids 70–8
- lipases
applications 61–9, 164–5, 549
inactivation by alcohols 61–2, 69, 71,
77, 178
(listed) 61, 166–7
production by *Candida*
cylindracea 549–50
- lipid oxidation
free radical mediated 508
prevention by marine-derived
protein hydrolysates 509–11
- lipid peroxides, effect of metal ions 564
- lipids
in seaweeds 464–5, 468
see also glycolipids; phospholipids;
triacylglycerols
- lipodystrophy 406
causes 406, 411
see also diet-induced lipodystrophy
model mice
- low-temperature enzymes,
shellfish-derived 419
- low-temperature flow test (LTFT) 11
biodiesel/petrodiesel blends
(listed) 13
biodiesels (listed) 12
correlation with cloud point 11, 14, 20
- lubricity
biodiesel 39–40, 41
low-sulfur petrodiesel fuels 39, 84
- mackerel (*Scomber austriasicus*),
protein hydrolysates from 495,
509, 510, 512
- Maillard reaction, fishery by-products
and waste utilized using 423–4
- malt grains, spent, in solid state
fermentation 575–6
- maltosylmaltose, cyclic 313
- (*R*)-mandelic acid derivatives 337
- mannitol 391
chemical production 391–2
enzymatic production 392–8
by heterofermentative lactic acid
bacteria 393–8
by homofermentative lactic acid
bacteria 392, 393
by recombinant
microorganisms 398–400
- marine algae
antioxidant properties 475, 481–2
see also seaweeds
- marine-derived protein hydrolysates
anticoagulant and antiplatelet
properties 511
antihypertensive properties 499–508

- marine-derived protein hydrolysates
(*cont.*)
- antioxidant properties 507–8, 510
 - antiproliferative properties 512
 - anxiolytic properties 512
 - calcium absorption affected by 511
 - enzymatic production of 492–8
 - functional uses 498
 - hypocholesterolemic effects 511
 - hypolipidemic effects 510
 - immunoreactivities 511
 - physiological properties 499–513
 - purification of target peptides 497–8
- mechanical agitation
- effect on conjugated linoleic acid formation in hydrogenation vegetable oils 379–80
 - effect on holocellulose-degrading enzymes 215–16
- medium-chain fatty acids (MCFAs), in triacylglycerols 431, 432
- melanogenesis, inhibition against 538, 540
- melatonin receptor agonist, precursor 342
- membrane bioreactors (MBRs), hydrogen production in 273
- methanogens, hydrogen production affected by 279
- α -methyl-1,3-benzodioxole-5-ethanol, enzymatic resolution of 338
- α -methylbenzyl amine, dynamic kinetic resolution of 339, 340
- 3,4-methylenedioxyphenylacetone, enantioselective reduction of 337–8
- 1-methyl-1,2-epoxycyclohexane, deracemization of 341, 342
- microalgae, PUFAs recovered from 467, 467, 483
- microbial metabolism, of glycerol 134–5
- microbial oil transformation
- regulation of
 - by genetic engineering 578
 - by mutation techniques 578
- microorganisms, PUFAs recovered from 483
- molasses, mannitol produced from 394
- monooxygenases 292, 344
- Mortierella* spp., PUFAs produced by 574, 575, 576, 577
- mussels, blue mussel (*Mytilus edulis*), peptide isolate 505
- Mycobacterium vaccae* formate dehydrogenase 398
- naphthalene dioxygenase 333
- Neutrase 494–5
- nigerosylnigerose, cyclic 312–13
- nitrilases 336–7
- nitrogen oxide (NO_x) emissions
- biodiesel compared with petrodiesel 4, 8, 87
 - effect of various antioxidants 9, 10
 - factors affecting 6, 8
- NODAX 136–7, 136
- nuclear magnetic resonance (NMR) spectra, hydrogenation of soybean oil 377, 378
- obesity, effect of seaweed carotenoids 478–80
- oil *see* fish oil; fossil oil; vegetable oils
- oil stability index (OSI) 28–9
- in *Biodiesel Cost Optimizer* 93–4
 - effect of antioxidants 31–6
 - effect of chemical structure 29, 88
 - test method 28
- old yellow enzymes (OYEs) 365–6
- oleaginous microorganisms, PUFAs produced by 573, 574–8
- oleic acid
- in *Candida cylindracea* lipase production 550
 - hydroxy fatty acids produced from 551, 558, 559, 561, 562, 563
- oleic acid steryl esters, conversion to free sterols 76
- oligosaccharides
- Japanese production data 309, 310
 - sources 310–11
- omega-3 fatty acids 465, 475
- ovarian cancer, drugs to treat 323
- oxidative effects, bioconverted PUFAs 566
- oxidative stability of biodiesel 26–7, 88
- factors affecting 26, 88
 - improvement of 27, 31–8, 42

- monitoring 27–31
 - see also oil stability index
- oxygenase enzymes 292
- oxygenated fatty acids
 - applications 551
 - enzymatic production 551–3, 558–65
- ozonized vegetable oils, as CFI
 - additives in biodiesels 23, 25
- P450 see cytochrome P450
- palm oil
 - price data 116
 - see also crude palm oil
- palm oil ethyl esters, early use 5, 97–8
- palm oil methyl esters (PME)
 - oxidative stability, effect of
 - antioxidants 35–6, 36
 - production by tin-based catalysis 99
- palmitic acids, *B. megaterium* strain
 - ALA2 reactions 298, 299
- palmitoleic acid, hydroxy fatty acids
 - produced from 560–1
- D-pantothenate 357
- D-pantoyl lactone
 - preparation by microbial asymmetric
 - reduction 357, 361–6
 - production in Japan 360
- rac-pantoyl lactone, enzymatic
 - reduction of 357–61
- particulate matter (PM) emissions 6
 - biodiesel compared with
 - petrodiesel 8–9
- peanut oil, early diesel engine run on 4, 97
- pelagic thresher, bioactive peptides
 - produced from 501
- Penicillium camembertii* lipase 77
- pepsin 494
 - marine-derived proteins hydrolyzed
 - by 497, 503, 506, 510
- peroxidase 535–6
- peroxidase-catalyzed
 - polymerization 535–8
- petrodiesel
 - low-sulfur grades 39, 87
 - standard specification for 5–6
 - see also biodiesel/petrodiesel blends
- phenolic polymers 536
- phenylalanine dehydrogenase 321
- (S)-phenyllactic acid derivatives 337
- (4S)-phorenol 366, 367
- phosphoketolase pathway, in lactate
 - production 254, 258, 259
- phospholipids, in seaweeds 468
- phosphorylases 522–4
- Pichia methanolica* 329
- Pichia pastoris*, formate dehydrogenase
 - gene 321, 327
- piqui oil, methanolysis of 99, 100
- plant oils
 - biotransformation to value-added
 - compounds 571–85
 - see also vegetable oils
- plant sterols
 - cholesterol-lowering effects 481
 - see also seaweed sterols
- plastein 510
- polyarbutins 539–41
 - glycosylated derivatives 541–3
 - enzymatic synthesis 541–2
 - structures and properties 542–3
- polyenoic fatty acid isomerase
 - (PFI) 469
- polyesters, glycerol-based 158, 159
- polyglycerol 158–9
- poly(hydroquinone) 536
- polyhydroxyalkanoates (PHAs) 135, 548
 - as biodegradable plastics 548
 - classification 135–7
 - production from glycerol 137–42, 149
 - production from vegetable oils 548–9
- poly-3-hydroxybutyrate (PHB) 135, 136
- poly-3-hydroxybutyrate-co-3-hydroxyvalerate (PHB/V) 136, 136
- polylactic acid (PLA) 258
- polymeric materials, synthesis from
 - glycerol 137–42, 149, 159–60
- polyunsaturated fatty acids (PUFAs) 70
 - bioconversion by *P. aeruginosa* strain
 - PR3 563–4, 564–5, 566
 - antibacterial activities of
 - products 566–7
 - oxidative effects of products 566
 - biotransformation of oils to 573–9
 - conversion to ethyl esters 72–3
 - metabolites 292

- polyunsaturated fatty acids (*cont'd*)
 physiological effects 476
 purification from seaweeds 465, 467
 in seaweeds 465, 467, 473, 475
 in triacylglycerols 431, 432
see also arachidonic acid;
 docosahexaenoic acid;
 eicosapentaenoic acid; linoleic acid; linolenic acid
- potato D-enzyme 314
- potato-type L glucan phosphorylase 523
- poultry manure, anaerobic digestion of 232–3
- pour point (PP) of diesel fuels 10
 biodiesel 12
 prediction of 90–1
 biodiesel/petrodiesel blends (listed) 13
 effect of CFI additives 20, 22, 23
 effect of ozonized vegetable oils 25
 fractionated biodiesels (listed) 17
- pressurized differential scanning calorimetry (P-DSC), oxidative stability of biodiesel studied using 29–31, 36–8
- price
 biodiesel
 factors affecting 84–5
 optimization calculations 91–4
- prion proteins 235
 degradation by keratinase 235–6
- prion surrogate protein (PSP) 236
- prochiral carbonyl compounds, asymmetric bioreduction of 356–7, 362–6
- prochiral compounds, asymmetric desymmetrization of 331, 336
- propane-1,2,3-triol *see* glycerol
- propanolol, intermediates for, enzymatic synthesis of 331–2
- propylene glycol, synthesis from glycerol 133
- protamine 423
- proteases 493–4
- protein hydrolysates
 functional properties as food ingredients 492
see also marine-derived protein hydrolysates
- proteolytic enzymes, hydrolysis with 493–5
- Pseudomonas aeruginosa* strain PR3, hydroxy fatty acids produced by 558–65
- Pseudomonas cepacia* lipase
 dynamic kinetic resolution using 340, 342
 enantioselective acylation using 338
- Pseudomonas* lipases
 biodiesel synthesis using 166–7
 conversion of steryl esters to sterols 76
- Pseudomonas putida* 327, 332, 333
 production of 549
- Pseudomonas* strains
 polyhydroxyalkanoates synthesized using 136, 137–42
 screening of 138
 substrate utilization on crude glycerol 139–40
- pyruvate decarboxylase, in ethanol production 253, 254, 255
- Ralstonia eutropha*,
 polyhydroxyalkanoates produced by 549
- Rancimat (oxidative stability) instrument 28, 31, 36
- rapeseed oil
 lipase-catalyzed methanolysis 167
 price data 116
see also canola oil
- rapeseed oil methyl esters (RME)
 biodiesel/petrodiesel blends, cold flow properties 13
 cetane number range 6
 cold flow properties 12
 oxidative stability, effect of antioxidants 31–2, 33
- raw material prices 116, 119
 in *Biodiesel Cost Optimizer* 93
- raw starch hydrolysing (RSH) enzymes, in ethanol production 243–4
- regiospecific reactions,
 lipase-catalyzed 76–7
- renin–angiotensin system 499

- response surface methodology
 (RSM) 168–74
 central composite design (CCD) 172, 173
 central composite rotatable design (CCRD) 174, 175, 176–7
 experiment design 171–2, 175, 176–7
 graphical method 169
 model fitting 175, 178
 principles 168–71
 regression used to fit surface 170
 statistical analysis 172–3, 175
 use in lipase-catalyzed methanolysis of vegetable oils 165, 168, 174–80
 effect of synthesis parameters 178–80
- Rhizomucor miehei* lipase
 biodiesel synthesis using 61, 165, 167, 168, 178
 ridge max analysis 180
 enantioselective ethanolysis of triacylglycerol by 438
- Rhizopus oryzae*, deracemization using 341
- Rhizopus oryzae* lipase, biodiesel synthesis using 165, 167
- Rhodotorula glutinis* 357
- ribavirin 322
 regioselective enzymatic acylation of 322–3
- ricinoleate 449
 kinematic viscosity 39
 lubricity 40
- ricinoleic acid
 conjugated linoleic acids produced from 581
 hydroxy fatty acids produced from 559–60
 as strategic material 292
 (12-ricinoleoylricinoleoyl)
 diricinoleoylglycerol 450
- ruminant bacteria, conjugated linoleic acids produced by 580
- Saccharomyces cerevisiae*
 glucose-6-phosphate dehydrogenase 328
 glycerol-defective mutant 400
- salmon muscle, bioactive peptides produced from 501, 504–5
- salmon-originated by-products, utilization of 422–4, 493
- salmon skin collagen 422
- salmon testes, utilization of 423
- sardine muscle, bioactive peptides produced from 500, 502, 503
- Sargassum marginatum* 468, 475
- SAS (Statistical Analysis System) 174, 177
- saxagliptin 320, 322
- scallop digestive tract enzymes, utilization of 419
- scallop mantle, utilization of 419–20
- scallop processing by-products, utilization of 418–20, 493
- scallop shells, utilization of 418–19
- sea breamscales, bioactive peptides produced from 502, 504, 505
- seaweed carotenoids 471–2
 HPLC separation of 466
 physiological effects effects 476–80
see also fucoxanthin
- seaweed lipids
 analysis 464–5
 fatty acids associated with 465
 physiological effects 473, 475
 preparation for industrial use 482–4
- seaweed sterols 472–3, 474
 physiological effects 481
- seaweeds
 antioxidant properties 475, 481–2
 conjugated fatty acids in 469, 471, 475–6
 fatty acids in 468–9, 470
 lipids composition 468
 pigmentation of various types 471, 482
 recovery of lipid compounds from 465, 467
 total world production 482
 uses 464
- sebacic acid, as strategic material 292
- secondary alcohols, dynamic kinetic resolution of 340
- selachyl alcohol 434
 in ether lipid synthesis 435

- separate enzymatic hydrolysis and fermentation (SHF) 251
- serotonin and noradrenaline reuptake inhibitors (SNRIs) 338
- shark liver oil 434
- simultaneous saccharification and fermentation (SSF), ethanol production by 216–17, 240–1, 250–1
- single cell oil (SCO) process 483–4
- soapstock
 - acidification of 66, 119, 190
 - uses 119
 - see also* acid oil
- solid state fermentation (SSF), PUFAs produced using 575–7
- (*R*)-solketal (isopropylidene-glycerol) as chiral precursor
 - in ether lipid synthesis 435
 - in triacylglycerol synthesis 439, 440, 441
- sophorolipids (SLs) 142–3
 - amphiphilic characteristics 143
 - production from glycerol 143–5, 149
 - structure 142–3
- soybean oil
 - alcoholysis using various alcohols 100
 - hydrogenation of, conjugated linoleic acids formation during 376–86
 - lipase-catalyzed methanolysis 165, 166, 167
 - NMR spectrum 377
 - after hydrogenation 378
 - polyhydroxyalkanoates produced from 549
 - price data 116
 - unsaturated fatty acids in 548
- soybean oil methyl esters (SME)
 - biodiesel/petrodiesel blends, cold flow properties 11, 13, 13, 22, 23, 24, 25
 - cold flow properties 9, 12
 - effect of CFI additives 22, 24, 25
 - effect of fractionation 15–16, 17
 - fractionation of 15–18
 - disadvantages 18
 - oxidative stability 28–9
 - effect of antioxidants 32, 35
 - monitoring 30
- specifications, biodiesel 6, 28, 84, 85
- spent malt grains (SMG), in solid state fermentation 575–6
- Sporobolomyces salmonicolor* 362, 364
- squid ink, utilization of 420–1
- squid phospholipid 424
- squid processing by-products, utilization of 420–1, 493, 502
- Stabilium 200 512
- starch
 - enzymatic degradation of 240, 243–4
 - as oligosaccharide source 311, 313
- statistical approach to optimization of lipase-catalyzed synthesis of biodiesel 165–80
 - see also* response surface methodology (RSM)
- statistics software 174
- sterols
 - purification of 73–5
 - seaweed-derived 472–3, 474
- steryl esters, conversion to free forms 75–6
- STING (simultaneous transesterification and cracking) method for biodiesel production 116
- storage stability of liquid fuels 26
 - biodiesel 26–7
 - improvement of 31–8, 42
 - factors affecting 26
- Streptomyces antibioticus* 326
- submerged fermentation, PUFAs produced using 574–5
- subtilisins 233, 340
 - see also* keratinase
- succinic acid–glycerol oligomers 147, 148
- sucrose
 - amylose produced from 528
 - α -glucose 1-phosphate produced from 524, 528
- sucrose phosphorylase 524
- sugar cane biomass
 - ethanol production from 239
 - lactate production from 260
- sunflower oil, lipase-catalyzed methanolysis 166

- sunflower oil methyl esters (SFME)
 biodiesel/petrodiesel blends, cold flow properties 13
 cetane number 6
 cold flow properties 12
 deposit buildup 5
 oxidative stability, effect of antioxidants 32
 supercooling, effect on crystallization 89–90
 supercritical methanol method for biodiesel production 111, 123
 superheated methanol vapor bubble method for biodiesel production 112–13
 surfactants
 effect on enzymatic hydrolysis of cellulose 217–19
 production from glycerol 143–5, 158–9
see also sophorolipids (SLs)
 synergism, in enzymatic hydrolysis of holocellulose 201, 202
- tachykinins 330
 (–)-talampanel 337
 tallow
 lipase-catalyzed ethanolysis 166
 price data 116, 119
 tallow esters
 biodiesel/petrodiesel blends, cold flow properties 13
 cold flow properties 12
 oxidative stability, effect of antioxidants 32, 34
Thamnidium elegans, PUFAs produced by 575, 576, 577
 thermal analytical techniques, oxidative stability of biodiesel studied using 29–31
Thermoactinomyces intermedius, phenylalanine dehydrogenase 321
Thermoanaerobacterium saccharolyticum 257–8
 thermolysin 495
 marine-derived proteins hydrolyzed by 501, 503, 506, 510
 thermophilic anaerobic digestion 232–3
Thermus aquaticus enzymes 314, 523, 529
 tin complex catalysts
 immobilizing in multiphase systems 100–1
 mechanism of action 101, 102
 methanolysis of vegetable oils using 99–100
 tin oxide catalyst, soybean oil transesterification using 102
 tin oxide/zinc oxide doped alumina catalyst, soybean oil transesterification using 102–3
 tocopherols, purification of 73–5
 toluene dioxygenase (TDO) 332–3
 transesterification–esterification
 combined process, for biodiesel production 188–90, 193
 transesterification of fats and oils
 lipase-catalyzed 61
 in non-catalytic processes 111
 tin-based catalytic reactions 102–3
 with ethanol or methanol 5
 with medium- or branched-chain alcohols 14–15
 trehalose 310, 311
 triacetin (glycerol triacetate) 158
 triacylglycerol lithium adducts, ESI-MS³ fragmentation pathways 455
 triacylglycerols (TAGs)
 conversion to fatty acid methyl esters 60, 61, 63, 67, 69, 132
 enantiopure MLM' type
 asymmetrically structured TAGs
 chemoenzymatic synthesis 440–5
 four-step chemoenzymatic approach to synthesis 439–40
 “ideal” 3-step synthetic route 437–9
 protection–deprotection approach to synthesis 439–40
 six-step chemoenzymatic approach to synthesis 440–3
 synthesis design 436–40
 lipase-catalyzed methanolysis of 61, 62, 63, 66, 69, 70
 in microorganisms 483
 MLM-type structured TAGs,
 chemoenzymatic synthesis 432–4
 regiospecific analysis 76–8

- Trichoderma reesei* cellulases,
characteristics 210–11, 215
- Trichomonas* sp. AM076 561
- trihydroxy fatty acids
biological activities 563
production of 559–60, 562–4
effect of metal ions 564
- 7,10,12-trihydroxy-8(*E*)-octadecenoic
acid (TOD), production
of 559–60
- triolein
cetane number 6
dihydroxy fatty acids produced
from 561–2
hydrolysis of 562, 563
kinematic viscosity 39
lubricity 40
- triricinolein 450
- trypsin 494
marine-derived proteins hydrolyzed
by 503
- tuna oil
free fatty acids, lipase-catalyzed
esterification of 65
purification of DHAEE from 71–2
- Turbinaria conoides* sterols 473, 481
- ultra-low sulfur petrodiesel fuel
(ULSD)
biodiesel blends, cold flow
properties 21
lubricity 39, 40
- ultrasound, effect on holocellulose-
degrading enzymes 216–17
- ultraviolet (UV) spectra, hydrogenation
of soybean oil 377
- uncoupling protein (UCP1), as anti-
obesity molecule 478, 479,
480
- Undaria pinnatifida* lipids 477, 478,
479
- unsaturated fatty acids
in various vegetable oils 548
see also oleic acid; polyunsaturated
fatty acids (PUFAs)
- upflow anaerobic sludge blanket
(UASB) reactors, hydrogen
production in 272, 275
- US
production capacity
biodiesel 115, 116, 132
ethanol 239
- used cooking oil, biodiesel produced
from 63–4, 109, 164, 186, 191
- used cooking oil methyl esters
(UCOME)
cold flow properties 12
fractionation of 16, 17
oxidative stability, effect of
antioxidants 32, 34
see also waste edible oil
- vegetable oil deodorizer distillate
(VODD) 190
biodiesel synthesized from 191
purification of tocopherols and sterols
from 73–5, 191
- vegetable oils
alcohol refining process 187–8
alkaline-catalysed esterification
of 60, 107–8, 117, 121
biotransformation to value-added
compounds 571–85
benefits of using
microorganisms 572
conjugated linoleic acids 579–81
manipulation of microbial oil
composition 578
polyunsaturated fatty acids 573–9
- conflict between energy and
nutritional uses 186
- conjugated linoleic acids in 376
- early diesel engines run on 4
- esters 5, 60
cetane number ranges 6
cold flow properties 9–26
exhaust emissions 7–9
lubricity 39–40, 41
oxidative stability 26–38
viscosity 38–9
see also fatty acid methyl esters
- hydrogenation of, conjugated linoleic
acids formation during 376–86
- Japanese consumption data 109
- lipase-catalysed esterification of
61–3

- ozonized, as CFI additives in
 - biodiesels 23, 25
- price data 116
 - factors affecting 186
- refining of 186, 187–8
 - by-products from 66, 119, 190–1
- tin compounds in catalyzed
 - methanolysis of 99–103
- US production data 132
- viscosity 38
- viscosity, biodiesel 38–9, 87
- volatile fatty acids (VFAs), hydrogen production limited by 275

- waste edible oil
 - collection and utilization in Japan 109
 - conversion to biodiesel 63–4, 109, 164, 186, 191
 - see also* used cooking oil
- waste fatty acids, conversion to biodiesel 64–6
- waste from fisheries, utilization of 418–27, 492–3
- waste paper, enzymatic saccharification of 216
- winterization of diesel fuels 15–18

- xylan, fermentation of 257–8
- xylanases 208
- xylose, fermentation of 254, 256, 258

- yellowfin sole (*Limanda aspera*),
 - peptide extracts 503, 506, 511–12

- Zygosaccharomyces rouxii*,
 - dehydrogenase 338