

Index

- (S)-ibuprofen, 1411
- (S)-naproxen, 1411
- 1,4 Butanediol, 353
- 1-Butene, 387
- 1-Chloro-2,3-epoxypropane, in epoxy resin manufacture, 597
- 2, 4-D, 316, 317
- 5-hydroxymethylfurfural, 1504-1505
- Accuracy, definition, 326
- Acetaldehyde, 366
- Acetamide, 1058, 1077
- Acetic acid, 74, 102, 350, 366, 382, 1068, 1072, 1342
 - via methanol carbonation, 351
- Acetic anhydride, 366, 368-9
 - from coal, 75
- Acetone, 1064, 1072
- Acetone cyanohydrin, 1072
- Acetonitrile, 1071,
- Acetosolv process, 1497
- Acetylene, 353, 1230
- Acid dyes, acid black, 509
- Acid gases, 1021, 1022
- Acrolein, 1072
- Acrylamide, 1077, 1084, 1404
- Acrylic acid, 379
- Acrylic adhesives, wax in, 618
- Acrylic monomers, in adhesives, 613
 - solvency, 614
- Acrylics, 466
- Acrylics, polymer manufacture, 466
 - spinning, 468
- Acrylonitrile, 374
- Acrylonitrile/butadiene/styrene polymer, 646
- Adhesion,
 - definition, 591
 - factors affecting, 592
 - hydrogen bonding, 594
 - interactions, 594
 - low energy surfaces, 618
 - mechanism, 594
 - surface treatments to improve, 596
 - to dirty metals, 617, 618
- Adhesives,
 - acrylic, 613
 - bonded construction, 596
 - epoxy, 596
 - primers, surface treatment, 596
 - urethane, 606
- Adipic acid, 394, 1045, 1084
- Adiponitrile, 1072, 1084
- Adsorbents, solid phase, 318-20
- Aerogels, 337
- Aerosols, 318
- Affinity chromatography, AC, 1441-3
- Agrochemicals, types, insect growth regulators, 781
- Agrochemicals industry, classical chemicals, 721-738
- Agrochemicals,
 - acryloxy phenoxypropionic acids, 780
 - alleopathy, 799
 - azoles, 778
 - benzoyl ureas, 780
 - biological agents, 798
 - biological agents, 798
 - carbonates, 776
 - chirality, role, 783
 - chloroacetanilides, 778
 - definition, 719
 - delivery systems, 760
 - diarylether carboxylic acids, 780
 - dinitroanilines, 778
- Agrochemicals, future directions, 799
- Industry characteristics,
 - chemistry, 786
 - classes, 741
 - history, 720
 - manufacture, 741, 786
 - regulatory aspects, 739, 797
- insect pheromones, 780, 795
- obsolescence, 760
- organochlorine, 775
- organophosphorous, 774
- pyrethroids, 776
- recombinant DNA technology, 788
- role in agriculture, 720
- sulfonyl ureas, 778
- triazenes, 777
- types,
 - algicides, 791
 - bactericides, 792

I-2 INDEX

- Agrochemicals, future directions (*continued*)
 - fungicides, 761–768
 - fumigants, 740
 - herbicides, 748–759, 775
 - insect growth regulators, 781
 - insecticides, 742–747, 774
 - molluscicides, 790
 - nematicides, 789
 - plant growth regulators, 769–773
 - rodenticides, 794
- ureas, 776
- usage, 787
- Air separation plant (flow diagram), 1223
- Air,
 - ambient, 320
 - containing volatile compounds, 320
- Alchemix, 1080, 1082
- Alkyl lithium catalyst for polymerization, 702
- Allophanate, in urethane adhesive, 608
- Alpha amylase, 1684
- AlphaScreen, 1429
- Alumina (Al_2O_3), 1019
- American Institute of Chemical Engineers, 1077
- American Public Health Association, 313
- American Society for Testing & Materials, 313
- American Water Works Association, 313
- Amines,
 - alicyclic, 1054
 - aliphatic, 1053–4
 - alkyl, 1055, 1057–8
 - aromatic, 1054
 - as curatives in epoxy adhesives, 602, 603
 - butyl, 1055, 1057–8
 - cyclohexyl, 1057–8
 - dimethyl, 1055
 - heterocyclic, 1054
 - methyl diethanolamine, 1020–2
 - t-octyl, 1057
- Amino acid analysis, 1474
- Amino acids, 1020, 1072, 1358, 1407
- Aminoacylases, 1408
- Aminoglycoside 3-phosphotransferase, 1427
- Ammonia synthesis, for fertilizer production, 1120
- Ammonia,
 - anhydrous, 999, 1002–3, 1031–2, 1034
 - aqueous, 1003, 1032–3, 1058, 1064
 - catalysts, 1026
 - converter, 1023–1026, 1028, 1031
 - dissociated, 1032
 - gas, 1045, 1046, 1048
 - liquid, 1032, 1033
 - oxidation, 1036–9, 1042
 - pipeline, 1034
 - plant, 1015, 1018–9, 1024, 1028–31, 1049
 - processes, 998–9, 1010, 1028, 1048, 1082
 - properties, 1003, 1082
 - quality, 1033
 - separation, 1028
 - toxicity, 1032
 - uses, 1031
 - wood plasticization, 1267
- Ammonium bisulfate, wood pulping, 1248
- Ammonium carbamate, 1031, 1049
- Ammonium carbonate, 1023
- Ammonium hydroxide, 1032
- Ammonium nitrate fertilizer, 1122
- Ammonium nitrate,
 - properties, 1048
 - Stamicarbon process, 1049,
- Ammonium phosphate fertilizers, 1130–1132
- Ammonium phosphates, 999–1001
- Ammonium sulfate fertilizer, 1122, 1124
- Amylase, 1378, 1668
- Amylopectin, 1684–5
- Amylose, 1684–5
- Anaerobic adhesives, 614
- Analyses,
 - elemental, 316
 - field, 310
 - remote laboratory, 310
- Analysis,
 - definition, 326
 - qualitative, definition, 327
 - quantitative, definition, 327
- Analytes,
 - characteristics, 314
 - definition, 326
 - nonvolatile, 316–7
 - sampling techniques, 314
 - semivolatile, 314, 321
 - volatile, 314, 321
- Analytical method attributes, definition, 326
- Analytical method,
 - definition, 326
 - chromatographic, 321
 - colorimetric, 326
 - compromises, 321
 - development, 312–3
 - documentation, 312–3
 - electrochemical, 326
 - figures of merit, 326
 - Gov't regulations, 313
 - immunoassays, 326
 - multi-analyte, 310
 - nonchromatographic, 324
 - single analyte, 310
 - standardized, 313
- Analytical quality assurance, 312
- Anhydrides, as curatives for epoxy adhesives, 602, 604
- Aniline, processes, 1073–4, 1076
- Animal fats, 1567
 - animal feed uses, 1591
 - edible lards & tallows, 1589
 - inedible, 1590
 - rendering processes, 1586–1590
 - restaurant greases, 1590
 - specifications, uses, 1591
- Animal-component-free, ACF, 1430, 1431
- Anionic polymers, coupling agent, 704
- Anthropogenic substances, 310
- Antibiotics, 1366, 1405
 - recovery process, 1328

- Antidegradants in rubber, 696
- Arabinans, 1473, 1495
- Arabinofuranosidases, 1491
- Arabinose, 1462
- Arachidonic acid, 1366
- Aramids, 480
 - manufacture, 481
 - meta-aramids, 483
 - para-aramids, 482
- Arithmetic mean (data), 182
- Arrhenius equation, 283, 284
- Aspartame, 1410
- Assoc of Official Analytical Chemists, 313
- Atomic absorption spectrometry, 324–5
- Atomic emission spectrometry, 324–5
- Automatic screening, AS, 1432
- Available chlorine, 1211, 1212
- AZCL polysaccharide hydrolysis, 1494
- Azoic dye, 509
- Azoles, 778
- Bagasse, 1465, 1661, 1668
- Basic dyes, 509
- Beet juice, purification, 1679
- Beet sugar, 1676
 - juice extraction and processing, 1678–1680
- Benzene, chemicals from, 391
- Benzo{a}pyrene, 315
- Benzoic acid, 399
- Benzyl chloride, 399
- Beta amylase, 1684
- Bias, definition, 326
- Biocatalysis, 303, 1385
 - advantages, 1386
 - enzymes, 303
 - non-aqueous, 1401
 - products, 1386
- Biocatalysts, 1387, 1481
 - discovery, 1387
 - engineering, 1388
 - immobilization, 1392
 - whole cell, 1396
- Biodiesel, 1643, 1647
- Bioinformatics, 1388
- Biomass gasification, 1452, 1455, 1508, 1512–7
 - reaction, 1512
 - reactor design, 1513–5
 - syngas,
 - cleanup, 1515–7
 - high pressure process, 150
 - Impurities, 1515
 - liquid fuels, 1518–9
- Biomass, 1384, 1449
 - analysis, 1466
 - biochemical conversion, 1451, 1453–1454
 - boilers, 1521
 - combustion 1506, 1519
 - consolidated processing, 1464
 - deconstruction, 1495
 - lignocellulosic, 1451, 1462, 1505
 - potential, 1459–1460
 - supply, 1496
 - thermochemical conversion, 1451–1452, 1462, 1506–9
- Biomechanical pulping, 1252
- Biomolecular engineering, 1317
- Bio-oil, 1510–1511
- Biopharmaceuticals, 1369
- Biopolymers 1498, 1501
- Biopower, 1521
- Bioreactor, 1434
 - aeration, 1435
 - batch mode, 1436
 - biosensors, 1435
 - disposable, 1435
 - fed-batch mode, 1436
 - perfusion, 1436
 - process control, 1439
 - process parameters, 1437
 - scale-up, 1439
- Bioreactors, 1398
 - batch reactors, 1399
 - comparison, 1401
 - plug-flow reactors, 1400
- Biorefinery, 1371, 1418, 1454, 1495–1496
- Biotechnology for farm productivity, regulatory aspects, 797
- Biotechnology, agriculture/processing,
 - crop production, 1558
 - enzyme use, 1581, 1596, 1622
 - herbicide tolerant crops, 1553
 - insect resistant crops, 1553
 - light determinate varieties, 1567
 - transgenic crop concerns, 1555
 - transgenic foods labeling, 1557
- Biotechnology,
 - approved products, 1422
 - bio-bleaching pulp, 1254,
 - bio-pulping wood, 1254
 - emergence, 2, 16–19
 - for farm productivity, 788, 797–9
 - genetically modified food, 797
- Biotherapeutics, 1421–2
- Biphenyl, 315
- Bisphenol, 393
- Biuret, 1048, 1051
 - of hexamethylene diisocyanate, 610
 - in urethane adhesives, 608, 610
- Bleaches, 1211, 1212
 - for wood pulp, 1253
- Block copolymers,
 - from styrene and butadiene, 712
 - types, 712, 713
- Borol solution, 1194
- Boudouard Reaction, 1005, 1014
- Broad spectrum analysis strategy, 309
- Bromates, 1213
- Bromine, 1208
 - market distribution, 1209
- Butadiene, 390
- Butane, chemicals from, 383
 - oxidation, 384

I-4 INDEX

- Butanes and butylenes, 381
- Butanol, wood pulping, 1251
- Butene-2, 388
- Butyl alcohols, 378
- Butyl aldehydes, 378
- Butyl rubber, 389
 - from isobutylene monomers, 707
- Butylenes, 387
- Butyraldehyde,
 - plasticizer, 301
 - polyvinyl alcohol, 301
 - production, 301
 - rhodium tricarbonyl triphenyl phosphate, 302

- Calcined dolomites, 1516
- Calcium chloride markets, 1211
- Calcium hypochlorite, 1211
- Cane sugar refining, 1671–75
- Capillary electrophoresis, 321–23
- CaPO₄ precipitation, 1428
- Caprolactam, 395, 999, 1031–2
- Carbodiimides, 1053
 - in urethane adhesives, 603
- Carbofuran, 317
- Carbohydrates, 1414, 1473
 - dehydration, 1502
 - hydrolysis, 1501
 - oxidation, 1502
 - pyrolysis, 1501
- Carbon black, 1015
- Carbon dioxide,
 - by solvent absorption process, 1228
 - liquid, 1228
 - production and uses, 1227
 - supercritical, 1227–8
- Carbon disulfide, 354
- Carbon fibers, 488
- Carbon monoxide, shift, 1018–1020
- Carbon sequestration, 1455
- Carbonates, 776
- Carboxylic acids, as curatives in epoxy adhesives, 602, 604
- Cardiovascular agents, congestive heart failure
 - clopidogrel, 412d
 - enalapril, 412
 - lisinopril, 412
 - sumatriptan, 412
- Cardiovascular agents, hypertension agents,
 - metoprolol, 411
 - amlodipine, 411
 - irbesartan, 411
 - losartan, 411
- Casale High Efficiency Trays (HET), 1051
- Catacarb process, 1021
- Catalysis,
 - general acid, in epoxy adhesions, 602
 - isocyanate-hydroxyl reactions, 608
- Catalyst carriers,
 - Al₂O₃, 273–9, 285–8, 291–9
 - C, 273
 - CeO₂, 273, 291–3
 - dispersion, 274
 - MgCl₂, 302
 - particulate, 279
 - pore size, 274, 281, 288, 296
 - properties, acidity, 274, 289–291
 - SiO₂, 273–05, 288–9, 296–302
 - surface area, 273, 274, 286, 299, 300
 - TiO₂, 273, 274, 286
 - ZrO₂, 274, 286, 293, 297–8
- Catalyst characterization, 286–7
- Catalyst deactivation,
 - attrition, 296
 - carrier sintering, 285
 - catalyst component sintering, 284–299
 - coking, 286, 298
 - selective poisoning, 286–302
- Catalyst dispersion, 273, 274
- Catalyst materials,
 - homogeneous catalysts, 302
 - molecular sieves, 289
 - SiO₂-Al₂O₃, 272, 273, 288, 289
- Catalyst metals,
 - Ag, 272
 - Co, 272–3, 286–8, 297–8, 301–7
 - Cr, 272–3, 280, 298, 3009–2
 - Cu, 273, 280, 286, 296–7, 299, 301
 - Fe, 272–9
 - Mn, 273
 - Mo, 273, 288, 297–8, 301
 - Ni, 272–4, 276, 286–7, 296–301
 - Pd, 272–3, 278, 285–6, 291–2, 300
 - Pt, 272–9, 281–6, 290–300
 - Rh, 272–3, 278, 285, 287, 300, 302
 - Ru, 272–3, 299
 - Ti, 272, 302–3
 - V, 272–3
- Catalyst passivation, 278, 299
- Catalyst preparation, 279
- Catalyst regeneration, 286, 288, 290, 291
- Catalyst regeneration,
 - coke, 286
 - cracking process, 290
 - hydro-demetalization, 287
 - hydro-desulfurization, 288
 - reforming, 291
- Catalyst types,
 - heterogeneous, 273–303
 - homogeneous, 287, 301–2
 - Rh tricarbonyl triphenyl phosphate, 302
- Catalysts, historical, 37
 - metal supported, 330
 - sulfur compounds, 274, 287–8, 297–8
- Catalytic active sites, 273–6, 280–1, 286, 290–1, 302
- Catalytic converter,
 - carbon monoxide, 279, 291–2
 - nitric oxide, 279, 292

- oxidation, 291–2
- three way catalyst, 292–4
- unburned hydrocarbons, 279, 291–2
- Catalytic materials, Faujasite zeolite, 272, 289
- Catalytic reactions.
 - aromatization, 290
 - cracking, 289, 290
 - dealkylation, 289
 - dehydrogenation, 290, 291
 - electrochemical, 293
 - hydrocmetallization, 287, 288
 - hydrodesulfurization, 2876, 288, 297–301
 - hydroformualtion, 301
 - hydrogenation, 279, 287, 295–301
 - isomerization, 290, 291
 - kinetics, 281–284
 - rate limiting steps, 275–302
 - methanation, 297
 - naphtha reforming, 290
 - oxidation, 291–293, 297
 - polymerization, 302, 303
 - preferential oxidation, 278, 301
 - rate models, Langmuir-Hinshelwood, 284
 - rate models, Mars-van Krevelen, 284
 - reduction, 293
 - steam reforming, 278, 293, 297–301
 - table, 272
 - three way catalysis, 292–294
 - water gas shift, 278, 297–301
- Catalytic reactors,
 - batch slurry, 281–7
 - fixed bed, 281–2
 - fluid bed, 281, 289–303
- Catalytic steam reforming, 1516
- Caustic soda, 1196
- Cell adaptation, sequential adaptation, 1433
 - serum-free adaptation, 1433
 - starve and save adaptation, 1433,
- Cell banking, 1429
- Cell lines, mammalian, for industrial production 1427
- Cell liquor, 1205
- Cell stability, 1430
- Cell wall genomics, 1480
- Cellobiases. *see* β -Glucosidases
- Cellobiosyl fluorides, 1489
- Cellulase, 1383, 1484–5
 - activity measurement, 1485
- Cellulose acetate spinning, 451
- Cellulose acetate, 448
 - secondary acetate, 448
 - triacetate, 450
- Cellulose hydrolysis, 1275
 - acid, 1276
 - enzymatic, 1279
 - hemicelluloses, 1276
- Cellulose, 1451, 1481
 - assays, 1482
 - deconstruction, 1501
 - dehydration, 1509
 - mathematical modeling, 1488
 - production, 1496
- Central nervous system agents,
 - Alzheimer's disease,
 - donepezil, 419
 - mematine, 419
- Central nervous system agents,
 - antidepressants
 - fluoxetine, 418
 - paroxetine, 418
 - serotonin uptake inhibitors, 418
 - sertraline, 418
 - venlafaxine, 418
- Central nervous system agents,
 - anxiolytics,
 - alprazolam, 418
 - buspirone, 418
- Central nervous system agents
 - bipolar disorders,
 - aripiprazole, 419
 - gabapentin, 419
 - olanzapine, 419
 - respidone, 419
- Cephalosporins, 1368, 1407
- Chain termination in free radical polymerization, 614
- Chain transfer in free radical polymerization, 614
- Charcoal, 1510
- Charged particle transmutation products, 957
- Chemical additives, 28
- Chemical analysis, strategics, 306
- Chemical catalysis, 1496–1498
- Chemical explosives,
 - ammonium nitrate and ANFO, 1759
 - bulk emulsions, 1760
 - chemistry, 1744
 - classification, 1749
 - explosions, 1745
 - historical, 1747
 - initiation systems, 1765
 - manufacture and use, 1752
 - manufacture,
 - ammonium nitrate and ANFO, 1759
 - bulk emulsions, 1760–765
 - DDNP (2-Diazo-4,6-dinitrophenol), 1755
 - Dynamite, 1757
 - HNS (2,2',4,4',6,6'-Hexanitrostilbene), 1753–4
 - NG (Nitroglycerin), 1756
 - packaged, 1757
 - PETN (Pentaerythritol tetranitrate), 1756
 - RDX and HMX (cyclic nitramines), 1753
 - TATB (1,3,5-Triamino-2,4,6-trinitrobenzene), 1755
 - TNT (2,4,6-Trinitrotoluene), 1753
 - markets, 1742
 - packaged, 1757
 - properties (table), 1750
 - sensitivity, 1749
 - structural characteristics, 1752
- Chemical industry, historical/economic perspectives
 - Arab countries, 9

I-6 INDEX

- Chemical industry, historical/economic perspectives (*continued*)
 - biotechnology, 79
 - characteristics,
 - commercial development, 70
 - investment trends, 70
 - obsolescence/research, 74
 - technological orientation, 72
 - China, 79
 - coatings industry, 76
 - definition, 63
 - economic context, 65, 68
 - electronics, 36
 - electronics/computer, 67
 - energy use, 71
 - entrepreneurs, role, 57
 - fine chemicals, 19
 - foreign trade, U.S.A., 68
 - France, nationalization, 6
 - future trends, 78
 - globalization, 43
 - Italy, Spain, 8
 - mergers and acquisitions, 66
 - oil, relationship with, 55
 - overcapacity in 1970s, 1
 - public opinion, regulatory activities, 40
 - R&D spending, 78, 80
 - restructuring in 1970s, 1980s, 2--12
 - specialty chemicals, 20--22
 - terrorism, 67
 - USA, 9
 - NAICS code 325 (table), 64
 - NAICS code 3251 (table), 65
 - NAICS code 3255, 65
- Chemical properties and environmental fate, 236--9
- Chemical reactor design, green, 22
- Chemical-defined, CD, 1430, 1431, 1432
- Chemisorption, on catalysts, 278--9, 280, 291
- Chinese hamster ovary, CHO cell lines, CHO-S, CHO-K1, CHODG44, CHO-DUXB11, 1427
- Chiral chemistry, 784, 785
- Chiral resolution, 1411
- Chirality, 783
- Chloramine, 1063, 1064
- Chlorinated ethanes, 359
- Chlorinated ethylenes, 362--3
- Chlorine dioxide, 1211, 1212
 - commercial generators, 1212
 - pulp bleaching, 1253
- Chlorine, 1196
 - domestic (US) demand, 1197
 - electrolysis cells, 1199
 - Eltech diaphragm cell, 1202
 - energy efficiency of cells, 1201
 - flow sheet, 1204
 - fused salt electrolysis of metal chlorides, 1207
 - global production, 1196
 - membrane cell, 1198, 1203, 1204
 - mercury cell, 1198
 - minimum energy requirement, 1201
 - producers in U.S., 1207
 - pulp bleaching, 1253
- Chloroacetanilides, 778
- Chlorobenzenes, 397
- Chlorocarbons, 360
- Chlorohydrin process, 375
- Chloromethanes, 352
- Chloroprene rubber, Neoprene, 709
- Chlorosulfonated polyethylene, 712
- Chromatography detectors, 323
- Chromatography,
 - gas and liquid, 308
 - protein purification, 1442, 1443
- Chromium oxide, 1020
- Citric acid, 1344
- Clathrates, 924
- Claus process, 921
- Clostridium thermosaccharolyticum*, 1463
- Coal combustion, 859
 - combustion equipment, 859
 - pollution controls, 864--6
 - processes, 860--3
- Coal gasification, 870, 1014--5, 1022
 - chemistry, 871--3
 - gasifiers, 873--6
 - power generation, 876
 - power generation, integrated gasification combined cycle (IGCC), 877
 - process descriptions, 878--885
- Coal liquefaction,
 - direct liquefaction, 888
 - indirect liquefaction, 894
 - indirect liquefaction, Fischer--Tropsch, 895
 - pyrolysis based processes, effects of process parameters, 886
 - pyrolysis based processes, nature and use of products, 885, 887
- Coal utilization, environmental concerns, 858
- Coal, chemicals from, 901--4
 - coal gasification-acetic anhydride (flow sheet), 903
 - Eastman Chemical Company, 903
 - Sasol process, 899--904
- Coal
 - classification by rank and type, 847--9
 - coke, 867
 - composition and analysis, 850
 - consumption, 846
 - heat of combustion (table), 852
 - liquefaction, 885
 - mining
 - origin and classification, 844
 - petrochemicals from, 901--4
 - preparation, 854--8
 - production, 844--5
 - reserves, 843
 - synthetic fuels from, 898--899
 - top producing countries (table), 846
- Coatings industry, 76

- Coatings,
 - application equipment regulations, SCAQMD Clean-Air Act, 1296
 - application equipment requirements, 1296
 - automotive, 1301
 - background and historical development, 1294
 - cross-linking technologies, 1303
 - electron beam and UV curing, 1300
 - environmental emissions, 1295
 - for plastics, 1302
 - hazardous waste regulations, 1298
 - lacquers, 1309
 - markets, 1294–5
 - paint, 1305–9
 - powder coatings, 1300
 - solvent-borne, major constituents, 1299
 - technical trends, 1298
 - volatile organic compounds (VOC) regulations, by state and region (US), 1296–1298
- Cocoa butter, replacers, 1567, 1640
- Coconut oil, 1567, 1588
- Coke, 867, 1517
 - gasification, 1004–5, 1014
- Combustion systems, 1509
- Combustion hazards in chemical plants, 100
- Component titration, CT, 1432
- Composite materials, emergence, 2
- Congeners, 315, 318, 326
- Conjugated linolenic acids, 1570, 1629
- Consolidated biomass processing, 1464
- Continuous monitoring, 311
- Control charts, 188, 190
- Copolymerization, 636
 - random, 637
 - styrene and butadiene, 702
- Copolymers, block and graft, 637
- Corn stover composition database, 1476–1477
- Corn stover feedstock rapid analysis method, 1476
- Corn sweeteners, enzymes in, 1684
- Corn wet-milling, 1380
- Corn, 1468–1469, 1478
- Corrosion, hydrogen embrittlement, 1009, 1031
- Corrosion, inhibitor, 1020, 1022, 1033, 1042, 1058
- Cottonseed oil, 1567, 1626
- Cottonseed oil, delinting, 1626
 - gossypol, 1626
 - miscella refining, 1604
- Coupling agents, silanes, 594
- Cryogenic gases, boiling points and concentration in air, 1217
 - processes for, 1217
- Cryogenic traps, 318
- Cumene, 378, 393
- Curing structural adhesives,
 - crosslinking, 594
 - definition, 593
 - evaporation, 593
 - hot melt, 593
- Cyanamide, 1048, 1053, 1077
- Cyanuric acid, 1053
- Cyanuric chloride, 1072
- Cyclohexane, 394
- Cyclopentadiene, 390
- Cynocobalamin, 1365
- DDNP (2-Diazo-4,6-dinitrophenol), 1755
- Degradation, microbiological, 316
- Dehydrogenase, 1409
- Depolymerization, 1453
- Detection limit, 326
- Detergents, additives,
 - anticaking agents, 1734
 - antiredeposition polymers, 1732
 - builders, 1731–3
 - enzymes, 1733
 - optical brighteners, 1733
- Detergents, production,
 - agglomeration processing, 1737
 - liquid detergents, 1738
 - spray drying, 1133
 - typical formulation, 1133
- Diaminodiphenyl sulfone, curing epoxy adhesives, 603
- Diammonium phosphate, 1130
- Dichlorobenzene, 398
- Diethanolamine 1020–2
- Diglyceride salad and cooking oils, 1635
- Dihydrofolate reductase, DHFR, 1427, 1428
- Diisocyanate dimers, in urethane adhesives, 611
- Diisocyanates, 396
- Dimensionally stable anodes, 1200
- Dimethyl sulfide, 1290
- Dimethyl sulfoxide (DMSO), 1290, 1429
- Dioxin, 315
- Dipole interaction, adhesion, 594
- Diuron, 317
- DNA, 1428, 1441, 1443
- Docosahexaenoic acid, 1366
- Dust explosions, 88
- Dye manufacture, 552
 - anthraquinone, 567
 - anthraquinone, acid, 571
 - anthraquinone, basic, 573
 - anthraquinone, disperse, 567
 - anthraquinone, reactive, 573
 - azo, disazo, 559
 - azo, monoazo, 558
 - azo, polyazo, 563
 - azo, 554
 - fluorescent brighteners, 583
 - nitro, 554
 - phthalocyanine, 582
 - sulfur, 579
 - triphenylmethane, 565
 - vat, 575
 - vat,
 - anthraquinoid, 575
 - indigoid, 578
 - xanthenes, 566

I-8 INDEX

- Dyeing, 499
 - pigment, 531
- Dyeing textile fibers, 527
 - dye-bath preparation, 528
 - fiber preparation, 527
 - finishing, 528
 - methods/batch, 529
- Dyes, classification, 506
 - acid, 507
 - azoic, 509
 - basic, 509
 - direct, 511
 - disperse, 516
 - reactive, 519
 - sulfur, 520
 - vat, 524
- Dyes, liquid crystal, 531
- Dyes, non-textile uses, 531
 - biomedical, 536
 - hair, 536
 - ink-jet, 531
 - laser, 535
 - organic photoconductors and infrared absorbent toners, 534
 - photographic, 538
- Dyes, production and sales, 586
 - synthetic, history of, 500
- Dyestuff industry, 501
- Dynamic vulcanization, 714
- Dynamite, 1757

- Effectiveness factor (catalysts), 275
- EFRAT (Environmental Fate and Risk Assessment Tool), 247
- Elastomeric fibers, 472
- Elastomers,
 - high temperature, 715
 - olefin, 707
 - silicone, 710
 - thermoplastic, 712
- Elemental analyses, 316, 324–5
- Emergency planning, 85, 135
- Emergency preparedness programs,
 - checklist, 150
 - community involvement, 166
 - elements, 151
 - emergency response plan, 160
 - hazard identification/mitigation, 151
 - laws and regulations, 170
 - managing, 147
 - need for, 148
 - personnel training, 164
 - preventing and predicting, 149
 - release detection, 153
- Endocellulase measurement, 1488
- Endoenzymes, 1490
- Endoglucanases, 1481, 1485
- Endoxylanases, 1484, 1492
- Energy crops, 1456, 1507
- Energy use, 945–946

- Environmental fate of chemicals, 213, 216–231–236
 - heuristics for predicting, 239–242
 - transformation in the environment, 231–6
 - biotic processes, 232–3
 - abiotic processes, 233–6
 - translocation, 226–231
- Environmental impact assessment,
 - combined tiers assessment, 249–252
 - EFRAT, 247
 - HYSYS process simulator, 247
 - maleic anhydride example, 250
 - methyl methacrylate synthesis, 246
 - Tier I–Tier III, 243–9
- Environmental risk assessment, 211
- Environmental risk minimization, 213
- Enzymatic degradation, 1482
- Enzymatic hydrolysis, 1462, 1482
- Enzyme databases, 1482
- Enzyme-linked immunosorbant assay, ELISA, 1428
- Enzymes, 1371
- Enzymes,
 - accessory, 1490
 - binding, 1482
 - debranching, 1482
 - depolymerizing, 1495
 - immobilized, 1392
 - glucose isomerase, 1394
 - kinetics of, 1392
 - penicillin acylase, 1395
 - production, 1394
 - industrial, 1375
 - polysaccharide hydrolysis, 1275
 - recovery process, 1329
- Epichlorohydrin, 380
 - in epoxy resin manufacture, 597
- Epoxide, adhesive, 596
- Epoxy resins,
 - commercial, 598
 - cycloaliphatic, 599, 600
 - in acrylic adhesives, 618
 - reactive diluents,
 - monofunctional, 598
 - polyfunctional, 599
 - specialty, 600
 - transesterification, 604
- Escherichia coli*, 1463
- Esterases, 1491
- Ethane, products from, 916
- Ethanol, 364, 1356, 1453, 1458
 - cellulose hydrolysis, 1275
 - feedstock, 1456
 - carbohydrate content, 1480
 - composition, 1465
 - effect on ethanol price
 - proximate & ultimate analyses, 1507
 - fermentation, 1462
 - metabolic yield, 1464
 - process yield, 1464
 - recovery, 1341
 - volumetric productivity, 1464

- wood pulping, 1250
- Ethanolamines, 1058–1060,
- Ethyl benzene, 364–5
- Ethyl chloride, 359
- Ethylene dichloride, 361
- Ethylene glycols, 356
- Ethylene oligomers, 371
- Ethylene oxide, 355–357
- Ethylene, 354
- Ethylene/Vinyl acetate copolymers, 643
- Ethylenediamine, 1060–1
- Ethylene-propylene elastomers, 371
- Ethylenes, 382
- Exoenzymes, 1490
- Exoglucanases, 1481, 1485
 - measurement, 1489
- Experimentation, industrial, 191
 - contributors to process variations, 192
- Explosions, in chemical plants, 117–126
 - physical, 124
- Extractives, 1473
- Extremophiles, 1416

- Fast pyrolysis, 1510
- Fats and oils processing industry
 - evolution, 1560, 1582
 - fats/oils consumption patterns, 1584
 - regulatory agencies, 1560, 1562
 - world production, trade, 1581
- Fats and oils,
 - analysis methods, 1647
 - chemistry, nomenclature, definitions, 1562
 - chemurgy era achievements, 1642
 - crystallization principles,
 - crystal types and energy levels, 1573
 - triglycerides and polymorphism, 1572
 - extraction equipment, 1585–6, 1598, 1600
 - fat solids determination, 1611
 - plastic range, 1613
 - temperature-solids profiles, 1611
- Fats and oils, food products,
 - antioxidants, 1630
 - diglyceride salad/frying oils, 1635
 - emulsifiers/surfactants, HLB, 1632
 - frying oils, 1633
 - industrial uses, 1641
 - fatty acid methyl esters, biodiesel, 1644, 1647
 - historical, 1641
 - industrial crops fatty acids, 1568
 - oleochemical derivatives, 1645
 - soy oil and lecithin, uses, 1643
 - total fats and oil uses in U.S., 1643
 - vegetable oil ester fuels, 1646
 - nutrition labeling, 1562
 - trans* fats labeling, 1628
 - oilseed extraction, whole seeds composition, 1584
 - basic processes, 1585–9
 - flow sheet, 1595
 - seed preparation, 1595–7
 - solvent extraction, 1600
 - processing profiled solids products,
 - base stocks preparation, 1617
 - cocoa butter, 1640
 - margarines and spreads, 1638
 - shortenings, 1640
 - profiles of solids modified products,
 - margarines, spreads, 1637
 - rearranged lards, 1621
 - shortenings, 1613, 1617, 1618
 - interesterified cocoa butter, 1621
 - refining and processing,
 - alkali-neutralization, 1608
 - bleaching, 1610
 - deodorization and physical refining, 1622
 - flow sheets, 1605,, 1607, 1609
 - hydrogenation, 1616
 - interesterification, chemical, 1618
 - interesterification, enzymatic, 1622
 - phosphatides degumming, 1606
 - silica gel adsorption, 1610
 - thermal fractionation, 1613
 - winterization, 1613
- Fat-soluble vitamins, 1577
- Fatty acids, 1563
- Fatty acids,
 - biohydrogenation, 1570
 - composition, edible fats/oils, 1567
 - composition, industrial crops, 1568
 - conjugated linoleic acids, 1570
 - from wood, 1287
 - heat effects on saturation, 1566
 - interesterification, 1618
 - names, properties, sources, 1564
 - oxidation, 1569
 - polymorphism, 1571
 - trans* fatty acids, 1566
- Fatty alcohols, 1705, 1728
 - methyl ester process, 1718
 - Oxo process for, 1719
 - surfactants from, 1729
 - Ziegler process, 1720
- Fault tree, 98
- Fermentation products, from sugars, 1291
- Fermentation,
 - formulation process, 1335
 - medium sterilization, 1319
 - organic acids recovery, 1340
 - process development, 1319
 - recovery process, 1327
 - regulatory aspects, 1342
 - sulfite waste liquor, 1279
- Fermenting organism, 1454
- Fermentor,
 - instrumentation and control, 1326, 1327
 - oxygen transfer, 1324
 - scale-up, 1324
 - types, 1321

I-10 INDEX

- Fertilizers, 5, 1001–2, 1111
availability to plants, 1111, 1124
bulk blends, 1143
compound, 1138–1149
controlled release, 1149–1153
food production and, 1112–1114
from mineral phosphates, processing, 1125–1134
from synthetic ammonia, processing and handling, 1119–1123
grade, 1112
industry, historical, 1114, 1116–7, 1124–5, 1130, 1135
miscellaneous low-volume, 1123, 1132–4
mixed,
fluid, 1145–9
granular processing, 1139–1142
nongranular, 1139
natural organics, 1119, 1124
nitrogen, 1118–1124
phosphate, 1124–1134
physical quality of, 1153
potassium salts, 1134–8
production, 296–300
raw materials for production of, 1117
world consumption, 1117
world production, 1138
- Fiber variants, 492
- Fiber variants, chemical and physical, 492–4
- Fine chemicals, 19, 53
- Fischer-Tropsch for coal liquefaction, 895
- Fischer-Tropsch, 1452, 1517, 1519
- Fish oils, 1567, 1591
- Fission activation products, 956–957
- Fission neutron transmutation products, 955–956
- Fission, control of nuclear, 950–1
nuclear fuel, 951, 984–987
- Flash pyrolysis, 1508
- Flavors, fragrances, 25
- Fluid bed granulation, 336–8
- Fluor Solvent process, 1021
- Fluorescence-activated cell sorting, FACS, 1429
- Fluorine from phosphoric acid manufacture, 1107
- Fluorocarbon elastomers, 715
- Fluorosilicones, 710
- Formacell process, 1497
- Formaldehyde, 1052, 1061, 1072,
Formalin, 1663
- Formamide, 1067, 1070, 1074
- Free radical, definition, 614
- Freeport Sulfur Company, 1163
- Fuel cell, 278, 301, 303
- Fugene, 1428
- Functional SBR, 703
- Furfural, 1289, 1502–1503
- Fusion, nuclear, 951–952
- Fusion, Tokamak reactor, 952
- Gasifier reactor design, 1513–1515
- Gas-to-liquids technology, 917
- Gastrointestinal and genitourinary agents,
antisecretory,
esomeprazole, 415
lansoprazole, 415
omeprazole, 415
ranitidine, 415
benign prostate hyperplasia,
alfuzosin, 416
dexazosin, 416
tamsulosin, 416
erectile dysfunction,
sildenafil, 416
tadalafil, 417
vardenafil, 417
- Gaussian probability density, 184
- Gel filtration, GF, 1441, 1442, 1444
- Gene-shuffling, 1390
- Genetic screening, 1480
- Genetically engineered organisms, 1453
- Getter gauze, 300
- Giammarco-Vetrocoke, 1021
- Glass fibers, 486
- Glass transition temperature, 689, 694
- Glucoamylase, 1378
- Glucomannan, 1493
- Gluconic acid, 1349
- Glucose, 1462
- Glucose from cellulose, 1275
- Glucose isomerase, 1380
- Glucose syrups, 1685
- Glucose oxidation, 1502
- Glucuronidases, 1491
- Glutamic acid, 1360
- Glutamine synthetase, GS, CHO-GS, NS0-GS, 1427, 1428
- Glycerin, 380
- Glycidyl ethers, in adhesives, 597
- Glycol ethers, 358
- Glycosyl hydrolases, 1482
- Glycosyltransferase, 1415
- Glyphosate, 317
- Gold nanoparticles, 332
- Good manufacturing practice, GMP, 1436
- Graphite fibers, 488
- Green chemistry,
concepts, approaches, tools, 210
definition, 211
twelve principles, 214–6
- Green engineering,
concepts, approaches, tools, 210
definition, 212
principles, 216–7
- Greenhouse gas, 1457
- Haber, 998, 999, 1024, 1048
- Haldor Topsøe, 1009, 1010, 1016, 1028, 1031,
- Handling strength (polymers), 602
- Hargreaves process, 1189

- Hazardous materials storage, 85
- Hazardous, toxic, reactive chemicals, 130–132
- HAZOP, Hazard and operability studies, 99
- Helium,
sources, 1227
storage and transport, 1227
uses, 1227
- Hemicellulase, 1383, 1490
- Hemicellulose, 1451, 1481
debranching enzymes, 1491
depolymerization enzymes, 1492
hydrolysis, 1276
- Heptenes, 387
- Herbicides, 1413
- Hevea (rubber) tree, 696
- Hexamine, 1000, 1061, 1062
- High fructose corn syrup, 1086
- High molecular weight polyethylene, 477
gel spinning, 479
production, 479
routes to high performance, 478
- High-fructose corn syrup, 1403
- HNS, 1753
- Holocellulose, 1276
- Homogalacturonan, 1494
- Host cell lines, 1427
- Host cell protein, HCP, 1441
- hph phosphotransferase gene, 1427
- Hydantoinase, 1409
- Hydrazine, 1062–5
processes,
Bayer Ketazine, 1064
Hoffman (urea), 1064
Peroxide, 1064, 1066
Raschig/Olin, 1063–5
properties, 1062
- Hydrocarbons, chlorinated, 308
- Hydrochloric acid, 1208
- Hydrogen,
by-product, 1015
from off-gas purification, 1223
from steam-methane reformation, 1223
high temperature processes, 941
in fuel cells, 1225–6
processes,
coal-based, 1014
electrochemical, 1016, 1203
partial oxidation, 1012
steam reforming, 1006–7, 1009
properties, 1067
shipping, 1226
uses, 1225
- Hydrogen bonding, 602
- Hydrogen cyanide, 353
Andrusson process, 929
by-product, 1071
processes, 1067–71
properties, 1067
safety, 1066
- Hydrogen sulfide, 1157, 1163
- Hydrogenation, catalytic vegetable oils, 295, 296
- Hygromycin, 1427
- Hysteresis in polymers, 689
- HYSYS simulation software, 247
- HyTex (Hydrogen Texaco), 1015
- Imine, 1054, 1055, 1060
- Immobilized enzymes (See also enzymes), 1392
production, 1394
- Immunoassays, 326
- Impurities, 1440, 1441, 1442, 1443,
- Industrial gases from wood, 1279
- Industrial enzymes, 1375
applications, 1376
markets, 1378
production, 1376
- Industrial gases,
acetylene, 1216, 1230
air, 1216
argon, 1222
carbon dioxide, 1216, 1227
cryogenic gases, from air, 1217
adsorption separation, 1218–9
cryogenic separation 1215–1218
membrane separation, 1218
helium, 1216, 1227
hydrogen, 1216, 1222
methane, 1216, 1229
nitrogen, 1216, 1221
nitrous oxide, 1216, 1232
oxygen, 1216, 1221–2
properties (table), 1216
- Inedible fats, 1590, 1592
- Infectious disease agents,
antibacterials,
azithromycin, 420
ciprofloxacin, 420
daptomycin, 420
linezolid, 420
antifungals,
fluconazole, 421
itraconazole, 421
antineoplastics,
bortezomib, 422
cetuximab, 422
gefitinib, 422
imatinib, 422
irinotecan, 422
paclitaxel, 422
tamoxifen, 422
antivirals,
atazanavir, 421
efavirenz, 421
indinavir, 421
ribavirin, 421
- Inflammation and osteoporosis agents,
arthritis
celecoxib, 417
rofecoxib, 417

I-12 INDEX

- Inflammation and osteoporosis agents (*continued*)
 - valdecoxib, 417
 - osteoporosis,
 - raloxifene, 418
 - alendronate, 418
- Initiator, free radical polymerization, 614
- Integrated gasification combined cycle, 1517
- Interface (adhesion), definition, 595
- Internal ribosomal entry site, IRES, 1428
- International Standards Organization, 313
- Interphase, definition, 595,596
- Ion exchange chromatography, 321, 323–4, 1441–2
- Ion-exchange membrane, 1199
- Ionic liquids, 1416
- Ionomers, 713
- Isobutanes, 385
- Isobutylene, 388
- Isocyanate dimers, in urethane adhesives,
 - 609–611
- Isocyanates,
 - blocked, 611
 - commercial, 609–610
 - in urethane adhesives, 606, 609
 - reactions, 607
- Isophthalic acid, 402
- Isoprene, 390
- Isopropanol, 375, 377
- Isotope enrichment processes, 958–9, 965–8
- Isotopes. uses of, 956, 989–992
- Itaconic acid, 1347
- IUBMB enzyme classifications, 1482, 1483
- IUPAC Filter Paper Assay, 1485–1487
- IWGN, 328

- Ketazine, 1062, 1064
- Keto-gulonic acid, 1352
- Kinetics, catalytic reactions, 281–284
 - batch slurry, 282, 283
 - fixed bed, 282
- Kjeldahl method, 1474
- Klebsiella oxytoca*, 1463
- Kraft process, 1497, 1499–1500
 - wood pulping, 1246
- KRES (KBR Reforming Exchanger System),
 - 1010, 1028

- Lacquers, 1309
- Lactic acid, 1351
- Land use, 976
- L-aspartic acid, 1409
- Latex, from Hevea tree, 697
- Latex, viscosity, 702
- Levulinic acid, 1503–1504
- Lewis acid, in adhesive cure, 601, 605
- Lewis base, in adhesives cure, 601, 605
- Life cycle assessment, 250, 254–264, 1455
 - goal and scope, 256
 - in practice, 259–264
 - inventory, 257
 - principles, 255
- Life-cycle inventory, components, 256
- Lignin, 1451, 1481
 - analysis, 1473
 - deconstruction, 1505
 - enzymatic degradation, 1481
 - oxidation processes, 1505
 - production, 1496
 - structure, 1505
- Lipases, 1385
- Lipids, 1560
- Lipofectamine, 1428
- Liquefied gas storage, 86
- Liquefied natural gas (LNG) 1228
 - flow diagram, 1231
 - sources and uses, 1228–1230
- Liquid chromatography, 308, 321–2
- Liquid hydrogen storage, 1222
- Lithium hypochlorite, 1211
- Lithium metal catalyst, 699
- L-lysine, 1409
- Lumber, 1261
- Lysine, 1361

- Magnesium hydroxide, 1210
- MAIC (Six Sigma disciplines), 208
- Maleic anhydride, 385–6, 395
- Maleic anhydride production, environmental impact, 250
- Manganese, forms, 307
- Mannan, 1493
 - depolymerization, 1493
- Mannheim process, 1189, 1191
- Mannose, 1462, 1489–1490
- Mass spectrometry, 324–5
- Master cell bank, MCB, 1429
- Matrix attached regions, MARS, 1428
- MDI (4,4-methylenebis (phenylisocyanate)), 1074
- Media, cell culture, 1430, 1431
- Median (data), 182
- Melamine, 1052–3
- Membrane cell, 1198
 - voltage distribution, 1201
- Mercury cell, 1198
- Mercury, forms, 307, 315
- Metabolic agents,
 - diabetes agents,
 - glimepiride, 415
 - metformin, 415
 - rosiglitazone, 414
 - hyperlipidemia agents,
 - atorvastatin, 413
 - pravastatin, 413
 - rosuvastatin, 413
 - simvastatin, 413
 - vytorin, 414
 - obesity agents,
 - orlistat, 415
 - sibutramine, 415

- Metabolic pathway engineering, 1463
- Metagenome, 1388
- Metallocene elastomers, 714
- Metallochlor, 786
- Methane, coal bed, 910–3
- Methane conversion processes,
 amoxidation, 929
 direct to chemical products, 926
 indirect via nonsyngas intermediates, 926
 indirect via syngas, 925
 oxidative coupling, 926
 partial oxidation, 928
 pyrolysis or cracking, 928
 reductive nitrilization, 929
- Methane hydrate, description, 924
 natural gas source, 925
- Methanol Reformer Hydrogen (MRH), 1016
- Methanol, 347, 349
 from wood, 1282
- Methionine sulphoximine, 1427
- Methionine, 1072
- Methotrexate, 1427
- Methyl chloroform, 362
- Methyl diethanolamine, 1021, 1022
- Methyl *t*-butyl ether, 350, 388
- Methylamine,
 processes, 1055–1057
 production, 1057
 properties, 1056
- Methylene dianiline, curing epoxy adhesives, 603
- Methyltaurine, 1058
- Microbe,
 diversity, 1312
 engineering, 1315
 kinetics, 1320
 screen and selection, 1314
 strain development, 1318
- Microdenier fibers, 490
- Mixture experiments, 201
- Modacrylics, 471
- Molasses, 1686–7
- Molasses,
 beet, 1680
 black strap, 1687
 cane, 1668
 composition, 1687
- Molecular sieves, 997, 1019, 1023, 1044
- Molecular technology, 328
- Monoammonium phosphate, 1132
- Monochlorobenzene, 397
- Monoethanolamine, 1020, 1022, 1028, 1059
- Monoliths,
 advantages, 279
 ceramic, 279, 280
 cordierite, 279–81, 292, 294, 301
 metal, 279, 294, 296
 washcoat, 279, 280
- Morpholine, 1060
- MPG process, 1013, 1014
- m*-Phenylammidiamine, curing epoxy adhesives, 603
- MTBE, 324
- MTBE, 350
- N,N*, dimethylformamide 1058, 1074
- Nafion, 1199
- Nanofibers, 491
- Nanoscale regime, 329
- Nanotechnology,
 applications, 341
 definition, 80, 328
 dielectrics, 336
 gold nanoparticles, 332
 IWGN
 manufacturing technology, 328
 metal oxide nanoparticles, 338
 metal-supported catalysts, 330
 silver nanoparticles, 334
- Naphthalene derivatives, 402
- Natural gas,
 biological origins, 930
 characteristics, 907
 composition of raw gas, 908
 evolution of industry, 911
 future sourcing, 932
 H₂S and Cl₂ removal, 921
 hydrates, formation and prevention, 919–921
 industry, 915
 international commodity, 917
 liquefied (LNG), 917
 liquids, 914
 lower crust and mantle domains, 931
 methane conversion, 925–930
 non-biological origins, 931
 petrochemical products from, 914
 production, 911
 reserves, U.S., 915
 transmission and sale, 919
 well through processing, 910
- Naval stores, 1285
- n*-Butane derivatives, 382
- Nelson method, 1488
- Neo gene, 1427
- Nernst equation, in oxygen sensor, 293
- Nitration, 1045, 1074
- Nitric acid,
 abatement, 1044
 concentrated, 1034, 1036, 1039, 1042, 1045
 DCN (Destruction by Catalysis of NO_x), 1039, 1043,
 1044,
 High Efficiency Absorption (HEA), 1044
 processes, 1036–1045
 properties, 1035
 red fuming, 1035, 1042, 1045
 stabilizers, 1045
 uses, 1045
- Nitric phosphate, 1129
- Nitriding, 1031
- Nitrilase, 1405
- Nitrile rubber, 708

I-14 INDEX

- Nitrobenzene, 314, 396, 1045
- Nitrogen oxides, 997–8, 1001–2, 1032, 1035, 1037, 1044
- Nitrogen trichloride, 1202
- Nitrogen,
 - characteristics, 996
 - consumption, 999
 - cryogenic air separation, 1215–1221
 - fertilizer, 999, 1003, 1031, 1045
 - industrial, 1001
 - properties, 997, 1216
 - uses, 1221
- Nitroglycerine, 316–7, 1756
- Nitrous oxide, 1232
 - from ammonium nitrate, 1232
- N-methyl-2-pyrrolidone (NMP), 1022
- NOx emissions, 998, 1001, 1011, 1042–4,
- n-Paraffins, 391
- NS0 cell lines, 1427
- Nuclear fission, 949–951
 - products, 953–955
- Nuclear fuel reprocessing, 696–975
- Nuclear industry,
 - alternative energy supply, 938–939
 - definitions, 936
 - isotopes, 956,
 - nuclides production, 953–957, 990–991
 - products, 937–938, 953–957
 - safety, 939, 942–944
 - status and outlook, 937–942
 - waste products, 938, 940
- Nuclear material production, 957
- Nuclear material transportation, 980–981
- Nuclear medicine, 991–992
- Nuclear processes, 948–953
- Nuclear proliferation, 943–945
- Nuclear radiation, exposure, 943
- Nuclear reactors,
 - fast reactor (LMFBR) – 988
 - heavy water reactor (CANDU), 987–988
 - light water reactors, (PWR, BWR), 983–987
 - types, 937–942, 981–989
- Nuclear spent fuel reprocessing, 969–975
- Nuclear tracers, 991
- Nuclear waste,
 - airborne, 977–978
 - liquid, 977–978
 - solid, 978
 - storage and disposal, 979–980
- Nylon, 454
 - drawing, 457
 - melt spinning, 456
 - new developments, 458
 - Nylon 6, 455
 - Nylon 66, 454
- Octane number (gasoline), 290–292
- Octenes, 387
- Oils, from wood, 1284
- Olive oil, 1567, 1588
- Olivine, 1516
- Organic foods, 1559,
- Organoboranes, initiator in acrylic adhesives, 618
- Organosolv process, 1498
- Organosolv pulping, wood, 1250
- Oriented strand board, 1262
- Oxirane ring, in adhesives, 596
- Oxo chemicals, 350, 378
- Oxo process for fatty alcohols, 1719
- Oxo process, 352
- Oxonium ion, 602
- Oxygen sensor (automobiles) 293–4
- Paclitaxel, 1290
- Paint pigments, 1305
 - aluminum, 1309
 - inorganic, 1305–7
 - organic, 1307–8
 - pearlescent, 1308–9
- Palladium, 1019, 1037
- Palm oil, 1567, 1588
- Paper making, pollution control, 1260
- Paper, consumption, 1241
- Paper,
 - consumption, 1241
 - converting, 1260
 - finishing, 1260
 - polymer modified, 1264
 - properties, control of, 1255
 - recycling, 1255
- Papermaking, 1256
- Para-xylene, 400–1
- Particleboard, 1262
- Particulate matter in air, 318
- PBI, 484
- PCBs, 315
- PCR reaction, 1390
- Peanut oil, 1567, 1626
- Pectin, 1451, 1481, 1678
- Pectinases, 1494
- Penicillins, 1367, 1405
- Peptization, 709
- Permeabilized cells, 1398
- PETN, 1756
- Pharmaceutical agents,
 - antineoplastics, 422
 - cardiovascular agents, 411
 - central nervous system agents, 418
 - gastrointestinal/genitourinary agents, 415
 - infectious diseases, 420
 - inflammation and osteoporosis, 417
 - metabolic agents, 412
 - miscellaneous agents, 423
 - pulmonary agents, 417
- Pharmaceutical industry characteristics,
 - chemical process R&D, 427–430
 - clinical trials, 410
 - drug delivery, 409
 - libraries, discovery, 425

- libraries, optimization, 426
- libraries, targeted, 425
- medicinal chemistry, 405
- patents, 409
- pharmacodynamics, 408
- pharmacokinetics, 408
- research strategies, 409
- toxicity, 408
- Pharmaceutical industry, development of, 44–48
- Phenol hydrogenation, 1505
- Phenol, 393
- Phenols, curative in epoxy adhesives, 602
- Pheromones, insect, 795
- Phosphate minerals, 1087
- Phosphate ores, 1088
 - mining and beneficiation, 1088–1093
- Phosphate rock, 1086
 - acidulated, 1133
 - chemical processing, 1094
 - direct application, 1132
 - treatment and end products, 1087
 - world production, 1093
- Phosphate, naturally occurring, 1088
- Phosphates, 1086
 - finished fertilizers, routes into, 1125
 - industrial, 1094–6
 - thermal phosphate fertilizers, 1133–4
- Phosphatides, 1580
- Phosphoric acid,
 - annual production, 1096
 - dihydrate process, 1097–1101
 - environmental aspects of production, 1109
 - fertilizer grade, processing, 1125
 - hemihydrate process, 1102–1104
 - thermal process, 1094
 - unit operations, 1104–5
 - wet process, 1096
 - animal feed supplements, 1107
 - by-products, 1106
 - typical analysis, 1105
- Phosphorus, elemental, production, 1107
 - forms, 307, 326
- Photochemicals, 34
- Phthalic anhydride, 401
- Pine oil, 1288
- Plant growth regulators, 769
- Plantation white sugar, 1670
- Plasmids, 1427
- Plastic processes, 669
- Plastic processing, 667
 - autoclave molding, 686
 - blow molding, 678
 - blown film, 671
 - bulk molding compound, 684
 - calendaring, 681
 - centrifugal casting, 686
 - cold press molding, 685
 - compression molding, 683
 - conformal coating, 683
 - continuous laminating, 686
 - encapsulation, 683
 - extrusion, 669
 - coating, 671
 - coextrusion, 671
 - defects, 669
 - devolatilization, 670
 - die forming, 670
 - hose and tubing, 671
 - land fracture, 669
 - melt conveying, 670
 - melt fracture, 669
 - melting, 670
 - mixing, 670
 - profile, 671
 - solids conveying, 670
 - win-screw, 670
 - filament-winding, 686
 - flow properties, measurement, 668
 - foam reservoir molding, 686
 - hand-layup molding, 685
 - impregnation, 683
 - injection molding, 672
 - injection molding, molding cycle, 672
 - liquid casting processes, 682
 - low-density foams, 676
 - low-density foams, polyurethane, 676
 - matched die molding, 684
 - melt viscosity, 668
 - perform molding, 685
 - pipe extrusion, 671
 - polyethylene foam, 678
 - polystyrene foam, 677
 - polyurethane flexible foam, 677
 - polyurethane rigid foam, 677
 - polyvinyl chloride foam, 677
 - potting, 683
 - powder coating, 680
 - electrostatic fluid bed, 680
 - electrostatic spray, 680
 - fluid bed, 680
 - prepreg molding, 685
 - pressure-bag molding, 685
 - pultrusion, 686
 - reaction injection molding (RIM), 674
 - reinforced plastics, 684
 - resin transfer molding, 685
 - rheology, 667
 - rotational molding, 679
 - rubber plug molding, 686
 - sheet extrusion, 671
 - sheet molding compound, 685
 - sprayup molding, 685
 - structural foam, 675
 - syntactic foam, 683
 - thermoforming, 679
 - transfer molding, 683
 - vacuum-bag molding, 685
 - vinyl plastisol, 681
 - wire coating, 671
- Plasticizers, 695

I-16 INDEX

- Plastics,
- abrasion resistance, 624, 665
 - antioxidants, 663
 - barrier properties, 665
 - barrier, 653
 - biostabilizers, 663
 - building and construction, 624
 - chemical resistance, 624
 - chemical resistance, 653
 - coefficient of thermal expansion, 665
 - color, 624
 - colorants, 664
 - commodity thermoplastics, 641
 - continuous fiber reinforcement, 664
 - cost, 624, 666
 - coupling agents, 663
 - creep-resistance, 665
 - critical properties, 664
 - dielectric breakdown, 665
 - elasticity, 624
 - electrical conductivity, 665
 - electrical insulation, 624, 625
 - engineering, 595
 - epoxy resins, 660
 - markets, 661
 - properties, 661
 - filled and reinforced, 625
 - fillers, 663
 - fire performance, 666
 - flame-retardance, 624
 - flame-retardants, 663
 - flotation, 625
 - foams, 625
 - health and environment, 666
 - heat-resistance, 665
 - impact cushioning, 625
 - impact strength, 624, 651
 - lubricants, 663
 - lubricity, 624, 653
 - maximum use temperature, 651
 - melamine-formaldehyde, 661
 - properties, 661
 - modulus, 624, 665
 - one-step conversion, 664
 - opacity, 624
 - organic peroxides, 664
 - packaging, 624
 - permeability, 624–5
 - phenol-formaldehyde, 657
 - phenolic,
 - engineering properties, 658
 - plasticizers, 663
 - polymer blends, 664
 - processability, 624, 652
 - product design, 624
 - recycling, 666
 - reinforcing fibers, 663
 - softness, 625
 - solvent resistance, 665
 - stabilizers, 663
 - surface, 595
 - thermal conductivity, 665
 - thermal insulation, 624, 625
 - thermoset, 655
 - thermoset polyester,
 - markets, 657, 660
 - properties, 660
 - transparency, 624, 652
 - ultraviolet light stabilizers, 663
 - unsaturated polyesters, 659
 - urea-formaldehyde, 658
 - properties, 659
 - water resistance, 624
 - weathering, 624, 653, 665
 - welding, 594
- Platinum (Pt), 1036, 1037, 1042, 1067, 1069
- Plutonium processing, 968, 972–974
- Plywood, 1262
- Pollution Prevention Act of 1990, 211
- Pollution prevention,
 - heuristics for chemical processes, 217–223
 - separations devices, 224–6
- Polyamide polyamine (synthesis), 603
- Polybutadiene, impact modifier, 706
- Polybutenes, 388
- Polyesters, 459
 - drawing, 461
 - filament yarn process, 464
 - heat setting, 462
 - manufacture, 460
 - new developments, 465
 - staple process, 464
 - textured yarns, 463
- Polyethylene glycol, wood stabilization, 1264
- Polyethylene rubbers, 711–2
- Polyethylene terephthalate, 646
- Polyethylene, 354
 - chlorinated, 712
 - high-density, 642
 - linear low-density, 642
 - low-density, 642
 - production, (Cr catalyst), 302
 - production, (Ziegler catalyst), 302
 - ultra low density, 643
 - ultra-high molecular weight, 642
 - very low density, 643
- Polyethylenimine, PEI, 1428
- Polyethylenes, 641
- Polyisobutylenes, 389
- Polyisoprene using free radical catalyst, 698
- Polymer chains,
 - branching, 691
 - cross linking, 691
 - crystallinity, 694
 - curatives to crosslink, 695
- Polymerization catalysts,
 - alkyllithium, 702
 - free radical, 698
 - neodymium
 - Ziegler-Natta, 704

- Polymerization,
 addition, 631
 anionic, 601, 605, 633
 bulk, 635
 cationic, 601, 605, 632
 photo initiated, 605
 chain growth, 601, 605, 613–614
 chain-reaction, 631
 coordination, 633
 emulsion, 636
 free radical, 613, 631
 metallocene catalysts, 634
 solution, 635
 step growth, 596, 601–602
 step-reaction, 630
 suspension, 635
 synthetic rubber, 700
 Ziegler-Natta catalysts, 633
- Polymers,
 amorphous, 627
 atactic, 628
 chain structure, 626
 chain termination, 700
 chemical structure, 626
 cold-drawing, 640
 creep, 639
 cross-linking, 662
 crystallinity, 630, 662
 crystallization kinetics, 630
 fatigue, 641
 glass transition temperature, 628
 hydrogen-bonding, 662
 isotactic, 628
 melting point, 629
 microstructure, 692
 molecular flexibility/rigidity, 662
 molecular weight, 625, 662
 molecular weight, 691
 orientation, 662
 polarity, 662
 SEBS, 713
 semicrystalline, 627
 sequence distribution, 692
 stress relaxation, 639
 stress-strain behavior, 640
 structure- property relationships,
 662
 syndiotactic, 628
 viscoelasticity, 638
 yield point, 640
- Polypropylene fibers, 473
 atactic, 474, 475
 isotactic, 474, 475
 production, 475
 syndiotactic, 474, 475
 synthesis, 475
- Polypropylene, 373, 643, 645
 diethyl aluminum fluoride, 302
 production, 302
 Ziegler-Natta catalyst, 302
- Polysaccharides, 1492
 hydrolysis, 1275
- Polystyrene,
 expanded, 645
 high-impact, 645
 styrene/acrylonitrile copolymers, 646
- Polytetrafluoroethylene (PTFE), 484
 expanded polymer (ePTFE), 486
 fiber manufacture, 485
 polymer manufacture, 485
 properties, 485
- Polyurethane, 656
 flexible foam, 657
 markets, 657
 reaction injection molding (RIM), 657
 rigid foam, 657
- Polyurethane rubber, 711
- Polyvinyl chloride, 76, 644
 elastomer, 645, 715
 plastisol/organosol, 645
 rigid, 644
 thermal stabilizers, 663
- Population growth, world, projections, 1114, 1116
- Potassium nitrate fertilizer, 1137
- Potassium phosphates, fertilizer, 1137
- Potassium salts, fertilizer, extraction and processing,
 1134–8
- Potassium sulfate fertilizer, 1136
- Potassium, minerals for fertilizer, 1135
- Pressure Swing Adsorption (PSA), 1019
- Prill, 1046–1049, 1051
- Primary alcohols, 372
- Printing processes, 1304
- Printing inks, 1303
- Printing textiles, 529
- PRISM separators, 1019
- Process monitoring tools, 185–191
 control charts, 188–190
 control limits, 186–7
 R-charts, 186
 s-charts, 186
 x-bar charts, 186
- Process safety management, 128–134
- Process variation, contributors to, 192
- Promoter,
 CHO-EF1a, CHEF1, 1427
 cytomegalo virus, CMV, 1427
 SV40, 1427
- Propane, products from, 916
- Propanediol, 1354
- Propionaldehyde, 371
- Propylene glycols, 375
- Propylene oligomers, 379
- Propylene oxide, 77, 374
- Propylene, chemicals from, 373
- Proteases, 1381
- Protein analysis, 1474
- Protein fibers, 454
- Protein, expression, 1427, 1429
- Protein-free, PF, 1430, 1431

I-18 INDEX

- Proteins and peptides, recovery, 1330
- Proteins,
 - crystallization, 1334
 - dry formulations, 1336
- Proximol, 1016
- Pulmonary agents, asthma and allergic rhinitis, fexofenadine, 417
- Pulp and paper, 1240
 - bleaching, 1253
 - environmental concerns, 1260
 - papermaking, 1256
 - pulping, 1243
 - biomechanical, 1252
 - chemical, 1245
 - mechanical, 1245
 - solvent, 1250
- PUREX process, 972–974
- Purification processing (in cell culture processes), 1440, 1442, 1444
- Purisol Process, 1020, 1022
- Puromycin, 1427
- Pyrites, 1157, 1162, 1165
- R charts, 186
- Racemase, 1408
- Radiation sources, 990
- Radioactive decay, 948–949
- Radioactive waste management, 975–980
- Radioactivity, measurement, 949
- Radioisotope applications, 990–992
- Rapeseed oil and canola oil, 1567
- Rapeseed/canola, development, 1627
- Rayon,
 - chemical manufacture, 438
 - cuprammonium cellulose, 444
 - high absorbency rayon, 447
 - high wet modulus rayon, 446
 - Lyocell, 447
 - spun yarn, 445
 - textile operations, 444
 - wet spinning, 441
- RDX and HMX, 1753
- Reactive adhesives diluents, 598–601
- Rectisol, 1020, 1022
- Redox reaction, in free radical polymerization, 614
- Rhamnogalacturonan, 1494
- Rhodium, 1036–1038, 1067
- Riboflavin, 1364
- Right to Know Act, 135
- Risk and hazards evaluation, HAZOP, 98
- Risk management plans, 134
- RKN process, 1009
- Rocket engine schematic, Titan IV Stage 1, 1781
- Rocket motor, 1771
- Rocket propellants, 1768
 - bipropellants fuels, 1787
 - composite, 1773
 - criteria for use, 1777
 - curing reactions, 1775
 - double-base, 1771
 - exhaust properties, 1776
 - gel, 1779
 - ignition delay phenomena, 1788
 - liquid fuels, 1778, 17784–5
 - liquid, oxidizers, 1782
 - monopropellants, 1785
 - single-base, 1771
 - solid, 1771
 - solid, oxidizers, 1773
 - properties (table), 1773
- Rocket propulsion, principles, 1769
- Rodenticides, 794
- Rosin, 1288
- Rubber,
 - elastic shear modulus, 693
 - elasticity, 693
 - entropy, 693
 - fillers, 695
 - hydrogenated nitrile rubber, 708
 - properties, 689
 - reinforcing agents, 695
 - styrene-butadiene, 609–702
 - styrene-butadiene-styrene, 712–3
- Rubber-plastic alloys, 714
- Ruthenium (Ru), 1028, 1069
- Saccharification and fermentation, 1462
- Saccharification of wood, 1275
- Saccharomyces sp.*, 1463
- Saccharum, 1658
- Safety considerations in chemical plant operations.,
 - boiling liquid explosions, 121
 - catastrophic failure, 90
 - chemical process accidents, 135
 - combustion hazards, 100
 - damage estimates, 122
 - dust explosions, 88
 - explosions, 117
 - government regulations, 128
 - highly hazardous chemicals, list, 130
 - inherently safer plants, 84
 - management systems, 97
 - piping systems, 92
 - PSM—process safety management, 122–134
 - risk/hazard evaluation, 98
 - static electricity, 112
- Salt cake, 1190
- Salt, vacuum pan evaporation, 1184
- Samples,
 - discrete, 311
 - processing, 320
 - vapor phase, 318
 - volatile components, 316
- Sampling,
 - ground water, 318
 - procedures, 306
 - strategies, 306
 - techniques, 306, 314

- Sasol process for synthetic fuels from coal, 898–9
 Scale-up, 1439, 1444, 1445
 Scatter plot, 184
 s-charts, 186
sec-Butanol, 387
 Selective Catalytic Reduction (SCR), 1042, 1044
 Selexol process, 1020, 1022
 Semiconductor nanoparticles, 335
 Sequential transfection, 1428
 Serum, cell culture, 1430
 Serum-free, SF, 1430, 1431, 1433
 Sh Ble gene, 1427
 Shear force, shear stress, 1437, 1438
 Silicone elastomers, 710
 Single superphosphate fertilizer, 1125
 Six Sigma programs, 207
 MAIC, 208
 Soap pellets, 1697
 Soap,
 chemistry, 1694
 fatty acids for, 1696, 1704
 functional properties, 1697
 manufacture, 1695–1704
 aesthetics, 1701
 fat refining, 1705
 fat splitting, 1705–8
 fatty acid distillation, 1710–3
 fatty acid neutralization, 1698
 neutral fat saponification, 1697
 raw materials, 1696
 soap drying, 1698
 soap finishing, 1701
 Soda ash, 1185
 dry-mining process, 1188
 production and reserves, 1185
 Solvay ammonia soda process, 1185
 synthetic ash process, 1185
 uses in the US, 1189
 Sodium bicarbonate, 1189
 Sodium bisulfate, 1193
 wood pulping, 1249
 Sodium chlorate, 1213
 Sodium chloride, 1183
 consumption by usage, 1184
 extraction by solution mining, 1184
 Sodium chlorite, 1211
 Sodium hydrosulfite, 1193
 Sodium hypochlorite, 1212
 Sodium hyposulfite, 1193
 Sodium phosphates, 1194
 Sodium silicates, 1194
 Sodium sulfate, 1189
 kraft wood pulping, 1247
 major reserves, 1189
 production and consumption, 1190
 Sodium sulfides, 1192
 Sodium sulfite, 1193
 sulfite wood pulping, 1248
 Sodium thiosulfate, 1192
 Solar salt production, 1185
 Solvated metal atom dispersion, 330–1
 Solvent separation process, (*see* organosolv process)
 Somogyi method, 1488
 Sour Gas, Shift, 1020
 Soybean oil, 1567
 Soybean,
 development, 1625
 transgenic varieties, 1553,
 Specialty chemicals, 20–22
 consolidation late 1900s, 48
 Spent media analysis, SMA, 1432
 Stamicarbon, 1049, 1051
 Standard deviation (data), 182
 Starch hydrolysis, 1378
 Starch, enzyme hydrolysis, 1685
 Starch, 1450
 conversion, 1684
 hydrolyzates, 1684
 in cane juice, 1668
 sweeteners from, 1683
 Statistical method, factors, influence of, 195
 Statistical methods,
 box plot, 181
 business process improvement, 207
 chemical applications, 200
 contributions to process variations, 192
 control charts, 190
 dot and box plots, 181
 factors vs response, 195
 Gaussian probability, 184
 hierarchical data structure, 194
 histograms, various, 180
 industrial experimentation, 191
 lattice design, 202–3
 MAIC, 208
 mean, 182
 median, 182
 mixture experiments, 201
 model building, 206
 quadratic response surface, 199
 run chart, 179
 scatter plot, 184
 simplex centroid design, 203
 simplex coordinate system, 202
 Six Sigma, 208
 standard deviation, 182
 stem and leaf plots, 180, 185
 Sterols, 1576
 Stover 5c, 1477–1478
 Styrene, 376, 392
 inhibitor, 107
 Styrene-butadiene rubber, 699–702
 Subtilisin, 1381
 Succinic acid, 1350
 Sucrose, derivatives, 1682
 Sucrose, sucralose, 1683
 Sucrose, sucrochemistry, 1682
 Sucrose, sucrose acetate isobutyrate, 1683
 Sugar,
 brown, 1674, 1676–7

I-20 INDEX

- Sugar (*continued*)
consumption (cane & beet), 1682
direct consumption, 1670
from wood, 1275
genetic engineering, 1689
history, 1658
organic, 1670
powdered, 1676
raw cane sugar, 1658-1668
regulations and trade, 1688
specialty, 1675
- Sugar Act, 1689
- Sugar beet, sugar production, 1676-1680
- Sugarcane processing,
bagasse, 1668
centrifugation, 1667
crystallization, 1666
diffusion, 1663
evaporation, 1663
juice extraction, 1662
juice purification, 1664
milling, 1661
sulfitation, 1665
- Sugarcane,
breeding programs, 1659
history, 1658
processing, 1661
- Sulfar fibers, 489-490
- Sulfinol, 1020, 1022
- Sulfite process, wood pulping, 1248
- Sulfolane, 1020, 1022
- Sulfur industry, development, 1161
- Sulfur melting, 1159, 1169
- Sulfur,
block, 1159
bright, 1157-8
Car-Sul, 1161
Claus process, 1161, 1163-4
consumption, 1165-6, 1168-9
corrosion, 1158
crushed bulk, 1160
dark, 1157
deposits, 1157
dust, 1158
Ellethorpe, 1160
forming,
air prilled, 1159
granular, 1159
pelletized, 1159
wet prilled, 1159
Frasch mining, 1161-3
from H₂S, 1163-5
liming, 1161
production, 1157, 1162, 1165-9
properties, 1157
solidification, 1159
transportation and storage, 1158
- Sulfuric acid,
industry development, 1169
production and consumption, 1180-1
properties, 1169
uses, 1170
- Sulfuric acid manufacture, contact process, 1170-1179
- Sumitomo-BF PSA process, 1019
- Sunflowerseed, 1567
development, 1627
- Super critical fluids, 1416
- Supercritical fluid chromatography, 323
- Superphosphoric acid, 1106
- Surface (in adhesion), definition, 595
- Surfactant consumption, 1722
- Surfactant production, intermediates,
alkylbenzene, 1721
alkylphenol, 1722
ethylene and propylene oxides, 1720
fatty alcohols, 1718
fatty amines, 1722
olefins, 1719
- Surfactants production, raw materials for, 1716-7
- Surfactants,
amphoteric, 1723, 1730
anionic,
alkyl and ether sulfates, 1727
alkylaryl sulfonates, 1722-3
alpha olefin sulfonates, 1722
methyl ester sulfonates, 1727
sulfonation, 1722, 1725-7
cationic, 1723, 1730
intermediates, 1718-9
nonionic, 1723, 1728
ethoxylated ethyl esters, 1729
- Sustainable chemistry, 211
- Sweeteners, carbohydrate based, 1687-8
relative sweetness, 1688
- Synthesis gas, 346
purified, 998, 1017, 1022-1024
sulfur removal, 1020-2
- Synthetic detergents, 1714
- Synthetic organic chemicals, production volume, 345
- Tall oil (from wood), 1287
- Talodura process, 1670
- Talofloc Process, 1672
- Tannin, 1289
- TATB, 1755
- t*-butyl alcohol, 385
- Terephthalic acid, 399
- Terpenes, 1285, 1574
- Tetrachloroethylene, 362
- Tetracyclines, 1368
- Textile fibers, 503
fiber consumption, 434
history, 433
hydrophobic/hydrophilic, properties, 506
manufacture,
acrylics, 505
cellulose acetate, 504
elastomeric, 505
microdenier, 506

- nylon, 505
- polyesters, 505
- polyolefins, 505
- rayon, 504
- tensile properties, 432
- physical properties, 432
- Thermodynamic decomposition potential, 1201
- Thermolysin, 1410
- Thermoplastic elastomers, 653
 - polyetheramide, 655
 - polyetherester, 655
 - polyurethane, 655
 - styrene-diene, 654
 - thermoplastic olefin, 654
 - thermoplastic vulcanizates, 654
- Thermoplastics, 625
 - engineering, 647
 - major markets, 653
 - specialty, 647
- Thermosetting plastics, 625
- Thiols, curative, 605
 - in epoxy adhesives, 602, 605
- Tin tetrachloride, 704
- TNT, 1753
- Tocopherols, tocotrienols, 1579
- Toluene derivatives, 398
- Toluene diisocyanate, 398, 1045
- Total elements determination, 307
- Trans* fats nutritional labeling, 1628
- Transfectin, 1428
- Transmutation products, 955–6
- Triacylglycerols, triglycerides, 1569
- Trichlorobenzene, 398
- Trichoderma reesei*, 1484, 1486–1487
- Triple superphosphate fertilizer, 1127
- Trommsdorff effect, free radical polymerization, 616
- Tryptophan, 1363
- Turpentine, 1288
- Two-stage acid hydrolysis, 1473

- Ubiquitous chromatin opening elements, UCOEs, 1428
- Uranium fuel cycle, 961–975
- Uranium processing, 961–969
- Urea, consumption, 1001
- Urea,
 - dimethyl, 1058
 - fertilizer, 1122
 - granular, 1048, 1051
 - prill, 1051
 - processes, 1049–52
 - properties, 1049
- Ureaform, fertilizer, 1150
- Uretidinediones, in urethane adhesives, 609

- Vacuum collapse, 128
- Vanillin from wood, 1290
- Vanillin, 1505

- Vapor phase chromatography, 308, 321
- Vectors, disease, 719
- Vegetable oils, catalytic hydrogenation, 295, 296
- Vinyl acetate, 367, 370
- Vinyl chloride, 75, 362
- Vinyls, 470
- Viscoelasticity, 696
- Viscometric assays, 1488–1489
- Vitamins, fat-soluble, 1577
- Volatile organic compounds (VOC), in coatings, 1295
 - regulations, 1296–8
- Vulcanization, 693

- Waste minimization, hierarchical rules, 218–223
- Water Environment Federation, 313
- Water gas shift reaction, 1452
- Water,
 - boiler feed, 1011, 1021
 - drinking, 320
 - ground, 318
 - waste, 1032
- Water glass, 1195
- Wax, in acrylic adhesive, 618
- Waxes, 1574, 1575
- Wet chemical analysis, 1466, 1470–1472
- Wet scrubbing, 1516
- Wood pulp bleaching, environmental impact factors, 251–4
- Wood,
 - Bergius Rheinau process, 1277
 - biotechnology chemicals, 1290
 - chemical composition, 1239
 - combustion, 1274
 - composites, 1267
 - destructive distillation, 1280
 - energy, fuels, chemicals, 1273
 - fire retardants, 1272
 - gas and oil from, 1279
 - hydrolysis, 1275
 - Madison process, 1277
 - medicinals, 1290
 - modified wood, 1264
 - naval store chemicals, 1285
 - polymer composites, 1264
 - preservation, 1268
 - pulp and paper, 1240
 - pulping, processes/yields, 1251
 - saccharification, 1275
 - structure, 1235
 - thermal decomposition, 1279
 - uses, summary, 1235
- Working cell bank, WCB, 1429

- Xanthan gum, 1353
- x-bar charts, 186
- Xylan, 1239, 1473, 1490–1492
- Xylanases, 1492

I-22 INDEX

Xylene derivatives, 399

Xyloglucanases, 1493

Xylose, 1238, 1276, 1291, 1462

Zecocin, 1427

Zeolites, 286, 288–290, 1055, 1059, 1073

Ziegler-Natta, 302

 catalyst, 704

Ziegler alcohol reaction chemistry, 1720

Zirconium processing, 959–961, 969

 production, 959

Zymomonas mobilis, 1463

β -Glucosidases, 1481, 1485, 1493