

Author Index

- AiPing, Zhang, 287
 Argyropoulos, Dimitris S., 343
 Becker, Ernst, 149
 Bentivoglio, Gino, 229
 Budtova, T., 179
 Budtova, Tatiana, 213
 ChuanFu, Liu, 287
 Daly, Daniel T., 261
 Dorn, Susann, 275
 Ebner, Gerald, 149
 Egal, M., 179
 Erdmenger, Tina, 299
 Fardim, Pedro, 213
 Fischer, S., 91
 Fukaya, Yukinobu, 55
 Gavillon, R., 179
 Gelbrich, Thomas, 229
 Gericke, M., 179
 Griesser, Ulrich J., 229
 Haque, Anwarul, 261
 Harland, Adam G., 261
 Hayashi, Kensaku, 55
 Heinze, T., 179
 Heinze, Thomas, 103, 275
 Henniges, Ute, 165
 Hermanutz, F., 197
 Hesse-Ertelt, S., 197
 Hummel, Michael, 229
 Järvi, Paula, 343
 Kahlenberg, Volker, 229
 Kilpeläinen, Ilkka, 343
 Kim, Seung Seob, 55
 King, Alistair, 343
 Köhler, Sarah, 103
 Kopacka, Holger, 229
 Kosan, B., 197
 Laus, Gerhard, 229
 Le Moigne, N., 137
 Leskinen, Timo, 343
 Liebert, T., 179
 Liebert, Tim, 3
 Liebner, Falk, 149
 Lue, Ang, 67
 Mai, M., 319
 Maxim, Mirela L., 261
 Meister, F., 197
 Navard, P., 137, 179
 Nechwatal, A., 197
 Ohno, Hiroyuki, 55
 Ondruschka, B., 121
 Potthast, Antje, 149, 165
 Rahman, Mustafizur, 261
 Röder, Thomas, 229
 Rogers, Robin D., 261
 Rollin, Joe, 365
 Rom, Monika, 213
 Rosenau, Thomas, 149, 165
 Rosenberg, Peter, 213
 Roy, C., 179
 Rubatscher, Egon, 229
 RunCang, Sun, 287
 Sathitsukanoh, Noppadon, 365
 Schiehser, Sonja, 165
 Schlüter, K., 179
 Schlüter, Kerstin, 275
 Schöbitz, Michael, 275
 Schottenhamer, Herwig, 229
 Schrems, Michael, 149
 Schubert, Ulrich S., 299
 Schwärzler, Alexander, 229
 Schwikal, K., 197
 Sellin, M., 121
 Sixta, Herbert, 229
 Spear, Scott K., 261
 Stark, A., 121
 Sun, Ning, 261
 Swatloski, Richard P., 261
 Thümmler, K., 91
 Vitz, Jürgen, 299
 Volkert, B., 319
 Wagenknecht, W., 319
 Weber, Hedda K., 229
 WeiYing, Li, 287
 Wurst, Klaus, 229
 Xie, Haibo, 343
 Zhang, Lina, 67
 Zhang, Y.-H. Percival, 365
 Zhu, Zhiguang, 365

Subject Index

A

- Accessibility, cellulose, to cellulase (CAC), 375–376
- Acetals, cellulose intermediates, 10–13
- Acetic anhydride
- acetylation of cellulose with, 112*t*
 - cellulose esterification in DMSO/ammonium fluorides, 110*t*
- Acetylation, cellulose in molten salt hydrates, 99
- Acid-catalyzed hydrolysis, cellubiose in ionic liquid, 233
- Acidic depolymerization, lignocellulose in ionic liquids (ILs), 233
- Activation energy, cellulose solutions, 220
- Acylation
- cellulose in DMSO/ammonium fluorides, 110*t*, 114*t*
 - cellulose with acid anhydrides in BMIMCl, 279–280
 - ionic liquids as matrixes for, 231–232
- Aerogels
- cellulose, in LiOH/urea system, 86
 - morphology of, in LiOH/urea, 20, 22*f*
 - XRD patterns and photographs of, 85*f*
- Alkali containing solvents, dissolving cellulose, 18–20
- 1-Alkyl-3-methyl-imidazolium ionic liquids (ILs)
- dissolution capabilities, 199
 - hydrogen-bond bridge system of ILs, 208*f*
 - reacting with cellulose, 235–236

- See also* Cellulose in 1-alkyl-3-methyl-imidazolium ILs
- Alkylammonium cations, ionic liquids, 288, 289*f*
- Alkylations
- experimental, 244–251
 - N-methylmorpholine-*N*-oxide (NMMO), and ion metathesis, 241, 242*f*
 - NMMO using dimethyl sulfite, 242, 243*f*
- See also* N-methylmorpholine-*N*-oxide (NMMO) derivatives
- Alkyl chain length, cellulose dissolution, 305–307
- Alkylphosphonium cations, ionic liquids, 288, 289*f*
- 1-Alkylpyridinium cations, ionic liquids, 288, 289*f*
- 1-Allyl-1-methylpyrrolidinium dimethyl phosphate synthesis, 249
- thermal ellipsoid plot, 246*f*
- 1-Allyl-3-butylimidazolium dimethyl phosphate, synthesis, 250
- 1-Allyl-3-ethylimidazolium acetate, synthesis, 251
- 1-Allyl-3-methylimidazolium chloride (AMIMCl)
- acylation of cellulose, 25
 - alkylation with trimethyl phosphate, 250
- Avicel solubility in dry, 127*t*
- cellulose dissolution, 28*f*
- properties, 24
 - structure, 29*f*
- Allylation, cellulose in DMSO/ammonium fluorides, 109*t*, 111
- N-Allyl-*N*-methylmorpholinium chloride, cellulose cosolvent, 238
- Amine oxides

- cellulose dissolution, 27–28, 33*f*
N-methylmorpholine-*N*-oxide (NMMO), 27–28, 68
structures, 34*f*
- Ammonium cations, ionic liquids for cellulose dissolution, 24
- Ammonium fluorides. *See*
Dimethyl sulfoxide/ammonium fluorides (DMSO/TBAF)
- Ammonium salts, cellulose dissolution, 29*f*
- Anions, cellulose solubility in ionic liquids (ILs), 125–131
- Antibacterial effect, titanium dioxide on cellulose fibers, 264
- Aqueous cellulose solvents
LiOH/urea system, 20, 84–86
NaOH/H₂O system, 18, 19*f*, 68–71
NaOH/thiourea system, 20, 80–84
NaOH/urea system, 20, 71–79, 80*t*
See also Protic solvents
- Avicel cellulose
anion effect on solubility in ionic liquids (ILs), 125–131
cation effect on solubility in ILs, 131–133
dry ionic liquids (ILs), 127*t*
intrinsic viscosity of enzyme-treated, 220–221
maximal molar ratio (water:IL), 132*t*
minimal molar ratio for solubility in binary ILs, 128*t*
molar ratio (acetate:cellulose-OH) for, in binary ILs, 129*f*
preparation of regenerated, 290–291
- B**
- Bacterial cellulose
functionalization in ionic liquids (ILs), 280–281, 282*f*
microscopic images, 281*f*
- Bagasse pulp, elution profiles of, during dissolution, 168*f*
- Ballooning effect
following, by scanning electron microscopy, 144, 145*f*
swollen cellulose fibers, 6, 8*f*
zones of swollen wood fiber, 139*f*
- Ballooning phenomenon, cellulose swelling, 137–138
- Benzylation, cellulose in DMSO/ammonium fluorides, 109*t*, 111
- Biocelsol method
cellulose dissolution, 214–215
See also Enzymatic treatment
- Biodegradable cellulose/chitin beads, NaOH/thiourea, 84
- Biofuel, preparation from cellulosics, 294–295
- Biomass
conversion to simple sugars, 366 dissolution, 214 enzymatic hydrolysis profiles, 371*f*
fractionation and co-utilization lignocellulose feedstock components, 366–367
ionic liquids as direct solvents for cellulosic, 230–231
saccharification paradigms, 366*f*, 370*f*
typical composition, 367
See also Cellulose solvent- and organic solvent-based lignocellulose fractionation (COSLIF); Wood in ionic liquids (ILs)
- Biopolymer, cellulose, 67–68, 198, 261–262
- Biorefinery operations, 344
- Blend formation, cellulose with polymers in molten salt hydrates, 99–100
- Boric acid
¹¹B NMR spectra of model compounds, 16*f*

- ¹¹B NMR spectra of phenylboronate, 16*f*
boronate structures and expected fission, 15*f*
interaction of carbohydrates with, 13–14
NMR spectroscopy of phenylboronate esters, 14, 16*f*
Branched ionic liquids, dissolution, 308–310
Bromination, cellulose, 38
Bromodeoxycellulose, synthesis, 38
1-Butyl-3-methylimidazolium [BMIM] ionic liquids acylation with acid anhydrides in BMIMCl, 279–280
BMIM chloride as cellulose solvent, 238
BMIM ethyl methyl phosphate, 249–250
cellulose furoate synthesis, 279*f*, 280
chemical structures, 151
derivatization of cellulose by, 154–155
dissolving power of, 234
functionalization of bacterial cellulose in BMIMCl, 280–281, 282*f*
¹H NMR spectrum of mixture of BMIM-OAc and sulfuryl chloride after mixing, 156*f*
homogeneous functionalization of spruce in BMIMCl, 348, 350
properties of cellulose solutions in, 207*t*
reaction of BMIM-acetate with 1-¹³C-D-glycopyranose, 151
reaction with cellulose, 152–153, 154
reactivity of C-2, 150
side reactions of, acetates in trimethylsilylations of cellulose, 161, 162*f*
- side reactions of, in methylations, 159–160
side reactions of BMIM-OAc in esterifications, 158–159
thermal degradation, 155–157
See also Cellulose in 1-alkyl-3-methyl-imidazolium ILs
1-Butyl-3-methylimidazolium cations
¹H NMR of ethanol-OH-proton of mixtures with ethanol, 123, 124*f*
solvent parameters of ILs and hydrogen bonding acceptor interactions, 126*t*
- C**
- Cadoxen, complexing agent, 4, 15
 ϵ -Caprolactone graft polymerization, DMSO/ammonium fluorides, 116
Carbamates, cellulose, 36
Carbanilation mixtures, cellulose degradation, 169, 170
Carbohydrates, interaction with boric acid, 13–14
Carbon-13 nuclear magnetic resonance analysis of wood in ionic liquids, 353–354
cyanoethyl cellulose (CEC), 334, 335*t*, 336
cyanoethyl cellulose (CEC) hydrolyzed with trifluoroacetic acid, 332*f*
investigating degree of substitution (DS) of heterogeneous CEC, 333*t*
See also Cyanoethylation
N,N-Carboxyldiimidazole (DCI) in DMSO, esterification of cellulose, 115–116
Carboxyalkylation, cellulose in ionic liquids, 25–26

- Carboxylate-based ionic liquids,
low viscosity liquids, 234
- Carboxylate salts, cellulose
solubility, 234–235
- Carboxylic acid esters,
hydrolytically unstable, of
cellulose, 6–10
- Carboxylic acids, acylation of
cellulose in DMSO/ammonium
fluorides, 114*t*
- Carboxymethylation
cellulose, 17, 18*t*
cellulose in DMSO/ammonium
fluorides, 109*t*
cellulose in molten salt hydrates,
97–99
- Cations
basic structure of, in ionic
liquids, 57–60
cellulose solubility in ionic
liquids (ILs), 131–133
ionic liquid preparation, 57
- Cellubiose, acid-catalyzed
hydrolysis, 233
- Cellulase, cellulose accessibility to,
375–376
- Celluloid, man-made plastic, 3, 5
- Cellulose
D-anhydroglucopyranose units
(AGUs), 165–166
anion effect of ionic liquids
(ILs) on, solubility, 125–131
applications, 137, 300
atomic force microscopy (AFM)
image of cellulose film, 28,
35*f*
ballooning phenomenon, 137–
138
behaviors of solution, 74–75
biomacromolecule, 56, 67–68
carboxymethylation, 17, 18*t*
cation effect of ILs on,
solubility, 131–133
cellulose furoate synthesis, 279*f*,
280
chain conformation of, in
LiOH/urea, 84–85
- crystalline structure of, in beads
and initial pulp, 222, 223*f*
- degree of polymerization (DP)
measurement, 310–311
- degree of substitution (DS) of
cellulose acetate, cellulose
pentanoate, cellulose
hexanoate and cellulose
benzoate, 278*f*
- derivalization by ionic liquids,
154–155
- description, 300
- designing ionic liquids as
solvents, 59–60
- diffusion of chains upon
dissolution, 144–147
- dissolution and structure in
NaOH/thiourea, 80–83
- esterification, 33–35, 39*f*
- etherification, 36, 40*f*, 79, 80*t*
- functional cellulose materials,
77–79
- halogendeoxy functions, 38
- heating and power profiles for
dissolution, 309*f*
- hemicelluloses, 166
- homogeneous conversion in
ionic liquids, 26–27
- ILs as solvent, 277
- importance of dissolution, 180
- improving solubility, 170–174
- interaction with molten salt
hydrate and, 95–96
- ionic liquids for dissolution, 29*f*
- mechanism of dissolution in ILs,
122
- membrane formation, 232–233
- microwave irradiation for
dissolution, 235, 310
- modifications, 165–166
- physico-chemistry precondition
for dissolution, 205–207
- polarized light microscopy of, in
thiocyanate-containing
solutions, 22, 23*f*
- properties, 287–288
- proposed structure in Pden, 17*f*
- pulp constituent, 167

- regeneration, 300–301
regeneration in ionic liquids, 25
renewable resource, 67–68, 198, 261–262, 275–276, 287
rheology of, in different solvents, 180
SEM images of electrospun fibers from, in NMMO/water, 28, 35*f*
silylation in ionic liquids, 26
solubility in methylphosphonate-type ionic liquids, 63*t*
solubility of Avicel in dry ILs, 127*t*
solubilization temperature in methylphosphonate salts, 61*t*
solubilization under microwave vs. EMIM acetate, 235
structure with hydrogen bonds, 301*f*
substrate accessibility, 375–376
succinylated, 292*t*, 293*f*, 294
sulphation, 14*t*
super molecular structure, 199*f*
tosylation in ionic liquids, 26
water uptake measurement, 311–312
X-ray diffraction patterns of original and regenerated, 289, 290*f*
See also Wood in ionic liquids (ILs)
Cellulose accessibility to cellulase (CAC), 375–376
Cellulose acetate intermediate, 7, 9*f*
scheme for synthesis of, 280–281, 282*f*
synthesis, 278, 292
Cellulose aerogels, LiOH/urea system, 86
Cellulose benzoate, synthesis, 278
Cellulose blends, preparation, 291
Cellulose carbamate, intermediate, 6, 8*f*
Cellulose carbanilate, synthesis of, 281, 282*f*
Cellulose channel inclusion complex, LiOH/urea system, 84
Cellulose chemistry, ionic liquids (ILs), 277, 300–302
Cellulose composite materials, preparation, 291
Cellulose degradation, derivatization systems, 169–170
Cellulose dichloroacetates, intermediates, 9, 11*f*
Cellulose dissolved in NaOH/water and ionic liquid additives ZnO or urea, 188–189
Arrhenius plot for spruce sulfite pulp in ionic liquid, 181*f*, 183*f*
cellulose concentration and viscosity, 187–188
cellulose/EMIMAc solutions, 182
cellulose/NaOH/water solutions, 182
comparing rheological and hydrodynamic properties, 193*t*
dissolution methods, 183
experimental, 182–185
flow of cellulose solutions, 185–186
gelation time vs. temperature for cellulose/NaOH/water, 184*f*
intrinsic viscosities, 188–193
intrinsic viscosity vs. temperature for cellulose in NaOH/ZnO/water and NaOH/urea/water, 189, 190*f*
relative viscosity vs. $C[\eta]$ by temperature, 191–192
rheological measurements, 183, 185
temperature and intrinsic viscosity, 189, 190*f*
temperature-induced gelation of cellulose/NaOH/water, 193
temperature influence, 185–186
viscosity-concentration dependence for cellulose in EMIMAc, 187*f*

- viscosity-shear rate dependence of cellulose/NaOH/water, 184*f*
- Cellulose fibers**
- ballooning effect, 6, 8*f*
 - cell wall structure, 140
 - chain mobility, 142
 - characterization, 267–269
 - chemical environment of cellulose chains, 140, 142
 - dissolution mechanisms, 140–142
 - dissolution of cellulose in NaOH/urea, 75–76
 - magnetic nanocomposite fibers, 76
 - mechanical properties, 268–269
 - multi-filaments from NaOH/urea, 73*f*
 - NaOH/thiourea system, 82*f*, 83–84
 - N*-methylmorpholine-*N*-oxide (NMMO) process, 262
 - novel multi-filament, in NaOH/thiourea, 83–84
 - photographs of cellulose/Fe₂O₃ nanocomposite fibers, 75*f*
 - regeneration from NaOH/urea solvent, 76
 - scanning electron microscopy (SEM) images, 74*f*, 263*f*
 - stress-strain curves for plain, 266*f*
 - surface morphology, 267
 - swelling and dissolution mechanisms, 141*f*
 - thermal stability, 267–268
 - See also* Cellulose/TiO₂ fibers
- Cellulose films**
- transparent, fluorescent and photoluminescent, 75*f*
 - transparent and composite, 77
- Cellulose formats, intermediates, 8–9**
- Cellulose furoate**
- degree of substitution and solubility, 281*t*
 - synthesis, 279*f*, 280
- Cellulose gels, transparent nanoporous, in LiOH/urea, 86**
- Cellulose hexanoate, synthesis, 278**
- Cellulose in 1-alkyl-3-methyl-imidazolium ILs**
- 1-butyl-3-methyl-imidazolium acetate (BMIM-OAc) reacting with 1-¹³C-D-glucopyranose, 151
 - chemical structures of ionic liquids (ILs), 151
 - ¹³C-labeled 1-butyl-3-methylimidazolium IL reacting with cellulose, 154
- ¹³C NMR spectra of BMIM-OAc and 1-¹³C-D-glucose solutions after dissolution, 153*f***
- derivatization of cellulose, 154–155**
- dissolution and re-precipitation, 150**
- ¹H NMR spectra for methylations, 160*f***
- ¹H NMR spectrum of mixture of BMIM-OAc and sulfonyl chloride, 156*f***
- molecular weight distributions and fluorescence signals of BMIM- and NapMIM-derivatized cellulose, 156*f***
- reaction of (2-naphthalylmethyl)methylimidazolium IL with cellulose, 155**
- reactions of IL anions, 157–161**
- reactions of IL cations, 151–155**
- reactivity of C-2 in imidazolium moieties, 150**
- side reactions of BMIM-OAc in esterifications, 158**
- side reactions of EMIM/BMIM acetates and chlorides in methylations of cellulose, 159–160**
- side reactions of EMIM/BMIM acetates in**

- trimethylsilylations of cellulose, 161, 162*f*
thermal degradation of BMIM and EMIM ILs, 155
thermal degradation of ILs, 155–157
Cellulose intermediates
 acetals and silyl ethers as, 10–13
 cellulose acetate, 7, 9*f*
 cellulose dichloroacetates, 9, 11*f*
 cellulose formates, 8–9
 cellulose trifluoroacetate, 9–10, 11*f*
hydrolytically unstable
 carboxylic acid esters of cellulose, 6–10
methylol cellulose, 10, 12*f*, 13*f*
silyl cellulose, 11–13
Cellulose man-made fibers
 cellulose/NMMO/H₂O system for dissolution in ILs, 209–210
 cellulose-solvent-interaction in dissolved state, 207–209
 consecutive dissolution step of cellulose PAN mixture, 206*f*
 experimental, 199–201
 fiber characterization, 202
 methods, 202
 physico-chemistry precondition of cellulose dissolution, 205–207
 preparation of cellulose solutions, 200–201
 pulp characterization methods, 202
 spinning trials, 201
 structure and dissolvability, 203–205
 structure of cellulose NMMO monohydrate complex, 205*f*
 technological art of formation, 200*f*
Cellulose multi-filaments,
 NaOH/urea system, 73*f*
Cellulose nitrate
 dissolution of cellulose, 5–6
 regioselectivity of sulphation of, 7*t*
Cellulose nitrobenzoate, ¹³C NMR spectrum, 11*f*
Cellulose pentanoate, synthesis, 278
Cellulose pulps. *See N,N-Dimethylacetamide (DMAc)/LiCl*
Cellulose solvent- and organic solvent-based lignocellulose fractionation (COSLIF)
 biomass saccharification paradigms, 366*f*, 370*f*
 cellulose solvent criteria, 369–370
 enzymatic hydrolysis, 372, 373*f*
 enzymatic hydrolysis profiles for COSLIF-pretreated biomass, 371*f*
 flowchart, 370*f*
 future studies, 376–377
 mechanism, 367–369
 roles of organic solvent, 371
 SEM images for COSLIF-pretreated biomass, 374*f*
 substrate accessibility, 375–376
 supramolecular structures, 373–374
 technology, 368, 370*f*
Cellulose solvents
 acetals and silyl ethers as intermediates, 10–13
 categories, 4
 cellulose dichloroacetates, 9, 11*f*
 cellulose fibers swollen with alkali and carbon disulfide, 8*f*
 cellulose formates, 8–9
 cellulose nitrate, 5–6
 cellulose nitrobenzoate, 11*f*
 cellulose trifluoroacetate (CTFA), 9–10, 11*f*
 cellulose xanthate, 6, 7*f*
 cross-sections of cellulose fibers, 8*f*
 formation of cellulose carbamate, 8*f*

- hemiacetal of chloral and cellulose, 13*f*
hydrolytically unstable carboxylic acid esters of cellulose, 6–10
interaction of carbohydrates with boric acid, 13–14
methylol cellulose, 10, 12*f*, 13*f*
regioselectivity of sulphation of cellulose nitrite, 7*t*
silyl cellulose, 11–13
See also Aqueous cellulose solvents
- Cellulose/TiO₂ fibers
blend and fiber preparation, 264–265
calculated TiO₂ concentration at surface, 270*t*
characterization, 269–271
characterization methods, 265–266
energy dispersive X-ray spectroscopy (EDS), 266, 271
experimental, 264–266
extrusion apparatus, 263*f*
mechanical properties, 269*t*, 271
scanning electron microscopy (SEM), 265, 266*f*
stress-strain curves for composite, 268*f*
surface morphology, 270
tensile strength, 266
thermal stability, 270
thermogravimetric analysis (TGA), 265, 267*f*
See also Cellulose fibers
- Cellulose trifluoroacetate (CTFA)
¹³C NMR spectrum, 11*f*
formula, 11*f*
intermediates, 8–10
- Cellulose whiskers, atomic force microscopy (AFM) image of, 76*f*
- Cellulose xanthate, dissolving cellulose, 6, 7*f*
- Cellulosic materials, biofuel preparation, 294–295
- Cell wall structure, cellulose fibers, 140
Chain conformation, cellulose in LiOH/urea system, 84–85
Chain mobility, cellulose fibers, 142
Chardonnet silk, man-made fiber, 3, 5
Chemical environment, cellulose fibers, 140, 142
Chemical modification, wood in ionic liquids, 348–349
Chlorination, cellulose, 38
Complexing agents, Schweizers reagent, 15–17
Composite fibers. *See* Cellulose/TiO₂ fibers
Composites, wood in ionic liquids, 349–351
Concentration, cellulose, and viscosity, 187–188
Conductor-like screening model for real solvents (COSMO-RS), 236
COSLIF. *See* Cellulose solvent- and organic solvent-based lignocellulose fractionation (COSLIF)
COSMO-RS (conductor-like screening model for real solvents), 236
Cotton linters, degree of polymerization after dissolution and regeneration, 107*t*
Crystalline structure, cellulose in beads and initial pulp, 222, 223*f*
Crystallinity, dissolution of cellulose, 168–169
Crystallography
 interactions in ionic liquids, 243, 245*t*, 248*t*
 thermal ellipsoid plots, 244*f*, 245*f*, 246*f*
- Cuoxam
 dissolving cellulose, 4
 hollow fiber for blood dialysis by, process, 16*f*
- Cuoxen, complexing agent, 15

- Cupro process, dissolving cellulose, 104
- Cyanoethylation activation reactions, 325–326, 330 catalysts for homogeneous, of cellulose, 325*t*
- ¹³C NMR investigations of degree of substitution (DS) distribution of heterogeneous cyanoethyl cellulose (CEC), 333*t*
- ¹³C NMR investigations of DS distribution of homogeneous CEC, 335*t*
- ¹³C NMR spectroscopic determination, 334, 335*t*, 336
- ¹³C NMR spectrum of CEC hydrolyzed with trifluoroacetic acid, 332*f*
- comparing heterogeneous, quasi-homogeneous and homogeneous, 321, 323
- degree of polymerization (DP) of cellulose in Cuoxam solution, 323–324
- DS and viscosity of heterogeneous CEC, 322*t*
- elementary analysis, 324
- experimental, 323–326, 330
- heterogeneous, 320–321, 326
- heterogeneous procedure, 323, 330–331
- homogeneous, 321, 330
- homogeneous procedure, 323, 331–332, 334
- preparation of amorphous cellulose, 325–326
- quasi-homogeneous, 326
- rheological characterization, 336–337
- solubility and viscosity of CEC during homogeneous, 327*t*, 328*t*, 329*t*
- solubility determination, 324
- viscosity measurement, 324
- viscosity of heterogeneous CEC, 337*f*
- viscosity of homogeneous CEC, 338*f*
- Cyclohexyl-*N*-dimethylamine-*N*-oxide, cellulose dissolution, 27, 33*f*
- D**
- Decomposition aqueous salt containing cellulose solvents, 21
- cellulose in molten inorganic salts, 92, 94*t*
- Degradation cellulose, 233–236
- cellulose, in derivatization systems, 169–170
- See also* Decomposition
- Degree of polymerization (DP) determination for cellulose, 216, 219
- equation, 182
- measurement for cellulose, 310–311
- polysaccharide cellulose, 166
- Degree of substitution (DS), cyanoethyl cellulose (CEC), 322*t*, 333*t*
- Depolymerization, lignocellulose in ionic liquids (ILs), 233
- Derivatization cellulose dissolution, 43
- ionic liquids as matrixes for, 231–232
- Derivatizing solvents, dissolution of cellulose, 168
- Design, ionic liquid solvents for cellulose, 59–60
- Despeissis, Louis-Henri, fiber process, 15
- 1,3-Dialkylimidazolium cations, ionic liquids, 288, 289*f*
- Dialkyl sulfites, alkylation of *N*-methylmorpholine *N*-oxide (NMMO), 242, 243*f*
- Dialysis, hollow fibers for, 15, 16*f*

- Differential scanning calorimetry (DSC), ionic liquids, 57–58
- Diffusion
- cellulose chains upon dissolution, 144–147
 - experimental protocol, 144–145
 - precipitation of dissolved cellulose in NMMO-water, 146–147
- N,N*-Dimethylacetamide (DMAc)/LiCl
- cellulose degradation in derivatization systems, 169–170
 - cellulose dissolution, 29–32
 - cellulosic pulps, 165
 - dissolution of cellulosic pulps, 167–169
 - extended standard approaches, 171–173
 - improvement of cellulose solubility, 170–174
 - mixed systems, 173–174
 - replacing DMAc with dimethyl sulfoxide (DMSO), 174
- Dimethyl sulfoxide (DMSO)
- cellulose dissolution with DMSO/LiCl, 174
 - cellulose with ethyl isocyanate, 170
- Dimethyl sulfoxide/amine/SO₂, cellulose dissolution, 41
- Dimethyl sulfoxide/ammonium fluorides (DMSO/TBAF)
- acetylation of cellulose with acetic anhydride, 112*t*
 - acylation reactions with various carboxylic acids, 114*t*
 - application of water free DMSO/TBAF, 113–115
 - cellulose dissolution, 40–41, 42*t*
 - cellulose esterification with DMSO/TBAF trihydrate, 115–116
- ¹³C NMR spectrum of cellulose in, 105*f*
- combination of DMSO with tetra-*N*-butylammonium fluoride trihydrate (TBAF·3H₂O), 104
- conditions and results for esterification, 110*t*
- conditions and results for etherification, 109*t*
- degree of polymerization (DP) of cellulose before and after dissolution and regeneration, 107*t*
- dissolution of microcrystalline cellulose and pulps in, 104–108
- esterification reactions, 111–116
- etherification reactions, 109–111
- graft polymerizations, 116
- ¹H NMR spectrum of perpropionylated cellulose acetate, 114*f*
- homogeneous reactions of cellulose in, 115*t*
- optical microscopy of cotton fiber dissolution, 105*f*
- photo and plot of samples with varying cellulose and water content, 106*f*
- solvent dependent reaction efficiencies, 116
- use as reaction medium, 108–116
- water content determination, 113
- water vs. distillation during dewatering process, 108*f*
- Dipolarity, ionic liquids, 58, 61
- Dissolution
- alkyl chain length and branching of ionic liquids (ILs), 305–310
 - aqueous salt containing cellulose solvents, 21
 - biomass, 214
 - cellulose, by microwave irradiation, 235, 310
 - cellulose in ILs, 56–57, 121–122, 262, 276, 288–290, 301–302

cellulose in molten inorganic salts, 92, 94*f*
cellulose/NMMO/H₂O, in ILs, 209–210
cellulose-solvent-interaction in dissolved state, 207–209
diffusion of cellulose chains upon, 144–147
enzyme-treated pulp, 216, 222–224
experimental protocol, 144–145
heating and power profiles for, of cellulose, 309*f*
importance of cellulose, 180
mechanisms of native cellulose fibers, 140–142
mechanisms of wood pulp and cotton fibers, 141*f*
native cellulose fibers, 140
physico-chemistry precondition for cellulose, 205–207
precipitation of dissolved cellulose during, of bleached cotton fiber, 146*f*
raw cotton fiber, 141*f*
solid polymer, 140
studies using ILs, 303–310
water uptake measurements, 311–312
wood in ionic liquids, 345–347
See also Ionic liquids (ILs)

E

Electrospinning, ionic liquids for, cellulose, 232
Electrospray ionization mass spectrometry (ESI-MS), cation-anion interaction, 239
Energy dispersive X-ray spectroscopy (EDS), cellulose/TiO₂ fibers, 266, 271
Enzymatic hydrolysis, pretreated biomass, 372, 373*f*
Enzymatic treatment activation energy, 220

average particle size of scattering in pulp with, 221*f*
bead morphology by scanning electron microscopy (SEM), 222, 223*f*
beads preparation and analysis, 217, 219
Biocelsol method, 214–215
cellulose dissolution, 215, 216–217
crystalline structure of cellulose in beads and initial pulp, 222, 223*f*
DP determination of pulp, 216
DP of cellulose by, 219
evidence of undissolved entities in pulp with, 221
experimental, 215–217, 219
flow cytometry, 217
flow of cellulose solutions, 219
hydrodynamic properties of enzyme-treated pulp, 223–224
intrinsic viscosity of pulp with, 220–221
methods, 215–216
molecular weight changes, 222–223
rheology measurement, 217
viscometry measurement, 217
viscosity vs. shear rate at various temperatures, 218*f*

Esterification

cellulose, using cyclic anhydrides, 293–294
cellulose in DMSO/ammonium fluorides, 110*t*, 111–116
cellulose with in situ activation, 33–35, 39*f*
ionic liquids as matrixes for, 231–232
side reactions of 1-butyl-3-methyl-imidazolium acetate (BMIM-OAc) in, 158–159
solvent dependent reaction efficiencies, 116
special cellulose derivatives in ionic liquids (ILs), 282–283

- Ethanol, pulp solubility with, and DMI/LiCl, 174*t*
- Etherification
- cellulose, 36, 40*f*
 - cellulose in DMSO/ammonium fluorides, 109–111
 - cellulose in ionic liquids, 25–26
 - cellulose in NaOH/urea system, 79, 80*t*
- 1-Ethyl-3-methylimidazolium (EMIM) ionic liquids
- cellulose dissolved in EMIM acetate (EMIMAc), 180
 - EMIM dimethyl phosphate, 235
 - side reactions of, acetates in trimethylsilylations of cellulose, 161, 162*f*
 - side reactions of, in methylations, 159–160
 - spruce sulfite pulp in EMIMAc, 181*f*
 - thermal degradation, 155–157
- 1-Ethyl-3-methylimidazolium cations
- ¹H NMR of ethanol-OH-proton of mixtures with ethanol, 123, 124*f*
 - minimal molar ratio for Avicel solubility in binary ILs based on, 128*t*
 - molar ratio for Avicel solubility in binary ILs based on, 129/*f*
 - solvent parameters of ILs and hydrogen bonding acceptor interactions, 126*t*
- 1-Ethyl-3-methylimidazolium acetate (EMIMAc)
- advantage, 24–25
 - Avicel solubility in dry, 127*t*
 - cellulose dissolution, 214, 216, 222, 237
 - cellulose solubilization by microwave vs., 235
 - flow of cellulose solutions, 185–186
 - reacting as reagent, 301
- relative viscosity vs. C[η] at various temperatures, 191, 192*f*
- rheological and hydrodynamic properties of cellulose in, 193*t*
- structure, 29*f*
- temperature influence on cellulose solutions, 185–186
- viscosity-concentration dependence of cellulose in, 187*f*
- 1-Ethyl-3-methylimidazolium chloride (EMIMCl)
- Avicel solubility in dry, 127*t*
 - liquefaction and depolymerization of wood, 236–237
 - structure, 29*f*
- Ethylene diamine (EDA)/KSCN, cellulose processing, 22–23
- F**
- Ferric sodium tartrate complex
- complexing media, 17
 - fibrillation, 17, 19*f*
- Fiber process
- Despeissis, 15
 - spinning trials, 201
- See also* Cellulose man-made fibers
- Fibers. *See* Cellulose fibers; Cellulose/TiO₂ fibers
- Fibrillation, yarns with FeTNa solution, 17, 19*f*
- Flow properties
- cellulose/NaOH/water and cellulose/ionic liquid, 193*t*
 - flow cytometry, 217, 219, 221*f*
 - temperature influence, 185–186
- Fluorescent, cellulose films, 75*f*
- Fractionation
- ILs as, auxiliaries for lignocellulosic materials, 236–237

lignocellulosic materials, 235–236

See also Cellulose solvent- and organic solvent-based lignocellulose fractionation (COSLIF)

Fremery, Max, lamp filaments, 15

G

Gelation, cellulose/NaOH/water, 184^f, 186

Gels, transparent nanoporous cellulose, in LiOH/urea, 86

Glucose production, from pretreated lignocelluloses, 347–348

Gossypium barbadense, dissolution in N-methylmorpholine-N-oxide (NMMO), 140, 141^f

Graft polymerization, ϵ -caprolactone in DMSO/ammonium fluorides, 116

H

Hemicelluloses

pulp constituent, 167

structural types, 166

wood pulp dissolution, 169

Heterogeneous cyanoethylation.

See Cyanoethylation

Hollow fibers, dialysis, 15, 16^f

Homogeneous functionalization alternative solvents ionic liquids (ILs), 276

cellulose in Li salt containing solvent, 31–32

cyanoethylation, 321, 323, 330, 331–332, 334

degree of substitution (DS) of dendritic PAMAM-triazolo-cellulose derivatives, 282^t

functionalization of bacterial cellulose in IL, 280–281, 282^f

ILs as reaction media, 278–280

ILs as solvent for cellulose, 277

ILs in cellulose chemistry, 277

imidazolium based ILs as

reaction medium, 276, 277^f

preparation of special cellulose derivatives in IL, 282–283

scheme for synthesis of

cellulose acetate and cellulose carbanilate, 282^f

wood in ionic liquids, 348, 350

See also Cyanoethylation

Homogeneous reactions, cellulose in DMSO/ammonium fluorides, 115^t

Hydrodynamic properties, cellulose/NaOH/water and cellulose/ionic liquid, 193^t

Hydrogel, photographs of, in NaOH/urea, 78^f

Hydrogen bonding bridge system of ionic liquids, 208^f

cellulose dissolution in self-assembly process, 72–73

cellulose structure with, 301^f intra- and intermolecular, 168, 199^f

solvent parameters in ILs indicating hydrogen bonding acceptor interactions, 126^t

Hydrolysis, cellubiose in ionic liquid, 233

Hydroxyalkylation, cellulose in ionic liquids, 25–26

1-(2-Hydroxyethyl)-3-methylimidazolium acetate, synthesis, 251

1-(2-Hydroxyethyl)-3-methylimidazolium dimethyl phosphate, synthesis, 250–251

I

Imidazolium based ionic liquids

(ILs)

cellulose chemistry, 276, 277^f

cellulose dissolution studies, 303–305

- influence of alkyl chain length and branching, 305–310
See also Ionic liquids (ILs)
- Imidazolium cations, ionic liquids for cellulose dissolution, 24
- Imidazolium salts
- cellulose dissolution, 29*f*
 - side chain on *N*-position of imidazolium ring on
 - solubility of cellulose, 60–64
- Inorganic molten salt hydrates, polysaccharide modification, 21
- In situ activation, esterification of cellulose, 33–35, 39*f*
- Inter-molecular bonding, hydrogen bond, 168, 199*f*
- Intra-molecular bonding, hydrogen bond, 168, 199*f*
- Ionicell fiber, 291
- Ionic liquids (ILs)
- abbreviations, 345
 - alkylations of, 241–242, 247–251
 - alkyl chain length and branching, 305–310
 - anion effect of, on cellulose solubility, 125–131
 - Avicel solubility in, 125–130
 - basic structure of cation, 57–60
 - biofuel preparation from cellulosics, 294–295
 - cation effect of, on cellulose solubility, 131–133
 - cellulose dissolution, 56–57, 121–122, 262, 276, 288–290, 301–302
 - cellulose dissolution studies, 303–305
 - cellulose/NMMO/H₂O system for dissolution in ILs, 209–210
 - chemical structure of cations, 58, 61
 - common cations, 288, 289*f*
 - concepts, 237–238
 - correlation between ¹H NMR of ethanol OH-proton and C2-proton in mixtures, 130*f*
 - direct solvents for cellulosic biomass, 230–231
 - disadvantages, 301
 - fine-tuning solvent properties, 238
 - fractionation auxiliaries for lignocellulosic materials, 236–237
 - ¹H NMR of ethanol-OH-proton in ethanol-IL mixtures, 123, 124*f*
 - homogeneous conversion of cellulose, 26–27
 - hydrogen bond acceptor and donor properties, 122
 - hydrogen-bond bridge system, 208*f*
 - hydrogen bonding, 56–57
 - matrixes for derivation, reconstitution and degradation of cellulose, 231–236
 - maximal molar ratio (water:IL) for Avicel solubility, 132*t*
 - mechanism of cellulose dissolution in, 122
 - minimal ratio (cellulose-dissolving:non-dissolving IL) for solubility, 128*t*
 - molar ratio (acetate:cellulose-OH) for Avicel in binary IL mixtures, 129*f*
 - molten organic salts, 23–27
 - N*-allyl-*N*-methylmorpholinium chloride, 238
 - OH-shift values of Br[–], Cl[–] or [CF₃CO₂][–] anions with different cations, 132*t*
 - parameters indicating hydrogen bond acceptor (HBA) interactions, 126*t*
 - perspectives, 237–238
 - physicochemical properties, 59*t*, 62*t*
 - picture showing dissolution of cellulose in, 30*f*
 - preparation of regenerated cellulose in, 290–291

properties, 56
properties of cellulose solutions
in, 207
proposed structure of cellulose
IL complex, 209f
reaction media, 278–280
side chain on *N*-position of
imidazolium ring on
solubility of cellulose, 60–64
silylation of cellulose, 26
solubility and DP of cellulose
samples in, 30t
solubility of Avicel in dry ILs,
127t
solvent-solute interactions, 123,
125
structures, 345
suitable for cellulose
dissolution, 29f
sustainability, 358, 360
synthesis, 302–303
temperature dependence of
viscosity, 58–59, 60f, 62f
term, 229–230
tosylation of cellulose, 26
water content, 302t
See also Cellulose in 1-alkyl-3-
methyl-imidazolium ILs; *N*-
methylmorpholine-*N*-oxide
(NMMO) derivatives; Wood
in ionic liquids (ILs)
Isocyanate derivatization, pulps,
170

K

Kamlet-Taft parameters
alkylimidazolium salts, 61
ionic liquids, 58

L

LiCl. *See* *N,N*-Dimethylacetamide
(DMAc)/LiCl

Lignin

cell wall polysaccharides, 166–
167
pulp constituent, 167
softwood kraft pulp dissolution,
169
Lignocellulose
depolymerization in ionic
liquids, 233
fractionation, 366–367, 376–377
ionic liquids as fractionation
auxiliaries, 236–237
paradigm changes for binary,
extractants, 241
spectroscopic tools for solutions,
239
See also Cellulose solvent- and
organic solvent-based
lignocellulose fractionation
(COSLIF)
LiOH/urea system
cellulose channel inclusion
complex, 83f, 84
cellulose materials in, 86
chain conformation of cellulose,
84–85
SEM images of aerogels in, 20,
22f
Li salt containing solvents,
cellulose dissolution, 29–32
Lyocell fiber, 262, 291
Lyocell process
dissolving cellulose, 104
N-methylmorpholine-*N*-oxide
monohydrate, 150

M

Man-made fiber, Chardonnet silk,
3, 5
Man-made materials,
manufacturing, 198
Man-made plastics
Celluloid, 3, 5
modification reaction, 3
See also Cellulose man-made
fibers
Mannans, hemicellulose, 166

- Mechanisms**
- carbohydrate composition of soluble and insoluble fractions, 142, 143*f*
 - cellulose dissolution in ionic liquids (ILs), 122
 - cellulose dissolution in NaOH/urea at low temperature, 71–74
 - cellulose solvent- and organic solvent-based lignocellulose fractionation (COSLIF), 367–369
 - dissolution of native cellulose fibers, 140–142
 - hydrogen bonding acceptor strength of ILs and cellulose dissolving, 128–130
- Membrane formation, cellulosic matrixes**, 232–233
- Mercerization, cellulose with bases**, 18
- Mesylation, cellulose**, 38
- Methylations, side reactions of 1-ethyl-3-methyl-imidazolium and 1-butyl-3-methyl-imidazolium acetates and chlorides in**, 159–160
- Methylol cellulose, intermediates**, 10, 12*f*, 13*f*
- Methylphosphonate salts**
 - solubility of cellulose in series of, 62, 63*t*
 - solubilization temperature of cellulose in, 61*t*
- Microcrystalline cellulose**
 - degree of polymerization after dissolution and regeneration, 107*t*
 - esterification in
 - DMSO/ammonium fluorides, 110*t*, 112
 - NaOH/thiourea system, 81*f*, 82
- Microwave irradiation, cellulose dissolution by**, 235, 309*f*, 310
- Mixed-linkage β -glucans, hemicellulose**, 166
- Molding, cellulose into shapes**, 198
- Molten inorganic salts**
 - acetylation reaction, 99
 - blend formation, 99–100
 - carboxymethylation reaction, 97–99
 - classification of molten salt hydrates, 92
 - ^{13}C NMR spectra of cellulose dissolved in, 98*f*
 - crystal structure of $\text{LiClO}_4 \cdot 3\text{H}_2\text{O}$ and $\text{LiNO}_3 \cdot 3\text{H}_2\text{O}$, 94*f*
 - decomposition, 94*t*
 - dissolution, 94*t*
 - dissolution power, 93
 - FT Raman spectra of regenerated cellulose from, 96*f*
- interaction between cellulose and**, 95–96
- medium for blending cellulose with polymers**, 99–100
- molar mass distribution of nitrates of regenerated cellulose**, 97*f*
- molten salt hydrates and interaction to cellulose**, 94*t*
- reactions of cellulose in**, 96–100
- SEM pictures of regenerated celluloses from**, 97*f*
- solubility of cellulose**, 92–93
- structural changes of cellulose dissolved in**, 94–95
- swelling**, 94*t*
- swelling ability of cellulose in**, 91–92
- Molten organic salts, ionic liquids**, 23–27, 29*f*
- Morphology**
 - aerogels in LiOH/urea, 20, 22*f*
 - atomic force microscopy (AFM)
 - image of cellulose film, 28, 35*f*
- bead, by scanning electron microscopy (SEM)**, 222, 223*f*
- SEM for observing swelling**, 142–144

SEM images of electrospun fibers from cellulose in NMMO/water, 28, 35*f*
SEM of particles from trimethylsilyl cellulose, 32*f*
SEM pictures of regenerated cellulose from molten salt hydrates, 95, 97*f*
surface, of cellulose fibers, 265, 266*f*, 267, 270

N

N-allyl-*N*-methylmorpholinium chloride, cellulose cosolvent, 238
NaOH/H₂O system
aerocellulose, 71*f*
cellulose materials, 70–71
comparing steam exploded softwood sulphite pulp and microcrystalline cellulose in, 143*f*
dissolution of cellulose, 68–70
enzymatic pretreatment of cellulose in, 214–215
protic solvents, 18, 19*f*
rheological and hydrodynamic properties of cellulose in, 193*t*
steam-exploded cellulose in, 69–70
structure and interaction of cellulose solution, 70
wet regenerated cellulose, 71*f*
See also Enzymatic treatment

NaOH/thiourea system
dissolution and structure of cellulose, 80–83
microcrystalline cellulose, 81*f*, 82
multi-filament fibers, 82*f*, 83–84
new cellulose materials, 83–84
rheological measurements and photographs, 81*f*, 83
sol-gel transition of cellulose solution, 83

NaOH/urea system
behaviors of cellulose solution, 74–75
cellulose dissolution at low temperature, 71–74
¹³C NMR spectra of cellulose in, 72*f*
fibers based on dissolution of cellulose in, 75–76
functional cellulose materials, 77–79
homogeneous etherification of cellulose in, 79, 80*t*
photo of novel cellulose multi-filaments from, 63*f*
regenerated cellulose microspheres (RCS), 77
SEM images of surface and cross section of filaments, 74*f*
transparent and composite cellulose films, 77
WAXD intensity profiles of cellulose in, 72*f*
NaOH/water system
addition of ZnO and urea to cellulose/NaOH/water, 189, 190*f*
gelation time vs. solution temperature for cellulose in, 184*f*, 186
relative viscosity vs. C[η] at various temperatures, 191, 192*f*
viscosity-shear rate dependence of cellulose in, 184*f*, 186
2-Naphthylmethyl)methyl-imidazolium ionic liquid, reaction with cellulose, 154–155
Nioxam, complexing agent, 15
Nitren
carboxymethylation of cellulose, 17, 18*t*
complexing agent, 15
N-methylmorpholine-*N*-oxide (NMMO)
alkylation of, and ion metathesis, 241, 242*f*

- alkylation using dimethyl sulfite, 242, 243*f*
cellulose dissolution, 27–28, 68, 199
cellulose/NMMO/H₂O system for dissolution in ILs, 209–210
cellulose structure and dissolvability, 203–205
crystalline structure of NMMO 2.5 and monohydrates, 204*f*
dissolution of raw cotton fiber in, 141*f*
fiber manufacturing, 262
Lyocell technology, 150
phase diagram of cellulose/NMMO/water, 27, 34*f*
structure of cellulose NMMO monohydrate complex, 205*f*
swelling and dissolution of cellulose fibers, 138–139
See also Cyanoethylation
- N*-methylmorpholine-*N*-oxide (NMMO) derivatives advantages of dialkyl sulfites, 242
alkylation, 241, 242*f*
crystallography for interactions in ILs, 243, 244*f*
decomposition, 243
1-[2-(diethylamino)ethoxy]pyridinium bromide hydrobromide (4), 248–249
experimental, 244–251
instrumentation, 244–246
intermolecular CH^{···}O interactions in compound (1), 245*t*
- N*-methoxy-*N*-methylmorpholinium hexafluorophosphate (2), 247–248
- N*-methoxy-*N*-methylmorpholinium methyl sulfate (1), 247
- N*-methoxy-*N*-methylmorpholinium triflimide (3), 248
short CH^{···}O contacts in compound (5), 248*t*
stability assessments of cellulose solutions, 242–243
starting materials, 247
thermal behavior and stability of, 242–243, 244*f*
thermal ellipsoid plot of compound (1), 244*f*
thermal ellipsoid plot of compound (2), 245*f*
thermal ellipsoid plot of compound (4), 246*f*
thermal ellipsoid plot of *N*-allyl-*N*-methylpyrrolidinium dimethyl phosphate (5), 246*f*
Nobel Prize, Hermann Staudinger, 4, 15
- Non-aqueous systems amine oxides, 27–28
carbamate, 36
DMSO/amine/SO₂, 41
DMSO/TBAF, 40–41, 42*f*
esterification via in situ activation, 33–35, 39*f*
etherification, 36
introduction of halogendeoxy functions, 38
ionic liquids, 23–27
Li salt containing solvents, 29–32
molten organic salts, 23–27
polar, aprotic, organic liquids/salt, 29–41
silylation, 37
sulfonates, 38–41
- Non-derivatizing solvents *N,N*-dimethylacetamide/LiCl system, 170–174
dissolution of cellulose, 167
- Nuclear magnetic resonance (NMR), analysis of wood in ionic liquids, 352–355

O

Organic solvent-based fractionation. *See Cellulose solvent- and organic solvent-based lignocellulose fractionation (COSLIF)*

P

Parkesine, man-made plastic, 3

Pden
complexing agent, 15
proposed cellulose structure in, 17^f

Phase diagrams
cellulose/*N*-methylmorpholine-*N*-oxide/water, 27, 34^f
ternary cellulose/NaOH/water, 18, 19^f

Phosphorus-31 nuclear magnetic resonance
analysis of wood in ionic liquids, 354–355, 356^f
tar fractions from pyrolysis, 358, 359^f

Photochromism, ionic liquids (ILs), 240

Photoluminescent, cellulose films, 75^f

Physico-chemistry, cellulose dissolution, 205–207

Polar ionic liquids. *See Ionic liquids (ILs)*

Polarity
correlating solvation ability and, 239–241
ionic liquids, 58
term, 239

Polarizability, ionic liquids, 58, 61

Polarized light microscopy, cellulose in thiocyanate-containing solvents, 22, 23^f

Polyamidoamine (PAMAM) dendrimers
codissolution with cellulose, 262

degree of substitution of dendritic PAMAM-triazolo-cellulose derivatives, 282^t, 283

Polymers
blending cellulose with, in molten salt hydrates, 99–100
dissolution of solid, 140
dissolution steps, 141^f

Polysaccharide, degree of polymerization (DP), 166

Polysaccharide modification, inorganic molten salt hydrates, 21

Precipitation, dissolved cellulose in NMNO-water, 146–147

Problematic cellulose pulps. *See N,N-Dimethylacetamide (DMAc)/LiCl*

Protic solvents
aqueous alkali solvents, 18–20
aqueous complexing agents, 15–17

aqueous salt containing cellulose solvents, 20–23
carboxylation of cellulose in LiClO₄, 23^t

LiOH/urea, 20, 84–86

molten salt hydrates, 21

NaOH (sodium hydroxide)/H₂O, 18, 19^f, 68–71

NaOH/poly(ethylene glycol), 19

NaOH/thiourea, 20, 80–84

NaOH/urea, 20, 71–79, 80^t

Schweizers reagent, 15–17
thiocyanate-containing solutions, 22–23

See also Aqueous cellulose solvents

Proton nuclear magnetic resonance, analysis of wood in ionic liquids, 353–354

Pulps
alternative approaches to improving solubility, 174^t
cellulosic, 165
constituents, 167

- dissolution of cellulosic, 167–169
dissolution via derivatization, 214
elution profiles of Bagasse, during dissolution, 168*f*
extended standard approaches to improving solubility, 171–173
mixed approaches to improving solubility, 173–174
See also Enzymatic treatment
- Pyridine**
cellulose with ethyl isocyanate, 170
pulp solubility with, and LiCl, 174*t*
- Pyridinium cations, ionic liquids** for cellulose dissolution, 24
- Pyridinium salts, cellulose dissolution**, 28*f*, 29*f*
- Pyrolysis**
³¹P NMR analysis of tar fractions, 358, 359*f*
wood in ionic liquids, 355–358
- degree of polymerization of cellulose before and after**, 107*t*
- preparation of regenerated cellulose in ionic materials**, 290–291
- structural changes of cellulose in molten salt hydrates**, 95, 96*f*
- wet cellulose from NaOH/water**, 71*f*
- X-ray diffraction of original and regenerated cellulose**, 289, 290*f*
- Renewable resource, cellulose**, 67–68, 198, 261–262, 275–276, 287
- Rheological properties**
cellulose/NaOH/water and cellulose/ionic liquid, 193*t*
cyanoethyl cellulose (CEC), 336–337, 338*f*
enzyme-treated pulp solutions, 217, 218*f*
- measurement for cellulose solutions**, 183, 185
- wood in ionic liquids**, 346–347

Q

- Quasi-homogeneous.** *See* Cyanoethylation

R

- Reaction media, ionic liquids (ILs)**, 278–280, 292–294
- Regeneration**
cellulose, to fibers, films and sponges, 104
cellulose fibers from solution in NaOH/urea, 76
cellulose in ionic liquids, 25, 233, 300–301
cellulose in Li salt containing solvent, 30–31
cellulose microspheres, 77

S

- Scanning electron microscopy (SEM)**
ballooning process, 144, 145*f*
biomass before and after pretreatment, 373–374
- cellulose bead morphology**, 222, 223*f*
- dried and swollen bleached cotton fiber**, 144, 145*f*
- experimental protocol**, 143
- precipitation of dissolved cellulose during dissolution**, 146*f*
- swollen morphologies by**, 142–144
- Schoenbein, C. F., cellulose dissolution discovery**, 5*f*
- Schweizers reagent, complexing agent**, 15–17

- Self-assembly process, cellulose dissolution by hydrogen bonding, 72–73
- Side reactions reactivity of C-2 in imidazolium moieties, 150
See also Cellulose in 1-alkyl-3-methyl-imidazolium ILs
- Silylation cellulose, 37
cellulose in ionic liquids, 26
- Silyl cellulose, intermediates, 11–13
- Silyl ethers, cellulose intermediates, 10–13
- Sisal cellulose, esterification in DMSO/ammonium fluorides, 110*t*, 112
- Sodium hydroxide (NaOH) dissolving cellulose, 18–20
See also Enzymatic treatment; NaOH/H₂O system
- Softwood kraft pulp, dissolution obstacle, 169
- Sol-gel transition, cellulose solution in NaOH/thiourea, 83
- Solubility anion effect of ionic liquids (ILs) on cellulose, 125–131
Avicel in dry ILs, 127*t*
cation effect of ILs on cellulose, 131–133
cellulose in methylphosphonate-type ionic liquids, 62, 63*t*
cellulose in molten salt hydrates, 92–93
cellulose/NaOH/water and cellulose/ionic liquid, 193*t*
cynoethyl cellulose (CEC), 324, 327*t*, 328*t*, 329*t*
improving cellulose, 170–174
side chain on *N*-position of imidazolium ring on, of cellulose, 60–64
See also *N,N*-Dimethylacetamide (DMAc)/LiCl; Enzymatic treatment; Ionic liquids (ILs)
- Solubilization temperature, cellulose in methylphosphonate salts, 61*t*
- Solvation, correlating, and polarity, 239–241
- Solvatochromic studies ionic liquid (IL)/IL binary mixtures, 240
multi-component matrixes, 240–241
- Solvent-based fractionation. *See* Cellulose solvent- and organic solvent-based lignocellulose fractionation (COSLIF)
- Solvent families, discoveries, 4, 43
- Solvents designing ionic liquids (ILs) as, for cellulose, 59–60
dissolution of cellulose, 4, 43
ILs as, for cellulosic biomass, 230–231
See also Aqueous cellulose solvents; Dimethyl sulfoxide/ammonium fluorides (DMSO/TBAF)
- Spectroscopic tools, solutions of lignocellulosic materials, 239
- Spinning trials cellulose fibers, 201
ionic liquids for, cellulose, 231, 232
- Spruce sulfite pulp Arrhenius plot of, in ionic liquid, 181*f*
degree of polymerization after dissolution and regeneration, 107*t*
flow curves of, in ionic liquid, 181*f*
- Staudinger, Hermann Nobel Prize, 4
photograph, 17*f*
Schweizers reagent, 15
- Steam-exploded cellulose, NaOH aqueous solution, 69–70
- Structural changes, cellulose in molten salts hydrates, 94–95

Succinylated cellulose, preparation, 292*t*, 293*f*, 294
Sulfonates, cellulose, 38–41
Supramolecular structures, biomass before and after pretreatment, 373–374
Surface morphology, cellulose fibers, 265, 266*f*, 267, 270
Sustainability, ionic liquids based biorefinery platform, 358, 360
Swelling
 aqueous salt containing cellulose solvents, 21
 ballooning effect, 137–138
 cellulose in molten inorganic salts, 91–92, 94*t*
 mechanisms of wood pulp and cotton fibers, 141*f*
 morphologies by scanning electron microscopy (SEM), 142–144
 zones of swollen wood fiber, 139*f*

Thermogravimetric analysis (TGA), cellulose fibers, 265, 267*f*
Thermoplastic composites, wood in ionic liquids, 349–351
Thiocyanate-containing media, dissolving polysaccharides, 21, 22–23
Titanium dioxide (TiO_2) particles
 antibacterial effect, 264
 dispersion in cellulose, 269
 uses, 263
 See also Cellulose/ TiO_2 fibers
Tosylation, cellulose, 26, 38–40
Transparent, cellulose films, 75*f*, 77
Trimethyl-amine-*N*-oxide, cellulose dissolution, 27, 33*f*
Trimethylsilylations
 ionic liquids as matrixes for, 232
 side reactions of EMIM/BMIM acetates in, of cellulose, 161, 162*f*

T

Temperature dependence of viscosity
 cellulose/NaOH/water solutions, 188*f*
 intrinsic viscosities, 188–193
 ionic liquids, 58–59, 60*f*, 62*f*, 63
 relative viscosity of cellulose in ionic liquid and in NaOH/water, 189, 191*f*

Tencel fiber, 262
Tensile strength, cellulose fibers, 266, 268*f*

Thermal degradation, 1-alkyl-3-methylimidazolium ionic liquids, 155–157

Thermal stability
 carboxylate salts, 234–235
 cellulose fibers, 267–268
 composite cellulose fibers, 270

U

Urban, Johan, artificial silk, 15
Urea, addition to cellulose/NaOH/water, 189, 190*f*

V

Viscose process
 dissolving cellulose, 6, 104
 enzyme-treated cellulose, 216–217
Viscosity
 activation energy, 220
 carboxylate-based ionic liquids and cellulose, 234
 cellulose concentration, 187–188
 cyanoethyl cellulose (CEC), 322*t*, 324, 327*t*, 328*t*, 329*t*, 336–337, 338*f*

enzyme-treated pulp solutions, 217, 218*f*
IL/cellulose solutions, 312–314
imidazolium-based ionic liquids, 61–62
ionic liquids, 58–59, 60*f*, 62*f*

Viscosity-shear rate, cellulose/NaOH/water, 184*f*, 186

W

Water content determination, 113, 312*f*
dewatering process for DMSO/ammonium fluorides, 108*f*
ionic liquids (ILs), 302*t*
uptake measurements, 311–312
vacuum distillation, 112

Wood in ionic liquids (ILs)
analysis of tar fractions, 359*t*
chemical modification, 348–349
dissolution, 345–347
glucose production, 347–348
¹H and ¹³C NMR analysis, 353–354
¹H NMR spectra of pulverized Norway spruce wood, 352*f*
homogeneous functionalization of spruce in IL, 350
in-situ NMR analysis, 352–355
opportunities, 347–358
phosphitylation reaction, 355

³¹P NMR spectra of tar fractions from pyrolysis, 359*f*
³¹P NMR spectra of wood as function of pulverization, 355, 356*f*
potential applications, 360
pyrolysis, 355–358
pyrolysis/thermolysis by IL, 357*t*
quantitative ³¹P NMR analysis, 354–355
rheological properties, 346–347
solubility-structure relationships, 345–346
sustainability of ILs based biorefinery platform, 358, 360
thermoplastic composites, 349–351
total available hydroxyls in Norway spruce, 355, 356*f*

X

Xyloglucans, hemicellulose, 166
Xyloglycans, hemicellulose, 166

Z

Zinkoxen, complexing agent, 15
ZnO, addition to cellulose/NaOH/water, 189, 190*f*