

Index

A

- ABE fermentation, 309–311
- Abengoa Bioenergy, 25, 210
cellulosic ethanol facility, 84
industrial producer of bioethanol, 28
- Absolute alcohol, 3
- Acetate kinase and acetate formation by
E. coli, 123
- Acetate kinase and energy metabolism in
E. coli, 138
- Acetic acid, 54
ackA gene deletion and, 123
formation by acetogenic bacteria, 334
formation by *Bacillus* spp, 132
formation by *E. coli*, 121, 123, 138
formation by *S. cerevisiae*, 139
formation by *Z. mobilis*, 128–130
in *P. stipitis* fermentations, 108
in xylose fermentations by GM
S. cerevisiae, 106, 109
inhibitor of recombinant protein
production, 104,
lignocellulosic growth inhibitor, 64,
129–130, 168–173
manufacture from methanol, 130
product of wine spoilage bacteria, 102
production by *E. chrysanthemi*, 131
production by green algae, 338
removal by activated charcoal, 171
removal by electro dialysis, 171
toxic effects with *Y. lipolytica*, 137
waste metabolite in H_2 fermentations, 329
waste metabolite in succinic acid
fermentations, 362–364
- Acetone, 54
natural product in microbial food
chains, 56
in ABE fermentations, 309
production from palm oil wastes, 346
- Acetyl-CoA carboxylase, 321
- Actinobacillus succinogenes*, 362
- Agricultural Research Service's corn dry
milling cost model, 253
- Agricultural Research Service's biodiesel
production model, 294
- Alcohol dehydrogenase (ADH), 99
B. subtilis enzyme, 103
E. coli enzyme, 121, 125
glucose metabolism and, 120
"microdiesel" production, 324
S. cerevisiae enzyme, 99
Z. mobilis enzyme, 121
- Aldose isomerase in "rare sugar"
biochemistry, 367
- Aldose reductase in pentose-utilizing
S. cerevisiae, 109
- Anaerobic digestion, 51
bioreconversion of seaweeds to fuel gas, 52
for microalgal biodiesel production, 323
for wastewater treatment, 247
microbial production of biogas, 328
vinasse and bagasse as sources for
biogas, 198
- Anaerobiospirillum succiniciproducens*, 363
- Arabinitol, 101, 104, 113
accumulation by *Debaryomyces*
yeasts, 198
accumulation in arabinose-consuming
GM yeasts, as "building block"
chemical, 359
- D-arabinitol and L-arabinitol
4-dehydrogenase activity, 112
- L-isomer and arabinitol DH from
H. jecorina, L-isomer as intermediate
in arabinose catabolism by
H. jecorina, 114
L-isomer from L-arabinose, 116
polyol accumulation by *P. stipitis*, 106
- Arabinitol 4-dehydrogenase, 112–114
- Arabinose, 29, 79, 101
bacterial pathway enzymes of
utilization, 114
catabolism by industrial and laboratory
yeast strains, 115–116
enzymic release from arabinoxylans, 161
expression of bacterial catabolism in
S. cerevisiae, 114

- expression of *E. coli* genes for
 - catabolism in *Z. mobilis*, 125–129
 - fungal pathways of utilization, 366
 - in hemicelluloses, 28, 81, 95, 161, 172
 - inducer of L-arabinitol 4-hydrogenase.
 - L-arabinose as substrate for D-xylose reductase, 112
 - metabolism by bacterial contaminants in bioethanol production, 102
 - metabolism by clostridial species, 309
 - metabolism by *E. coli* lacking PFL, 125, 138
 - metabolism by GM *E. coli*, 125
 - metabolism in GM *S. cerevisiae*, 114
 - metabolism in *Lactobacillus*, 102, 370
 - metabolism in *P. stipitis*, 112
 - natural occurrence of L-isomer, 95
 - reduction to arabinitol by
 - S. cerevisiae*, 104
 - substrate for yeast karyoductants, 106
 - transport mechanisms in bacteria, 138
 - uptake by yeast galactose permease, 114
 - yield by enzymic digestion of corn fiber, 81
 - production from wheat bran, 171
 - substrate for ABE fermentation, 309–310
 - substrate for ethanologenic bacteria, 134
 - substrate for ethanologenic
 - S. cerevisiae*, 112
 - substrate for lactic acid production, 370
 - substrate for polyol dehydrogenases, 112
 - as substrate for xylose-metabolizing enzymes, 106
 - xylose catabolism in *P. stipitis*, 112
- Arabinose isomerase, 367
- Argentina, 5
 - ethanol and gasoline blends, 5
 - future biofuels producer, 313
 - oil production by, 275
- Argonne National Laboratory, 37
 - analysis of net energy balance, 37
 - assessment of FT diesel as biofuel, 304
 - GREET model, 37, 40
 - strains for bioproduction of succinic acid, 362–364
- Aspartic acid as “building block”
 - chemical, 359
- Atmospheric pollutants and biodiesel use, 298
- Atmospheric pollutants and bioethanol use, 43
- Australia, 5
 - as sugar producer, 268
 - ERDC report on lignocellulosic pretreatment, 61
 - ethanol and gasoline blends, 5
 - fuel policies in, 270
 - oil production by, 275
 - research on bacterial ethanol production, 128–129
- Austria, 49
 - bagasse pretreatment, 170
 - biomass-based electricity, 49
 - lignocellulosic ethanol pilot plant, 62
 - oil production by, 275
- Azeotropic distillation of ethanol, 17, 194
- B**
- Bacillus subtilis*, 79
 - arabinose catabolic pathway, 114
 - expression of XI gene in yeast, 111
 - expression of citrate synthase in *E. coli*, 123
 - fermentative abilities of, 103
 - genes for hemicellulose-degrading enzymes, 79
 - L-arabinose isomerase of, 367
 - status as “Rosetta Stone”
 - microbe, 140
- Ballard Company, 347
 - in fuel cell development, 327
 - investment by Daimler-Benz, 347
- Beers, 1
 - from ancient cereals, 2
 - fermentation conditions for, 177
 - immobilized cells for, 186
- Biobutanol, 309
 - biorefineries, 358
 - economics of, 310
 - further development of, 374
 - neologism, 309
 - sludge as feedstock for, 311
- Biodiesel, 43, 285
 - crude vegetable oils as substrates for, 285–287, 289
 - economic analyses of, 293–295
 - energy requirements for, 262, 296–297
 - enzyme catalysts for, 290–292
 - greenhouse gas reductions and biodiesel use, 297–298

- in biorefineries, 353, 371
 - innovations in production methods for, 290–293
 - macroeconomics of corn-based production of, 205
 - microalgal production of, 321–324
 - novel catalysts for, 314
 - production sites in U.S. for, 286
 - projected use in E.U. of, 312
 - Southern Hemisphere investments in, 313
 - sustainability issues with, 299–301
 - wastewater streams from, 299, 334, 346, 357, 367–369
 - “winterization” of, 287
 - world production (2005) of, 285
- Bioethanol.** *see* Ethanol
- Biohydrogen.** *see* Hydrogen
- Biomethanol** *see* Methanol
- first pilot plant for, 306
 - in biorefineries, 356
- Biorefineries,** 353
- biodiesel production, 353, 371
 - biodiesel-derived glycerol and, 367–369
 - biomass gasification and, 356–357
 - biopolymers, 353
 - definitions of, 354
 - economics of, 369–372
 - fermentation-based models for, 357–367
 - ethylene production from ethanol, 357
 - in North America and Europe (projected), 369
 - microbial CO₂ removal, 372
 - microbial polysaccharides, 371
 - sources of liquid fuels, 358
 - U.S. investment required for, 358
- Brazil,**
- 1993 law on fuel ethanol, 12
 - bagasse pretreatment, 170
 - biodiesel producer, 300
 - biodiesel production and the environment, 301
 - Brazilian and U.S. ethanol production, 19
 - Brazilian Energy Initiative 2002, 267
 - producer of alcoholic spirits, 10
 - ethanol exports from, 267
 - ethanol fermentation technology, 17
 - ethanol production after 1972, 12
 - ethanol statistics 2004–2006, 13–14
 - external debt in 1980s, 9–10
 - fermentation biotechnology, 181–182
 - hydroelectricity, 37
 - IEA estimates of ethanol production costs in, 250
 - immobilized cells for ethanol production, 186
 - incentives for ethanol use pre-1999, 250–251
 - lactic acid and biorefineries, 371
 - land use issues in, 265–267
 - net energy balance for ethanol, 34
 - oil imports in 1973, 8
 - petroleum production by, 10–11
 - polyalkanoates and biorefineries, 371
 - production costs and taxation, 230
 - projections of future biofuels net exporters, 313
 - rural employment creation, 15
 - Second National Development Plan (1975–1979), 9
 - sugar alcohol macroeconomics by 2003, 15
 - sugarcane agronomy, 15
 - sugarcane bagasse as energy source, 49
 - sugarcane bagasse for ethanol, 170
 - sugarcane for ethanol, 10
 - vinasse utilization, 198
- Brazilian Sugar and Alcohol Institute,** 10, 12
- Butanediols,** 54–55
- 1,4-butanediol from succinate, 364
 - 2,3-butanediol as decarboxylated acid, 120
 - 2,3-butanediol as fermentation product of *B. subtilis*, 103
 - as higher alcohol produced in VHG fermentations, 177
 - production in H₂ fermentations, 328
- Butanol,** 43
- ABE fermentations, 309
 - adding glucose to sludge as substrate, 311
 - biofuel developed by DuPont and BP, 309
 - downstream recovery, 310–311
 - extractant for HMF, 324
 - formation by clostridial species, 142, 376
 - gas stripping as technology for recovery, in propanediol fermentation, 368
 - major industrial uses, 358
 - microbial fermentation product, 54–55
 - n*-butanol, chemical formula, 309
 - production costs, 310
 - production from palm oil wastes, 346
 - second generation biofuel, 373–374

- toxicity to producing cells, 309–310
- Butyric acid, 54
- coproduct in H₂ fermentations, 329
- microbial production routes for, 55
- C**
- Cachaça*, 10
- primary fermentation from sugarcane juice, 10
- yeasts in production fermentation, 119
- California, 25
- consumption of ethanol-gasoline blends, 25
- advocacy of advanced biofuels, 373
- forest thinnings as biomass source, 84
- hydrogen highway network in, 328
- Canada, 7
- agricultural supplies for ethanol production, 32, 258
- biofuels policies, 269
- Bio-hol process for ethanol production, funding to Iogen, 31
- hydrogen R & D programs, 327, 342
- importance of softwoods, 86
- oil production, 275
- Labatt Breweries' continuous ethanol process, off oil conversion programme, 8
- pulp and paper industry sludge as cellulosic biomass, 254
- Candida*
- glycerinogenes*, 308
- maltosa*, 119
- parapsilopsis*, 109
- shehatae*, 98, 106, 118, 169–170, 193, 366
- succiphila*, 138
- Cellobiose, 66
- cellobiose dehydrogenase, 78
- failure to inhibit xylose pathway induction, 119
- failure of *S. cerevisiae* to utilize, 96
- fermentation by *H. polymorpha*, 118
- hydrolysis by β -glucosidase, 66, 71
- inducer of cellulases, 74
- inhibition of cellulases, 70–71, 78
- Kluyver effect with, 97–98
- liberation by cellobiohydrolases and endoglucanases, 69
- metabolism by *C. cellulolyticum*, 133, 310
- metabolism by GM *S. cerevisiae*, 190
- metabolism by *K. oxytoca*, 130, 190
- substrate for ethanologeneses by GM *Erwinia*, 131
- substrate for ethanologeneses by GM *E. coli*, 124
- transglycosylation to sophorose, 74
- uptake by anaerobes, 70
- uptake by *K. oxytoca*, 124
- utilization by GM *Zb. palmae*, 132
- Cellotriose, 69
- liberation by endoglucanases, 69
- metabolism by *K. oxytoca*, 130
- Cellulase, 66
- adsorption to lignin, 81
- anaerobic bacteria, binding of cellulose to, 71
- cellulolytic fungi, commercial price trends, 72
- comparison with acid hydrolysis, 64
- components of, 66–69
- conserved polypeptide structures, 68
- digestion of corn fiber, 81
- digestion of mixed lumber waste, 172
- digestion of paper sludge waste, 254
- digestion of pretreated bagasse, 170
- digestion of pretreated barley straw, 78
- digestion of pretreated corn stover, 167
- digestion of pretreated switchgrass, 163
- digestion of pretreated wheat bran, 171
- digestion of pretreated wheat straw, 157
- digestion of softwoods, 167–169
- Direct Microbial Conversion and, 190
- economics of differential enzyme loading, 191
- economics of use in large-scale bioprocesses, 235
- effects of surfactants, 167
- enzyme activities of fungal and bacterial forms, 70
- enzyme kinetics of, 70, 167
- genetic regulation of, 73–74
- gentiobiose as inducer in *H. jecorina*, 74
- glycosylation of fungal enzymes, 69
- H. jecorina* as a producer, 72
- hemicellulase in commercial preparations, hydrolysis of pretreated cellulosics, 61
- inhibition of *H. jecorina* cellulase by ethanol, 192
- industrial uses of, 67–68

- lignin process and, 157
 - liberation of cellobiose, 69
 - library of sequence data for, 67
 - lignin as barrier to digestion, 169
 - novel microbial sources, 75, 192
 - patents for, 75–77
 - productivities of cellulase fermentations, 72
 - recovery of, 167
 - sophorose as inducer, 74–75, 78
 - supplementation with other enzymes, 81, 190
 - thermal stability of, 70
 - Simultaneous Saccharification and Fermentation and, 189–193, 311
- Cellulose, 26, 29
- attachment of anaerobic bacteria to, 67
 - bacterial production of, 372
 - binding to cellobiohydrolase, 167
 - binding by swollenins, 77
 - cellulosomes and, 69, 133
 - chemical fractionation of lignocellulosics, 58–63
 - consolidated bioprocessing of, 133
 - content in energy crops, 203
 - content in GM plants with reduced lignin, 203
 - content in rice husks, 171
 - content in tree bark waste, 82
 - decrystallization by pretreatments, 61
 - degradation by physical treatments, 57–58
 - degradation by cellulase, 66
 - degradation by fungi, 67
 - degradation by GM *S. cerevisiae*, 190
 - digestibility after pretreatment, 60–62, 161–172
 - dilute acid pretreatment, 64
 - hydrolysis by cellulase, 68–70
 - multiple product streams in processing, 58, 256, 359
 - natural microbial degradation, 63–64
 - production from wood, 26–29
 - pulp and paper sludge wastes, 254–255
 - solubilization by ionic liquids, 63
 - structural properties, 57
- Cellulosic ethanol. *see also* Bioethanol, Ethanol
- as potential contributor to U.S. E10, 259
 - Chinese National Key R & D program, 257
 - combined cereal grain and cellulosic ethanol production, 210
 - coproduction of electricity and ethanol, 37
 - Energy Policy Act 2005, 20–21
 - engineering of production facilities, 210
 - fossil fuel displacement by, 41
 - greenhouse gas emissions from production of, 41
 - initial production facilities for, 32
 - net energy balances for ethanol production, 37
 - tax incentives in U.S., 206
 - use in hybrid fuel vehicles, 347
- Cellulosomes, 67
- biocatalysts for ethanol and butanol production, 142
 - component enzymes and proteins, 69–70
 - enzyme kinetics of cellulase activity, formation on selective substrates, 74
 - polycellulosomes, 70
 - production by thermo- and mesophilic clostridia, 133
- China, 2
- climate and agronomy, 313
 - biofuels policies, 269
 - development of commercial cellulosic ethanol, ethanol production, 19, 28, 177, 187
 - ethanol production costs, 257–258
 - fuel demand forecasts, 228, 257
 - lactic acid production, 354
 - marine bioreactor research, 52
 - oil production by, 7, 9, 11
 - seaweed production and consumption, 52
- Chlorella protothecoides*, 323
- Cinnamate 4-hydroxylase, 203
- Citrate synthase, 123
- CO₂ emissions, 40
- biomass power stations and, 49
 - Carbon Capture and Sequestration, 372
 - CO₂ Emissions Trading Scheme, 300
 - corn ethanol to offset, 42
 - different vehicle types using biofuels, 40
- CO₂ fixation in “dark” bioprocesses, 372
- Colombia and biofuels production, 25, 297
- Common Agricultural Policy, 240
- land use for biofuels, 38, 299
 - legal framework, 240
- Corn ethanol, 21
- cascaded fermentation processes for, 181

- dry and wet milling routes to, 21–23
greenhouse gas emissions and, 40–42
corn stover as a byproduct of, 61
effects on corn and food prices,
enzymes used in production
of, 23, 26
expansion of U.S. production, 19–21,
210, 243
fossil fuel requirement
for, 33–39, 43
IP data for technologies, 27
U.S. producers of, 23–24
U.S. subsidies and tax incentives for,
238–239, 242, 250, 277
- Corn dry and wet milling processing, 21–23
- Corn stover, 31
Canadian supplies of, 32
Chinese availability of, 257
component of corn plant anatomy, 164
composition of, 31, 159–160
economics of bioethanol production, 235
economics of use as boiler fuel, 232
energy use in ethanol production, 39
enzyme digestion of, 81, 167, 192
ethanol yield (area basis), 202
greenhouse gas emissions and, 41
harvest cost comparison with
switchgrass, 254
land use issues, 205, 268
leading bioethanol candidate feedstock,
81, 121, 164, 254, 258
pretreatment technologies, 61, 158–159,
164–167
Simultaneous Saccharification and
Fermentation and, 193
substrate for biobutanol production, 309
- Corynebacterium glutamicum*, 141
- Coumarate 3-hydroxylase, 203
- Crabtree effect, 54
Biochemistry of, 97, 99
extension of use to bacterial
metabolism, 104, 135
importance of in wine yeasts, 54
metabolic feature of *S. cerevisiae*, 102
- Cuba and biofuels, 5, 170, 267
- Custers effect, 97
- Cyanobacteria (blue-green algae), 132
photohydrogen production by, 142,
334–335, 338, 346
photosystem organization of, 337
- D**
- DDGS (Distillers Dry Grains with
Solubles), 22, 23
as commercial coproduct of
bioethanol, 196
inclusion in cost models for
bioethanol, 241
inclusion in net energy balance for
bioethanol, 36, 38
phosphate content of, 197
use for different animal species, 197
- Dihydroorotate dehydrogenase, 119
- Dimethylether, 306
- Dimethylfuran, 324–325
- Direct Microbial Conversion (DMC), 29, 189
novel microbes for, 252
projections of costs to 2015, 252
upscaling of, 62
- Distillation, 2
downstream recovery of ethanol, 3, 25,
158, 182, 191, 194
downstream recovery in ABE
processes, 311
energy requirements, 39, 41, 164, 175, 195
extractive distillation, 184
flash distillation of glycerol, 367
in production costs of ethanol, 243,
245–246
production of “stillage,” 235, 247, 256
technical developments in Brazil, 10, 17
- DMC. *see* Direct Microbial Conversion
- Dockerin domains, 69
- E**
- Egypt, 1
closure of Suez Canal in 1967, 5
oil production by, 275
- Elephant grass (*Miscanthus*), 202, 253
- Energy Policy Acts, 18, 20, 24, 32
- Entner-Doudoroff (ED) pathway,
104–105, 140
- Escherichia coli* (*E. coli*), 121
accumulation of carboxylic acids by 104
arabinose catabolism in, 114, 129
cellobiose utilization by GM strain, 123
commercialization of GM strains, 125
comparison with other bacterial
ethanologens, 103–104, 130, 131

- economic analysis of KO11 strain, 244
- effects of lignocellulosic growth
 - inhibitors, enzyme source for tagatose production, 367
- ethanol formation from corn fiber, 171
- ethanol formation from rice husks, 171–172
- ethanol formation from pretreated willow, 244
- ethanol toxicity, 191
- fermentation of glycerol, 368
- genes of xylose catabolism, 124, 129
- GM strain for xylitol production, 365
- human pathogenicity of, 134
- hydrogen production by, 328, 330, 332
- immobilized cells of, 188
- lignocellulosic hydrolysates and, 122
- media for, 173, 256
- mixed acid fermentation by, 120
- “metabolic burden” of plasmids in, 122
- metabolic physiology of KO11 strain of, 123
- MFC uses of, 344
- “microdiesel” production by, 324
- NERL ranking as ethanologen, 133–135
- non-GM ethanologenic strains, 125
- osmoprotectants in, 174
- pentose phosphate pathway
 - genes, 130, 132
- pectin utilization by, 134
- PET operon expression in, 121
- PFL mutants of, 138
- production of biopharmaceuticals by, 184, 370
- propanediol production by, 353
- pyruvate dehydrogenase in, 120
- Simultaneous Saccharification and Fermentation and, 193
- status as “Rosetta Stone” microbe, 140
- substrates for ethanologensis by strain KO11, 121–122
- succinic acid production by, 362–364, 369
- xylodextrin utilization by, 130–131
- xylose pathway genes expressed in *C. glutamicum*, 368
- Ethanol (ethyl alcohol), 1
 - automobile fuel in 1905, 2
 - biomass substrates for, 253
 - cost models for bioproduction of, 230
 - chemical and physical properties of, 3
 - continuous recovery from fermentations, 195
 - dehydration to ethylene, 357
 - “designer” energy crops for, 203–206
 - diffusion across cell membranes, 178
 - energetics of production from corn and sugar, 34–37
 - full fuel cycle analysis of GHG emissions, 40
 - global production of fuel alcohol, 313
 - historical trend of bioproduction costs, 250–251
 - hydrated ethanol in Brazil, 11
 - industrial wastes as sources, 254–255
 - inhibition of ethanologensis by CaSO_4 , 119
 - laboratory and industrial yeast strains for, 114–118
 - media in potable and fuel alcohol industries, 138
 - miscibility with gasoline, 11
 - production cost estimates of bioethanol, 250–251
 - projected biomass replacement of U.S. gasoline, 32
 - shipping by truck and rail, 259
 - stress factor in yeast, 178
 - stripping as recovery process for, 195
 - substrates for bioethanol in Europe, 37–38
 - sugarcane as source for, 10
 - sugarcane bagasse as source for, 170
 - sweet sorghum as substrate for, 187
 - switchgrass as source for, 163
 - temperature optima for yeast fermentations, 184
 - use in the Model A Ford, 4
 - wastewater for biogas production, 328
 - wheat straw as source for, 84, 199
 - xylose as a substrate in wild-type microbes, 106
- Ethanologenic bacteria, 133
 - routes of glucose catabolism, 120
 - xylose uptake by, 138
- Ethyl tertiary butyl ether (ETBE), 19
- European Union (E.U.), 43, 125
 - biodiesel production in, 285–286, 289, 293
 - biofuel chain projections to 2030, 312
 - biofuels policies of, 269

- Common Agricultural Policy of, 38, 240
 funding for Hydrogen Economy in, 327
 HYVOLUTION program, 342
 land resources for biodiesel
 production, 299
- F**
- Fertilizers, 10
 bioethanol wastewaters as, 199
 “bio” fertilizers from solid state
 fermentations, 371
 energy requirements for biofuels, 33, 297
 fermentation stillages as, 255
 grasses in the U.S. and U.K. and, 163
 intensive agriculture and, 263
 Jerusalem artichoke production, plant
 “improvement” and, 262
 seaweed plantations and, 52
 sources of SO₂ and NO_x pollutants, 300
 sustainable agriculture and, 260–261, 264
 switchgrass agronomy and, 162
- Ferulic acid, 118, 163, 204, 366
- Feruloyl esterase, 81, 366
- Fischer-Tropsch (FT) fuels, 301, 305
 CO₂ as coproduct of, 323
 economics of FT-diesel, 303
 glycerol as source, 307
 FT diesel, 301
- Flex fuel vehicles (FFVs), 13, 24–25
- “Food versus fuel” issues, 43, 261, 265–269
 bioethanol from nonfood crops, 32, 37,
 44, 82, 172, 375
 food price inflation and biofuels, 210
 global warming and plant productivity,
 263–264
 GM energy crops, 205–206
 microalgal routes to biodiesel and, 322
 oilseed rape cultivation, 299
 plantations and natural environments
 and, 42
 projected land uses by 2040, 355
- Formate hydrogen lyase, 332
- Formic acid, 54–55
 coproduct of ethanologensis by
Bacilli, 132
 in mixed acid fermentations, 120
 lignocellulosic growth inhibitor, 64, 162
 MFC uses of, 344
 substrate for H₂ bioproduction, 330, 332
- France, 2, 7, 20, 86
 bioethanol production, 25, 159, 182
 biofuels policies in, 269
 corn ethanol production in, 28
 hydrogen R & D funding, 327, 341
- Fructose, 96, 137
 formation of polymeric fructose (levan),
 128
 high-fructose syrups, 367
 metabolism by *S. cerevisiae*, 96
 metabolism by *Z. mobilis*, 103
 metabolism by *Zb. palmae*, 131
 molasses as source of, 95
 precursor of HMF, 324–325
 substrate for ethanologensis by
Z. mobilis, 128
 substrate for xylulose reductase, 114
 synthesis from glucose and glucose
 isomerase, 325
 uptake by *Z. mobilis*, 129
- Fuel ethanol, *see also* Ethanol
 economic use of contaminated grain,
 187
 bacteria as contaminants in production
 fermentations, 102
 Canadian demand in 2004, 32
 continuous process for, 181
 corn as the principal U.S. source of, 210
 cost modeling of, 230–252
 energy efficiency comparison with
 biogas, etc., 51
 farm-scale production of, 236
 first “well to wheel” model for, 35
 fuel economy and demand for, 269–270
 immobilized microbial processes,
 187–188
 process analysis of production of, 185
 tax incentives for in the U.S. in the
 1970s, 239
 thermophilic bacteria as producers, 103
- Fumarate reductase, 119, 121, 332, 363
- Furan dicarboxylic acid as “building
 block” chemical, 359
- G**
- Gasoline, 3–4
 Brazilian taxation strategies, 251
 Chinese program of ethanol
 substitution, 257

- demand for and the rise of Standard Oil, 3
- ethanol as a gasoline extender, 43
- ethanol blends in Brazil in 1930s, 10, 13
- ethanol-gasoline blends in Sweden, flex-fuel vehicles and, 13–14, 24
- FT liquid fuels and, 301–302
- German model for E10 production, 355
- global substitution by ethanol of, 313–314
- history of ethanol substitution for, 5, 8, 9, 14, 18, 269
- hybrid gasoline-electric vehicles, 22, 346
- macroeconomics of ethanol substitution in Brazil for, 15
- maximum replacement by corn ethanol in U.S. of, 32, 42, 205, 258
- net energy balance of production of, 34–35, 38
- oxygenates in, 19, 305
- prices in OECD nations 1970–80, 7
- prices of conventional and nonconventional gasoline, 276–277
- refinery costs of, 306
- refinery prices of, 228–229
- relative energy capacities of gasoline and ethanol, 11–12
- relative energy contents of butanol and gasoline, 309
- relative energy contents of methanol and gasoline, 305
- relative production costs of biobutanol and gasoline, 311
- relative production costs of bioethanol and gasoline, 196, 230–252
- relative production costs of biomethanol and gasoline, 306
- relative production costs of H₂ and gasoline, 341–342
- substitution program in Sweden for, 25, 84
- tax rate in Brazil in 2006 for, 13
- U.S. replacement strategies for, 21, 32
- U.S. retail prices 1983–2003 for, 228–229
- U.S. shipping costs for, 259
- Genetically manipulated (GM) strains, 104, 114, 125, 192, 308
- Genome breeding, 141
- Geobacillus stearothermophilus*, 139
- Global warming, 33, 42, 200, 263, 300
- Glucaric acid as “building block”
 - chemical, 359
- Glucosylase, 21, 26
 - corn fiber processing, 81
 - corn flour processing, 177
 - in-fermentor activity, 22
 - kinetic properties of, 71
 - protease degradation in ethanol fermentations, 176
- Glucosmannans, 28, 79
- Glucose, 18, 53, 81
 - carbon catabolite repression of cellulases, 74
 - chemical degradation of, 65
 - cofermentation with xylose, component of hemicelluloses, 28
 - cosubstrate in xylose fermentations, 104, 106–118, 129, 130
 - Crabtree effect and, 104
 - Emden-Meyerhof-Parnas pathway metabolism of, 120
 - Entner-Doudoroff pathway metabolism of, 105
 - ethanologenes in high concentrations of, 136
 - fermentative metabolism of, 53–56
 - fermentation by *B. subtilis*, 103
 - fermentation by *E. coli*, 122–125
 - fermentation by *Erwinia spp.*, 131
 - fermentation by *Klebsiella oxytoca*, 103
 - fermentation by *Kluyveromyces* yeasts, 119
 - fermentation by *Zb. palmae*, 131
 - inhibition of β -glucosidase, 71
 - liberation by hydrolysis of cellulose, 29, 61, 66–71, 157–170
 - liberation by hydrolysis of starch, 17, 23
 - liberation by hydrolysis of sucrose, 137
 - metabolism by *L. lactis*, 131
 - metabolism by *P. stipitis* 119
 - metabolism by *S. cerevisiae*, 96–97, 102, 138
 - metabolism by yeast facultative anaerobes, metabolism by *Z. mobilis*, 103–104, 128
 - Pasteur effect and, 104
 - pentose phosphate pathway metabolism of, 101
 - repression of sugar uptake by, 125
 - transport system in *Z. mobilis*, 129
 - uptake by anaerobes, 70

- Glucose 6-phosphate dehydrogenase, 109, 136
- Glucose isomerase, 325, 367
- Glucose oxidase, 337, 343
- Glucuronic acid, 56, 96, 113
- Glutamate dehydrogenase, 108
- Glutamic acid as "building block" chemical, 359
- Glyceraldehyde 3-phosphate dehydrogenase, 109, 141
- Glycerol, 41, 54–55
 - biorefineries and, 358, 367–369
 - "building block" chemical, 359
 - commercial uses of biodiesel-derived glycerol, 297, 299, 301, 358
 - coproduct of biodiesel manufacture, 286–287, 289, 294–295
 - economic coproduct of ethanol fermentations, 198
 - feed for MFCs, 346
 - feedstock for FT processes, 307, 309
 - formation by green algae, 338
 - triacylglycerol in biodiesel manufacture, 292
 - inclusion in energy analyses for biodiesel, 297
 - isolation from fermentation stillage, 357
 - liberation from triglycerides with enzymes, 290, 292
 - manufacture by fermentation, 307–309, 360
 - production by *GM. S. cerevisiae*, 106, 108, 110, 112, 115
 - reduced formation in ethanol fermentations, 139, 141, 177, 184–185
 - stress protectant role of, 178
 - substrate for 1,3-propanediol production, 368
 - substrate for clavulanic acid fermentation, 370
 - substrate for ethanol and H₂ bioproduction, 334, 346
 - substrate for recombinant protein production, 370
 - substrate for xylitol fermentations, 366
 - triacylglycerol in biodiesel manufacturing, 292
- Glycerol 3-phosphate dehydrogenase, 139
- Glycerol kinase, 139,
- Glycolysis, 100–101, 336
 - bioenergetics of, 104–105
 - effect of acetaldehyde on, 177
 - EMP pathway of glucose catabolism, 120, 177
 - pathway to glycerol production, 139
 - reversibility of, 109
- Glyoxylate shunt in *E. coli*, 363
- Grape, 1, 370
 - in Neolithic "wine," 2
 - carbohydrates in, 96
 - potential biomass source, 254
- Greenhouse gas emissions (GHG), 33
 - biodiesel use and, 295–298
 - biofuels use and, 42, 43, 227, 312, 313, 372
 - biorefineries and, 356
 - cellulosic ethanol and, 41
 - coal gasification and, 341
 - corn ethanol and, 40
 - fossil-fueled power generation and, 300
 - hybrid gasoline-electric vehicles and, 346
 - inclusion in net energy balance metrics, 37, 43
 - nonconventional fossil fuel sources and, 276
 - sugarcane-derived ethanol and, 265, 268
 - zero production by H₂ combustion, 326
- ## H
- Hemicellulases, 29
 - cellulosome enzyme components, 69
 - diversity of enzyme activities in, 78–80
 - contaminants of commercial cellulases, 81
 - digestion of pretreated corn stover with, SSF and DMC and, 189
 - patents for, 80
- Hemicellulose, 26, 28–39
 - analysis of pretreatment technologies, 61
 - arabinofuranosidase action on, 161
 - chemical linkages to lignin, 57
 - lignocellulosic biomass content, 31, 56
 - degradation reactions of, 64–66
 - digestion by xylanases, 167
 - hemicellulolytic organisms, 78–79
 - hydrolysates for bioethanol production, 118
 - hydrolysates for xylitol production, 364
 - natural microbial degradation of, 99, 126
 - polysaccharide structures in, 80

- solubilization methods for, 59–64
 - source of fine chemicals, 159
 - substrate for DMC and SSF, 189
 - substrate for production of “rare sugars,” 367
 - xylose and arabinose in, 95
- Henry Ford, 3, 4, 285
- Hexokinase, 101, 105, 138
- Higher heat value, 35–36, 49
- Homo sapiens*, 2, 378
- challenge to forest global ecosystems, 57
 - pentose phosphate pathway in, 109
 - succinic acid in, 361
- Hydrazine fuel cells, 375
- Hydrogen (H₂), 277, 278, 312, 325, 341
- biomass thermal conversion and, 49
 - biodiesel wastes as substrates for, 299
 - butyric acid as coproduct with, 329
 - coal gasification routes to, 341
 - clostridial bioproducers of, 328
 - combustion chemistry of, 326
 - “dark” biotechnology by
 - fermentation, 332
 - food wastes as substrates for, 334
 - formation by *Enterobacter* and biodiesel wastes, 334
 - fossil fuel routes and CO₂, 326
 - formate hydrogen lyase and, 332
 - “H₂ highway” in Norway, 327
- Hydrogen Economy investment, 326–327, 343
- hydrogenase in biohydrogen production, 329, 335–336
- HYTHEC program and, 341
- mariculture and, 346
 - methanol as a H₂ source for fuel cells, 305
 - nitrogenase and, 332
 - on-board fuel cells for transportation, 330
 - patents for H₂ production, 340
 - photobiological production routes, 334–339
 - production by “designer” microbes, 141
 - production by *C. saccharolyticus*, 333
 - production by cyanobacteria, 142
 - production by electrolysis of water, 326
 - production by isolated chloroplasts, 335
 - production by *Klebsiella oxytoca*, 333
 - production by thermophilic cyanobacteria, 334–335
- R & D areas for biohydrogen, 341
- sewage sludge as substrate, 333
- stoichiometry from glucose, 332
 - sulfur-iodine cycle, 341
 - syngas production routes, 312
 - two-stage photobiological process for 337
 - UNEP report (2006), 326
- Hydrogen Fuel Initiative, 327
- Hydrogen Implementing Agreement, 342
- Hydroxybutyrolactone as building block chemical, 359
- Hydroxymethylfurfural, 64–65
- effects on *E. coli*, 122
 - effects on yeast ethanologens, 135
 - lignocellulosic microbial growth inhibitor, 64
 - metabolism of, 135
 - source of novel biofuels, 324
- Hydroxypropionic acid as “building block” chemical, 359
- Hypocrea jecorina*, 66, 171, 190
- L-arabinitol 4-dehydrogenase of, 112
 - arabinoxylanase of, 161
 - development of cellulase production strains, 72–73
 - endoglucanase binding domain for cellulose, 68
 - enzymology of xylose utilization, fungal producer of cellulase, 73–78, 81, 192
 - swollenins in, 77
 - β-xylanase of, 110–111
 - β-xylosidase of, 366
 - L-xylulose reductase of, 114
- HYTHEC (HYdrogen THErmochemical Cycles), 341
- HYVOLUTION program, 342–343
- I**
- India, 228, 267, 312, 313, 369
- bioethanol production by, 20, 28, 39
 - biofuels policies in, 269
 - funding for hydrogen research, 327
 - oil production by, 10, 275
 - rice straw as bioethanol substrate, 172
- International Energy Agency (IEA) 326, 342
- biodiesel production costs, 293
 - biodiesel demand, 285
 - biomass supply in China, 257
 - candidate biomass sources for ethanol, future transportation fuel use, 261–262

- H₂ production costs, 343
- Land required for biofuels production, 299
- net energy balance for bioethanol, 38
- production costs for bioethanol, 250, 252
- prognosis of land use for biofuels, Reference/Alternative Scenarios for energy, 39
- Invertase, 343
- logen, 29, 31–32, 160, 161, 162, 200
 - acid hydrolysis procedure, 129, 163
 - bioethanol demonstration facility, 62, 82, 160, 199
 - enzyme manufacture, 72
 - technologies for bioethanol production, 157–158, 172, 206, 210
 - use of yeast strains, 76, 107
- Iran, 1, 5, 6, 7
- Itaconic acid as “building block” chemical, 359

J

- J.D. Rockefeller, 3
- Japan, 5, 7, 8, 110, 171, 190
 - bagasse pretreatment in, 170
 - bioethanol from wood waste, 32, 125, 210
 - biofuels policies, 269
 - fuel cell programs, 326, 327
 - fuel cell research by automobile manufacturers, 342
 - pilot plant for biomethanol, 306
 - pilot plants processing lignocellulosic feedstocks, 61
 - research into marine bioreactors, 52
 - sake production by yeasts, 178
- Jatropha moringa* as source of biodiesel, 300, 313

K

- Klebsiella oxytoca*, 130
 - cocultures with other ethanologens, 190
 - comparison with other bacterial ethanologens, 103, 134
 - H₂ production by, 333
 - in SSF, 190
 - synthesis of β -lactamase by, 134
 - source of genes for cellobiose utilization, 123–124

- substrate range for ethanologensis, 130
- two-gene operon for xylo-dextrin metabolism, 130–131
- uptake of cellobiose by, 190
- Kluyver effect, 96, 98–99
- Kluyveromyces marxianus*, 97
 - biosafety issues with, 134
 - cocultures for SSF, 190
 - Crabtree-negative physiology of, 119
 - Kluyver effect with, 98
 - ethanol formation from xylose, in SSF, 193
 - producing yeast for Brazilian *cachaça*, 119
 - production of ethanol by, 186
 - xylose transporter in, 138
- Korea, 327, 363
- Kyoto Agreement, 313

L

- Laccase, 81, 118, 171, 376
- Lactate dehydrogenase, 370
 - deletion in ethanologenic *E. coli* strains, 124
 - deletion in ethanologenic *L. plantarum*, 131
 - deletion in *E. coli* strain for H₂ production, 332
 - inactivation in succinate-producing *E. coli*, 362
 - kinetic properties in *Z. mobilis*, 121
- Lactic acid, 56, 120, 173, 195, 359
 - biorefinery production of, 353
 - contaminants in ethanol plants, 102, 187
 - D-isomer in microbial bioactives, 370
 - fermentation routes to, 360
 - future product from bagasse, 371
 - industrial manufacture of, 354
 - industrial transformations of, 370
 - fermentation product of *B. subtilis*, 103
 - production by cyanobacteria, 132
 - production by *C. cellulolyticum*, 133
 - production by *E. coli*, 124, 362
 - production by *Erwinia*, 131
 - production by *Lactobacillus* spp., 131, 370
 - production by *Z. mobilis*, 121, 129
- Lactococcus plantarum*, 131
- Lactococcus lactis*, 131

- Land use, 40, 231, 268
 Brazilian sugarcane after 1970, 10
 Brazilian sugarcane by 2004, “exotic”
 bioenergy crops and, 172
 food and cash crops in Brazil, 265
 FT biomass-to-liquid fuels and, 301
 IEA projections, 299
 land for food and energy crops, 261
 oilseed rape in Europe, 299
- L-arabinose isomerase, 114, 129, 367
- Levulinic acid as “building block”
 chemical, 359
- Life cycle analyses, 41
 biodiesel and atmospheric pollutants, 298
 biodiesel and fossil energy use, 296
 cellulosic ethanol and GHG emissions, 41
- Lignin, 26, 30
 ammonia pretreatment of, 166
 analysis of pretreatment technologies
 on, 61
 aqueous ethanol pretreatment, 170
 binding of cellulases to, 81, 161
 biosynthesis of, 203–204
 butylamine extraction of, 61
 chemical fractionation of
 lignocellulosics, 60
 chemical structure of, 26, 30
 content in soft- and hardwoods, 26
 degradation by fungi, 67
 deposition in response to fungal
 attack, 199
 effects of laccases on, 81
 effects on cellulose hydrolysis
 rate of, 167
 extraction with solvents and alkalis, 60
 irradiation pretreatments of, 57
 processing to high-octane fuels, 376
 product of biomass processing, 84
 source of adhesives and biopolymers, 170
 source of fine chemicals, 159
 source of products toxic to
 ethanologens, 169
 structural heterogeneity of, 57
 switchgrass content of, 163
 target for reduced content in energy
 crops, 203
 thermochemical pretreatment
 technologies, 58
 use as combustible material, 347
 value as a coproduct, 169
 wheat straw content of, 157
- Lignocellulosic biomass, 26, 29, 57, 206,
 251, 376
 acid pretreatment methods for, 64–66, 96
 anaerobes as degraders of, 67
 commercial supplies of, 83–86, 253
 enzymic processing of, 80–81
 ethanol yield from, 255
 pentose sugars from, 256, 364
 pilot plants for processing of, 62
 predicted use for biofuels in 1996, source
 of sugars for biorefineries, 364, 370
 thermal conversion technologies for,
 49, 312
 thermochemical pretreatment methods,
 58–59
- Lower heat value, 35–36
- L-Ribulokinase, 114
- L-Ribulose 5-phosphate epimerase, 114
- ## M
- Malate dehydratase, 363
- Malate dehydrogenase, 136, 201
- Malaysia, 302, 313
 oil production by, 10, 275
 palm oil waste stream uses, 345
- Maltose, 17–18, 96, 130, 131, 138
 Kluver effect with, 98
- Mannheimia succiniciproducens*, 364, 368
- Methanol, 40, 59, 60, 63, 305
 biodiesel manufacturing use of,
 286–290, 292, 367, 371
 Direct Methanol Fuel Cell
 technology, 306
 “energy carrier” properties of, 305
 gasoline oxygenate, 239
 inactivation of lipases by, 291
 microalgal biodiesel production
 and, 323
 pilot plant for “biomethanol,” 306
 production costs of syngas route to, 306
 reforming processes for fuel cells, 305
 source of industrial chemicals, 356–358
 syngas production route for, 305
 source of dimethylether, 306
 supercritical biodiesel processing
 and, 292
 toxicity of, 307
- Methyl tertiary butyl ether (MTBE), 19, 239
- Methylpropanol, 177
- Microalgal biodiesel, 321–324, 335

Microdiesel, 324–325
 Molecular sieving, 17, 194
Mycoplasma genitalium, 141

N

National Center for Agricultural Utilization Research, 124

enzymes from *Orpinomyces*, 192

L. plantarum as candidate

ethanologen, 131

nitrogen nutrition in *P. stipitis*, 173

National Renewable Energy Laboratory (NERL), 62, 354

analysis of environmental benefits of biodiesel from, 298

analysis of plant biomass composition, 29

assessment of biomass pretreatment technologies, 61

assessment of H₂ production technologies, 339

biomass pretreatment technologies at, 169

cost model for industrial bioethanol production, 252

estimated net energy balance for biodiesel, 296

estimates of corn stover production, 164

model for hardwood ethanol costings by, 247

rankings of candidate ethanologens, 134

Net energy balance, 33

biodiesel, 295

biomass-derived ethanol, 37

comparisons of industrial processes, 39

estimates published after 2002,

hydrogen production, 326

solid state fermentation bioprocess, 196

sugar ethanol in Brazil and U.S., 33–37

sugarbeet and wheat bioethanol, 37–38

New Zealand, 180, 374

continuous ethanol production, 179

ethanol and gasoline blends, 5

pilot plants processing lignocellulosic feedstocks, 61–62

production costs of bioethanol from pine, 256

O

OAPEC, *see* Organization of Arab Petroleum Exporting Countries

OECD, *see* Organization for Economic Cooperation and Development
 Oil reserves and the “peak oil” theory, 272–278

OPEC, *see* Organization of Petroleum Exporting Countries

Organization for Economic Cooperation and Development, 269, 314, 375

biodiesel use in, 7, 300, 302

biofuels imports to, 268

biofuels policies in, 259, 271, 302

biofuels to meet gasoline demand, 313

biomass as power source in, 49, 51, 82

dependency on imported oil, 8, 272

fuel economy policies, 269

global warming policies in, 300

research into H₂ technologies, 326–327

Organization of Arab Petroleum Exporting Countries, 5, 6, 7

Organization of Petroleum Exporting Countries, 5, 6, 312

Oxoglutarate dehydrogenase, 136

P

Pachysolen tannophilus, 98, 106, 170, 172, 193

Pacific Northwest National Laboratory, 37, 364

Pasteur effect, 97, 102, 104, 128

Pentose utilization, 104, 111, 114, 138, 244

PEP carboxylase, 363

PET operon, 121

in *GM E. coli*, 124

in *GM K. oxytoca*, 130

in *GM Erwinia* strains, 131

in lactic acid bacteria, 131

PETROBRÁS, 10, 14, 251, 292

Phenylacrylic acid decarboxylase, 118

Phenylalanine ammonia lyase, 203–204

Phosphoenolpyruvate carboxylase, 201

Phosphofructokinase, 136

Phosphoglucuronate dehydrogenase, 101, 109

Phosphoglucose isomerase, 140

Pichia

augusta, 140

farinosa, 307

pastoris, 308, 370–371

segobiensis, 106

Pichia stipitis, 106

alternative respiration pathway, 106

- arabinose utilization by, 112
- Crabtree-negative character of, 106
- donor of xylose utilizing genes, 106, 108, 111, 306
- enzyme kinetics of XDH reaction in, 112
- ethanologenic characteristics of, 118–119
- ethanol tolerance of, 118, 136
- ethanologensis with lignocellulosics, fermentation of bagasse sugars by, 170–171
- fermentation of hemicellulose sugars by, 172
- in DMC/SSF bioprocesses, 193
- karyoductants with *S. cerevisiae*, 106
- Kluyver effect in, 98
- metabolomics of, 140
- mutant and wild-type XR genes of, 108
- nitrogen nutrition of, 173
- regulation of hexose and pentose metabolism in, 119
- use in airlift loop tower fermentor, 184
- XDH genes in, 109, 112
- xylan utilization by, 106
- xylulokinase in, 107
- Polylactic acid, 353
- Polyol dehydrogenase, 112
- Potable alcohol industry, 175
 - control of microbial contaminations in, 175
 - fermentation media development by, 173
 - gene expressions in producing yeasts, 138
 - modern industrial yeast strains for, 114
 - use of immobilized yeasts in, 186
- PROÁLCOOL, 11, 16, 242
- Producer gas, *see* syngas
- Production costs of,
 - biobutanol, 310
 - biodiesel, 293
 - bioethanol, 230–251
 - bioethanol and biogas, 328
 - biohydrogen, 343
 - FT-diesel, 303
 - hydrogen (chemical and electrolytic routes), 341
 - methanol from syngas, 306
 - microdiesel, 322
- Propanediol, 353, 368
- Pyruvate decarboxylase (PDC), 100
 - in GM *E. coli*, 324
 - in *S. cerevisiae* ethanol pathway, 120
- Q**
- Quinol oxidase, 338
- R**
- Ribose-5-phosphate ketolisomerase, 109
- Ribulose 1,5-bisphosphate carboxylase, 201
- Ribulose 5-phosphate-4-epimerase, 129
- Ribulose kinase, 129
- Ribulose-5-phosphate epimerase, 109
- Ribulose-5-phosphate isomerase, 111
- Rudolf Diesel, 3, 285
- Russia, 3, 4
 - bioethanol producer, 20
 - fuel cell research, 327
 - HYVOLUTION program, 342
 - importance of softwoods, 86, 167
- S**
- Saccharomyces bayanus*, 96
- Saccharomyces cerevisiae*, 1, 118
 - aerobic ethanologensis by, 54, 96
 - antibiotics and, 189
 - biopharmaceuticals production by, 184
 - dihydroorotate dehydrogenase in, 96, 119
 - effects of lignocellulosic growth inhibitors on, 96, 158, 162, 169
 - ethanol pathway in, 120, 139
 - ethanol production with contaminated grain, 187
 - ethanol productivity of, 102, 104, 140
 - ethanol tolerance of, 138, 175, 178
 - expression of laccase gene in, 118
 - fermentation of waste lumber sugars, 172
 - gene deletions to improve ethanologensis by, 139
 - glutamate dehydrogenase in, 108
 - GM strain for glycerol production, 308
 - GM strains for arabinose utilization, 112–114
 - GM strains for xylan and xylooligosaccharide utilization, 110–111
 - GM strains for xylose utilization, 106–112, 140, 366
 - GM strains to utilize cellulose, 190
 - GRAS organism status of, 95
 - immobilized cells in ethanol production, 187–188, 195

- immobilized cells in beer manufacture, 186
- in fluidized-bed reactors, 186
- in high-solids reactors, 256
- in SSF, 172, 193
- “industrial” strains for potable alcohol manufacture, 114
- Kluyver effect with, 98
- laboratory and industrial strains of, 114–118
- metabolic “bottlenecks” in, 99
- metabolism of HMF in, 135–136
- phenylacrylic acid decarboxylase in, 118
- producer yeast for *cachaça*, 119
- status as “Rosetta Stone” organism, 140
- strain selection in Brazil, 17
- substrate range of, 96–97, 99
- sugarcane bagasse as substrate, 170–171
- uptake of xylose, 104, 138
- use in overflow tower fermentor, 184
- whole genome sequencing of, 102, 178
- XR and XDH genes and enzymes, 104–105
- Sarcinia ventriculi*, 131
- Simultaneous Saccharification and Fermentation (SSF), 96, 189
 - cellulase in SSF, 191–192
 - costings for variants of, 245, 247
 - ethanol production technologies, 190, 193
 - pretreated willow as substrate, 172
 - switchgrass as substrate for, 164
- SOLAR H program, 343
- Solventogenic strains, *see* ABE fermentation
- Sophorose and cellulase induction, 74–75, 78
- Sorbitol, 360
 - “building block” chemical, 359
 - metabolism by *Zb. palmae*, 131
- Soviet Union, 7, 64
- Spain, 25, 84, 255, 341
- Spirits, 2, 17, 141
- SSF, *see* Simultaneous Saccharification and Fermentation
- Standard Oil, 3, 305
- Starch, 17–18, 324
 - bioethanol production from, 19–21
 - biomass and starch ethanol facilities on adjacent sites, 164
 - biorefinery source of glucose, 359
 - biosynthesis in plant seeds, 201
 - economics of corn starch content, 253
 - endogenous consumption by green algae, 337
 - enzymatic hydrolysis of, 21, 23
 - in VHG fermentations, 176
 - maltose as hydrolysis product, 96
 - metabolism in photohydrogen producers, 336
 - nitric acid oxidation to glucaric acid, 359
 - oxidation to form hydroxybutyrolactone, 359
 - residues in DDGS, 197
 - residues in wheat bran, 171
 - storage polymer function of, 26
 - substrate for ABE fermentations, 310
 - wet milling of corn as route to, wheat starch in ethanol production, 37
- Stillage, 197, 235–237, 247, 255–256, 264, 357
- Succinic acid, 95, 119, 361
 - aerobic production by *E. coli*, 363
 - anaerobic pathway for production, 362–363
 - bioproduction routes to, 360–364
 - “building block” chemical, 369
 - CO₂ fixing anaerobic pathways, 362
 - coproduct of ethanol fermentations, 198
 - glycerol as a substrate for, 368–369
 - in GM *E. coli*, 121–122
 - in human metabolism, 361
 - in mixed acid fermentations, 120, 131
 - in *Z. mobilis* metabolism, 137
 - production by *Actinobacillus succinogenes*, 364
 - substrate for photofermentative H₂ production, 339
- Sucrose, 10, 18, 364, 373
 - Kluyver effect and, 98
 - metabolism in *Z. mobilis*, 137
 - physiological role in higher plants, 26
 - substrate for ethanologenesis by *Bacillus* spp, 103, 132
 - substrate for ethanologenesis by *Klebsiella oxytoca*, 130
 - substrate for ethanologenesis by *Kluyveromyces marxianus*, 119
 - substrate for ethanologenesis by *Z. mobilis*, 103, 128

- substrate for ethanogenesis by
 - Zb. palmae*, 131
 - substrate for *in vitro* H₂ production, 343
 - supplementing sewage for H₂ production, 133
 - substrate for yeast ethanogenesis, 96–97
 - uptake mechanism in *Z. mobilis* for, 129
 - Sugar (cane sugar), 10, 13, 43
 - Brazilian sugarcane production, 15–17
 - Cuban sugar and HFCS, 325
 - energy use in sugar ethanol plants in Brazil, 33–37
 - plant genetic engineering to improve yield of, 17
 - rainfall in Brazilian sugar-producing regions, 264
 - sugar refineries and bagassosis, 171
 - sugarcane harvesting, 14
 - sugarcane molasses and bioethanol, 21–22, 39
 - Sugarcane, 10, 12, 13, 52, 56, 230
 - bagassosis and, 171
 - fertilizer use in plantations, 177
 - global land use for bioethanol, 261
 - juice as source for *Z. mobilis*, 128
 - land use for alcohol production in Brazil, 15, 267
 - Saccharum* genome studies, 17, 206
 - Saccharum* spp, 10
 - soil erosion in plantations, 264, 266
 - source of molasses, 21, 96
 - South African agronomy of, 267–268
 - stalks as supports for immobilized ethanologens, 186–268
 - employment issues in Brazil, 14, 16
 - Sustainable development, 33
 - biodiesel issues and, 301, 312
 - bioethanol production and, 43, 312
 - biomass as primary fuel source and, 49
 - corn stover supply forecasts for, 167
 - definition of, 260
 - Green Chemistry and biorefineries, 278
 - “massive” hydrogen production and, 341
 - “microdiesel” production and, 324
 - palm oil supply in, 299
 - renewable power in biofuels production, 34
 - symbiotic nitrogen fixers in agriculture, 301
 - sun-dried wood as energy source in, 263
 - supply of biomass substrates for biofuels and, 160
 - water supply for biofuel crops and, 264
 - world summit (2002) on, 267
 - Sweden, 62, 84, 190, 342
 - bagasse pretreatment in, 170
 - biofuels policies in, 269
 - biomass-derived fuel ethanol projection for, 84
 - ethanol and gasoline blends in, 5
 - importance of softwoods as biomass in, 168
 - pilot plant for wheat ethanol production in, 25, 28, 62
 - SOLAR H program in, 343
 - willow as biomass crop in, 252
 - Switchgrass, 84, 162, 374
 - agronomy of, 162, 163
 - compositional analysis of, 31, 159, 160, 163
 - energy equivalent of crop area with, 162
 - ethanol yield (area basis) from, 202
 - feedstock for FT diesel production, 304
 - future application of GM technologies to, 206
 - GHG emissions of ethanol production from, 41
 - in SSF, 164, 193
 - net energy balance of ethanol, 37, 38
 - potential U.S. sites of ethanol production with, 259–260
 - pretreatment technologies tested with, 60, 163
 - production costs of, 254
 - source of chemicals, 163
 - sustainability issues and, 262
- Syngas, 301, 353, 354, 357
 - “biomethanol” process, 306
 - composition of, 302
 - dual role as energy carrier and synthetic chemistry, 86
 - energy contents of biomass gasification products, 50
 - from glycerol fermentation broths, 309
 - from glycerol, butanol, etc., 307
 - from methane, 305
 - from wood waste sources, 51
 - purification of, 303
 - use in fermentations, 314
 - versatility of FT processes, 305, 377
- Synthesis gas, *see* syngas

T

- Tagatose, 367
- Tagatose 4-epimerase, 367
- Transaldolase, 101
 - expression in GM *Z. mobilis*, 129, 130
 - expression in GM *Zb. palmae*, 132
 - metabolomics of *Z. mobilis* and, 140
 - overexpression in GM yeast, 109, 111
- Transketolase, 101
 - expression in GM *Z. mobilis*, 129, 130
 - expression in GM *Zb. palmae*, 132
 - overexpression in GM yeast, 109, 111
- Trehalose, 96, 98, 174, 178
- Trichoderma reesei*. See *Hypocrea jecorina*
- Turkey, 1, 2, 25, 342

U

- United Kingdom (U.K.), 7, 182, 239
 - cost estimates for bioethanol in, 240–241
 - cultivation of oil seed rape in, 299
 - displacement of GHG by bioethanol in, 268
 - development of continuous ethanol fermentation in, 179
 - ethanol distillation accepted by excise authorities in, 2
 - funding of H₂R & D by, 327
 - oil production by, 10, 275
 - energy analysis of bio ethanol in, 39
 - willow as bioethanol feedstock, 252
- United States (U.S.), 5, 7, 61, 121, 159
 - analyses of biodiesel production costs, bagasse pretreatment and bagassosis, 170, 171
 - “billion ton vision” for biomass supply, 83–84
 - biodiesel production in, 285–286
 - bioethanol imports by, 267
 - bioethanol research during 1940s in, 5
 - biofuels taxation issues in, 228
 - biorefinery estimates for, 358
 - chemical synthesis of ethanol in, 18
 - corn ethanol in, 17, 19, 42
 - cornstarch ethanol costs in, 164, 250
 - corn stover in, 164
 - D.O.E. “building block” chemicals report, 359

- D.O.E. funding for genomics of photosynthetic bacteria, 132
- D.O.E. reports on bioethanol in the 1970s, 231–238
- energy crops and soil erosion in, 262
- ethanol production by, 20, 21, 24
- gasoline distribution network in, 259
- General Accountability Office of, 277
- GHG emissions and biofuels use in, 41–42
- HFCS sweetener market in, 325
- MTBE as gasoline oxygenate, 20
- net oil imports by, 9
- novel ethanologenic yeasts in, 169
- oil production by, 3, 5, 8, 272
- petrochemical ethanol prices after 1975 in, 238
- pilot plant for bioethanol in, 125
- projected biofuels use by 2030 of, 83
- seaweed research programs in, 52
- softwoods in Pacific Northwest, 167
- substrates for bioethanol production in, 21
- switchgrass in, 162
- Treasury estimates of oil industry subsidies, 277

V

- Very High Gravity (VHG) fermentations, 172, 174, 179
 - acetaldehyde as stimulant of ethanologensis in, 177
 - media for ethanol production in, 174
 - medium optimization for, 177
 - multistage processes in, 181
 - nitrogen nutrition in, 176
 - strains selection for, 138
- Volumetric Ethanol Excise Tax Credit, 24

W

- Water use and recycling, 264, 265
 - biomass substrate pretreatments and, 169
 - Brazilian sugarcane plantations and, 264
 - VHG fermentations and, 174
- Wheat bran, 171
 - addition to VHG media, 176
 - source of ferulic acid, 366
- Whisky, 2, 17

Wine, 1, 2

- bacteria as spoiling agents, 102
- bacterial production of palm wines, 125
- bioethanol and European surpluses of, 242
- fruit wines by multistage fermentations, 181
- importance of Crabtree effect in winemaking, 54
- S. cerevisiae* as principal wine yeast, 96
- wine yeasts and Louis Pasteur, 53, 379

World Bank, 15

World War I, 3, 5, 309

World War II, 5, 10, 301

X

Xylitol, 100–101

- accumulated by xylose-utilizing ethanologens, 107–112
- bioprocess development for, 365–366
- Brazilian target for bagasse processing, 371
- “building block” chemical, 359
- noncaloric sweetener, 198, 365
- product of xylose reduction, 104, 106–107, 112–113
- product of L-xylulose reductase, 114
- secretion by yeast karyoductants, 106
- starting point for fine chemicals manufacture, 365
- substrate for arabinitol 4-dehydrogenase, 112
- substrate for polyol dehydrogenases, 112
- Xylitol dehydrogenase (XDH), 100, 365
 - expression in GM *S. cerevisiae*, 106, 110
 - gene disruption in *C. tropicalis*, 366
 - reversibility of reaction, 366
 - S. cerevisiae* gene for, 104
- Xylitol phosphate, 129
- Xylooligosaccharides, 139, 166
- Xylose, 28, 29
 - bioenergetics of xylose catabolism, 123
 - catabolism by “bacterial” pathway in fungus, 111
 - catabolic pathway in yeasts, 100
 - catabolism by *G. stearothermophilus*, 139
 - failure of wild type *S. cerevisiae* to utilize, 96
 - fermentation by methylotrophic yeasts, 118
 - from pretreated willow, 172
 - furfural as chemical degradation product of, 64
 - genomics of xylose catabolism by *E. coli*, 123
 - inducer of D-xylose reductase in *S. cerevisiae*, 112
 - liberation by xylosidase activity, 80
 - metabolism by extremophiles, 333
 - metabolism by *P. stipitis*, 119
 - metabolism by phytopathogenic *Fusarium* fungi, 190
 - metabolism by in different GM yeasts, 111–112
 - natural occurrence of D-isomer, 95
 - NREL strains of *Z. mobilis* and, 129
 - O₂ requirement for fermentation, 100
 - substrate for aldose reductase, 109
 - substrate for ethanologeneses by GM *Erwinia*, 131
 - substrate for ethanologeneses by GM *E. coli*, 122–125
 - substrate for ethanologeneses by wild type yeasts, 106
 - substrate for succinic acid bioproduction, 363
 - substrate for xylitol bioproduction, 364
 - triple XR/XDH/XK constructs, 107
 - uptake by *S. cerevisiae*, 104
 - utilization by “industrial” and “laboratory” yeasts, 114
 - yield after enzymic digestion of corn fiber and stover, 81
 - yields from pretreated willow, 63
- Xylose isomerase (XI), 111, 126
 - expression in GM *C. glutamicum*, 370
 - expression in GM yeast, 111
 - gene expression in GM *Z. mobilis*, 129
 - expression in GM *Zb. palmae*, 132
 - metabolomics of *Z. mobilis*, 140
- Xylose reductase (XR), 100, 101
 - expression of *Pichia* gene in *S. cerevisiae*, 106, 110, 366
 - S. cerevisiae* gene for, 104
 - substrate specificity of, 112
- Xylose uptake, 138
 - by GM *S. cerevisiae*, 115, 366
 - by GM *Z. mobilis*, 130
- Xylulokinase (XK), 101
 - expression of gene in *C. glutamicum*, 370

- expression of gene in *Z. mobilis*, 129, 130
- expression of gene in *Zb. palmae*, 132
- role in xylose catabolism in yeasts, 104, 107
- Xylulose, 101, 113
 - equilibrium of XDH reaction, 107
 - L- and D-isomers as intermediates in L-arabinose catabolism, 366
 - L-isomer as a "rare sugar," 366
 - L-isomer formed by L-arabinitol 4-DH, 112
 - metabolism by *S. cerevisiae*, 107
 - potential inhibitor of protein glycosylation, 367
 - substrate for pentose phosphate pathway, 109
 - xylitol catabolism and, 108, 366
 - xylose isomerase and, 111
 - xylose utilization and, 104
 - xylulokinase and, 107
 - xylulose reductase and, 114
- Xylulose reductase, 101
 - GM *E. coli* for xylitol production, 365
 - H. jecorina* gene for, 114

Z

- Zymobacter palmae*, 131–132
- Zymomonas mobilis*, 103–104
 - acetate toxicity to, 130
 - cocultures for SSF with, 190
 - comparison with other bacterial ethanologens, 134

- continuous fermentations of, 104
- cost model for industrial process with, 247
- desirable features as ethanologen, 104
- development of strains as ethanologens, 128–130
- energy limitation on xylose with, 129
- Entner-Doudoroff pathway in, 120
- ethanol formation from potato and wheat by, 128
- ethanol tolerance of, 129
- ethanol diffusion from, 178
- expression of genes in cyanobacteria 132
- expression of genes in *E. coli*, 123
- expression of genes in *Lactobacilli*, 131
- expression of xylulokinase in GM strain of, 130
- failure to utilize galactose and mannose by, 134
- fermentation of hexoses by, 103
- genetic engineering of xylose catabolism in, 129
- heterologous expression of *E. coli* peptide in, 130
- kinetic parameters of PDC of, 121
- metabolomics of, 140
- multiple forms of ADH in, 140
- sequencing of complete genome of, 136
- glucose uptake by, 129
- tolerance of high glucose-media by, 136
- use in Bio-hol process of, 158
- use of immobilized cells of, 187
- wheat straw as substrate for, 158