

Index

A

- Acid-catalyzed FAE synthesis
 - direct (in situ) transesterification, 58–59
 - general principles, 57–58
 - transesterification and, 73
- Acid-catalyzed pretreatment
 - transesterification, 43
- Acid value, analytical methods, 107
- Acidification, 378–383
- Acrolein, and value-added markets of glycerol, 448–449
- Acrylic acid/ acrolein, and value-added markets of glycerol, 448–449
- Acylglycerols, analytical methods, 99–104
- Admixtures of biodiesel, 183–184
- Agriculture
 - bovine spongiform encephalopathy (BSE), 48–49, 395
 - CO₂ reduction/environmental impacts and, 310
 - credit procedures of rape, 377–378
 - fuel legislation and, 305
 - land use changes and, 385–387
 - and potential U.S. biodiesel production, 391–393
 - South American beef tallow, 334
 - stare legislation and, 311–312
 - total annual production of U.S. fats/oils, 394–395
 - unit conversions (Appendix C) for, 479
- Alcohols
 - analytical methods
 - flash point, 107–108
 - methanol content, 108
 - properties of C₁–C₄ alcohols, 32
- Algal oil. *See* Microalgae
- Alkali-catalysts
 - microwave enhanced transesterification, 57
 - monophasic transesterification, 57
- Alkyl esters. *See also* Biodiesel; Transesterification
 - medium/branched, 181–183
 - transesterification
 - reaction, 33
 - as reversal reaction, 35
 - viscosity values and, 143–145
- Allocation procedures and LCA, 377–378
- Alternative diesel fuels
 - ASTM standards and, 405
 - and dilution with petrodiesel, 408–411
 - hydroprocessing (deoxygenation) and, 426–428
 - microemulsions/co-solvent blends
 - component selection, 412
 - engine performance/durability/exhaust emissions, 419–423
 - pre-combustion/combustion chemistry, 418–419
 - TAG/amphiphile/alcohol, 413–418
 - outlook for, 428–429
 - pyrolysis and, 423–426
 - and vegetable oil/fat combustion, 405–408
- American Oil Chemists' Society (AOCS), on fuel quality, 40
- American Society of Testing and Materials (ASTM), 147, 299, 301, 312. *See also* Standards
- American Soybean Association, 305
- American Workers, State and Business Relief Act, 306
- Amphiphile, 413–418
- Analytical methods
 - alcohol
 - flash point, 107–108
 - methanol content, 108
 - biodiesel blends, 119–122
 - heating oil use, 122–123
 - on-vehicle blend sensors, 122
 - biodiesel in lubricating oil, 119
 - carryover elements
 - copper strip corrosion, 110
 - mercury, 110–111
 - phosphorus, 110
 - sulfur, 109–110
 - catalysts
 - calcium/magnesium, 109
 - carbon residue, 108
 - sodium/potassium, 108–109
 - sulfated ash, 108

Analytical methods (*continued*)

FFA

acid value, 107

fuel/physical properties

cetane number (CN), 111–112

cloud point (CP), 112

cold-filter plugging point, 112

cold flow, 112

density, 112

distillation temperature, 113

kinematic viscosity, 111

lubricity, 112

oxidative stability, 112–113

total contamination, 113

water and sediment, 113

general principles, 97–98

for HD engine emissions (dynamometer test),
254

HPLC versus GC, 101–104

for lubricating oil dilution, 226

production-related/natural contaminants

enzymatic analyzation of glycerol, 104

glycerols/aclylglycerols/esters, 99–104

GPC and glycerol, 105

LC/GC combination and glycerol, 105

reversed-phase HPLC and glycerol,
104–105

reaction monitoring

chromatographic/spectroscopic monitoring,
115–118

viscometry, 118–119

restrictions on FA profile

content of FAME with 4 double bonds,
105

iodine value (IV), 105

kinematic viscosity, 106–107

linolenic acid methyl ester content, 106

reason for, 105

reversed-phase HPLC and, 104–105

sterols, 114–115

steryl glucosides, 115

test methods for biodegradability, 231–232

TGA for pressure-aromization characteristics,
407–408

Antioxidants

oxidative stability and, 210–212

storage stability and, 42–43

Arachic (eicosanoic) acid, properties of

(Appendix A), 461

Arbeitsgemeinschaft Qualitätsmanagement Biodiesel

(AGQM), 213–214

Argentina, 335–336

Aromatic hydrocarbons, stability of, 25

Asia, biodiesel in. *See also* Japan, biodiesel in

China, 355

and competitiveness of palm oil, 358–361

importance, 358

India, 356

Indonesia, 361–362

Japan, 356–357

Malaysia, 360–361

the Philippines, 357

Singapore, 362

South Korea, 356–357

Taiwan, 356–357

Thailand, 357

Association for the promotion of Oil and Protein
Plants, 484

ASTM D6751

(Appendix B), 471

production/storage issues and, 3

ASTM D7467 (Appendix B), 472

Atom economy in glycerol conversion, 443–444

Australia, 475, 484

Austria, 484

Austrian Biofuels Institute, 484

Autoignition, 22–23

B

Balance-point temperature (BPT), 264–265

Ball-on-three-disks (BOTD) procedure, 220

Base catalysis, transesterification and, 71–73

Behenic (docosanoic) acid, properties of
(Appendix A), 461

Biodegradability

biodiesel and, 2

blends and, 233

soil flask results, 234–236

test methods for, 231–232

test results for, 232–233

Biodiesel

BSFC of, 24

defined, 1–3

feedstocks for, 1

first use of term, 13–14

historical aspects

background/fuel sources, 7–9

biodiesel since 1970, 13–14

Diesel, Rudolph, 5–7

first “biodiesel”, 12

technical aspects, 9–11

process flow scheme for production, 36–37

- in United States
 - after-treatment technology, 308
 - CO₂ reduction/environmental impacts, 309–310
 - economic development, 310
 - energy security, 304–306
 - future growth areas, 312–313
 - historical aspects, 299–301
 - human health impact decrease, 306–308
 - industry status (2009), 302–303
 - reduction of foreign oil dependency, 304–306
 - since 2004 (EPA requirements), 301–302
 - since 2004 (market drivers), 303–304
 - state legislation, 310–312
 - Biodiesel blends. *See* Blends
 - Biofuels Association of Australia, 484
 - Bioheat, 313
 - Biological oxygen demand (BOD₅), 236–238
 - BIOSTAB project
 - oxidative stability and, 212–214
 - Blends
 - analytical methods, 119–122
 - heating oil use, 122–123
 - on-vehicle blend sensors, 122
 - ASTM D6751 (Appendix B) and, 472
 - biodegradability and, 233–234
 - BPT and, 264–265
 - Columbia and, 338
 - EPA and, 307
 - and industrial realization for mass production, 135–136
 - microemulsions/co-solvent blends
 - component selection, 412
 - engine performance/durability/exhaust emissions, 419–423
 - pre-combustion/combustion chemistry, 418–419
 - TAG/amphiphile/alcohol, 413–418
 - miscibility and, 1
 - NOx emissions and, 262–263
 - and principle of discrimination sensor, 132–134
 - ratio in Germany/EU, 324
 - Boiling point, of C₁–C₄ alcohols, 32
 - Bolivia, 337
 - Bound glycerol, transesterification and, 40–41
 - Bovine spongiform encephalopathy (BSE), 395
 - Brake specific fuel consumption (BSFC)
 - heat of combustion and, 24
 - Brassica carinata*
 - transesterification and, 35
 - Brazil, biodiesel in
 - animal fat as lipid source in, 349
 - biodiesel auctions, 345–346
 - biodiesel in, 341–349
 - Brazilian NBR 15512 (Appendix B), 476
 - distribution of plants in, 347–348
 - as ethanol producer, 342
 - historical aspects of biodiesel, 341–342
 - Internet resources for, 484
 - National Program for Biodiesel Production and Use, 342–344
 - production/production capacity in, 342–345, 349
 - use of ethanol in, 31
 - Bush, George W., 306
 - Butylated hydroxytoluene
 - storage stability and, 42–43
 - Butylated hydroxytoluene (BHT), 211–212
- ## C
- Calcium/magnesium
 - analytical methods, 109
 - Calibration
 - injection timing and NOx emissions, 259–260
 - California Air Resources Board
 - aromatic hydrocarbons and, 25
 - Canada, 427, 484
 - Canadian Renewable Fuels Association, 484
 - Candida* sp., 75–76
 - Canola oil, cold flow properties and, 151
 - Capric (decanoic) acid, properties of (Appendix A), 458
 - Caprylic (octanoic) acid, properties of (Appendix A), 458
 - Carbon, emissions and, 253
 - Carbon monoxide (CO)
 - as emission, 253
 - HD engines and, 255–257
 - Carbon residue
 - analytical methods, 108
 - from pyrolyzation to sediment, 27–28
 - Carryover elements
 - analytical methods
 - copper strip corrosion, 110
 - mercury, 110–111
 - phosphorus, 110
 - sulfur, 109–110
 - Catalysis
 - commercial processes of, 79
 - esterification and, 68–70
 - future outlook of, 79–80

- Catalysis (*continued*)
 general principles, 67
 heterogeneous versus homogeneous, 78–79
 NOx emission control catalysts and
 performance, 266
 transesterification
 acid catalysis, 73
 base catalysis, 71–73
 enzyme catalysts, 74–78
 general principles, 70–71
 metallic catalysts, 73–74
 natural clays/silicates, 73
- Catalysts
 acid-catalyzed FAE synthesis
 direct (in situ) transesterification, 58–59
 general principles, 57–58
 alkali-catalysts
 microwave enhanced transesterification, 57
 monophasic transesterification, 57
 analytical methods
 calcium/magnesium, 109
 carbon residue, 108
 sodium/potassium, 108–109
 sulfated ash, 108
 transesterification
 acid-catalyzed pretreatment, 43
 types/reaction parameters, 34–35
 uncatalyzed ester production, 59–60
- Cetane number (CN)
 analytical methods, 111–112
 autoignition properties and, 23
 derived cetane number (DCN), 140
 historical aspects, 12
 petrodiesel/biodiesel and, 3
 principles of, 137–138
 properties of esters of fats/oils (Appendix A),
 464–466
 properties of various fats/oils (Appendix A),
 463
 soybean oil and, 247–248
- Chavanne, C. G., 12
- Chemical oxygen demand (COD), 236–238
- Chile, 337–338
- China, 355
- Chlorella protothecoides*, 425
- Chromatographic/spectroscopic analytical
 methods of monitoring reactions,
 115–118
- Classes of compounds, 99
- Clean Air Act Amendments (1990), 13, 301
- Clinton, Bill, 305
- Cloud point (CP)
 analytical methods, 112
 cold flow properties and, 148–152
 correlating CFPP/LTFT versus, 177
 effects on biodiesel, 176–177
 and FAME treated with CFI additives,
 173–174
 low temperature operation and, 25–26
 properties of esters of fats/oils (Appendix A),
 464–466
 properties of various fats/oils (Appendix A),
 463
 quality and, 3
- Co-solvent blends. *See* Microemulsions/co-
 solvent blends
- Coconut oil
 as alternative biodiesel fuel, 407
 and competitiveness of Asian market,
 358–361
 the Philippines and, 357
 properties of esters of (Appendix A), 464
- Code of Federal Regulations (CFR), emissions
 and, 253
- Cold filter plugging point (CFPP)
 analytical methods, 112
 cold flow properties and, 150–151, 153
 correlating CFPP/LTFT versus CP, 177
 correlation versus cloud point, 153, 155
- Cold flow properties
 analytical methods, 112
 and performance, 168–169
 Brazil and, 349
 soybean oil and, 247
 of vegetable oil/petrodiesel blends, 410–411
- Cold soak filtration test, 149
- Cold weather properties
 alternative lipid feedstocks, 154–155
 and analysis of minor constituents, 167–168
 of biodiesel, 151–154
 biodiesel admixtures and, 183–184
 of blends, 161–166
 cold soak filterability and, 170–171
 correlating CFPP/LTFT versus CP, 155–157
 of diesel fuel, 149–151
 differential scanning calorimetry (DSC) and,
 157–160
 effects of minor constituents on, 166–167
 effects on performance of, 168–169
 fractionation
 dry, 185–186
 effects on other properties, 190–191

- general principles, 184–185
 - other processes, 190
 - solvent, 187–188
 - urea, 188–189
 - wax crystallization modifiers (WCM), 187
- future outlook and, 191–192
- improver additives
 - correlating CFPP/LTFT versus CP, 177
 - effects on biodiesel, 176–177
 - effects on CP/PP of FAME, 173–174
 - pour point depressants (PPD), 174–175
 - wax crystallization modifiers (WCM), 175–176
- improver additives development
 - crystalline structures of FA alkyl esters, 178–179
 - fatty compound derivatives, 180
 - general principles, 177–178
 - other derivatives, 180–181
- improving, 171
- low temperature rheology and, 160–161
- medium/branched chain alkyl esters, 181–183
- solid precipitate removal and, 171
- source references for survey, 156
- and thermodynamics of biodiesel
 - crystallization, 172–173
- Columbia, 338–339
- Combustion of diesel engines
 - autoignition properties and, 23
 - corrosion and, 26–27
 - emissions
 - aromatic hydrocarbons, 24–25
 - NO_x, 23, 29
 - particulate, 22–23
 - temperature, 257–258
 - flashpoint and, 28
 - general operating principles, 21–22
 - and heat of combustion, 24
 - low temperature operation and, 25–26
 - microemulsions/co-solvent blends
 - pre-combustion/combustion chemistry, 418–419
 - sediment and, 27–28
 - viscosity and, 26
- Commission on Fuels (Belgian Congo), 12
- Compressed natural gas (CNG), 300–301
- Constant volume combustion apparatus (CVCA), 139–140
- Contaminants (natural/production-related)
 - analytical methods
 - enzymatic analyzation of glycerol, 104
 - glycerols/aclylglycerols/esters, 99–104
 - GPC and glycerol, 105
 - LC/GC combination and glycerol, 105
 - reversed-phase HPLC and glycerol, 104–105
 - problems from, 97
- Continuous stirred-tank reactors (CSTR), transesterification and, 37
- Copper strip corrosion, 27, 110
- Corrosion, 26–27
- Cosolvent blending. *See* Microemulsification
- Cosolvents, transesterification and, 36
- Creutzfeldt-Jacob disease, 48–49, 395
- Critical solution temperature (CST), 412
- Crystallization
 - non-Newton behavior and, 143
 - thermodynamics of, 172–173
- Cuphea oil, 407
- D**
- Density
 - analytical methods, 112
 - of C₁–C₄ alcohols, 32
- Deoxygenation, alternative biodiesel fuels and, 426–428
- Derived cetane number (DCN), 140
- The Development of the Diesel Engine* (Diesel), 5
- DF1-4, 137–138
- Diacylglycerol (DAG). *See also* Aclylglycerols
 - cold flow properties and, 166–169, 171
 - lubricity and, 222
- Diatomaceous earth compared with ion exchange resins, 95
- Diesel engines/fuels
 - combustion
 - autoignition properties, 23
 - corrosion, 26–27
 - emissions, 24–25
 - flashpoint, 28
 - general operating principles, 21–22
 - heat of combustion, 24
 - low temperature operation, 25–26
 - NO_x emissions, 23
 - particulate emissions, 22–23
 - sediment, 27–28
 - viscosity, 26
 - new technologies
 - catalyzed particulate filters, 29
 - common rail injection systems, 28–29
 - turbochargers, 29
 - U.S. consumption of fuel in, 21

Diesel, Eugen, 6
 Diesel exhaust fluid (DEF), as SCR injection of urea, 29
 Diesel, Rudolph, 5–7, 299
 Differential scanning calorimetry (DSC), 150–151, 157–160, 209–210
 Differential thermal analysis (DTA), 209
 Direct (in situ) transesterification, acid-catalyzed FAE synthesis and, 58–59
 Direct land use change (DLUC), 386
 “Directive on the Promotion of the Use of Energy from Renewable Sources”, 320
 Diseases
 Creutzfeldt-Jacob disease, 48–49, 395
 life-cycle assessment (LCA) and, 378
 Distillation temperature, analytical methods, 113
 Dry wash, 86
 Dynamometer test for emissions, 254

E

Economics

annual U.S. sales of diesel fuel (2007), 393–394
 Argentina and, 336
 Asian. *See* Asia, biodiesel in
 EU feedstock prices and, 323–324
 feedstock cost, 49
 funding of microalgae as feedstock source, 52
 impact of legislative/regulatory incentives on, 2–3
 methanol as least expensive alcohol, 31
 petroleum-based fuels, historically, 299–300
 soybean oil and, 385
 taxation of biofuels, 131
 U.S. biodiesel market drivers (2004–2009), 303–304
 and use of methanol for biodiesel production, 2
 value-added markets of glycerol
 acrylic acid/ acrolein, 448–449
 atom economy in glycerol conversion, 443–444
 epichlorohydrin (propane, 1-chloro-2,3-epoxy), 446–448
 ethanol/hydrogen, 450–451
 ethylene glycol, 449
 low-value high-volume markets, 452–453
 marketing, 451–452
 propanediols/acetol (hydroxyacetone), 443, 445–446
 propylene oxide, 450

Ecuador, 339
Elae oleifera, 348
Elaeis guineensis, 359
 Electrical generation as future growth area, 312–313
 Emissions. *See also* Cetane number (CN)
 B20 versus petrodiesel, 307–308
 combustion of diesel engines
 aromatic hydrocarbons, 24–25
 NOx, 23, 25, 28–29, 249
 particulate, 22–23
 diesel engines as contributors, 253–254
 diesel filters and, 263–265
 effect of biodiesel source material/additives, 260–263
 EPA and, 301
 fundamental studies of NOx impact, 257–260
 heavy-duty engine emissions, 255–257
 life-cycle assessment (LCA) and, 379–380
 NOx emission control catalysts and
 performance, 266
 particulate matter (PM), 263–265
 regulations, 254–255
 toxic, 263
 ultrafine particles in HD engines, 282–289
 composition for different particle size class (results), 287–288, 291–293
 size distribution of particles (results), 282–287, 282–289, 292–293
 SOF composition (results), 281–282, 288–291, 293–294
 specific CO emissions (results), 279
 specific HC emissions (results), 280
 specific NO emissions (results), 280
 specific PM emissions (results), 280–281
 total PM from raw exhaust gas (results), 281
 WSF composition (results), 282–283
 ultrafine particles in HD engines and
 in underground mines, 313
 unit conversions (Appendix C) for, 480
 EN 14213 (Appendix B), 473
 EN 14214
 Appendix B, 474
 production/storage issues and, 3
 Energy content. *See* Heat of combustion
 Energy Independence and Security Act of 2007 (EISA), 49, 309
 Energy Policy Act, 13, 300, 305, 309
 Energy Security and Independence Act of 2007, 13
 Energy Tax Act of Germany, 13

- Engine management unit (EMU), Euro III engines and, 132
- Engine oils and lubricity, 226
- Die Entstehung des Dieselmotors* (Diesel), 5
- Environmental implications of biodiesel
- general concerns, 375–376
 - land use changes and, 385–387
 - life-cycle assessment (LCA)
 - biodiesel fuel comparisons, 384–385
 - boundaries/objectives definitions, 376–377
 - co-products, 377
 - rapeseed versus diesel fuel for parameters/impact categories, 380–381
 - rapeseed versus diesel fuel for advantages/disadvantages, 382–384
- Environmental Protection Agency (EPA)
- after-treatment technology, 308
 - emissions analysis program, 484
 - and human health impacts, 306–308
 - life-cycle assessment (LCA)
 - energetic expenditures/emissions, 379–380, 379–380
 - equivalence factors for impact categories, 378
 - Tier 1/2 testing and, 301, 307
- Enzyme catalysts
- transesterification and, 74–78
- EPACT. *See* Energy Policy Act
- Epichlorohydrin (propane, 1-chloro-2,3-epoxy), and value-added markets of glycerol, 446–448
- Erucic acid, properties of (Appendix A), 461
- Esterification, catalysis and, 68–70
- Esters. *See also* Transesterification
- analytical methods, 99–104
 - induction times and, 209–210
 - properties of (Appendix A), 458–461
 - viscosity and, 143–145
- Ethanol
- in Brazil, 31
 - and properties of C_1 - C_4 alcohols, 32
- Ethanol/hydrogen, and value-added markets of glycerol, 450–451
- Ethanol production
- and alternative fuel goals, 305
 - Argentina and, 336
 - Brazil and, 342
 - by-products as feedstock source, 53
 - Peru and, 340
- Ethanol production by-products
- as feedstock source, 53
- Ethyl esters
- cetane number (CN) and, 139
 - cold flow properties and, 152
- Ethylene glycol, and value-added markets of glycerol, 449
- Euphorbiaceae*, as feedstock source, 50–51
- Euro III engines, 131–132
- European Biodiesel Board, 484
- European Committee for Standardization (CEN) (Appendix B), 469
- cold flow properties and, 148–149
- European Union (EU)
- biodiesel consumption, 321–322
 - biofuels-related requirements in EU-Action Plan Biofuels/EU-Summit, 321
 - current market
 - capacity/capacity utilization, 319–320
 - climate protection/renewable energy package, 320
 - “Directive on the Promotion of the Use of Energy from Renewable Sources”, 320
 - Germany
 - international markets/trends, 319–320
 - greenhouse gas (GHG) and, 320, 326–328
 - Internet resources for, 484
 - political framework
 - European Energy Directive/RED, 324–325
 - regulation for standard production of biomass, 327–329
 - and U.S. subsidy policy, 323
- Eutrophication, 378, 381–383
- Exhaust emissions
- biodiesel and, 2
 - and impact of sulfur, 24–25
 - unit conversions (Appendix C) for, 480
- ## F
- Fatty acid alkyl esters (FAE)
- acid-catalyzed
 - direct (in situ) transesterification, 58–59
- Fatty acid ethyl esters (FAEE), sugar cane as source of, 54–55
- Fatty acid methyl esters (FAME)
- analytical methods, 105
 - cold flow properties and, 152, 154–155
 - crystalline structures of, 178–179
 - and derivatives from fatty compounds, 180
 - EN 14213 (Appendix B) and, 473
 - EN 14214 (Appendix B), 474
 - in methanol, 54

- Fatty acids (FAs)
 analytical methods
 content of FAME with 4 double bonds, 105
 iodine value (IV), 105
 kinematic viscosity, 106–107
 linolenic acid methyl ester content, 106
 reason for, 105
 composition for alternative biodiesel fuels
 (Appendix A), 462
 oxidative stability and, 205–207
 properties of (Appendix A), 458–461
 soybean oil and, 247–250
 in triacylglycerols, 1
- Federal Agricultural Research Center (FAL)
 and principle of discrimination sensor, 134
- Federal Test Procedure (FTP), 254
- Feedstocks for biodiesel
 acid-catalyzed FAE synthesis
 direct (in situ) transesterification, 58–59
 general principles, 57–58
 acid-catalyzed pretreatment and, 38–39
 and after-treatment technology, 308
 alcohol reactants and, 54–55
 alkali-catalysts
 microwave enhanced transesterification, 57
 monophasic transesterification, 57
 CFPP/LTFT and, 153
 China and, 355
 CP/PP of FAME/ethyl esters from, 152
 direct FA alkyl ester production via pathway
 engineering, 60
 EU documentation and, 328–329
 factors for expansion/change in, 49–50
 general principles, 1
 high quality sources
 Jatropha curcas, 50–51
 microalgae, 51–52
 historical aspects, 7–9
 low quality sources
 ethanol production by-products, 53
 soap stock (SS), 53–54
 traditional, 52–53
 trap grease, 54
 and process flow scheme for production,
 36–37
 refined triglycerides, 47–49
 soybean oil and, 248
 uncatalyzed ester production, 59–60
- Filter Plugging Tendency (FPT)
 FStG and, 171
 steryl glucosides (StGs) and, 249–250
- Filters and PM emissions, 263–265
- Flame ionization detector (FID), specifications
 for glycerol ester analysis and, 99–100
- Flash point
 analytical methods, 107–108
 biodiesel and, 2
- Flashpoint
 combustion of diesel engines and, 28
 properties of esters of fats/oils (Appendix A),
 464–466
 properties of various fats/oils (Appendix A),
 463
- Food-fuel debate, 50
- Foreign oil dependency, 300–301, 304–306
- ForEnergy*, 337
- Formula, of C_1-C_4 alcohols, 32
- Fractionation
 dry, 185–186
 general principles, 184–185
 solvent, 187–188
 urea, 188–189
 wax crystallization modifiers (WCM) and,
 187
- Free fatty acids (FFA). *See also* Fatty acids (FAs)
 acid-catalyzed pretreatment and, 38–39
 analytical methods
 acid value, 107
 transesterification and, 35
- Free glycerol, transesterification and, 41
- Freezing point (FP), cold flow properties and,
 148–150
- Fuel additives, biodiesel as, 401
- Fuel consumption, unit conversions (Appendix
 C) for, 480–481
- G**
- Gas chromatography (GC), specifications for
 glycerol ester analysis and, 99–100
- Germany, biodiesel in
 blends, 324
 climate protection/renewable energy package
 and, 320
 current market
 capacity/capacity utilization, 319–320
 international markets/trends and, 317–319
 Internet resources for, 484
 political framework
 Biofuels Quota Act, 325–327
 European Energy Directive/RED, 324–325
 regulation for standard production of
 biomass, 327–329

Glycerol

- analytical methods, 99–104
- and credit procedures of rape, 378
- enzymatic analyzation of, 104
- GPC and, 105
- ion exchange resins and, 89–90
- LC/GC combination and, 105
- physical properties of, 442–443
- reversed-phase HPLC and, 104–105
- technology options
 - Block Flow Diagram (BFD), 430–440
 - crude glycerol, 440
 - crude glycerol refinement, 440–442
 - glycerol esters/polymer applications, 453
 - low-value high-volume markets, 452–453
- transesterification and, 33, 37–38, 40–41
- value-added markets
 - acrylic acid/ acrolein, 448–449
 - atom economy in glycerol conversion, 443–444
 - epichlorohydrin (propane, 1-chloro-2,3-epoxy), 446–448
 - ethanol/hydrogen, 450–451
 - ethylene glycol, 449
 - marketing, 451–452
 - propanediols/acetol (hydroxyacetone), 443, 445–446
 - propylene oxide, 450
- Gondoic acid, properties of (Appendix A), 461
- Government policy. *See also* Legislation
 - support programs, 49–50
 - use mandates, 49
- Greenhouse gas (GHG)
 - EU and, 320, 326–328
 - life-cycle assessment (LCA) and, 378–383

H**Health, 306–308**

- Creutzfeldt-Jacob disease, 48–49, 395
- life-cycle assessment (LCA) and, 378
- Heat of combustion (HG)
 - combustion of diesel engines and, 24
 - as factor of suitability, 140
 - properties of esters of fats/oils (Appendix A), 464–466
 - properties of various fats/oils (Appendix A), 463
 - quality and, 3
 - unit conversions (Appendix C) for, 480
- Heating oil use
 - as alternative biodiesel use, 401–402

- analytical methods, 122–123
- EN 14213 (Appendix B) and, 473
- Heavy-duty (HD) engines
 - emissions and, 254–257. *See also* Emissions
 - ultrafine particles, 282–289
 - composition for different particle size class (results), 287–288, 291–293
 - engine and test conditions, 275–277
 - fuels, 274–275
 - general principles, 273–274
 - impact of temperature during dilution, 277–278
 - mutagenicity assay, 278–279
 - mutagenicity potency, 294–296, 294–296
 - size distribution of particles (results), 282–287, 282–289, 292–293
 - SOF composition (results), 281–282, 288–291, 293–294
 - specific CO emissions (results), 279
 - specific HC emissions (results), 280
 - specific NO emissions (results), 280
 - specific PM emissions (results), 280–281
 - total PM from raw exhaust gas (results), 281
 - WSF composition (results), 282–283
- Heterogeneous catalysis, 78–79
- High-frequency reciprocating rig (HFRR), 219–222, 224–225, 408
- History of vegetable oil-based diesel fuels
 - background/fuel sources and, 7–9
 - biodiesel since 1970, 13–14
 - diesel engines and, 299–300
 - Diesel, Rudolph and, 5–7
 - first “biodiesel”, 12
 - OPEC oil crisis and, 300–301
 - technical aspects, 9–11
- Home heating oil as future growth area, 312
- Homogeneous catalysis, 78–79
- Hybrid, 411
- Hydrogen, and value-added markets of glycerol, 450–451
- Hydroprocessing (deoxygenation), alternative biodiesel fuels and, 426–428
- Hydroxyacetone, and value-added markets of glycerol, 443, 445–446

I

- Ignition delay
 - cetane number (CN) and, 23
 - diesel combustion and, 22
 - NOx emissions and, 262

- Ignition lag
 - soybean oil and, 10
- Ignition quality. *See* Cetane number (CN)
- Ignition Quality Tester (IQT), 139–140. *See also* Cetane number (CN)
- Illinois legislation, 311
- India, 356
- Indirect land use change (ILUC), 387
- Indonesia, 361–362
- Induction time, 209–210, 259–260
- International Organization for Standardization (ISO)
 - cetane number (CN) and, 138–139
 - cold flow properties and, 148–149
- Internet resources, 484
- Iodine number
 - emissions and, 260–261
- Iodine value (IV)
 - analytical methods, 105
 - oxidative stability and, 214
- Ion exchange resins
 - comparisons with other technologies
 - diatomaceous earth, 95
 - magnesium silicate, 95
 - water-washing, 94–95
 - general principles, 85–86
 - and impurities in crude biodiesel, 86–87
 - purification
 - cation (sodium vs. potassium) impact, 90–91
 - commercial units, 91–94
 - flowrate impact on capacity/leakage, 90
 - general principles of experiment, 87–88
 - glycerol capacity, 89–90
 - glycerol concentration impact, 90
 - potassium ion capacity, 88–89
 - technology of, 86
- Iowa State University, 484

J

- Japan, biodiesel in
 - availability of waste oils/fats, 365–366
 - general information, 356–357
 - national standard, 370–371
 - non-catalytic production method, 371–373
 - production project (Kyoto City), 366–370
- Japanese Standards Association (JSA), 148–149
- Jatropha curcas*
 - as alternative biodiesel fuel, 407
 - Asian markets and, 362

- in Chile, 337–338
- as feedstock source, 50–51
- Jumpstart Our Business Strength (JOBS) act, 13, 306

K

- Kinematic viscosity
 - analytical methods, 106–107, 111
 - cold flow properties and, 149
 - historical aspects, 10
 - petrodiesel/biodiesel and, 3
 - properties of esters of fats/oils (Appendix A), 464–466
 - properties of various fats/oils (Appendix A), 463
 - quality and, 3
 - viscosity values and, 143–145

L

- Land use change, 385–387
- Lauric (dodecanoic) acid, properties of (Appendix A), 458
- Legislation
 - American Workers, State and Business Relief Act, 306
 - in China, 355
 - Energy Independence and Security Act of 2007, 49
 - Energy Independence and Security Act of 2007 (EISA), 309
 - Energy Policy Act, 13, 300, 305, 309
 - Energy Security and Independence Act of 2007, 13
 - Illinois legislation, 311
 - JOBS Creation Act of 2004, 13, 306
 - Renewable Fuels Standard of 2005, 309
 - state, 310–312
- Lenolenic acid, properties of (Appendix A), 460
- Life-cycle assessment (LCA)
 - acidification and, 378–383
 - boundaries/objectives definitions, 376–377
 - co-products, 377
 - diseases, 378
 - emissions, 379–380
 - environmental implications of biodiesel
 - biodiesel fuel comparisons, 384–385
 - rapeseed versus diesel fuel for parameters/impact categories, 380–381
 - rapeseed versus diesel fuel for advantages/disadvantages, 382–384
- EPA
 - energetic expenditures/emissions, 379–380

- equivalence factors for impact categories, 378
- eutrophication, 381–383
- eutrophication and, 378
- greenhouse gas (GHG), 378–383
- hydroprocessing (deoxygenation) and, 429
- oxides of nitrogen (NOx), 379–380
- ozone depletion and, 378, 381–383
- pollutant emissions, 378, 381–383
- rapeseed methyl esters (RME)
 - versus diesel fuel for parameters/impact categories, 380–381
 - energetic expenditures/emissions, 379–380
 - rapeseed versus diesel fuel for advantages/disadvantages, 382–384
- Light-duty (LD) engines, emissions and, 254–255
- Linoleic acid, properties of (Appendix A), 460
- Linolenic acid methyl ester content, analytical methods, 106
- Linseed oil, cold flow properties and, 151
- Lipases and enzyme catalysts, 74–75
- Low-temperature flow test (LTFT), 149–150, 153
 - correlating CFPP/LTFT versus CP, 177
 - correlation versus cloud point, 153, 155, 164–166
- Low temperature operation
 - combustion of diesel engines and, 25–26
- Low temperature rheology, 160–161
- Lubricating oil, analytical methods, 119
- Lubricity
 - additization of fuels with commercial biodiesel, 221
 - additization of fuels with mono-/diacylglycerols compared to methyl esters, 222
 - additization of fuels with soybean oil/methyl soyate, 221
 - analytical methods, 112
 - biodiesel and, 2
 - engine oils and, 226
 - methods of measurement, 28
 - methyl esters and, 220, 222
 - of neat biodiesel/petrodiesel standards, 219–220
 - and oxygenated compounds with 10 carbon atoms, 222–224
 - palm oil and, 408
 - quality and, 3
- Magnesium silicate compared with ion exchange resins, 95
- Malaysia, 360–361
- Mercury, analytical methods, 110–111
- Metallic catalysts, transesterification and, 73–74
- Methanol
 - and alternative fuel goals, 305
 - as least expensive alcohol, 31
 - and properties of C₁–C₄ alcohols, 32
 - transesterification and, 38
 - use of, 1
- Methanol content
 - analytical methods, 108
- Methyl esters. *See also* Rapeseed methyl esters (RME); Transesterification
 - Argentina and, 335
 - as cleaning solvents, 402
 - heat of combustion and, 24
 - as heating oil, 122–123, 401–402
 - lubricity and, 220, 222
 - soybean oil and, 247–250
 - transesterification and, 33–34
 - viscosity values and, 143–145
- Methyl *tert*-butyl ether (MTBE)
 - as cosolvent, 36
- Micelles, 411
- Micelles/pre-micelles, 414
- Microalgae
 - as feedstock source, 51–52, 397–398
- Microemulsification
 - historical aspects, 11
 - and viscosity reduction, 31
- Microemulsions/co-solvent blends
 - component selection, 412
 - engine performance/durability/exhaust emissions, 419–423
 - pre-combustion/combustion chemistry, 418–419
 - TAG/amphiphile/alcohol, 413–418
- Microwave enhanced transesterification
 - for alkali-catalysts, 57
- Middle distillates, 137
- Mines (underground) as future growth area, 312–313
- Mining Safety and Health Administration (MSHA), 313
- Minnesota legislation, 311–312
- Minnesota Trucking Association, 311–312
- Miscibility
 - with petrodiesel, 1
 - transesterification and, 36

M

Mad cow disease. *See* Bovine spongiform encephalopathy (BSE)

Magnesium/calcium, analytical methods, 109

- Mixing-controlled combustion
 - diesel combustion and, 22
- Molar ratio
 - transesterification and, 1–2
- Molecular weight
 - of C₁–C₄ alcohols, 32
- Monoacylglycerol (MAG). *See also* Acylglycerols
 - cold flow properties and, 166–169, 171, 190
 - lubricity and, 222
- Monophasic transesterification
 - for alkali-catalysts, 57
- Mustardseed oil
 - cold flow properties and, 151
- Mutagenicity
 - ultrafine particles and RME, 278–279, 294–296
- Myristic (tetradecanoic) acid
 - properties of (Appendix A), 458

N

- National Agency of Petroleum, Natural Gas, and Biofuels (ANP), 346
- National Biodiesel Accreditation Program, 484
- National Biodiesel Board (NBB), 300, 302–305, 484
- National Mission on biodiesel, 356
- National Oilheat Research Alliance, 312–313
- National Soydiesel Development Board, 300
- Natural clays/silicates, transesterification and, 73
- Natural Resources Canada (NRC), 427
- Neat biodiesel, 219–220, 307
- Neste Oil, 428
- NExBTL (NExt Biomass-To-Liquid), 428
- NO/PM trade-off, Euro III engines and, 131–132
- NOx emissions and. *See* Oxides of nitrogen (NOx)

O

- Octane scale, 138
- Ohio State University, dual fuel project at, 8
- Oil stability index (OSI), 207
- Oleic (9(Z)-octadecenoic) acid, properties of (Appendix A), 459
- Olive oil, cold flow properties and, 151
- On-vehicle blend sensors, analytical methods, 122
- Opium poppy seed oil, 406
- Organization of Petroleum Exporting Countries (OPEC), 300
- Orthorhombic structure, 148

- OSI/Rancimat, 209–210
- Otto Company, 6–7
- Oxidative stability
 - analytical methods, 112–113
 - antioxidants and, 210–212
 - biodiesel and, 3
 - BIOSTAB project and, 212–214
 - determination methods for, 207–210
 - general principles, 205–207
 - iodine value (IV) and, 214
 - Japanese biodiesels and, 370–371
 - quality and, 3
- Oxides of nitrogen (NOx)
 - diesel combustion and, 23, 28
 - emission regulations and, 25
 - emissions
 - diesel filters, 263–265
 - effect of biodiesel source material/additives, 260–263
 - fundamental studies of NOx impact, 257–260
 - NOx emission control catalysts and performance, 266
 - particulate matter (PM), 263–265
 - toxic, 263
 - EPA and, 301
 - life-cycle assessment (LCA) and, 379–380
 - prompt NO, 258–259
 - selective catalyst reduction (SCR) and, 29
 - soybean oil and, 249
- Oxygen, chemical oxygen demand (COD)/biological oxygen demand (BOD₅), 236–238
- Ozone depletion, 378, 381–383

P

- Palm oil
 - Asian markets and, 358–361
 - cold flow properties and, 151
 - Columbia and, 338
 - combustion temperatures and, 406
 - and derivatives from fatty compounds, 180
 - as diesel fuel source (historically), 7–8
 - ethyl ester CN and, 139
 - life-cycle assessment (LCA) and, 386–387
 - properties of esters of (Appendix A), 464
 - tocopherol and, 211
- Palmitic (hexadecanoic) acid, properties of (Appendix A), 459
- Palmitoleic (9(Z)-hexadecenoic) acid, properties of (Appendix A), 459

- Paraguay, 339–340
- Particulate matter (PM) emissions, 22–23, 29.
See also Emissions; Rapeseed methyl esters (RME)
 diesel particle filters and, 263–265
 EPA and, 301
 HD engines and, 255–257
 size distribution of particles (results), 282–289
 types of, 253
- Peroxide value, 209
- Peroxide value (PV), 190
- PERTAMINA, 361
- Peru, 340–341
- Petrodiesel
 biodiesel's advantage over, 2
 carryover elements and analysis, 98
 cetane number (CN) and, 139
 defined/classifications of, 137
 dilution with, 408–411, 408–411
 miscibility with biodiesel, 1
 and viscosity reduction, 31
- Philippines, 357
- Phosphorus
 analytical methods, 110
- Physical properties
 analytical methods
 cetane number (CN), 111–112
 cloud point (CP), 112
 cold-filter plugging point, 112
 cold flow, 112
 density, 112
 distillation temperature, 113
 kinematic viscosity, 111
 lubricity, 112
 oxidative stability, 112–113
 total contamination, 113
 water and sediment, 113
- Plug-flow reactors
 transesterification and, 37
- Pollutant emissions. *See also* Emissions
 life-cycle assessment (LCA) and, 378, 381–383
- Polyaromatic hydrocarbons, 263
- Polycyclic aromatic hydrocarbons, 307
- Poppy seed oil, 406
- Potassium/sodium
 analytical methods, 108–109
 ion exchange resins and, 90–91
- Pour point
 quality and, 3
- Pour point depressants (PPD), 174–175
- Pour point (PP), 162–166
 cold flow properties and, 149–151, 162–166
 effects on biodiesel, 176–177
 and FAME treated with CFI additives, 173–174
 properties of esters of fats/oils (Appendix A), 464–466
 properties of various fats/oils (Appendix A), 463
- Premixed combustion, diesel combustion and, 22
- Presidential Memorandum Circular (MC 55), 357
- Prignitzer Eisenbahn (PE) Arriva, 361
- Prions, 48–49
- Problems
 biodiesel and, 2–3
- Production. *See also* United States, biodiesel in
 acid-catalyzed FAE synthesis
 direct (in situ) transesterification, 58–59
 general principles, 57–58
 alkali-catalysts
 microwave enhanced transesterification, 57
 monophasic transesterification, 57
 alternative biodiesel uses, 401–402
 in Brazil, 342–345, 349
 capacity utilization in EU, 319–320
 commercial processes of catalysis, 79
 current U.S., 394
 direct FA alkyl ester production via pathway engineering, 60
 EU consumption, 321–322
 in Japan, 366–373
 potential in United States. *See* United States, biodiesel in
 transesterification
 bound glycerol, 40–41
 free glycerol, 41
 quality control, 43
 residual alcohol/residual catalyst, 41–42
 storage stability, 42–43
 water/sediment, 42
 uncatalyzed ester production, 59–60
 unit conversions (Appendix C) for, 479–480
 in United States, 302–303
 world vegetable oil production, 396–397
- Prompt NO, 258–259
- Propanediols/acetol (hydroxyacetone), and value-added markets of glycerol, 443, 445–446
- Properties. *See* Cold weather properties

Propylene oxide, and value-added markets of
glycerol, 450

Purification

ion exchange resins

cation (sodium vs. potassium) impact,
90–91

commercial units, 91–94

flowrate impact on capacity/leakage, 90

general principles of experiment, 87–88

glycerol capacity, 89–90

glycerol concentration impact, 90

potassium ion capacity, 88–89

Pyrolysis

alternative biodiesel fuels and, 423–426

historical aspects, 11

and viscosity reduction, 31

Q

Qualified State soybean Boards, 300

Quality

contaminant problems and, 97–98

factors of, 3

historical aspects, 10–11

transesterification

fuel quality, 40

quality control, 42–43

R

Rancimat test, 207–210

Rapeseed (canola) oil, as prime feedstock in
Europe, 8

Rapeseed methyl esters (RME)

cold flow properties and, 151

and competitiveness of Asian market,
358–361

credit procedures of, 377–378

Euro III engines and, 131–132

life-cycle assessment (LCA)

versus diesel fuel for parameters/impact
categories, 380–381

energetic expenditures/emissions, 379–380

rapeseed versus diesel fuel for advantages/
disadvantages, 382–384

as plasticizers, 402

and principle of discrimination sensor,
132–134

properties of esters of (Appendix A), 464–465

ultrafine particles from HD engine

engine and test conditions, 275–277

fuels, 274–275

general principles, 273–274

impact of temperature during dilution,
277–278

mutagenicity assay, 278–279

mutagenicity potency, 294–296, 294–296

Rapid thermogravimetric analysis (TGA),
407–408

Reactions

analytical methods of monitoring

chromatographic/spectroscopic, 115–118
viscometry, 118–119

transesterification, 1–2

Reactors, transesterification and, 37

Refined triglycerides, as traditional feedstock,
47–49

Renewable Energy Directive (RED), 324–325

Renewable Fuels Standard of 2005, 13, 309

Renewable resource, biodiesel as, 2

Rheology, low temperature, 160–161

Residual alcohol/residual catalyst

transesterification and, 41–42

Resources, Internet, 484

Reversed-phase HPLC, 104–105

Ricinoleic acid, properties of (Appendix A), 460

Ricinus communis, 348

Rudolf Diesel: Pioneer of the Age of Power (Nitske
and Wilson), 6

S

Safety

biodiesel and flash point, 2

human health impact decrease, 306–308

Saka-Dadan Process, 368–370

Saskatchewan Research Council (SRC), 427

Scientific Steering Committee of European
Commission, 48–49

Scuffing load ball-on-cylinder lubricity evaluator
(SL-BOCLE), 219–221

Sediment

analytical methods, 113

combustion of diesel engines and, 27–28

transesterification and, 42

Selected ion monitoring (SIM), 102

Selective catalyst reduction (SCR), 29

Selective catalytic reduction (SCR), 266

Sensors

and industrial realization for mass production,
135–136

principle of, 132–134

Singapore, 362

Soap stock (SS), as feedstock source, 53–54

Sodium/potassium, analytical methods, 108–109

- Solubilization, 411
 - Soluble organic fraction (SOF)
 - emissions and, 253–254
 - particulate emissions and, 22–23
 - Soot, emissions and, 253–254
 - South African SANS 1935 (Appendix B), 477
 - South America, biodiesel in
 - Argentina, 335–336
 - Bolivia, 337
 - Brazil, 341–349
 - Chile, 337–338
 - Columbia, 338–339
 - Ecuador, 339
 - legislation summary, 331–333
 - oil content/productivity in, 334
 - Paraguay, 339–340
 - Peru, 340–341
 - Uruguay, 341
 - Venezuela, 341
 - South Korea, 356–357
 - Soybean oil
 - Argentina and, 336
 - cetane number (CN) and, 23
 - CO₂ reduction/environmental impacts of, 309–310
 - cold flow properties and, 151
 - and competitiveness of Asian market, 358–361
 - composition for biodiesel
 - cold flow properties, 247
 - FA/composition, 247–249
 - Ignition Quality Tester (IQT), 247–248, 247–248
 - NOx emissions, 249
 - SG formation, 249–250
 - lubricity and, 221
 - microemulsions/co-solvent blends
 - properties, 419–420
 - as prime feedstock in U.S., 8
 - properties of esters of (Appendix A), 465
 - storage stability and, 43
 - Spirulina platensis*, 425
 - Stability, 42–43. *See also* Oxidative stability
 - Standard Specification for Biodiesel Blend Stock for Distillate Fuels
 - ASTM D6751 (Appendix B), 471
 - Standard Specification for Diesel Fuel Oil, Biodiesel Blend
 - ASTM D7467 (Appendix B), 472
 - Standards
 - analytical (Appendix B), 478
 - Asian biodiesel and. *See* Asia, biodiesel in
 - ASTM D6751 (Appendix B), 471
 - ASTM D7467 (Appendix B), 472
 - Australian (Appendix B), 475
 - Brazilian NBR 15512 (Appendix B), 476
 - cetane number (CN) and, 138–139
 - classes of compounds and, 99
 - cold flow properties and, 148–149
 - corrosion and, 27
 - EN 14213 (Appendix B), 473
 - EN 14214 (Appendix B), 474
 - Euro III engines and, 131–132
 - fuel quality and, 40
 - in Japan, 370–371
 - lubricity, 219–220
 - production/storage issues and, 3
 - sediment and, 27–28
 - South African SANS 1935 (Appendix B), 477
 - viscosity and, 26
 - Stearic (octadecanoic) acid, properties of (Appendix A), 459
 - Sterols
 - analytical methods, 114–115
 - Steryl glucosides (StGs)
 - analytical methods, 115
 - cold flow properties and, 166–167
 - soybean oil and, 249–250
 - Stigmasterol glycoside, 250
 - Stoichiometric mixtures, diesel combustion and, 21–22
 - Storage of diesel
 - oxidative stability and, 206–207, 213
 - Storage stability, transesterification and, 42–43
 - Sulfate, emissions and, 253
 - Sulfated ash, analytical methods, 108
 - Sulfur
 - analytical methods, 109–110
 - impact of presence, 24–25
 - Sunflower oil
 - cold flow properties and, 151
 - and competitiveness of Asian market, 358–361
 - transesterification and, 35
 - Super cetane diesel, 427
 - Survey about biodiesel (NBB), 303–304
 - Sustainable biofuels, regulation for standard
 - production of biomass, 327–329
- ## T
- t*-butylhydroquinone, storage stability and, 42–43
 - Taiwan, 356–357

Taxation of biofuels, 131

Temperature

- balance-point, 264
- cloud point (CP) and, 3, 25–26
- cold flow properties and, 148–150
- critical solution temperature (CST), 412
- distillation, 113
- emissions and, 257–258
- flashpoint and, 28
- low temperature operation and, 25–26
- low temperature rheology, 160–161
- NOx emissions and, 23
- of phase separation (T_[N]), 414–415, 417–418
- and principle of discrimination sensor, 133, 136
- and properties of C₁–C₄ alcohols, 32
- and pyrolyzation to sediment, 27–28
- ultrafine particles in HD engines and, 277–278, 283–287, 293–294

Ternary phase diagram, 413–414

Tests. *See* Oxidative stability

Tetrahydrofuran (THF), as cosolvent, 36

Thailand, 357

Thermal methods of determining oxidative stability, 207–210

Thermodynamics, Diesel, Rudolph and, 5

Thermogravimetric analysis (TGA), 209

Throttle, diesel combustion and, 21–22

Tier 1/2 testing, 301, 307

Tocopherols, 210–212

Total contamination, 113

Total hydrocarbon (THC), as emission, 253

Toxic emissions, 263. *See also* Emissions

acute aquatic studies

D. magna/rainbow trout, 241–243

University of Idaho static nonrenewal/flow-through, 243–245

acute dermal studies, 239–241

acute oral studies, 239–240

toxicity test protocol, 238

toxicity test results, 245–246

Transesterification

acceleration of, 36

acid-catalyzed pretreatment, 38–40

advantages of hybrid fuel formulation over, 429

catalysis

acid catalysis, 73

base catalysis, 71–73

enzyme catalysis, 74–78

general principles, 70–71

metallic catalysts, 73–74

natural clays/silicates, 73

Chavanne's patent of ethyl esters and, 12 defined, 1–2

fuel quality and, 40

general principles, 31–36

historical aspects, 10

industrial production, 36–38

postproduction factors

quality control, 43

storage stability, 42–43

water/sediment, 42

production process factors

bound glycerol, 40–41

free glycerol, 41

residual alcohol/residual catalyst, 41–42

reason for, 3

Trap grease, as feedstock source, 54

Triacylglycerols

cetane number (CN) and, 138

chemical make-up of, 1

transesterification and, 33

Triglycerides, as traditional feedstock, 47–49

Tung oil, 11

U

UCOME, 190

Ultra-low sulfur petrodiesel fuel

EPA and, 301

lubricity and, 224–225

regulations and, 219

Ultrafine particles. *See* Rapeseed methyl esters (RME)

Uncatalyzed ester production, 59–60

Underground mines, 312–313

Unit conversions (Appendix C)

agricultural production and, 479

biodiesel production and, 479–480

energy content (heating value) and, 480

exhaust emissions and, 480

fuel consumption and, 480–481

United Nations World Health Organization (WHO)

on safety of animal fats, 48–49

United States, biodiesel in

after-treatment technology, 308

CO₂ reduction/environmental impacts, 309–310

consumption/sources of consumption, 391

economic development, 310

- energy security, 304–306
- future growth areas, 312–313
- historical aspects, 299–301
- human health impact decrease, 306–308
- industry status (2009), 302–303
- Internet resources for, 484
- NBB survey, 303–304
- potential production
 - agriculture, 391–393
 - current edible fats/oils production, 394
 - current edible fats/oils usage, 394–395
 - improvement of, 396
 - microalgae, 397–398
 - present dependency on petroleum, 391
 - use of petrodiesel, 393–394
 - “used oil”, 395–396
 - world vegetable oil production, 396–397
- reduction of foreign oil dependency, 304–306
- since 2004 (EPA requirements), 301–302
- since 2004 (market drivers), 303–304
- state legislation, 310–312
- subsidy policy, 323
- tripartite effort with EU, 349
- Upgrading fuels via hydroprocessing, 426–428
- Urea selective catalytic reduction (SCR), 266
- Uruguay, 341
- U.S. Department of Agriculture (USDA), 300
- U.S. Department of Energy, 484
- U.S. Environmental Protection Agency (EPA).
 - See also* Emissions
 - cold flow properties and, 161
 - emissions and, 253
 - NOx emissions and, 29
 - sulfur levels and, 25
- U.S. Food and Drug Administration (FDA), on
 - safety of animal fats, 48–49

V

- Vacuum distillation, 190–191
- Variant Creutzfeldt-Jacob disease (vCJD), 48–49
- Venezuela, 341
- Viscometry, as analytical methods of monitoring
 - reactions, 118–119
- Viscosity
 - analytical methods
 - kinematic, 106–107, 111

- cold flow properties and, 151
- combustion of diesel engines and, 26
- general principles, 143
- historical aspects, 10
- kinematic, 149
- petrodiesel/biodiesel and, 3
- properties of esters of fats/oils (Appendix A), 464–466
- properties of various fats/oils (Appendix A), 463
- transesterification. *See* Transesterification
- values of, 143–145
- Volatile organic fraction (VOF)
 - emissions and, 253

W

- War
 - impact of Desert Storm War, 300, 304
 - Iraq invasion of 2003, 301
 - vegetable oils as emergency fuels in, 8
- Water
 - analytical methods, 113
 - contaminant problems and, 98
 - hydrolytic degradation, 205
 - transesterification and, 34–35, 42
- Water-washing compared with ion exchange
 - resins, 94–95
- Wax appearance point (WAP), cold flow
 - properties and, 149
- Wax crystallization modifiers (WCM), 175–176
- Wear scars, 221–223. *See also* Lubricity
- Western blotting
 - and safety of animal fats, 48–49
- Working Group for Quality Management of
 - Biodiesel, 484

Y

- Yellow grease
 - cetane number (CN) and, 23
 - companies dealing with, 395

Z

- Zeldovich (thermal) pathway, NOx emissions
 - and, 23
- Zinc dialkyl dithiophosphates (ZDDP), and
 - aged biodiesel, 226