

# Index

- A**
- AA spectroscopy, *see* Atomic absorption spectroscopy
- ABWR, *see* Advanced Boiling Water Reactor
- Acetobacter* bacteria, 340
- Acid rain  
control, 228  
precursor to, 144
- Acreage Reduction Program, corn demand and, 326
- Actinide isotopes, 480
- Adaptive enzymes, 355
- Adenosine triphosphate (ATP), 329
- Adiabatic reactors, model for, 72
- Adiabatic temperature rise, 30
- Advanced Boiling Water Reactor (ABWR), 469
- Advanced Pressurized Water Reactor, 469
- AFC, *see* Alkaline fuel cells
- Aggregatively stable suspension, 132
- Aggregative stability, slurry, 132
- Agricultural lignocellulosic feedstocks,  
conversion of, 350–355  
acid or chemical hydrolysis, 352–354  
enzymatic hydrolysis, 354–355
- Air-blown circulating fluidized bed gasifier, 383
- Air Products and Chemicals Inc., liquid-phase  
methanol process, 319
- Albite, thermochemical properties of, 256
- Alcohol(s)  
fermentative, 367  
grain, 310  
industrial, manufacture of, 345  
isopropyl, 310  
pollution-free, 348  
rubbing, 310  
wood, 310
- Alicyclic hydrocarbons, 203
- Alkali metal salts, steam gasification reaction and, 33
- Alkaline fuel cells (AFC), 499, 508–510
- Alkylindoles, shale oil, 263
- Alkylpyridines, shale oil, 263
- Alkylpyrroles, shale oil, 263
- Alkylquinolines, shale oil, 263
- Alternative fuel(s)  
alcohols included in, 154  
competitiveness of, 17  
conversion of biomass into, 381  
ethanol as, 326–331  
Clean Air Act Amendments of 1990, 327  
ethanol production from corn, 328–331  
industrial significances of grain ethanol, 326
- American Society of Plastics Industry (SPI), 403, 404
- American Society for Testing and Materials (ASTM), 263–264  
ASTM D2887 procedure, 264  
molecular weight standards, 181  
precipitation naphtha, 187
- Amine and carbonate processes, 49
- AMOCO, 102, 226
- Amylase, 329
- Anaerobic digestion, 389, 397, 398
- Analcite, thermochemical properties of, 256
- Anderson–Schulz–Flory (ASF) distribution, 111
- Anilides, shale oil, 263
- Ankerite, thermochemical properties of, 256
- Antisolvent deashing (ASDA) process, 101, 102
- Antrim shale, 287, 288
- API gravity, 177, 179, 198
- Arab oil embargo, 226
- Archaea*, 53
- ARCO, oil shale development by, 226
- Arge Process, 164
- Aromatics, 117, 186, 204
- ASDA process, *see* Antisolvent deashing process
- ASF distribution, *see* Anderson–Schulz–Flory distribution
- Asphaltene(s), 172, 186, 204  
content  
precipitation number and, 187  
tests for, 180  
fraction  
naphthenic ring systems in, 183  
polycyclic aromatic systems in, 184  
molecular weights of, 182  
separation, 187  
thermal decomposition of, 183
- ASTM, *see* American Society for Testing and Materials
- Atgas molten iron coal gasification, 38, 70
- Athabasca bitumen  
delayed coking, 212  
LC-fining process feedstock, 217

- synthetic crude oil from, 213
  - visbreaking, 210
  - Atmospheric distillation tower, 175
  - Atomic absorption (AA) spectroscopy, 179
  - ATP, *see* Adenosine triphosphate
  - ATR, *see* Autothermal reforming
  - Autohydrolysis steam explosion, 357
  - Automobile exhaust emissions, 325
  - Autothermal reforming (ATR), 312, 515
  - Aviation fuel, 339
  - Avicel, 362
  - Azeotropic distillation, 330
- B**
- Backward burning, 54
  - Balanced gas, 37, 311
  - Ballard Power Systems, 504, 508
  - Balneology, 436
  - Baltic shales, 246
  - BASF
    - higher alcohol synthesis, 120
    - methanol synthesis technology by, 310
  - Battelle Science & Technology International, 66
  - Beer, pasteurized, 348
  - Bergius-IG hydroliquefaction process, 92
  - BFW, *see* Boiler feed water
  - BIGCC, *see* Biomass integrated gasification combined cycle
  - Binary cycle geothermal power plant, 432, 433
  - Biocoal, 384
  - Bioenergy, popularity of, 228
  - Bioethanol, 323, 370
  - Bioflow Gasifier, 383
  - Biogas, 389
    - feedstocks, comparison of, 390
    - production, use of cow manure for, 389
  - Biological oxygen demand (BOD), 331
  - Biomass
    - common method of gasifying, 383
    - definition of, 377
    - energy balance for ethanol production from, 370
    - energy generation utilizing, 22
    - integrated gasification combined cycle (BIGCC), 382–383
    - to-liquid (BtL) plant, 385
    - program, factors, 380
    - utilization, international, 378
    - waste, digestion of mixed, 391
  - Biomass conversion, energy from, 377–393
    - anaerobic digestion, 389–391
    - thermal conversion, 381–389
      - direct combustion, 381
      - gasification, 381–386
      - liquefaction, 386–387
      - pyrolysis, 387–389
  - Bio-oil, 385
  - Bioslurry, 385
  - Biosyn Inc., gasification process, 386
  - Bitumen, 197
    - Athabasca deposit, 198, 200
    - carbon rejection, 207, 208
    - coking processes, 211
    - commercial conversion of, 200
    - conversion
      - Lurgi process applied to, 207, 215
      - new processes for, 218
    - definition of, 198
    - deposits, 154
    - diluted, transport of, 219
    - distillation data, 205
    - hydrocarbon content, 203
    - hydrogen addition, 207, 208
    - hydrogen deficiency of, 200, 209
    - hydrotreating processing parameters, 209
    - in situ* recovery processes, 210
    - oil sand, 198
    - pour point, 205
    - properties, 199, 202–205
      - chemical composition, 203
      - elemental composition, 202–203
      - fractional composition, 204
      - physical properties, 204–205
      - thermal reactions, 204
    - recovery, 205–207
    - reserves, extra heavy oil in, 200
    - separation processes, 208
    - specific gravity of, 204
    - upgrading, 208, 216
    - visbreaking, 204, 208, 210
    - volatility, 199
  - Bituminous coal, liquefaction process
    - development, 110
  - Bituminous sand, 154, 197, 198
  - Black Mesa pipeline, 141–142
  - Black shale, 225
  - Blended gasoline, RVP and, 337
  - BNL, *see* Brookhaven National Lab
  - BOD, *see* Biological oxygen demand
  - Boiler feed water (BFW), 59, 314, 315
  - Boiler fuel, 231
  - Boiling point analysis, 263
  - Boiling range distribution, petroleum, 263
  - Boiling water reactor (BWR), 462, 463
  - Boltzmann constant, 485
  - Boudouard reaction, 33, 73, 302, 303
  - BP, *see* British Petroleum
  - BR, *see* Breeding ratio

- Breeding ratio (BR), 458  
 Brine-handling technology, 439  
 British Gas Corporation, HICOM process, 30  
 British Petroleum (BP), 155, 225–226  
 Brookhaven National Lab (BNL), 388, 439, 451  
 Brown coal, 138  
 Brownian motion, 127  
 Brown shale, 225  
 BtL plant, *see* Biomass-to-liquid plant  
 Bush administration, synfuels development under, 228  
 Butane precipitation, 189  
 BWR, *see* Boiling water reactor
- C**
- CAAA, *see* Clean Air Act Amendments  
 Caking coals, 44, 45  
 Calcination, 255, 256  
 Calcite, thermochemical properties of, 256  
 California blackouts, 227  
 Calorific value (CV), 277  
 Camborne School of Mines, 439  
 Canada-Cities Service Ltd., 220  
*Candida brassicae*, 364  
 CANDU reactors, 463  
 CANMET hydrocracking process, petroleum  
   resids and, 121  
 Carbenes, 185, 188  
 Carboids, 185, 188  
 Carbon  
   fouling, 29  
   -oxygen reaction, 35  
   rejection process, production of liquid fuels  
     from bitumen by, 207, 208  
   -steam reactions, mechanisms, 32  
 Carbona Inc., 63  
 Carbon dioxide  
   emissions, sources of, 16  
   gasification, 33–34  
   retorting process, 282  
 Carbonization, 411  
 Catalyst(s)  
   Cu-based, 310  
   deactivation, 101  
   effectiveness, 29  
   fouling, coking and, 65  
   GelCat™, 107  
   loading, 65  
   methanation reaction and, 30  
   methanol synthesis, 304  
   nickel, 65  
   platinum-ruthenium, 521  
   recovery unit, 67  
   reforming, sulfur poisoning and, 318  
   steam gasification, 66  
   sulfur tolerance of, 30  
   water gas shift, 113  
   zeolite, 168, 310  
   ZSM-5, 113, 117  
 Catalytic coal gasification, 64  
 Catalytic cracking, 406–408  
 Catalytic distillation (CD), 308  
 Catalytic polymerization, 119  
 Catalytic two-stage liquefaction (CTSL), 105–108  
   flow diagram, 108  
   Hydrocarbon Research, Inc., 106–107  
   Wilsonville, 107–108, 109  
 CC-ITSL, *see* Close-coupled ITSL  
 CCT, *see* Clean coal technology  
 CD, *see* Catalytic distillation  
 Cellobiose, 355, 360, 362  
 Cellulase  
   adsorption, 361  
   composition of, 360  
   enzymes, 356  
 Cellulose, 331  
   conversion, 353  
   hydrolysis, 332, 350, 361  
 Cellulosic wastes, conversion of, 349  
 Cesium isotopes, 480  
 Char, 82  
   combustion, 75, 145  
   conversion, 75  
   volatile hydrocarbons in, 82  
 Chemical ethanol, 323  
 Chemical Market Associates, Inc. (CMAI),  
   114–115  
 Chem Systems Inc., liquid-phase methanol  
   process, 319  
 Chernobyl  
   accident, 481, 482  
   reactor, 463  
 Chevron  
   fixed-bed hydrocracking, 98  
   retort system, 281  
 China, largest coal producer in, 114  
 China Power Investment Corp (CPIC), 227  
 Chlorinated polyvinylchloride (CPVC), 354  
 Cladding, 453  
 Claude process, 516  
 Clean Air Act, 119  
 Clean Air Act Amendments (CAAA), 325, 326  
   ethanol production and, 326  
   reformulated gasoline program, 327  
   RFG requirements, 336  
 Clean coal technology (CCT), 228  
 Clean coke process, 89, 90  
 Clinch River reactor, 464

- Clinton administration, energy prices under, 228
- Close-coupled ITSL (CC-ITSL), 105
- Close-coupled turbine, 381
- Closed-loop system, 437
- Clostridium thermocellum*, 360, 362
- CMAI, *see* Chemical Market Associates, Inc.
- CMF, *see* Coal-methanol fuel
- CMW, *see* Coal-methanol-water
- CO
- hydrogenation
    - CO<sub>2</sub>-free syngas reaction and, 302
    - methanol synthesis and, 300
  - poisoning, 518
  - rich synthesis gas, 50
- Coagulated suspension, 132
- Coal(s)
- bituminous, liquefaction process
    - development, 110
  - brown, 138
  - caking, 44, 45
  - char gasification, kinetic data of, 74
  - char particles, gasified, 75
  - consumption, world, 14–15
  - coprocessing, definition of, 120
  - decomposition, 52
  - devolatilization, 42, 75
  - direct liquefaction of, 89
  - German, 92
  - hydrophilicity, 137–138
  - Illinois No. 6, 107
  - in situ* gasification of, 51
  - liquefaction, process objectives of, 82
  - lock hopper, 42
  - methanol fuel (CMF), 127
  - methanol-water (CMW), 127
  - most reactive, 45
  - oil dispersions (COD), 127
  - oil mixtures (COM), 127
    - burning characteristics, 145
    - combustion, stages of, 145
  - oil-water (COW), 127
  - oxidation, 36
  - partial oxidation, 35
  - pipeline scheme, offshore, 142
  - primary consumption of, 13
  - projected energy market share of, 16
  - pyrolysis processes, 82, 83
  - rank, 53, 75
  - run of mine, 141
  - sacrificial, 44
  - seam, permeability of, 53
  - slurries, economical, 128
  - slurry feed, 50
  - solvent refined, 94
  - transformation, 74
  - water fuels (CWF), 127
  - water mixtures (CWM), 127, 137, 138
    - advantage of, 144
    - coastal shipping of, 147
    - greatest potential use for, 147
    - ignition of, 146
    - ionic strength of water in, 138
    - transportation of, 144
  - water-oil (CWO), 127
  - water slurries (CWS), 127
  - water slurry fuels (CWSF), 125, 127, 137
    - burning characteristics, 145
    - combustion mechanism, 144, 146
    - use in diesel engines, 146
  - water slurry pipeline system(s)
    - particle sizes in, 140
    - selection, 143
  - weathered, oxidation of, 148
  - world recoverable reserves of, 13
  - Wyodak, 87
- Coal, clean liquid fuels from, 81–123
- background, 82
  - coal and oil coprocessing, 120–121
  - coal pyrolysis, 82–89
    - clean coke process, 89
    - Coalcon process, 89
    - COED process, 83–85
    - Lurgi-Ruhrgas process, 87–88
    - occidental flash pyrolysis process, 88
    - TOSCOAL process, 85–87
  - direct liquefaction of coal, 89–108
    - Bergius-IG hydroliquefaction process, 92
    - catalytic two-stage liquefaction, 105–108
    - evolution of liquefaction technology, 108
    - Exxon donor solvent process, 96–97
    - H-Coal process, 92–94
    - nonintegrated two-stage liquefaction, 97–99
    - solvent refined coal, 94–96
    - SRC-II process, 97
    - thermal integrated two-stage liquefaction, 99–105
  - indirect liquefaction of coal, 108–120
    - conversion of methanol to gasoline or target hydrocarbons, 116–119
    - conversion of syngas to methanol, 114–116
    - Fischer-Tropsch synthesis for liquid hydrocarbon fuels, 109–114
    - higher alcohol synthesis, 119–120
- Coal & Allied Industries, 147
- Coal gasification, 25–79, 154
- background, 26–28
  - future of, 76
  - hydrogen production and, 516

- mathematical modeling of coal gasifiers, 72–76
- reaction(s), 30–38
  - carbon dioxide gasification, 33–34
  - catalytic activity of alkali metals on, 33
  - hydrogasification, 34–35
  - partial oxidation, 35–36
  - steam gasification, 31–33
  - steps, 27
  - water gas shift reaction, 36–38
- syngas classification based on its heating value, 28–30
  - high-Btu gas, 29–30
  - low-Btu gas, 29
  - medium-Btu gas, 29
- syngas generation, 38–72
  - classification of gasification processes, 38–39
  - gasification processes, 41–72
  - general aspects of gasification, 40–41
  - historical background, 39–40
- Coal slurry fuel, 125–152
  - advanced transportation of coal slurry, 140–143
  - coal-oil slurry, 139–140
  - coal slurry characterization, 127–137
    - interparticle interactions, 132–137
    - particle size distribution, 128–129
    - rheology, 130–132
    - stability, 132
    - suspension types, 132
  - coal-water slurry, 137–139
  - combustion, 145–147
  - environmental issues, 143–145
  - recent advances, 147–148
- Coarse-particle systems, 127
- COD, *see* Coal-oil dispersions
- COED process, 83–85, 86
- Coke
  - combustion of, 274
  - yields, predicted, 207
- Coker/Calciner, 95
- Coking
  - catalyst fouling and, 65
  - delayed, 192, 211, 212, 216, 218
  - fluid, 192, 211, 213, 218
  - partial, 215
  - processes, 211
  - resids and, 191
- COLIRN panel assessment, 108
- Colloidal dispersed systems, 127
- Colloid stability, DVLO theory of, 136
- Colorado oil shale, self-ignition temperatures of, 251
- COM, *see* Coal-oil mixtures
- Combustion
  - control, product gas quality and, 56
  - gasification zone, 274
  - pipeline scheme, domestic, 141
  - zone, 43
- Commonwealth Scientific and Industrial Research Organization (CSIRO), 52
- Conradson carbon residue, tests for, 180
- Consolidation Coal Company, 140
- Constitutive enzyme, 355
- Corn
  - to-alcohol process, schematic of, 336
  - dry milling operations, 328
  - ethanol, net energy value of, 327
  - to-ethanol process technology, 333–336
  - oil, 334
  - refineries, 328
  - stover, ground, 353
  - sugar, 335
  - sweeteners, 326
  - syrup technology, 324
  - wet milling industry
    - operations, 328
    - process, 334
    - products of, 325
- Corn, ethanol from, 323–341
  - chemistry of ethanol fermentation, 331–333
    - conversion of sugars to ethanol, 332–333
    - sugar contents of biological materials, 331–332
  - corn-to-ethanol process technology, 333–336
  - ethanol as alternative fuel, 326–331
    - Clean Air Act Amendments of 1990, 327
    - ethanol production from corn, 328–331
    - industrial significances of grain ethanol, 326
  - ethanol as oxygenated fuel, 336–338
  - ethanol vehicles, 338–339
  - fuel ethanol from corn, 323–326
  - use of ethanol other than as renewable fuel, 340
- Cornstarch, production of dextrose from, 324
- Cotton, raw, 355
- COW, *see* Coal-oil-water
- CPIC, *see* China Power Investment Corp
- CPVC, *see* Chlorinated polyvinylchloride
- Cracked reactor gases, 214
- Cracking distillation, 176
- Critical Solvent Deashing (CSD), 95, 102
- Cross-flow coal gasifier, 73
- Crude oil(s)
  - alternative feedstock to, 154
  - demand for, 218, 219
  - distillation data, 205
  - gravity and, 179

- heat of combustion of, 181
  - hydrocarbon content, 203
  - metallic constituents in, 185
  - polycyclic aromatic hydrocarbons in, 183–184
  - properties of, 199
  - synthetic, 213
  - Tia Juana, 174
  - CSD, *see* Critical Solvent Deashing
  - CSIRO, *see* Commonwealth Scientific and Industrial Research Organization
  - CTSL, *see* Catalytic two-stage liquefaction
  - Cu-based catalyst, 310
  - Cunard ship company, coal-oil slurries used by, 126
  - Current collectors, 498
  - CUTEC, oxygen-blown circulating fluidized bed gasifier, 384
  - CV, *see* Calorific value
  - CWF, *see* Coal-water fuels
  - CWM, *see* Coal-water mixtures
  - CWO, *see* Coal-water-oil
  - CWS, *see* Coal-water slurries
  - CWSFs, *see* Coal-water slurry fuels
  - Cyclic amides, shale oil, 263
  - Cyclones, 50
  - Cyclone separators, 334
  - Cynodon dactylon*, 390
- D**
- DAF corn stover, *see* Dry ash-free corn stover
  - Darcy flux, oil shale permeability and, 241
  - Darcy's law, permeability and, 240–241
  - Davidson-Harrison type models, 74
  - Davy Power Gas Inc., 58
  - Dawsonite
    - decomposition of, 255
    - description of, 277–278
    - thermochemical properties of, 256
  - DDG, *see* Distiller's dried grains
  - Deasphalted oil, fractionation of, 188
  - Degradative extrusion, 408
  - Dehydration, ethanol fuel production and, 330
  - Delayed coking, 192, 211, 212, 216, 218
  - Delayed neutron precursor, 457
  - Density, definition of, 179
  - Destructive distillation, 82
  - De-superheater, 438
  - Developed proved reserves, 5
  - Devolatilization, 145
  - Devonian-Mississippian eastern black shale deposits, 233
  - Devulcanization process, 414–415
  - Dewatering, offshore coarse coal pipeline scheme with, 142
  - Dextrins, 329
  - Dextrose, 324, 335
  - Dielectric constant
    - frequency and temperature dependence of, 260, 261
    - variations of, 259
  - Diesel-fueled engines, use of ethanol on, 339
  - Differential thermal analysis (DTA), 244, 253
  - Dilute acid hydrolysis processes, 356
  - Dilute acid prehydrolysis, 357
  - Dimethylether (DME), 109, 117, 119, 168, 309
    - formation reaction, 119
    - methanol and, 308
    - MTG reactions and, 117
    - processes, 158
    - reactor, 117
    - synthesis of, 309
    - use in internal combustion engines, 320
  - Direct methanol fuel cells (DMFCs), 298, 521
    - recent developments in, 320
    - stack, 521
    - uniqueness of, 310
  - Direct steam cycle geothermal power plant, 430, 431
  - Dirty bombs, 484
  - Dispersants, slurry stability and, 141
  - Dispersed catalyst processes, 193
  - Dissolver reactor, 95
  - Distilled mash, 330
  - Distiller's dried grains (DDG), 330
  - District heating systems, 435
  - DME, *see* Dimethylether
  - DMFCs, *see* Direct methanol fuel cells
  - DOE, *see* U.S. Department of Energy
  - Dolomite, 237, 255
    - decomposition of, 238, 242
    - full calcination of, 242, 256
    - half-calcination of, 242, 256
    - thermochemical properties of, 256
  - Dow Chemical Co.
    - HAS process, 120
    - oil shale development by, 226
    - PEMFC performance levels, 504
    - retorting process, 287–288
  - Down-flow reactors, hydrotreating in, 214
  - Dry ash-free (DAF) corn stover, 382
  - Dry ash gasification, 41
  - Dry-ash gasifier, 44
  - Dry natural gas, 11, 156
  - Dry steam, 431
  - DTA, *see* Differential thermal analysis
  - Dual catalytic system, 309
  - Dual fuel system, 339

DuPont, trade mark for polytetrafluoroethylene, 354  
 DVLO theory of colloid stability, 136  
 Dynamic stability, slurry, 132

## E

- Eastman Chemical Co., liquid-phase methanol process, 319
- E10 blend, 323
- ECLP, *see* Exxon Coal Liquefaction Plant
- Edison Electric Institute (EEI), 94
- EDL, *see* Electrical double layers
- EDS process, *see* Exxon donor solvent process
- EEI, *see* Edison Electric Institute
- Effluent gases, cooling of, 159
- EI, *see* Evaporative index
- EIA, *see* Energy Information Administration
- Eichhornia crassipes*, 390
- Einstein equation, 131
- ELA, *see* Extremely low acid
- Electrical double layers (EDL), 133, 134
- Electric Power Research Institute (EPRI), 102, 119, 147, 439
- Electrodes, 494
- Electron microprobe analysis (EMPA), 238
- Electron spin resonance (ESR), 236
- Electrostatic precipitator (ESP), 48, 58, 384
- Emden–Meyerhof pathway, glucose metabolism, 329
- Emerging economies, 9
- EMPA, *see* Electron microprobe analysis
- Energy
- consumption, U.S., 22
  - fission generated, 444, 445
  - nuclear, 16, *see also* Nuclear energy
  - related crises, examples of, 227
  - renewable, 17, 423
    - benefits of, 17
    - competitiveness of, 17
    - geothermal energy as, 422
    - utilization cycle, 1
- Energy Information Administration (EIA), 4, 13
- Energy Performance Systems Inc., close-coupled system, 381
- Energy Policy Act, 344
- Energy Resources Company (ERCO), 387, 388
- Energy Security Act, 228
- Entrained flow reactor, 39
- Enzymatic hydrolysis, 350
- Enzymatic processes, 355–367
- cellulose hydrolysis, 361–363
  - enzyme production and inhibition, 360–361
  - fermentation, 363–367
  - pretreatment, 355–359
- Enzyme
- hydrolysis, fungal, 356
  - recycling schemes, types of, 365
- EPA, *see* U.S. Environmental Protection Agency
- EPRI, *see* Electric Power Research Institute
- Equation
- Anderson–Schulz–Flory, 163
  - ASF distribution equation, 111–112
  - Einstein, 131
  - linear Boltzmann, 447
  - nonlinear Boltzmann, 447
  - Soave–Redlich–Kwong, 308
  - Stokes', 128
  - transport, 447
- Equilibrium constants, gasification reactions, 31, 32
- Equity Oil Co. retorting process, 285
- ERCO, *see* Energy Resources Company
- Escherichia coli*, 362, 367
- ESP, *see* Electrostatic precipitator
- ESR, *see* Electron spin resonance
- Esterification hydrolysis process, 345
- ETBE, *see* Ethyl-*tert*-butyl ether
- Ethanol, *see also* Corn, ethanol from; Lignocellulosics, ethanol from
- chemical, 323
  - conversion to hydrogen, 340
  - dry milling operations, 328
  - economy, 5
  - extraction during fermentation, 367, 368
  - feedstocks, grains as, 347
  - fermentation, 346
  - fermenter, 348, 349
  - grain, 323
  - main uses for, 345
  - plants, wide-gap heat exchanger for, 348
  - production
    - cost of, 371, 372
    - net energy value of, 328
    - sugar sources for, 325
  - Reid vapor pressure of, 323–324, 337
  - research octane number of, 338
  - separation, 335
  - wet milling operations, 328
- Ethyl acetate, familiar application of, 340
- Ethyl-*tert*-butyl ether (ETBE), 28, 325, 337
- Ethyl sulfate process, 345
- EU landfill directive, *see* European Union landfill directive
- Eureka process, delayed coking and, 216
- European Hot Dry Rock Industries, 439
- European Union (EU) landfill directive, 396
- Evaporative fuel emission, 308
- Evaporative index (EI), 120
- Expanded-Bed Hydrocracker, 95

- Experimental Breeder Reactor, 464
- Ex situ* retorting processes, 267–282
- advantages of, 268
  - carbon dioxide retorting process, 282
  - Chevron retort system, 281
  - disadvantages of, 268
  - Lurgi-Ruhrgas process, 276–277
  - moving bed retorting process, 282
  - Paraho gas combustion process, 278–280
  - Petrosix retorting process, 280–281
  - Superior multiminerall process, 277–278
  - TOSCO II oil shale process, 269–274
  - Union Oil retorting process, 274–275
  - U.S. Bureau of Mines gas combustion retort, 268–269
- Extremely low acid (ELA), 358
- Exxon
- Black Sunday, 226
  - Coal Liquefaction Plant (ECLP), 97
  - donor solvent (EDS) process, 96
  - oil shale development by, 226
- ExxonMobil
- AGC-21 process, steps of, 167
  - commercial-scale plant design, 67
- F**
- Fast fission factor, 451
- Fast Fuel Test Facility (FFTF), 464
- FERCO SilvaGas process, 384
- Fermentation, 329, 363–367
- comparison between SSF and SHF processes, 365–366
  - ethanol extraction during, 367, 368
  - feedstocks, 323
  - separate hydrolysis and, 363–364
  - simultaneous saccharification and, 364–365
  - syrups made through, 335
  - xylose, 366–367, 371
- FFTF, *see* Fast Fuel Test Facility
- FID, *see* Flame ionization detector
- Fire-drift, 55
- Fischer assay
- carbon dioxide retorting and, 282
  - mass fraction of kerogen and, 262
  - oil shale, 239, 242, 246
  - self-ignition temperature and, 252
  - yield, TOSCO II, 271
- Fischer-Tropsch catalysis, 112
- Fischer-Tropsch naphtha, 158
- Fischer-Tropsch process(es), 160–167
- catalysts, 163
  - chemistry, 161–163
  - commercial processes, 163–167
  - description, 160–161
  - feature common to, 166
  - polymerization and, 163
  - products, 163
  - reaction conditions, 161
- Fischer-Tropsch (F-T) reactors, 113, 384
- Fischer-Tropsch synthesis (FTS), 29, 109, 160
- iron catalysts for, 112
  - liquid hydrocarbon fuels and, 109–114
  - maximum selectivities attainable by, 112
- Fischer-Tropsch technology
- latest development of, 164
  - liquid fuels produced by, 157
- Fission
- energy distribution of neutrons produced in, 447
  - generated energy, distribution of, 444, 445
  - produced neutrons, 459
  - products, 446, 480
- Fixed-bed hydrocracking, 98
- Fixed bed reactor, 38
- Flame ionization detector (FID), 264
- Flash pyrolysis, 385
- Flash steam cycle, 431, 432
- Flexible-fuel vehicles, 339
- Flexicoking, 192, 215
- Fliesskhloe, 126
- Flocculated suspension, 132
- Flocs, 132
- Flue gas, heat content of, 314
- Fluid coking, 192, 211, 213, 218
- Fluidized bed reactor, 39, 74
- Fluidized thermal cracking (FTC), 411
- FMRT laboratory test plant, 405
- Former Soviet Union (FSU) nations, 9
- Forward burning, 54
- Freeze wall, creation of, 290
- FSU nations, *see* Former Soviet Union nations
- FTC, *see* Fluidized thermal cracking
- F-T reactors, *see* Fischer-Tropsch reactors
- FTS, *see* Fischer-Tropsch synthesis
- Fuel(s)
- air mixture knocking, 338
  - aviation, 339
  - boiler, 231
  - demand for, 1
  - energy densities, 126
  - ethanol, common use of, 338
  - gaseous, 397
  - hydrogen, popularity of, 228
  - IGCC companion, 320
  - line, vapor lock, 308
  - nuclear reactor, 460
  - oxygenated, 336, 337
  - refuse-derived, 396
  - tired-derived, 409

- transportation, 82
  - types, world energy consumption, 1, 2
  - waste-derives, heating values of, 396
- Fuel cell(s), 493–523
- alkaline, 499, 508–510
  - Ballard, 508
  - basic concepts, 494–497
    - cell voltage, 497
    - design characteristics, 494
    - operation, 494–495
    - thermal efficiency, 496–497
  - bipolar separator plates, 498
  - characteristics of, 500–501
  - classification, 499
  - current performances, 518–520
    - cost, 518–519
    - environmental impact, 519–520
    - operational issues, 518
  - direct methanol, 521
  - energy conversion processes for, 496
  - fuel cell system, 498–501
    - fuel cells classification, 499–501
    - general description, 498
  - generic, 495
  - high temperature fuel cells, 511–513
    - molten carbonate fuel cells, 511–512
    - solid oxide fuel cells, 512–513
  - hydrogen production and storage, 514–517
    - hydrogen production, 514–516
    - hydrogen storage, 516–517
  - hydrogen-rich fuels used for, 518
  - intermediate temperature solid oxide, 499
  - invention of, 494
  - low-temperature fuel cells, 502–511
    - alkaline fuel cells, 508–510
    - phosphoric acid fuel cells, 510–511
    - proton exchange membrane fuel cells, 502–508
  - molten carbonate, 499, 511–512
  - phosphoric acid, 499, 510–511
  - power conditioner, 498
  - proton exchange membrane, 499, 502
  - reforming process, 495
  - research and development issues, 520–521
  - separator plates, 498
  - solid oxide, 499, 512–513
  - stack, 498, 521
  - tubular solid oxide, 499
- Fugitive dust emission, 234–235
- Full calcination of dolomite, 256
- Fungal enzyme hydrolysis, 356
- Fushun retorts, 227
- Fusion power plant, 487
- FZK process, 385
- ## G
- Gas(es)
- balanced, 37, 311
  - combustion retort, 268, 269, 274
  - cooled fast reactor (GFR), 470
  - cracked reactor, 214
  - effluent, cooling of, 159
  - flue, heat content of, 314
  - greenhouse, 344, 396, 519, 520
  - high-BTU, 28, 29, 38
  - hydrogen-rich, 165
  - to-liquids (GTL) technology, 158
  - low-BTU, 28, 29, 38
  - manufactured, 26, 400
  - medium-BTU, 28, 29, 38, 400
  - particle-laden, 145
  - product(s)
    - heating value of, 38
    - Lurgi, 43
    - quality, 56
    - removal of particulate matter from, 50
    - U-GAS, 63
    - WGS reactor, 70
    - Winkler, 60
  - removal system, noncondensable, 431
  - synthesis, 27, 28, 50
  - town, 400
  - unbalanced, 37, 311
- Gas chromatography (GC), 236, 263
- Gaseous fuels, 397
- Gasification, *see also* Coal gasification
- biomass, 381
  - BIOSYN, 386
  - carbon dioxide, 33
  - catalysis in, 65
  - coal char, kinetic data of, 74
  - dry ash, 41
  - general aspects of, 40
  - oxidation, 319
  - plasma, 70
  - pyrolysis system, 388
  - reactions, 26
    - equilibrium constants for, 31, 32
    - kinetic rates, 40
  - slagging, 41
  - steam, catalysts, 66
  - technology, Enviropower, 63
  - underground, 51, 52, 53
    - percolation methods, 56
    - shaftless methods, 55–56
    - shaft methods, 55
  - VEGA, 382
- Gasification processes, 41–72
- classification of, 38

- heat recovery and, 40
- in situ* gasification, 51–57
  - criteria for ideal underground gasification system, 57
  - methods for underground gasification, 55–56
  - monitoring of underground processes, 57
  - potential possibility of using microbial processes, 53
  - potential problem areas with, 56–57
  - underground gasification system, 53–55
- Koppers-Totzek gasification, 44–49
  - features of Koppers-Totzek process, 46–47
  - Koppers-Totzek gasifier, 45–46
  - process description of Koppers-Totzek gasification, 47–49
- Lurgi gasification, 41–44
  - Lurgi dry-ash gasifier, 42–44
  - slagging Lurgi gasifier, 44
- molten media gasification, 68–70
  - Atgas molten iron coal gasification, 70
  - Kellogg molten salt process, 68–69
- plasma gasification, 70–72
- Shell gasification, 49–51, 311
- Texaco gasification, 50–51, 311, 397
- types, 38
- Wellman-Galusha process, 61–62
  - catalytic coal gasification, 64–67
  - U-GAS process, 62–64
- Winkler process, 57–60
  - description, 58
  - features, 59–60
  - gasifier, 58–59
- Gasifier(s)
  - Atgas molten iron coal, 38
  - Bioflow, 383
  - bottom feeding bubbling fluidized bed, 75
  - cross-flow coal, 73
  - dry-ash, 44
  - Koppers-Totzek, 38, 39, 45, 46
  - Lurgi, 38, 39, 312
    - dry-ash, 42
    - nonslagging pressure, 43
    - process variables, 44
    - thermal efficiency, 44
  - mathematical modeling, 72
  - oxygen-fed fluidized bed, 386
  - Rockwell molten salt, 69
  - Rummel-Otto single-shaft, 69
  - Shell, 38
  - slagging Lurgi, 42, 44, 45
  - syngas product from, 37
  - Synthane, 38
  - Texaco, 38, 39
  - Wellman-Galusha, 39, 61, 62
  - Winkler fluidized bed, 58
- Gasoline
  - blended
    - affected volatility of, 116
    - RVP and, 337
  - blending oxygenate, 298
  - compounds, evaporated, 337
  - conversion of methanol to, 116
  - ethanol blends, advantages to using, 339
  - methanol-blended, 298
  - MTBE-blended, 308
  - natural, 156
  - octane rating of, 298
  - oxygenated, 308
  - production, MTG process and, 168
  - reformulated, 336
    - burning of, 337
    - CAAA-mandated sale of, 363
    - ozone pollution and, 337
  - straight-run, 156
  - use of ethanol in, 119
- Gas Processors Association, Soave-Redlich-Kwong equation of state, 308
- Gas Research Institute (GRI), 30
- Gas-Turbine Modular Helium Reactor (GT-MHR), 469
- Gaylussite, thermochemical properties of, 256
- GC, *see* Gas chromatography
- GelCat™ catalyst, 107
- Gel permeation chromatography (GPC), 188, 190, 236
- Genencor enzyme, 364
- General Motors, coal-oil slurry development by, 126
- Generation IV Initiative (GEN-IV Initiative), 469
- GEN-IV Initiative, *see* Generation IV Initiative
- GEN-IV reactors, 470, 471, 472, 473, 474
- Geoheat, 423
- Geo-Heat Center of the Oregon Institute of Technology, 439
- Geokinetics retorting process, 289
- GeoPowering the West (GPW) program, 429
- Geothermal electricity generation capacity, 426
- Geothermal energy, 421–441
  - factors boosting production, 429–430
  - geothermal energy as renewable energy, 422–428
    - advantages of geothermal energy, 425–426
    - global geothermal energy, 426–428
    - need for geothermal energy, 422–423
    - occurrence of geothermal energy, 423–425
    - renewability and sustainability of geothermal energy, 423

- geothermal processes and applications, 430–438
    - direct use of geothermal heat, 435–437
    - geothermal heat pumps, 437–438
    - geothermal power plants, 430–435
  - history of geothermal energy developments, 428–430
  - scientific and technological developments, 438–440
    - major research efforts, 438–439
    - technology updates, 439–440
  - Geothermal heat, direct use of, 435–437
    - agricultural applications, 436
    - balneology, 436
    - industrial process heat, 436–437
    - space and district heating, 435–436
  - Geothermal heat pump (GHP), 427, 437
  - Geothermal Heat Pump Consortium Inc., 438
  - Geothermal power plant(s), 430–435
    - binary cycle, 432–433
    - direct steam cycle, 430, 431
    - double-flash steam cycle, 432
    - flash steam cycle, 431–432
    - fresh water production, 434–435
    - hot dry rock systems, 433–434
    - world's largest, 429
  - Geothermal reservoir, 424
  - Geothermal resources, classification of, 425
  - German coals, 92
  - German liquefaction process, 82
  - Germ separator, 334
  - Geysers, The, 429, 439, 440
  - GFR, *see* Gas-cooled fast reactor
  - GHP, *see* Geothermal heat pump
  - Gibbs free energy, 497
  - Gibbsite, thermochemical properties of, 256
  - Global energy overview, 1–23
    - coal, 13–16
    - natural gas, 10–13
    - nuclear energy, 16–17
    - petroleum, 5–9
    - renewable energy, 17–22
    - U.S. energy consumption, 3–5
    - world energy consumption, 1–3
  - Glucose, 331, 335
    - fermentation, 333
    - metabolism, Embden–Meyerhof pathway of, 329
  - $\beta$ -Glucosidase, 362
  - Goodyear devulcanization process, 414–415
  - GPC, *see* Gel permeation chromatography
  - GPU Energy (PENELEC), 147
  - GPW program, *see* GeoPowering the West program
  - Grain alcohol, 310
  - Grain ethanol, 323
    - industrial significance of, 326
    - industry, cost-competitiveness of, 324
    - U.S. production of, 327
  - Grain model, 76
  - Grape sugar, 335
  - Graphite-moderated gas cooled reactors, 463
  - Greenfield, nation's first, 27
  - Greenhouse chemicals, 71
  - Greenhouse gas(es), 344, 396
    - emissions, 519, 520
    - MSW and, 396
  - Greenhouse operations, geothermal energy and, 436
  - Green River oil shale, 233, 288–289
    - carbonates existing in, 255
    - density of, 250
    - dielectric constant, 258, 259
    - electric resistivity, 257
    - environmental constraints, 234
    - fossil fuel resources, 234
    - heat of retorting of, 249, 250
    - thermal behavior of, 253, 254
    - thermal conductivity of, 244
    - thermal diffusivity of, 248
  - GRI, *see* Gas Research Institute
  - Grotthuss mechanism, 520
  - Ground source heat pump (GSHP), 437, 438
  - Groundwater contamination, 235, 423
  - GSHP, *see* Ground source heat pump
  - GTL technology, *see* Gas-to-liquids technology
  - GT-MHR, *see* Gas-Turbine Modular Helium Reactor
  - Gulf Oil Canada Ltd., 220
  - Gulf Research & Development, thermal cracking process, 292
- ## H
- Haldor Topsoe A/S low-pressure methanol synthesis process, 313–314
  - Half-calcination of dolomite, 256
  - Hamaker approach, prediction of van der Waals force using, 135
  - HAPs, *see* Hazardous air pollutants
  - HAS, *see* Higher alcohol synthesis
  - HAS process
    - Dow, 120
    - SEHT, 120
    - Union Carbide Corporation, 120
  - Hazardous air pollutants (HAPs), 235, 413
  - H-Coal process, 92
    - advantages of, 94
    - disadvantages of, 94
    - product compositions, 94

- HCT reformer tube, 169
- HDPE. *see* High-density polyethylene
- HDRs. *see* Hot dry rocks
- HDT reactions. *see* Hydrotreating reactions
- Heat engine, energy conversion processes for, 496
- Heat pumps, geothermal, 437
- Heat of retorting, oil shale, 249
- Heavy gas oil, 176
- Heavy gasoline treating (HGT) process, 117
- Heavy paraffin conversion (HPC), 165
- Heavy paraffin synthesis (HPS), 165
- Hemicellulose, 331
  - cellulose and, 331
  - composition of, 333
  - conversion, 333, 353
  - lignin sheath, disruption of, 356
- Henry's law constant, 307
- HFCS. *see* High-fructose corn
- HGT process. *see* Heavy gasoline treating process
- HHF. *see* Hybrid hydrolysis and fermentation
- HICOM process, 30
- High-Btu gas, 28, 29, 38
- High-density polyethylene (HDPE), 402, 403, 407
- Higher alcohol synthesis (HAS), 120
- High-fructose corn syrup (HFCS), 328
- High-pressure methanol synthesis technology, 310
- High temperature fuel cells, 511–513
  - molten carbonate fuel cells, 511–512
  - solid oxide fuel cells, 512–513
- High-temperature gas reactor (HTGR), 463
- High-temperature Winkler (HTW) process, 60
- Hitaveita Reykjavikur, 435
- H-Oil process, 216
- Hot dry rocks (HDRs), 422, 433, 440
- HPC. *see* Heavy paraffin conversion
- HPS. *see* Heavy paraffin synthesis
- HRI. *see* Hydrocarbon Research, Inc.
- HTGR. *see* High-temperature gas reactor
- HTI. *see* Hydrocarbon Technologies, Inc.
- HTR. *see* Hydrotreater
- HTW process. *see* High-temperature Winkler process
- Hurricane Katrina, 4
- Hybrid hydrolysis and fermentation (HHF), 365
- Hydraulic conductivity, oil shale permeability and, 241
- Hydrocarbon(s)
  - branched, 162
  - compounds, resids and, 183–184
  - content, bitumen, 203
  - conversion of methanol to, 116
  - low-boiling, 168
  - straight-chain, 162
  - synthesis, Fischer–Tropsch process, 161
  - unsaturated, 162
  - vapor pressure of, 252
- Hydrocarbon Research, Inc. (HRI), 92, 106, 120
- CTSL process, 106–107
- H-Oil and H-Coal technology, 120
- Hydrocarbon Technologies, Inc. (HTI), 92, 106, 107
- Hydroconversion, 192
  - dispersed catalyst processes, 193
  - ebullating bed units, 193
  - fixed bed units, 193
- Hydrocracking
  - bitumen upgrading by, 216
  - CANMET, 121
  - fixed-bed, 98
- Hydrocyclones, 335
- Hydrodeoxygenation, lignin and, 369
- Hydrodesulfurization, 214
- Hydrogasification, 34–35
- Hydrogen
  - addition process, production of liquid fuels from bitumen by, 207, 208
  - adsorption, inhibition by, 32
  - conversion of ethanol to, 340
  - economy, 5, 22
  - fuels, popularity of, 228
  - production, 514–516
    - coal gasification and, 516
    - fossil fuels, 514–516
    - partial oxidation, 515
    - steam reforming, 515
    - water electrolysis, 516
  - production and storage, 514–517
    - production, 514–516
    - storage, 516–517
  - safety, 518
  - storage, 516, 517
- Hydrogenation processes, 159
- Hydroliquefaction, 89
- Hydrolysis, 329
  - enzymatic, 350
  - mechanism of, 362
- Hydropyrolysis processes, 84
- Hydro-Quebec, 396
- Hydrotreater (HTR), 101, 102
- Hydrotreating (HDT) reactions, 293
- I**
- IAEA. *see* International Atomic Energy Agency
- IBIL. *see* Ignifluid Boilers India Ltd.
- IBP. *see* Initial boiling point
- ICI methanol synthesis process, 312–313

- ICP spectrometry, *see* Inductively coupled argon plasma spectrometry
- IFR, *see* Integrated Fast Reactor
- IGCC, *see* Integrated gasification combined cycle
- Ignifluid Boilers India Ltd. (IBIL), 64
- IGT, *see* Institute of Gas Technology
- Illite, thermochemical properties of, 256
- Imperial Oil Ltd., 220
- Indirect synthesis, 28
- Inductively coupled argon plasma (ICP) spectrometry, 179
- Industrial alcohol, manufacture of, 345
- Inhibition by hydrogen adsorption, 32
- Inhibition by oxygen exchange, 33
- Initial boiling point (IBP), 264
- Injection well, 52
- In situ* gasification, 51–57
- criteria for ideal underground gasification system, 57
  - methods for underground gasification, 55–56
  - monitoring of underground processes, 57
  - potential possibility of using microbial processes, 53
  - potential problem areas, 56–57
  - underground gasification system, 53–55
- In situ* oil shale retorting, SIT data and, 252
- In situ* retorting processes, 282–291
- advantages of, 283
  - classification of, 284–285
  - disadvantages of, 283
  - Dow Chemical Co. process, 287–288
  - Equity Oil Co. process, 285
  - Geokinetics process, 289
  - Laramie Energy Technology Center process, 287
  - LETC process, 287
  - Occidental Petroleum process, 286
  - Osborne *in situ* process, 289
  - Shell Oil thermally conductive *in situ* conversion process, 290–291
  - Sinclair Oil and Gas Company process, 285
  - Talley Energy Systems process, 288–289
  - true *in situ* and modified *in situ* retorting, 291
- Instantaneous discharge rate, oil shale permeability and, 241
- Institute of Gas Technology (IGT), 62
- Integrated Fast Reactor (IFR), 483
- Integrated gasification combined cycle (IGCC), 26, 76
- companion fuel, 320
  - system, VEGA, 383
  - technology, Skydkraft AB, 382
- Integrated two-stage liquefaction (ITSL), 99
- distillate product, 103
  - Lummus, 100, 101, 103
  - operation data, Wilsonville facility, 104
  - process, block diagram, 103
  - Wilsonville, 102
- Intermediate temperature solid oxide fuel cells (ITSOFC), 499
- Internal combustion engines, fuel ethanol and, 338
- International Atomic Energy Agency (IAEA), 479
- International Energy Outlook 2005, 16
- International Reactor and Innovative and Secure (IRIS), 469
- Interparticle interactions, 132
- coagulation rates, 136
  - electrical double layers, 133, 136
  - hydrophobic interactions, 133, 137
  - kinetic effects, 136
  - polymer flocculation, 133
  - solvation-induced interactions, 133, 137
  - steric interactions, 133
  - surface groups and, 137
  - types of, 136
  - van der Waals attraction, 133
- Intrinsic permeability, oil shale permeability and, 241
- Iodine isotopes, 480
- Ion exchange membrane, 502
- Ionic surfactants, 138
- IRIS, *see* International Reactor and Innovative and Secure
- Isocracking, 293
- Isopropyl alcohol, 310
- ITER program, 488
- ITSL, *see* Integrated two-stage liquefaction
- ITSOFC, *see* Intermediate temperature solid oxide fuel cells
- J**
- JWG Corporation, 147
- K**
- Kalpakkam reactor, 464
- Kato-Wen type models, 74
- Kellogg molten salt process, 38, 68–69
- Kerogen
- decomposition, 242, 260
  - mass fraction of, 262
  - molecular characterization of, 260–263
    - derivation of stoichiometric coefficient, 260–262
  - Fischer assay and, 262
  - nitrogen compounds in shale oil, 262–263
  - structure, chemical model of, 260

- Kerr-McGee Critical Solvent Deashing, 95, 102  
*Kluyveromyces* sp., 329  
 Koppers-Totzek (K-T) gasification, 40, 44–49  
   ease of operation, 47  
   features of process, 46–47  
   flexibility, 46  
   gasifier, 38, 39, 45–46  
   high capacity, 46  
   low maintenance, 47  
   process description, 47–49  
   products, 48  
   safety and efficiency, 47  
   simplicity of construction, 47  
   versatility, 46  
 Krupp Uhde methanol synthesis technology, 315–316  
 K-T gasification, *see* Koppers-Totzek gasification  
 Kunii-Levenspiel type models, 74  
 Kvaerner Process Technology  
   ethyl acetate production, 340  
   methanol synthesis process, 315  
 Kyoto protocol, 17
- L**
- Laramie Energy Technology Center (LETC)  
   retorting process, 287  
 Larderello field, electricity production at, 428  
 Laser Isotope Separation, 460  
 Lava, 424  
 Lawrence Berkeley National Laboratory, 439  
 LC, *see* Liquid chromatography  
 LCC, *see* Lurgi combined converter  
 LC-Fining process, 216, 217  
 LDPE, *see* Low-density polyethylene  
 Lead-cooled fast reactor (LFR), 470  
 Lean shale, 239  
 LETC retorting process, *see* Laramie Energy  
   Technology Center retorting process  
 LFR, *see* Lead-cooled fast reactor  
 Lifshitz approach, prediction of van der Waals  
   force using, 135  
 Lignin(s), 331  
   biomass and, 371  
   chemicals, oil recovery and, 369  
   conversion, 367  
   monomer units in, 368, 369  
   phenols, 370  
   processing, 352  
   production of, 345  
 Lignite, 45  
 Lignocelluloses, oil demand and combustion of, 379  
 Lignocellulosic biomass, 331  
 Lignocellulosic biorefinery technology, success  
   of, 372  
 Lignocellulosic materials, ethanol production  
   from, 325  
 Lignocellulosics, ethanol from, 343–375  
   alcohol without pollution, 348–349  
   cellulosic materials, 349–350  
   conversion of agricultural lignocellulosic  
     feedstocks, 350–355  
     acid or chemical hydrolysis, 352–354  
     enzymatic hydrolysis, 354–355  
   coproducts, 370  
   energy balance for ethanol production from  
     biomass, 370–372  
   enzymatic processes, 355–359  
     cellulose hydrolysis, 361–363  
     enzyme production and inhibition,  
       360–361  
     fermentation, 363–367  
     pretreatment, 355–359  
   ethanol, 345  
   fermentation ethanol, 346  
   lignin conversion, 367–370  
   manufacture of industrial alcohol, 345–346  
   process economics and strategic direction, 372  
   starches, 347–348  
   sugars, 346–347  
 Linear Boltzmann equation, 447  
 Linked-vertical-well underground gasification  
   plant, 54  
 Liquefaction  
   biomass, 386  
   catalytic two-stage, 105–108  
   nonintegrated two-stage, 97, 98  
   process, German, 82  
   reconfigured two-stage, 105  
   technology, evolution of, 108  
   thermal integrated two-stage, 99–105  
   two-stage, 95  
 Liquefied natural gas (LNG), 10  
   storage facilities, 13  
   transportation of, 12  
 Liquefied petroleum gas (LPG), 116, 280, 309  
   Krupp Uhde methanol synthesis technology  
     and, 315  
   vapor pressure of, 308  
 Liquid chromatography (LC), 236  
 Liquid fuel synthesis, coal gasification and, 26  
 Liquid metal fast breeder reactors (LMFBR), 463,  
   464  
 Liquid-phase methanol process, 312, 319  
 LMFBR, *see* Liquid metal fast breeder reactors  
 LNG, *see* Liquefied natural gas  
 Local hydraulic gradient, oil shale permeability  
   and, 241

Los Alamos National Laboratory, 434, 439  
 Low-BTU gas, 28, 29, 38  
 Low-density polyethylene (LDPE), 404  
 Low-pressure methanol (LPM), 310, 317, 318  
 Low-tech slurry, 148  
 Low-temperature fuel cells, 502–511  
   alkaline fuel cells, 508–510  
   phosphoric acid fuel cells, 510–511  
   proton exchange membrane fuel cells, 502–508  
 LPG, *see* Liquefied petroleum gas  
 LPM, *see* Low-pressure methanol  
 LR process, *see* Lurgi-Ruhrgas process  
 Lubricating oils, 176, 188  
 Lummus  
   Antisolvent Deashing process, 101  
   –Cities–Fining hydrotreatment, 98  
   ITSL, 100–102  
 Lurgi combined converter (LCC), 317  
 Lurgi gasification, 41–44  
 Lurgi gasifier, 38, 39, 42, 43, 312  
   ash lock chamber, 42  
   coal distributor, 42  
   coal lock chamber, 42  
   coal lock hopper, 42  
   dry-ash, 42–44  
   gas scrubber, 42  
   process variables, 44  
   slagging, 44  
   thermal efficiency, 44  
 Lurgi Öl-Gas-Chemie GmbH process, 316–317  
 Lurgi-Ruhrgas (LR) process, 87–88, 276–277

## M

Magma, 422, 424  
 Magnox reactor, 463  
 Maltodextrin, 329  
 Manhattan Project documents, 482  
 Manufactured gas plants (MGPs), 26  
 Mass spectrometry (MS), 236  
 Mathematical modeling  
   coal gasifiers, 72  
   fluidized bed reactors, 74  
 Mature market economies, 9  
 Maxwell-Wagner interfacial polarization, 258  
 McDowell-Wellman process, 277  
 MCFC, *see* Molten carbonate fuel cells  
 M-Coke, 293  
 MDS process, *see* Middle distillate synthesis process  
 MEA, *see* Membrane-electrode assembly  
 Medium-BTU gas, 28, 29, 38, 400  
 Melting point, resid, 182  
 Membrane-electrode assembly (MEA), 502, 506  
 Mercury poisoning, 240  
 Metal hydrides, hydrogen storage properties of, 517  
 Metallic compounds, resids and, 185  
 Methanation  
   processes, commercial, 30  
   reaction, 29  
 Methane  
   conversion technology, direct, 157  
   potency of, 396  
 Methanol  
   acidity of, 307  
   -blended gasoline, 298  
   conversion of syngas to, 114, 299  
   crude product, 318  
   demand, chemicals and end uses, 115  
   economy, 298  
   enthalpy of vaporization, 307  
   -to-gasoline (MTG) process, 116, 117, 118, 158, 309, 320  
   low-pressure, 317  
   market demand for, 298  
   names for, 306–307  
   octane rating, 116, 307  
   -to-olefins (MTO) process, 119, 158, 309, 320  
   power generation from, 158  
   process technology, steps of, 312  
   productivity, synthesis gas enrichment and, 115  
   properties of, 306  
   -to-propylene (MTP) process, 119, 158  
   pure, first isolation of, 310  
   synthesis, *see also* Syngas, methanol synthesis from  
   catalyst, active form of, 304  
   precursor of, 158  
   reactions, chemical equilibrium, 305  
   reduction of, 305  
   use of medium-Btu gas in, 29  
   value of natural gas and, 114  
   toxicity, 308  
 Methyl *tert*-butyl ether (MTBE), 28, 157, 298  
   -blended gasoline, 308  
   claims of health problems associated with, 337  
   environmental impact of, 157  
   gasoline marketplace and, 325  
   groundwater and, 325  
   harmful health effects of, 298  
   phaseout of, 22, 114, 119, 325  
   plant investments, retrofitting of, 326  
   replacement with ethanol, 326  
 Methyl-substituted aromatics, 117  
 MGPs, *see* Manufactured gas plants

- Microcarbon carbon residue, tests for, 180
- Microcat-RC, 293
- Middle distillate synthesis (MDS) process, 158
- Middle East, crude oil resources in, 154
- Mild Resid Hydrocracking (MRH), 293
- Mill starch, 335
- MIS retorting, *see* Modified *in situ* retorting
- Mobil
  - catalytic cracking, 406, 407
  - fixed-bed hydrocracking, 98
  - heavy gasoline treating process, 117
  - methanol-to-gasoline process, 116, 117, 118
  - MTG process, 167
  - olefins-to-gasoline-and-diesel (MOGD) process, 119
- Model(s)
  - bottom feeding bubbling fluidized bed coal gasifier, 75
  - cross-flow coal gasifier, 73
  - Davidson-Harrison type, 74
  - fluidized bed reactors, 74
  - grain, 76
  - Kato-Wen type, 74
  - kerogen structure, 260
  - Kunii-Levenspiel type, 74
  - one-parameter, 131
  - random pore, 76
  - reactor, 72
  - simplified flow, 74
  - spouted bed gasifier, 73
  - thermodynamic, 74
  - toy, reactor control and, 455
  - unreacted shrinking core, 72
- Modified *in situ* (MIS) retorting, 283, 291
- MOGD, *see* Mobil olefins-to-gasoline-and-diesel process
- Mohave Generating Station, 142
- Molecular-weight distribution (MWD), 109
- Molecular weight measurement, methods for, 182
- Molten carbonate fuel cells (MCFC), 499, 511–512
- Molten media gasification, 68–70
  - Atgas molten iron coal gasification, 70
  - Kellogg molten salt process, 68–69
- Molten salt reactor (MSR), 39, 470
- MON, *see* Motor octane number
- Motor octane number (MON), 338
- Moving bed reactor, 269
- Moving bed retorting process, 282
- MRH, *see* Mild Resid Hydrocracking
- MS, *see* Mass spectrometry
- MSF, *see* Multistage flash
- MSR, *see* Molten salt reactor
- MSW, *see* Municipal solid wastes
- MTBE, *see* Methyl *tert*-butyl ether
- MTG process, *see* Methanol-to-gasoline process
- MTO process, *see* Methanol-to-olefins process
- MTP process, *see* Methanol-to-propylene process
- Multistage flash (MSF), 435
- Municipal solid wastes (MSW), 22, 299, 396
  - anaerobic digestion of, 397, 398
  - district heating requirements and, 397
  - energy generation utilizing, 22
  - energy recovery from, 397
  - gasification of, 299
  - greenhouse gas emission and, 396
  - material distribution of, 399
  - plasma gasification and, 71
  - product decomposition, 400
  - pyrolysis of, 398
  - pyrolysis plant, Müllpyrolyseanlage, 401, 402
  - syngas from, 28
- MWD, *see* Molecular-weight distribution
- N**
- NAAQS, *see* National Ambient Air Quality Standards
- Nafion membranes, price/volume trends for, 519
- Nahcolite, 256, 277
- Naphtha
  - cracking yields, 158
  - Hydrotreater, 95
  - raw coker, 214
- NASA space exploration missions, 494
- National Ambient Air Quality Standards (NAAQS), 327
- National Ethanol Vehicle Coalition (NEVC), 338
- National Fuel Cell Research Center, 513
- National Renewable Energy Laboratory (NREL), 363, 387, 439
- National Research Council (NRC), 344
- Natural asphalt, 197
- Natural gas
  - composition of, 153, 155, 156
  - demands for, 3
  - deregulation, 10–12
  - dry, 11, 156
  - feedstock, quality of, 165
  - major consumers of, 10
  - occurrence of, 158
  - petroleum reservoirs and, 156
  - principal uses of in U.S., 12
  - pyrolytic cracking of, 516
  - reserves, 12
  - substitute, 27, 29, 389
  - value of, methanol synthesis and, 114
  - wet, 156
  - world reserves of, 154

- Natural gas, liquid fuels from, 153–170  
 composition, 155–156  
 conversion of natural gas to liquids, 157–169  
 Fischer–Tropsch process, 160–167  
 other processes, 167–169  
 syngas production, 158–160  
 future of, 169  
 natural gas liquids, 156  
 occurrence and resources, 155
- Natural gasoline, 156
- NBP, *see* Normal boiling point
- NEPSCO, *see* New England Power and Service Co.
- Net energy value (NEV), 327, 328
- Neutron(s)  
 balance equation, 447  
 discovery of, 443  
 fission-produced, 459  
 fission reaction, 444  
 flux, 446  
 lifetime, 448  
 microscopic cross section for interaction with, 449  
 multiplication factor, 448  
 –nuclei interactions, 446  
 spallation, 473  
 splitting of, 443
- NEV, *see* Net energy value
- NEVC, *see* National Ethanol Vehicle Coalition
- New England Power and Service Co. (NEPSCO), 126
- New York State Electric and Gas Corporation (NYSEG), 147
- Nickel catalysts, 65
- Nippon Zeon Company, thermal cracking, 411, 412
- Nissho Iwai Corp., 147
- Nitrogen compounds  
 resids and, 184  
 shale oil, 262, 263
- Noble gases, 480
- Nonintegrated two-stage liquefaction (NTSL), 97, 98, 99, 100  
 block diagram, 99  
 Wilsonville facility, 99, 100, 104
- Nonionic surfactants, 138
- Nonlinear Boltzmann equation, 447
- Normal boiling point (NBP), 264
- NRC, *see* National Research Council
- NREL, *see* National Renewable Energy Laboratory
- NTSL, *see* Nonintegrated two-stage liquefaction
- Nuclear energy, 443–491  
 electricity generation from nuclear reactors, 451–458  
 nuclear fission and nuclear reactor physics, 443–451  
 nuclear fuel cycle, 458–462  
 nuclear fusion, 484–489  
 public concerns of safety and health, 475–484  
 nuclear waste disposal, 483–484  
 nuclear weapons proliferation, 482–483  
 terrorism, 484  
 types of reactors, 462–475  
 advanced reactors and concepts, 467–475  
 hydrogen production, 475  
 worldwide electricity generation data, 16, 20–21  
 worldwide electric power generation data, 16, 18–19
- Nuclear explosion, damage from, 477
- Nuclear fuel cycle, 458, 461
- Nuclear fusion, 484
- Nuclear power  
 plant(s)  
 essential parts of, 453  
 radioactive inventories of isotopes in, 479, 480  
 reactor types  
 basic features of, 465  
 thermodynamic cycles of, 466  
 units  
 by nation, 467  
 by reactor type, 468
- Nuclear reactor(s)  
 core damage accidents, 481  
 development, historical progression of, 468  
 fuel, 460  
 public concerns regarding, 475
- Nuclear source term, 479
- Nuclear waste disposal, 483
- Nuclear weapons, 459, 482
- Nuclei–nuclei interactions, 445
- NYSEG, *see* New York State Electric and Gas Corporation
- ## O
- Occidental  
 flash pyrolysis, 88, 410  
 retorting process, 286
- Office of Technology Assessment (OTA), 230
- OFP, *see* Oxygenated fuel program
- OGJ, *see* Oil and Gas Journal
- Oil crisis (1973), 3, 40, 139
- Oil embargo (1970s), 27, 40, 226
- Oil and Gas Journal (OGJ), 8, 10
- Oil recovery, lignin chemicals and, 369

- Oil sand, 154, 198
  - bitumen, 198
    - API gravity of, 199
    - definition of, 200
  - deposit
    - Athabasca, 201
    - Bemolanga, 201
    - Californian, 201
    - Kazakhstan, 202
    - Notanebi, 202
    - Officina/Tremblador tar belt, 201
    - Olenek anticline, 202
    - Romanian, 202
    - Trinidad Asphalt Lake, 202
  - economics, U.S., 219
  - formations, recovery of bitumen in, 199
  - mining of, 206
  - open-pit mining of, 206
- Oil sand, liquid fuels from, 197–221
  - bitumen properties, 202–205
    - chemical composition, 203
    - elemental composition, 202–203
    - fractional composition, 204
    - physical properties, 204–205
    - thermal reactions, 204
  - bitumen recovery, 205–207
  - coking processes, 211–214
  - future of, 217–220
  - occurrence and reserves, 200–202
  - other processes, 215–217
  - product upgrading, 214–215
- Oil shale(s)
  - Baltic shales, 246
  - calcination reaction, 242
  - Colorado, self-ignition temperatures of, 251
  - commercial exploitation of, 227
  - electric properties of, 257–259
    - dielectric constants, 258–259
    - electric resistivity, 257–258
  - Fischer assay of, 239, 261
  - gas permeability, 242
  - Green River
    - carbonates existing in, 255
    - density of, 250
    - dielectric constant, 258, 259
    - electric resistivity, 257
    - environmental constraints, 234
    - fossil fuel resources, 234
    - heat of retorting of, 249, 250
    - thermal behavior of, 253, 254
    - thermal conductivity of, 244
    - thermal diffusivity of, 248
  - heat capacity of, 248
  - heat of retorting, 249
  - inorganic matters in, 238
    - isothermality criterion, 247
    - market forces and, 228
    - organic matter in, 265
    - plastic deformation effects, 243
    - porosity, 239–240
    - preheating of, 270
    - processes, energy efficiencies of, 232
    - project, typical cost distribution for, 232
    - retorting
      - kinetics of, 237
      - Petroxix process, 227
    - rubblizing of, 288
    - spontaneous ignition temperature of, 251
    - Stuart oil shale, 253
    - thermal conductivity of, 244–248
    - thermal diffusivity, 247, 248
    - total mass of oil recoverable from, 261
    - Ute Indian name for, 225
    - world distribution of, 225, 226
- Oil shale, shale oil from, 223–296
  - constraints in commercial production, 230–235
    - economic and financial, 232–233
    - environmental and ecological, 233–235
    - technological, 230–231
  - oil shale extraction and retorting processes, 265–293
    - ex situ* retorting processes, 267–282
    - in situ* retorting processes, 282–291
    - shale oil refining and upgrading, 291–293
  - oil shale as synthetic fuel source, 225–230
  - properties of oil shale and shale oil, 238–265
    - boiling range distributions of various shale oils, 263–265
    - electric properties of oil shale, 257–259
    - molecular characterization of kerogen, 260–263
    - physical and transport properties of oil shale, 239–252
    - thermal characteristics of oil shale and its minerals, 253–256
  - research and development needs, 235–238
    - by-product minerals from U.S. oil shale, 238
    - catalytic upgrading of shale oil crudes, 237–238
    - characterization of inorganic matters in oil shale, 238
    - chemical characterization, 236
    - correlation of physical properties, 236–237
    - heat and mass transfer problems, 237
    - mechanisms of retorting reactions, 237
- Oil shale deposits
  - Devonian-Mississippian eastern black shale deposits, 233

- environmental constraints
  - fugitive dust emission and particulate matter control, 234–235
  - groundwater contamination, 235
  - hazardous air pollutants, 235
  - other fossil energy and mineral resources, 234
  - outdoor recreation and scenery, 235
  - regional ecology, 234
  - region of oil shale field and population, 234
  - water availability, 234
- Green River Formation, 233, 234, 244
- thermochemical properties of minerals in, 256
- Oil Shale Development Act of 2005, 228
- Olefin(s)
  - crude shale oil and, 237
  - to-gasoline and distillates technology, 158, 168
  - products, 157
- Oligosaccharides, 329
- Once-through methanol (OTM) process, 312
- One-parameter model, 131
- OPEC, *see* Organization of Petroleum Exporting Countries
- Open pit mining
  - oil sand, 206
  - Peabody Western Coal Company, 142
- Organization of Petroleum Exporting Countries (OPEC)
- Organosolv pretreatment, 358, 359
- Organotin compounds, 407
- Osborne *in situ* retorting process, 289
- OTA, *see* Office of Technology Assessment
- OTM process, *see* Once-through methanol process
- Oxidation
  - gasification technology, 319
  - vapor-phase, 35
- Oxygen
  - compounds, resids and, 185
  - exchange, inhibition by, 33
  - pure, 49
- Oxygenated fuel
  - ethanol as, 336
  - program (OFP), 326, 327, 337
- Oxygenated gasoline, dry method and, 308
- Ozone
  - formation, control of ground-level, 327
  - level, 308
  - pollution, 337
  - reduction of, 325
  - reformulated gasoline and, 337
- P**
- Packed-bed reactors, Fischer–Tropsch synthesis
  - in, 162
- PAFC, *see* Phosphoric acid fuel cells
- PAHs, *see* Polycyclic aromatic hydrocarbons
- Paraffins, isoparaffins and, 117
- n*-Paraffins, boiling points of, 267
- Paraho Development Corp., 278
  - gas combustion process, 278–280
  - analysis, 279
  - SOMAT additives of, 280
  - oil shale development by, 226
  - SOMAT asphalt production, 227
- Partial coking, 215
- Partial oxidation
  - coal gasification, 35–36
  - hydrogen production and, 515
- Particle–particle interaction potential energy, 136
- Particle size distribution (PSD), 128
  - coal-oil mixture, 139
  - effect on viscosity, 129
  - formulated for minimal viscosity, 130
  - multimodal, 128
  - slurriability and, 148
  - unimodal and bimodal distributions, 129
- Particulate matter (PM), 144, 423
  - control, 234–235
  - removal system, ESP-based, 384
- PBMR, *see* Pebble Bed Modular Reactor
- PC, *see* Polycarbonate
- PDU, *see* Process development unit
- Peabody Western Coal Company, open pit mine, 142
- Pebble Bed Modular Reactor (PBMR), 469
- PEEDA, *see* Pennsylvania Electric Energy Development Authority
- PEERC, *see* Pennsylvania Electric Energy Research Council
- PEM, *see* Proton exchange membrane
- PEMFC, *see* Proton exchange membrane fuel cells
- PENELEC, *see* GPU Energy
- Penn State University, anaerobic digester studies, 389
- Pennsylvania Electric Energy Development Authority (PEEDA), 147
- Pennsylvania Electric Energy Research Council (PEERC), 147
- Pentose yeasts, 366
- Perfluorination, 503
- Permeability tensor, 241
- PET, *see* Polyethylene terephthalate
- PETC, *see* Pittsburgh Energy Technology Center
- Petro-Canada, 121

- Petrochemical industry, building-block chemical of, 320
- Petrochemical synthesis, ethanol as feedstock in, 340
- Petroleum
- analytical inspections for, 177
  - based feedstocks, 8
  - boiling range distribution, 263
  - consumption, world, 6–7
  - crude oil
    - record high price of, 4
    - world production, 9
  - production, world, 154
  - products, vapor pressure measurement of, 308
  - quality, measure of, 179
  - reserve-related terms, 5
  - reservoirs, natural gas and, 156
  - total oxygen content of, 185
  - world reserves of conventional, 200
- Petrosix retorting process, 227, 280–281
- PFB process, *see* Pressurized fluidized bed process
- PFR, *see* Plug flow reactor
- Phosphoric acid fuel cells (PAFC), 499, 510–511
- Photosorting, 277
- PHWR, *see* Pressurized heavy water reactor
- Pipeline
- Black Mesa, 141–142
  - projects, slurry, major long-distance, 143
  - scheme, domestic combustion, 141
  - systems, coal-water slurry, 140
- Pitch, 175, 176
- Pittsburgh Energy Technology Center (PETC), 126
- Plagioclase, 255, 256
- Plant cell wall, generalized description of, 331
- Plant materials, polymeric components of, 351
- Plasma gasification, 70–72
- Plastics, 403
- Plug flow reactor (PFR), 73
- PM, *see* Particulate matter
- PNAs, *see* Polynuclear aromatics
- Point kinetics, 456
- Poiseuille's law, 241
- Polycarbonate (PC), 404
- Polycyclic aromatic hydrocarbons (PAHs), 183–184, 235
- Polyethylene terephthalate (PET), 403
- Polymer(s)
- electrolyte fuel cells, 502
  - flocculation, 133
  - viscosity reduction and, 139
  - wastes, energy generation from, 402
- Polymerization, Fischer–Tropsch process and, 163
- Polynuclear aromatics (PNAs), 53
- Polypropylene (PP), 404, 407
- Polytetrafluoroethylene (PTFE), 503
- Polyvinyl chloride (PVC), 403
- Porphyryns, resids and, 184
- Possible reserves, 8
- Possible unproved reserves, 5
- Potassium feldspar, thermochemical properties of, 256
- Pour point
- bitumen, 205
  - resid, 182
- PP, *see* Polypropylene
- Precipitation number, asphaltene content and, 187
- Pressure swing adsorption (PSA), 316
- Pressurized fluidized bed (PFB) process, 30
- Pressurized heavy water reactor (PHWR), 463
- Pressurized water reactor (PWR), 454
- core and pressure vessel, 455
  - fuel rod arrangement with coolant channels, 457
  - plant, 454
  - typical containment building for, 478
- Primary fluid, 432
- PROALCOOL, 344
- Probable reserves, 5
- Probable unproved reserves, 5
- Process development unit (PDU), 92
- Product gas
- heating value of, 38
  - quality, combustion control and, 56
  - removal of particulate matter from, 50
  - WGS reactor and, 70
- Propane precipitation, 189
- Proton exchange membrane (PEM), 37
- Proton exchange membrane fuel cells (PEMFC), 499, 502
- design characteristics, 502–505
  - membrane hydration, 518
  - new types of membranes for, 521
  - operation characteristics, 506
  - operation principle, 507
  - performance, 504
  - role of electrodes, 505
- Proved reserves, 5
- PSA, *see* Pressure swing adsorption
- PSD, *see* Particle size distribution
- PTFE, *see* Polytetrafluoroethylene
- Pumpable slurry, 50
- Pu-recycling, gain in sustainable nuclear resources with, 469
- Pure oxygen, 49
- PVC, *see* Polyvinyl chloride
- PWR, *see* Pressurized water reactor
- Pyridones, shale oil, 263
- Pyrite, thermochemical properties of, 256

## Pyrolysis

- GC-MS, 236
- high-temperature, 266
- in situ*, 241
- products, composition of, 406
- reactions, 399
- reactor, 269, 410
- spent tires, 409-412
- system, solid waste, 401

## Q

- Quartz, thermochemical properties of, 256
- Quinolines, shale oil, 263

## R

- Radioactive material dispersal, 483
- Ramsbottom carbon residue, tests for, 180
- Random pore model, 76
- Rapid steam hydrolysis (RASH), 356, 359
- Rare earth metal-exchanged Y-type (REY) zeolites, 407

RASH, *see* Rapid steam hydrolysis

Raw cotton, 355

RCL, *see* Resorption Canada Limited

RDF, *see* Refuse-derived fuel

## Reactor(s)

- Advanced Boiling Water, 469
- Advanced Pressurized Water, 469
- boiling water reactor, 462
- CANDU, 463
- Chernobyl, 463
- Clinch River, 464
- control, toy model and, 455
- converters, 459
- dimethylether, 117
- dissolver, 95
- down-flow, hydrotreating in, 214
- entrained flow, 39
- Experimental Breeder, 464
- Fischer-Tropsch, 113, 384
- fixed bed, 38
- fluidized bed, 39, 74
- gas-cooled fast, 470
- gas-liquid-solid fluidized bed, 93
- Gas-Turbine Modular Helium, 469
- GEN-IV, 470, 471, 472, 473, 474
- graphite-moderated gas cooled, 463
- graphite-moderated water-cooled, 463
- high-temperature gas, 463
- HTGR, 463
- Integrated Fast, 483

- Kalpakkam, 464
- lead-cooled fast, 470
- liquid metal fast breeder reactors, 463, 464
- Magnox, 463
- modeling, 72
- molten salt, 39, 470
- moving bed hydroprocessing, 292-293
- nuclear, core damage accidents, 481
- packed-bed, Fischer-Tropsch synthesis in, 162
- Pebble Bed Modular, 469
- plug flow, 73
- pressurized heavy water, 463
- pyrolysis, 269, 410
- SCT, 101
- shutdown, decay power after, 452
- sodium-cooled fast, 470
- supercritical water-cooled, 470
- temperatures, 160
- uranium-fueled, 464
- very-high-temperature, 470
- vessels, corrosion of, 28
- WGS, 70

Reagan administration, synfuel industry under, 228

Reconfigured two-stage liquefaction (RITSL), 105

Rectisol process, 49

Recycling bandwagon, 403

Reduced crude, 175, 176

Reducing sugars, 362

Reformer outputs, gas composition of, 515

Reforming catalyst, sulfur poisoning and, 318

Reforming process, fuel cells and, 495

Reformulated gasoline (RFG), 336

- burning of, 337

- CAAA-mandated sale of, 363

- ozone pollution and, 337

Reformulated Gasoline Program (RGP), 326, 327

Refuse-derived fuel (RDF), 396

Reid vapor pressure (RVP), 116, 308, 324

- ethanol, 323-324, 337

- legal limits for, 337

- test, 308

Relative density, 179

Renewable energy, 423

- benefits of, 17

- competitiveness of, 17

- geothermal energy as, 422

Renewable feedstock, 324

Renewable Fuels Association (RFA), 326

Rentech process, 168

Reproduction factor, 451

Research octane number (RON), 307, 338

- Resid(s), 171–196
- analytical inspections for, 177
  - behavior, modeling of, 190
  - carbon content, 178
  - catalytic cracking, 192
  - coke-forming propensity of, 180
  - composition, 183–189
    - chemical composition, 183–185
    - fractionation, 185–189
  - conversion, 191
    - coking, 191–192
    - future processes, 194–195
    - hydroconversion, 192–194
    - resid catalytic cracking, 192
    - solvent deasphalting, 194
    - visbreaking, 191
  - hydrogen content, 178
  - melting point, 182
  - nitrogen content, 178
  - oxygen content, 178
  - physical composition, 185
  - pour point, 182
  - predominant fraction of, 183
  - production, 172, 175–176
  - properties, 174, 176–183
    - carbon residue, 180
    - density and specific gravity, 179
    - elemental analysis, 177–178
    - heat of combustion, 181
    - metallic content, 178–179
    - molecular weight, 181–192
    - other properties, 182–183
    - viscosity, 179–180
  - quality, 191
  - softening point of, 182
  - sulfur content, 178
  - use of data, 189–191
  - vacuum, 185
- Residua, definition of, 172
- Residuum, definition of, 172
- Resins, 186, 204
- Resonance escape probability, 451
- Resorption Canada Limited (RCL), 72
- Retorting process(es), 266
- carbon dioxide, 282
  - Chevron retort system, 281
  - ex situ*, 267–282
  - in situ*, 282–291
  - Lurgi-Ruhrgas, 276–277
  - moving bed, 282
  - Paraho, 278–280
  - Petrosix, 280–281
  - single-stage, 293
  - Steam-Gas Recirculation, 275
  - subsurface, 282
  - Superior multiminerals, 277–278
  - TOSCO II, 269–274
  - Union Oil, 274–275
  - U.S. Bureau of Mines gas combustion retort, 268–269
- Reverse water gas shift reaction (RWGS), 300
- Reynolds number, 128
- REY zeolites, *see* Rare earth metal-exchanged Y-type zeolites
- RFA, *see* Renewable Fuels Association
- RFG, *see* Reformulated gasoline
- RGP, *see* Reformulated Gasoline Program
- Rheology, definition of, 130
- Rich shale, 239
- RITSL, *see* Reconfigured two-stage liquefaction
- Rock pump, 274
- Rockwell molten salt gasifier, 69
- ROM coal, *see* Run of mine coal
- RON, *see* Research octane number
- Rubbing alcohol, 310
- Rummel-Otto single-shaft gasifier, 69
- Run of mine (ROM) coal, 141
- RVP, *see* Reid vapor pressure
- RWGS, *see* Reverse water gas shift reaction
- ## S
- Saccharification, 329, 350
- Saccharomyces
- bayanus*, 367
  - cerevisiae*, 329, 363, 366
  - uvarum*, 329
  - yeasts, 346
- Sacrificial coal, 44
- SAG-D, *see* Steam-assisted gravity drainage
- Sandia National Laboratory, 439
- SASOL
- catalytic polymerization used at, 119
  - collaborative project with Shenhua group, 114
  - flowsheet, 111
  - FTS process at, 109
  - product distribution, 113
  - slurry-phase distillate process, 164
  - Synthol process, 164
- Saturates, 186
- Scanning electron microscopy (SEM), 238
- Schizosaccharomyces pombe*, 329
- Scrap tires
- cocombustion of, 412
  - pyrolysis of, 410
- Scrubbers, 50
- SCT, *see* Short contact time
- Secondary fluid, 432
- Secondary product, 87

- Sedimentative stability, slurry, 132  
SEHT HAS process, 120  
Self-ignition temperature (SIT), 250  
SEM, *see* Scanning electron microscopy  
Semivolatiles organic compounds (SVOCs), 423  
Semiworks oil shale retorting process, 227  
Separate hydrolysis and fermentation (SHF), 357, 363  
Sewage, methane generation and, 379  
SFR, *see* Sodium-cooled fast reactor  
SG, *see* Synthesis gas  
SGP, *see* Shell Gasification Process  
SGR retort, *see* Steam-Gas Recirculation retort  
Shale, *see also* Oil shale  
  Antrim, 287, 288  
  lean, 239  
  rich, 239  
  spent  
    cooling, 270  
    disposal, 273–274  
Shale oil  
  Arabian Light, 237  
  hydrofining process, 281  
  hydrotreated, properties of, 274  
  hydrotreating plant, block flow diagram, 273  
  modified asphalt (SOMAT) additives, 280  
  nitrogen compounds in, 262, 263  
  paraffinic, 235  
  production targets, constraints to implementing, 231  
  refining and upgrading, 291–293  
    fluidized bed hydroretort process, 293  
    hydrocracking process, 293  
    moving bed hydroprocessing reactor, 292–293  
    thermal cracking process, 292  
Shell  
  coal gasification process, 49  
  Gasification Process (SGP), 166, 311  
  gasifier, 38  
  *in situ* heating technology, 227  
  middle-distillate synthesis (SMDS) process, 114, 158, 165  
  oil shale development by, 226  
  SMDS synthesis, 164  
SHF, *see* Separate hydrolysis and fermentation  
Short contact time (SCT), 99–100  
Shortite, thermochemical properties of, 256  
Siderite, thermochemical properties of, 256  
Siemens Westinghouse Power Corp., 513  
Simplified flow models, 74  
Simultaneous saccharification and fermentation (SSF), 363, 364  
Sinclair Oil and Gas Company retorting process, 285  
SIT, *see* Self-ignition temperature  
Skydkraft AB, 382  
Slag, 28  
Slagging gasification process, 41  
Slagging Lurgi gasifier, 42, 44, 45  
Sleegers and Thiokol Propulsion's Group, 516  
Slurry(ies), *see also* Coal slurry fuel  
  capability, 137  
  characteristics, 127  
  coal content, 142  
  low-tech, 148  
  low-viscosity, 128  
  -phase distillate (SSPD) process, 164  
  pipeline projects, coal-water, 140, 143  
  pseudoplastic, 130  
  pumpable, 50  
  stability  
    categories of, 132  
    surfactants and, 141  
    unimodal, 128  
SMDS process, *see* Shell middle-distillate synthesis process  
Smog, 337  
SNG, *see* Substitute natural gas  
Soave-Redlich-Kwong equation, 308  
Society of Petroleum Engineers (SPE), 5  
Soda ash, recovery of, 278  
Sodium-cooled fast reactor (SFR), 470  
SOFC, *see* Solid oxide fuel cells  
Softening point, resid, 182  
Sohio, oil shale development by, 226  
Soil contamination, hazardous wastes and, 423  
Solar energy, 422, 423  
Solid oxide fuel cells (SOFC), 499, 512–513  
Solid polymer electrolyte, proton exchange membrane, 502  
Solid wastes, origination of, 395–396  
Solvent deasphalting, 194  
Solvent refined coal (SRC-I), 94  
  advantages of, 96  
  disadvantages of, 96  
  nondistillable products, 95  
SOMAT additives, *see* Shale oil modified asphalt additives  
Southern Methodist University Geothermal Laboratory, 439  
Southern Services Co. (SSC), 94  
Space heating systems, 435  
Spallation neutrons, 473  
SPE, *see* Society of Petroleum Engineers  
Specialty starches, 335  
Specific gravity, 179  
Spent fuel, 460  
Spent shale  
  cooling, 270  
  disposal, 273–274

- Spent tire(s)  
 depolymerization, IFP, 413–414  
 dry distillation of, 414, 415  
 pyrolysis of, 409–412  
   carbonization, 411–412  
   fluidized thermal cracking, 411  
   Occidental flash pyrolysis, 410  
   rubber hydrogenation, 415–416
- SPI, *see* American Society of Plastics Industry
- Spirit of box, 310
- Sports utility vehicles (SUVs), 339
- Spouted bed gasifier, model of, 73
- SRC-I, *see* Solvent refined coal
- SSC, *see* Southern Services Co.
- SSF, *see* Simultaneous saccharification and fermentation
- SSPD process, *see* Slurry-phase distillate process
- Stability ratio, 136
- Stanford University and Leningrad's Mining Institute, 439
- Starch(es)  
 conversion, 335  
 enzymatic hydrolysis of, 324  
 feedstocks, 329  
 fermentation, 347  
 -gluten suspension, 335  
 specialty, 335  
 -to-sugar conversion, 329
- Steam-assisted gravity drainage (SAG-D), 218
- Steam gasification, 31–33  
 catalysts, 66  
 process, WGS reaction in, 37  
 reaction, 31  
   alkali metal salts and, 33  
   excess steam used in, 32
- Steam-Gas Recirculation (SGR) retort, 275
- Steam-methane reforming, 159
- Steam-to-oxygen ratio, 44
- Steam reforming, hydrogen production and, 515
- Stern potential, 134
- Stillage, 330
- Stokes' equation, 128
- Stokes' law, 128
- Straight-run gasoline, 156
- Strong sulfuric acid-ethylene process, 345
- Stuart oil shale, TGA curve of, 253
- Substitute natural gas (SNG), 27, 29, 389
- Subsurface retorting, 282
- Sugar(s)  
 conversion to ethanol, 332  
 conversion of hemicellulose to fermentable, 352  
 fermentation, ethanol production by, 324  
 form used for ethanol fermentation, 346  
 plant cells and, 331  
 reducing, 362
- Sulfation hydrolysis process, 345
- Sulfur  
 compounds, resids and, 184  
 emissions, 381  
 poisoning, 28, 318  
 tolerance, catalyst, 30
- Sulphonation process, 503
- Suncor  
 coker distillate, 214  
 oil sand development by, 220
- Supercritical water-cooled reactor (SWCR), 470
- Superior multiminerall process, 277–278
- Supply and demand principle, 1
- Surfactants  
 ionic, 138  
 nonionic, 138  
 slurry stability and, 141
- Suspension types, 132, 133
- SUVs, *see* Sports utility vehicles
- SVOCs, *see* Semivolatile organic compounds
- SWCR, *see* Supercritical water-cooled reactor
- Syncrude, 197, 214, 218
- Syncrude Canada Ltd., 220
- Synetix LPM process, 317–319
- Synfuel(s), 16  
 developmental efforts in various countries, 230  
 development under Bush administration, 228  
 industry, Reagan administration, 228  
 processes, energy efficiencies of, 233  
 products and markets, 229  
 trends in, 157
- Syngas, 28  
 classification, 28–30  
   high-Btu gas, 29–30  
   low-Btu gas, 29  
   medium-Btu gas, 29  
 conditions, chemical reactions under extreme, 301–304  
   CO-free syngas feed, 301–302  
   CO<sub>2</sub>-free syngas feed, 302–303  
   H<sub>2</sub>O-free syngas feed, 303–304  
 conversion to methanol, 299  
 generation process, selection of, 164  
 generation via coal gasification, 38–72  
   classification of gasification processes, 38–39  
   gasification processes, 41–72  
   general aspects of gasification, 40–41  
   historical background, 39–40
- H<sub>2</sub>-to-CO ratio, 32  
 production, 158

- Syngas, methanol synthesis from, 297–321  
 chemistry of methanol synthesis, 299–310  
 active form of methanol synthesis catalyst, 304–305  
 chemical equilibrium, 305–306  
 conversion of syngas to methanol, 299–304  
 properties of methanol, 306–308  
 reaction with methanol, 308–310  
 future of methanol, 320  
 methanol synthesis technology, 310–319  
 Haldor Topsoe A/S low-pressure methanol synthesis process, 313–314  
 ICI's methanol synthesis process, 312–313  
 Krupp Uhde's methanol synthesis technology, 315–316  
 Kvaerner methanol synthesis process, 315  
 liquid-phase methanol process, 31  
 Lurgi Öl-Gas-Chemie GmbH process, 316–317  
 Syntex LPM process, 317–319
- Synthane  
 gasifier, 38  
 process, 39
- Synthesis gas (SG), 27, 28  
 enrichment, methanol productivity and, 115  
 WGS reaction and, 36
- Synthetic Fuels Corporation, 228
- Synthetic Liquid Fuels Program, abolishment of, 226–227
- Syntroleum process, 167
- T**
- Tail gases, Fischer–Tropsch, 169
- Tailings, 460
- Talley Energy Systems retorting process, 288–289
- TAME, *see* Tertiary-*n*-amyl methyl ether
- Tampa Electric Company's Polk Power Station, 27
- Tampella Power Company, 63
- Tar sand, 197, 198, 215
- TCD, *see* Thermal conductivity detector
- TDFs, *see* Tire-derived fuels
- TDR, *see* Time domain reflectometry
- Teflon, 503
- TEM, *see* Transmission electron microscopy
- Tennessee Eastman Corp., acetic anhydride production by, 27
- Tennessee Valley Authority (TVA), 352  
 conversion of hemicellulose to fermentable sugars, 352  
 process, flow diagram of, 353, 354
- Terrorism, dirty bombs and, 484
- Tertiary-*n*-amyl methyl ether (TAME), 337
- Tetrahydrofuran (THF), 97
- Texaco gasification process, 50–51, 311, 397
- TGA, *see* Thermogravimetric analysis
- Thermal conductivity  
 detector (TCD), 264  
 oil shale, 244–248
- Thermal cracking, 405, 411
- Thermal deasphalting process, 215
- Thermal diffusivity  
 definition of, 247  
 Green River oil shale, 248
- Thermal integrated two-stage liquefaction, 99–105  
 Lummus ITSL, 100–102  
 Wilsonville ITSL, 102–105
- Thermal Liquefaction Unit (TLU), 99
- Thermal utilization factor, 451
- Thermodynamic models, 74
- Thermogravimetric analysis (TGA), 238, 244, 253
- THF, *see* Tetrahydrofuran
- Thixotropy, 130, 132
- Three Mile Island accident, 481
- Tia Juana crude oil, 174
- TIGAS, *see* Topsoe Integrated Gasoline Synthesis Process
- Time domain reflectometry (TDR), 277
- Time on stream (TOS), 47
- Tire-derived fuels (TDFs), 409, 411
- TIS retorting, *see* True *in situ* retorting
- TLU, *see* Thermal Liquefaction Unit
- Tokaimura fuel processing facility, 482
- Topsoe Integrated Gasoline Synthesis Process (TIGAS), 119
- Toroidal confinement, 488
- Torrefaction, 384
- TOS, *see* Time on stream
- TOSCO, oil shale development by, 226
- TOSCOAL process, 85–87
- TOSCO II oil shale process, 269–274  
 gaseous and crude shale oil product, 271–272  
 plant yield data, 271  
 process description, 269–271  
 process units, 272–273  
 process yield, 271  
 spent shale disposal, 273–274
- Town gas, 400
- Toy model, 455, 456
- Transitional economies, 9
- Transmission electron microscopy (TEM), 238
- Transportation fuel(s), 82  
 fuel additives and, 119  
 methanol as, 320

natural gas as, 10  
 U.S. need for, 344  
 Transport equation, 447  
 Trans Uranic (TRU) waste, 484  
 Trichoderma  
   *reesei*, 355, 360, 361  
   *viride*, 350  
 True *in situ* (TIS) retorting, 283, 291  
 TRU waste, *see* Trans Uranic waste  
 TSL, *see* Two-stage liquefaction  
 TSOFC, *see* Tubular solid oxide fuel cells  
 Tubular solid oxide fuel cells (TSOFC), 499  
 TVA, *see* Tennessee Valley Authority  
 Two-stage liquefaction (TSL), 95  
 Two-stage reforming, Haldor Topsoe, 314

## U

U-235  
   reaction, 444  
   total cross section, 449  
 Ube Industries, 147  
 UCG, *see* Underground coal gasification  
 U-gas process, 38, 62, 63  
 Unbalanced gas, 37, 311  
 Underground coal gasification (UCG), 51  
 Underground gasification, 51, 52, 53  
   percolation methods, 56  
   shaftless methods, 55–56  
   shaft methods, 55  
 Undeveloped proved reserves, 5  
 Union Carbide Corporation, higher alcohol  
   synthesis process, 120  
 Union Oil retorting process, 274–275  
 United States  
   by-product minerals from oil shale, 238  
   coal consumed in, 13  
   coal slurry development in, 148  
   corn refining in, 324  
   demand for starch, 326  
   Devonian oil shales, 242  
   energy consumption by energy source, 22  
   Energy Security Act, 228  
   ethanol industry, for oxygenated fuel, 325  
   federally designated alternative fuel, 339  
   geothermal direct-use projects, 428  
   -Government-funded research, geothermal  
     energy, 438  
   grain ethanol production, 327  
   greatest potential use for CWM, 147  
   major geothermal power plants in, 427  
   National Ethanol Vehicle Coalition, 338  
   need for transportation fuels, 344  
   oil crisis (1973), 3, 40, 139  
   oil sand deposits in, 206  
   oil sand economics, 219  
   Oil Shale Development Act of 2005, 228  
   oil shale industry, 225  
   patent, moving bed retorting process, 282  
   principal uses of natural gas in, 12  
   renewable energy consumption, 378  
   selling of fuel additives in, 119  
   third most-used energy source in, 10  
   value-added corn products created in, 334  
 Universal Oil Products Co., moving bed  
   hydroprocessing reactor, 292  
 Unmodified cornstarch, 335  
 Unocal, Union B retort process, 226  
 Unproved reserves, 5  
 Unreacted shrinking core model, 72  
 Uranium-fueled reactors, 464  
 U.S. Bureau of Mines gas combustion retort,  
   268–269  
 U.S. Department of Energy (DOE), 92, 126, 352  
   classification of geothermal energy, 423  
   Clean Coal Technology Program, 27  
   conversion of hemicellulose to fermentable  
     sugars, 352  
   Dow Chemical Co. contract with, 287  
   GeoPowering the West program, 429  
   -Industry Cooperative oil shale project, 288  
   liquid-phase methanol process R & D, 319  
   model feedstock chosen by, 371  
   National Research Council funding by, 344  
   Office of Fossil Energy, 226  
   Office of Naval Petroleum and Oil Shale  
     Reserves, 226, 228  
   reactor candidates for research funding, 470  
 U.S. Environmental Protection Agency (EPA), 325  
   input efficiency factor, 328  
   mobile pyrolysis prototype for, 387  
   MTBE policy options, 325  
   RFG program phases, 336  
   waivers, fuel blending and, 119  
 Ute Indians, name for oil shales, 225  
 Utility boilers, permissible coal ash content for, 144

## V

Vacuum  
   bottoms, 185  
   distillation, 176  
   resids, 185  
   residuum, 176  
 van der Waals (VDW) force, 133, 135  
 Vapor lock, fuel line, 308

- Vapor-phase oxidation, 35  
 Vapor pressure osmometry (VPO), 181  
 Variable speed screw feeder, 58  
 VCC, *see* Veba Combi-Cracking  
 VDW force, *see* van der Waals force  
 Veba Combi-Cracking (VCC), 293  
 VEGA, 382, 383  
 Venturi scrubber, 83  
 Vertical tube evaporator (VTE), 435  
 Very-high-temperature reactor (VHTR), 470  
 VHTR, *see* Very-high-temperature reactor  
 Virginia Polytechnic Institute and State University, 439
- Visbreaking  
   applications, 191  
   Athabasca bitumen, 210  
   bitumen thermal reactions and, 204, 208  
   process, 191
- Viscosity  
   Einstein equation for, 131  
   PSD effect on, 129  
   reduction, polymers and, 139  
   resid motion and, 179  
   slurry, 137–138
- VM content, *see* Volatile matter content  
 VOCs, *see* Volatile organic compounds  
 Void effects, 456  
 Volatile matter (VM) content, 41  
 Volatile organic compounds (VOCs), 144, 336, 337, 423  
 VPO, *see* Vapor pressure osmometry  
 VTE, *see* Vertical tube evaporator
- W**
- Wabash River Coal Gasification Repowering Project, 27
- Waste(s)  
   -derived fuels, heating values of, 396  
   polymeric, energy generation from, 402
- Waste-to-energy processes, 404–408  
   catalytic cracking, 406–408  
   degradative extrusion, 408  
   pyrolysis, 404–405  
   thermal cracking, 405
- Waste sources, energy generation from, 395–419  
   energy generation from polymeric wastes, 402–408  
     mechanical recycling, 403–404  
     waste-to-energy processes, 404–408  
   energy recovery from MSW, 397–402  
     anaerobic digestion of MSW, 398  
     gasification of MSW, 397–398  
     pyrolysis of MSW, 398–402  
   fuel production from spent tires, 409–416  
     cocombustion of scrap tires and TDFs, 412–413  
     dry distillation of spent tires, 414  
     Goodyear's devulcanization process, 414–415  
     hydrogenation of spent tire rubber, 415–416  
     IFP spent tire depolymerization process, 413–414  
     pyrolysis of spent tires, 409–412
- Water electrolysis, 159, 516  
 Water gas shift (WGS), 113  
   catalyst, 113  
   conversion reactor, 383  
   equilibrium, 303  
   reaction, 30, 36–38  
     catalysts, 306  
     direction of, 312  
     steam gasification and, 37  
     steam reformer, 311  
     synthesis gas and, 36  
   reactor, product gas and, 70
- Wellman-Galusha process, 61–62  
   catalytic coal gasification, 64–67  
   gasifier, 39  
   products, 62  
   U-GAS process, 62–64
- Wet natural gas, 156  
 WGS, *see* Water gas shift  
 Wide-gap heat exchanger, ethanol plants, 348
- Wilsonville facility  
   CTSL, 107–108, 109  
   ITSL, 102–105  
   ITSL and NTSL operation data, 104  
   NTSL at, 99, 100
- Winkler process, 39, 40, 57–60  
   description, 58  
   features, 59–60  
   gasifier, 58–59  
   gas products, 60
- Wm. Colgate & Co., wheat starch plant, 324  
 Wood, direct combustion of, 377  
 Wood alcohol, 310  
 World Petroleum Council (WPC), 5  
 WPC, *see* World Petroleum Council  
 Wyodak coal, 87
- X**
- X-ray diffraction (XRD), 64, 238, 305  
 XRD, *see* X-ray diffraction

- Xylitol, 366
- Xylose, 331
  - to-ethanol conversion, 333
  - fermentation, 351, 366, 371
  - yields, 358

## Y

- Yanzhou Coal Mining Bureau, 147
- Yeast(s)
  - cell viability, 365
  - pentose, 366

*saccharomyces*, 346

Yellowcake, 460

## Z

Zeolite(s)

catalysts, 168, 310

rare earth metal-exchanged Y-type, 407

Zeta potential, 134

Zircaloy can, 453, 454

ZSM-5 catalyst, 113, 117

*Zymomonos mobilis*, 346