

Index

A

- Absolute humidity scales, 5–6, *6f*, *6t*
- Acetic acid, 91, 96
- Acidic calcium sulfate, 97
- Acidified sodium chlorite, 97
- Acidifiers, 97
- Active packaging, 106–107
- Administration and regulatory compliance.
 See Regulations and guidelines
- Aeromonas hydrophilia*, growth model for, 146, 148
- Agitation. *See* Mixing
- American Meat Institute (AMI), 163, 173
- Antimicrobial agents and processes
 - novel, 91–105
 - acidifiers, 97
 - active packaging, 106–107
 - antimycotic agents, 101–102
 - bacteriocinogenic cultures 97–98
 - bacteriocins, 98–101
 - bacteriophages, 105
 - chlorine dioxide, 97
 - electrolyzed oxidizing water, 103–104
 - fatty acids, 96
 - lauric arginate, 104–105
 - ohmic heating, 105
 - organic acids, 91–96
 - ozone, 102
 - smoke treatments, 103
 - spices, 102–103
 - traditional, 88–90
 - acidifying, 89
 - drying products, 90
 - fermentation, 90
 - freezing, 88
 - using high salt levels, 88–89
- Antimycotic agents, 101–102
- Appendix, 213–227
- Audits
 - areas covered
 - administration and regulatory compliance, 188–189
 - HACCP management, 189–190
 - laboratory support, 193
 - packaging and labeling, 192
 - process and product evaluation, 191–192
 - product security, 193
 - receiving and inventory control, 191
 - rodent and pest control, 191
 - sanitation, housekeeping, and hygiene, 190–191
 - storage and shipping, 192–193
 - finalizing, 193
 - overview, 187
 - preparing for, 188

B

- Bacillus*, 19, 24, 30, 32
- Bacillus cereus*, 32–34
 - growth model, 146
- Bacillus licheniformis*, 32
- Bacillus subtilis*, 33
- Bacterial growth, modeling phases of, 141, 142*f*

- Bacterial inactivation, modeling phases of, 143–144
- Bacteriocinogenic cultures, 97–98
- Bacteriocins, 98–101
- Bacteriophages, 105
- Batch versus continuous processes, 39–40
- Benzoate, 101
- British thermal unit (Btu), definition of, 5
- Burn-on, 62, 64, 65, 69, 74, 76, 77, 78, 84, 85
- C**
- Calorie (cal), definition of, 5
- Campylobacter jejuni*, 18
- Chilling. *See also* Cooling
- ComboChill system, 82–84, 83f
- critical controls for HACCP and *Listeria* requirements, 224
- jacket chilling, 80–81, 80f
- overview, 79
- vacuum chilling, 81–82, 82f
- Chitosan-based antimicrobial packaging films, 106
- Chlorine dioxide, 97
- Citric acid, 91, 95–96
- Clostridium*, 19–20, 24–25, 30, 32, 32
- Clostridium botulinum*, 21–22, 28–29, 33–35, 109
- cooling/growth model, 147
- dynamic temperature model, 147
- thermal activation model, 147
- time-to-toxigenesis model (fish), 147
- time-to-turbidity model, 147
- Clostridium perfringens*, 18, 33–34, 95
- cooling/growth model, 147
- dynamic temperature model, 147
- growth model, 146
- Clostridium putrefaciens*, 32
- Clostridium sporogenes* PA 3679, 28
- Clove oil, 102–103
- ComBase, 138
- ComboChill system, 82–84, 83f
- Compatible materials for equipment, 164–165
- Compliance. *See* Regulations and guidelines
- Condensation, 8, 14
- Conduction, 8–10, 9f
- Continuous thermal processing
- continuous versus batch processes, 39–40
- equipment, 41–43, 42f–43f
- experimental methodology, 45–50, 46f, 46t–48t, 50t
- heat and mass transfer zones during thermal processing, 50–51, 51f
- heating mediums, 41
- oven variables, 43–45, 44t
- overview, 39–40, 54–55
- product quality considerations, 52–54
- Convection, 8, 9f, 10, 13
- Cooking. *See also* Thermal processing
- critical controls for HACCP and *Listeria* requirements, 224
- dairy-based products, 77
- high sugar content, cooking products with, 77
- hot water, using, 72
- importance of mechanisms used, 11–12
- meat products, 19, 74–77
- methods and reasons for, 61–62
- particulates, products with, 78–79
- slurries, 57–67
- steam, using, 71–73
- thermal oil, using, 73
- Cooling. *See also* Chilling
- PMP models, 147
- Critical controls for HACCP and *Listeria* requirements
- cooking and chilling, 224
- cross-contamination possibilities, 222–224
- management education, 224–227
- temperature tracking equipment, 221–222
- Critical elements. *See* Objectives and critical elements
- Cross-contamination, 222–224
- D**
- Dairy-based products, cooking, 77–78
- Death phase (bacterial growth), 143
- Design of experiments (DOE)
- methodology, 45
- Dew point temperature
- definition of, 4

- scale (T_{dp}), 5–6, 6*t*
- Diffusion, 12–13
- Documentation. *See* HACCP decisions, supporting documentation for
- Dry-bulb temperature, definition of, 4
- D value, 203
definition of, 129
- E**
- Edible films, 107
- Electrolyzed oxidizing water, 103–104
- Emissivity, 11
- Energy, units of, 4–5
- Enterocin A and B, 100
- Enterococcus*, 19, 24
- Equations, lethality. *See* Lethality equations
- Equipment
compatible materials, using, 164–165
continuous thermal processing, 41–43, 42*f*–43*f*
hollow areas, hermetically sealing, 166–167
niches in, avoiding, 167–168
sanitary design. *See* Sanitary design for ready-to-eat processing equipment, ten principles of
temperature tracking, 221–222
- Escherichia casseliflavus*, 27
- Escherichia coli*, 18, 24
- Escherichia coli* O157:H7
gamma-irradiation model, 147
growth model, 146
inhibited by liquid smoke and acetic acid, 103
survival model, 146
thermal activation model, 147
- Escherichia faecalis*, 27, 31
- Escherichia faecium*, 27, 31
- Evaporation, 14
- F**
- Facilities, sanitary design principles for. *See* Sanitary design principles for facilities
- Fatty acids, 96
- Fick's law, 12
- Food safety beyond guidelines and regulations
factors affecting thermal inactivation, 199–203
pathogen factors, 200
process factors, 202–203
product factors, 200–201
overview, 195, 206
regulations and guidelines and the state of the art, 195–199
regulatory evolution, 196–197
state of the art, 197–199, 198*f*, 199*t*
what to do, 203–206
for the future, 205–206
for now, 203–205
- Fourier's law, 9
- F value, definition of, 129
- G**
- Gaseous atmosphere, 22
- Ground meats, cooking, 64, 76–77
- Growth inhibitors, 21–22
- Growth phase, 142–143
- Growth PMP models, 146
- Guidelines. *See* Regulations and guidelines
- H**
- HACCP (hazard analysis and critical control point) decisions
audit of, 189–190
supporting documentation for
background, 154–155
distribution and access, 160
organization, 155–157, 156*t*, 158*t*
overview, 153, 156*t*, 160
purpose, 155
resources, 159
- Hafnia*, 25
- Heat and mass transfer
continuous thermal processing and, 50–51, 51*f*
heat transfer, 8–12
conduction, 9–10, 9*f*
convection, 10
processing factors that affect transfer, 63–64, 63*f*
heat source, 71–73
miscellaneous factors, 67–69, 69*f*

- Heat and mass transfer (*Cont.*)
 quality of mixing, 64–67, 66f, 67f
 scrapers, 69–71, 70f, 71f
 radiation, 10–11
 importance of mechanisms to cooking,
 11–12
 mass transfer, 12–14
 condensation and evaporation, 14
 convection, 13
 diffusion, 12–13
 overarching principles, 7–8
 overview, 3, 14–15
 terminology, 4–7
- High-pressure processing, 108–109
- High sugar content, cooking products
 with, 78
- Hollow areas of equipment or components,
 hermetically sealing, 166–167
- Hot water, cooking with, 72
- Housekeeping, sanitation, and hygiene,
 audit of, 190–191
- Human enteric pathogens in cooked meats,
 32–35
 perishable canned cured meat products,
 35
 perishable cooked cured meats, 33–34
 perishable cooked uncured meats, 32–33
 shelf-stable canned cured meat
 products, 35
 shelf-stable canned uncured meat
 products, 34–35
- Humidity, 5–7
 absolute humidity scales, 5–6, 6f, 6t
 relative humidity, 7, 7f
- Humidity ratio scale (H or W), 5–6, 6t
- Hurdle technology, 90
- HVAC systems, 178
- Hygiene, sanitation, and housekeeping,
 audit of, 190–191
- Hygienic zones, 174–175
- I**
- Inventory control, audit of, 191
- Irradiation, 109–110, 147
- J**
- Jacket chilling, 80–81, 80f
- Joule (J), definition of, 5
- L**
- L. fructivorans*, 31
- L. jensenii*, 31
- Laboratory support, audit of, 193
- Lactic acid, 91–95
- Lactobacillus*, 17, 19–21, 25, 27
- Lactobacillus brevis*, 21
- Lactobacillus plantarum*, 21
- Lactocin 705, 100
- Lag phase, 141–142
- Lauric arginate, 104–105
- Lethality equations
 lethality calculations, 131–134
 experimental data, 132
 model parameters, 132–133
 spreadsheet implementation,
 133–134, 133f
 modeling basics, 129–131, 130f, 131t
 strengths and weaknesses of tools,
 199t
 overview, 127–128, 134
 terminology, 128–129
- Leuconostoc*, 20, 25, 27, 31
- Linear inactivation phase, 144
- Listeria*, 20
- Listeria innocua*, 202
- Listeria monocytogenes*, 32–34, 203
 growth model, 146, 149–150, 150f
 survival model, 146
 thermal activation model, 147
- Listeria monocytogenes*, inhibiting growth
 of
 antimicrobial processes
 active packaging, 106–107
 ohmic heating, 105
 hurdle technology, 90
 nonthermal postpackaging treatments,
 107–110
 high-pressure processing, 108–109
 irradiation, 109–110
 ultraviolet light, 108
- novel antimicrobial agents, 91–105
 acidifiers, 97
 antimycotic agents, 101–102
 bacteriocinogenic cultures
 97–98
 bacteriocins, 98–101
 bacteriophages, 105

- chlorine dioxide, 97
- electrolyzed oxidizing water, 103–104
- fatty acids, 96
- lauric arginate, 104–105
- organic acids, 91–96
- ozone, 102
- smoke treatments, 103
- spices, 102–103
- overview, 87–88, 112–113, 221–227
- thermal postpackaging treatments, 110–112
- postpackaging pasteurization, 110–112
- traditional antimicrobial processes and ingredients, 88–90
 - acidifying, 89
 - drying products, 90
 - fermentation, 90
 - freezing, 88
 - using high salt levels, 88–89
- Logarithm, definition of, 128–129
- M**
- Maintenance enclosures, hygienic design of, 168–169
- Malic acid, 91
- Management education, 224–227
- Mass transfer, 11–14. *See also* Heat and mass transfer
 - condensation and evaporation, 14
 - convection, 13
 - diffusion, 12–13
 - importance of mechanisms to cooking, 11–12
- Maximum population density and stationary phase, 143
- Meat products
 - cooking, 19, 74–78
 - microbiology of. *See* Microbiology of cooked meats
 - sausage. *See* Sausage products, verification of final internal temperature in
- Microbiology of cooked meats
 - effect of cooking on microorganisms in meat, 19
 - factors affecting microbial growth in
 - cooked meats, 20–22
 - gaseous atmosphere, 22
 - growth inhibitors, 21–22
 - nutrient availability, 20
 - pH, 21
 - storage temperature, 22
 - water activity, 21
 - human enteric pathogens in cooked meats, 32–35
 - perishable canned cured meat products, 35
 - perishable cooked cured meats, 33–34
 - perishable cooked uncured meats, 32–33
 - shelf-stable canned cured meat products, 35
 - shelf-stable canned uncured meat products, 34–35
 - microbial spoilage of cooked meats, 23, 24*t*
 - modeling. *See* Models, microbial pathogens in food
 - overview, 17–18
 - perishable canned cured meat products, 31–32
 - perishable cooked cured meats, 26–27
 - perishable cooked uncured meats, 23–26
 - shelf-stable canned cured meat products, 28–30, 29*t*
 - shelf-stable canned uncured meat products, 27–28
 - sources of microorganisms in cooked meats, 19–20
 - sources of microorganisms in raw meat, 18–19
- Micrococcus*, 19, 21–22, 24
- Mixing, 65–67, 66*f*, 68*f*
- Models
 - lethality equations. *See* Lethality equations
 - microbial pathogens in foods
 - death phase, 143
 - growth phase, 142–143
 - lag phase, 141–142
 - linear inactivation phase, 144
 - overview, 140–141
 - phases of bacterial growth, 141, 142*f*

Models (*Cont.*)

- phases of bacterial inactivation, 143–144
- shoulders and tails, 144
- stationary phase and maximum population density, 143
- USDA FSIS *Generic HACCP Models*, 154

Moisture by volume (MV) scale, 5, 6*f*, 6*t*

Molds, 17–20, 27

N

Niches, avoiding in equipment, 167–168

Nicin, 98–100

Nonthermal postpackaging treatments, 107–110

- high-pressure processing, 108–109
- irradiation, 109–110
- ultraviolet light, 108

Novel antimicrobial agents, 91–105

- acidifiers, 97
- antimycotic agents, 101–102
- bacteriocinogenic cultures 97–98
- bacteriocins, 98–101
- bacteriophages, 105
- chlorine dioxide, 97
- electrolyzed oxidizing water, 103–104
- fatty acids, 96
- lauric arginate, 104–105
- organic acids, 91–96
- ozone, 102
- smoke treatments, 103
- spices, 102–103

Nutrient availability and microorganism growth in meat, 20

O

Objectives and critical elements

- critical controls for HACCP and *Listeria* requirements
 - additional information on cooking and chilling, 224
 - cross-contamination possibilities, 222–224
 - management education, 224–227
 - temperature tracking equipment, 221–222

verification of final internal temperature in sausage products

- 1: all products meet temperature and time requirements, 213–216
- 2: internal temperature is taken at the physical center of the product, 214, 216–218
- 3: thermometer or temperature probe is accurate, checked, and calibrated, 214, 218–219
- 4: thermal process is accurately recorded and documented, 214, 219–220
- 5: tools are available to the QC department, 215, 220

overview, 213

Octa-Gone, 96

Octanoic acid, 96

Ohmic heating, 105

Organic acids, 91–96

Ovens

- controls available, 44*t*
- linear, 41–42, 42*f*, 44*t*
- spiral, 42, 43*f*, 44*t*

Oven variables in continuous thermal processing, 43–45, 44*t*

Ozone, 102

P

Packaging and labeling, audit of, 192

Particulates, cooking products with, 78–79

Pasteurization, postpackaging, 110–112

Pediocin, 100

Pediococcus, 17, 21

Perishable canned cured meat products

- human enteric pathogens, 35
- microbiology, 31–32

Perishable cooked cured meats

- human enteric pathogens, 33–34
- microbiology, 26–27

Perishable cooked uncured meats

- human enteric pathogens, 32–33
- microbiology, 23–26

Pest control, 180–181

- audit of, 191

pH, and microorganism growth in meat, 21

PLC control programs, 75–76

Power, units of, 5

- Predictive microbiology information portal and USDA–pathogen modeling program
- classes of models, 145–146
 - modeling of microbial pathogens in foods
 - death phase, 143
 - growth phase, 142–143
 - lag phase, 141–142
 - linear inactivation phase, 144
 - overview, 140–141
 - phases of bacterial growth, 141, 142*f*
 - phases of bacterial inactivation, 143–144
 - shoulders and tails, 144
 - stationary phase and maximum population density, 143
 - overview, 151
 - pathogen modeling program, 139–140
 - predictive microbiology information portal, 137–139
 - USDA-ARS-PMP
 - choosing, 147–148
 - interpreting, 148–149
 - operating, 148
 - static temperature model for
 - changing conditions, 149–150, 150*f*
 - types of model, 146–147
 - using in HACCP plans, 150–151
- Process and product evaluation, audit of, 191–192
- Product security, audit of, 193
- Propionate, 101
- Proteus*, 25
- Pseudomonas*, 22
- R**
- Radiation, 8, 9*f*, 10–11
- Raw meat, sources of microorganisms in, 18–19
- Receiving and inventory control, audit of, 191
- Regulations and guidelines
 - administration and regulatory compliance, 188–189
 - audits, 188–189
 - complications of, 137–138
 - going beyond. *See* Food safety beyond guidelines and regulations
 - predictive microbiology information portal (PMIP). *See* Predictive microbiology information portal and USDA–pathogen modeling program
 - regulatory evolution, 196–197
 - state of the art and, 195–199, 198*f*
- Relative humidity (RH), 7, 7*f*
- Reuterin, 100
- Rodent and pest control, 180–181
 - audit of, 191
- Room airflow and room air quality, controlling, 179
- Room temperature and humidity, controlling, 178–179
- S**
- S. typhimurium*, gamma-irradiation model for, 147
- Sakacin, 100
- Salmonella*, 18, 32–35, 109, 201–206
 - calculating thermal inactivation of. *See* Lethality equations
 - growth model, 146
 - inhibited by liquid smoke and acetic acid, 103
 - survival model, 146
 - target pathogen for regulations, 127, 196–197, 200
- Sanitary design for ready-to-eat processing equipment, ten principles of
 - 1: cleanable to a microbiological level, 164
 - 2: equipment must be made of compatible materials, 164–165
 - 3: all areas of equipment must be accessible for inspection, maintenance, cleaning, and sanitizing, 165
 - 4: equipment is designed to prevent product or liquid collection, 165–166
 - 5: hollow areas of equipment or components are hermetically sealed, 166–167
 - 6: no niches, 167–168

- Sanitary design for (*Cont.*)
- 7: equipment must be designed for sanitary operational performance, 168
 - 8: hygienic design of maintenance enclosures, 168–169
 - 9: hygienic compatibility with other plant systems, 169–170
 - 10: validated cleaning and sanitizing procedures, 170–171
- overview, 163
- Sanitary design principles for facilities
- 1: distinct hygienic zones established in the facility, 174–175
 - 2: control the flow of personnel and materials to reduce the transfer of hazards, 175–177, 176*t*
 - 3: water accumulation is controlled inside the facility, 177–178
 - 4: room temperature and humidity are controlled, 178–179
 - 5: room airflow and room air quality are controlled, 179
 - 6: site elements facilitate sanitary conditions, 180–181
 - 7: the building envelope facilitates sanitary conditions, 181–182
 - 8: interior spatial design promotes sanitation, 182
 - 9: building components and construction facilitate sanitary conditions, 182–183
 - 10: utility systems are designed to prevent contamination, 183, 184*f*
 - 11: sanitation is integrated into facility design, 183–186
- introduction to sanitary design, 173–174
- key concepts
- facilitate sanitation, 180–186
 - keep it cold and control moisture, 177–179
 - zones of control, 174–177
- Sanitation, housekeeping, and hygiene, audit of, 190–191
- Sausage products, verification of final internal temperature in
- 1: all products meet temperature and time requirements, 213–216
 - 2: internal temperature is taken at the physical center of the product, 214, 216–218
 - 3: thermometer or temperature probe is accurate, checked, and calibrated, 214, 218–219
 - 4: thermal process is accurately recorded and documented, 214, 219–220
 - 5: tools are available to the QC department, 215, 220
- overview, 213
- Scrapers, 69–71, 70*f*, 71*f*
- Serratia liquefaciens*, 27
- Shelf-stable canned cured meat products
- human enteric pathogens, 35
 - microbiology, 28–30, 29*t*
- Shelf-stable canned uncured meat products
- human enteric pathogens, 34–35
 - microbiology, 27–28
- Shigella flexneri*, growth model for, 146
- Shipping, audit of, 192–193
- Shoulders (modeling), 144–145
- Slurries, thermal processing of
- challenges of heating slurries, 57–59
 - chilling slurries, challenges of
 - ComboChill system, 82–84, 83*f*
 - jacket chilling strengths and weaknesses, 80–81, 80*f*
 - overview, 79–80
 - vacuum chilling, 81–82, 82*f*
 - cooking different products
 - dairy-based products, 77–78
 - high sugar content, products with, 77–78
 - meat products, 74–77
 - overview, 73–74, 73*f*
 - particulates, products with, 78–79
 - food safety considerations, 59–61
 - methods and reasons for cooking, 61–62
 - overview, 84–85
 - processing factors that affect heat transfer, 63–64, 63*f*
 - heat source, 71–73
 - miscellaneous factors, 68–69, 69*f*
 - quality of mixing, 64–67, 65*f*, 66*f*, 67*f*
 - scrapers, 69–71, 70*f*, 71*f*
- Smoke treatments, 103
- Sorbate, 101–102

Spices, 102–103
as contributors of bacteria, yeast, and molds, 19

Staphylococcus aureus, 18, 21–22,
33–34

growth model, 146
survival model, 146

Static temperature model for changing conditions, 149–150, 150*f*

Stationary phase and maximum population density, 143

Statistical process control (SPC), 52

Steam, cooking with, 72–73

Storage and shipping, audit of,
192–193

Storage temperature, 22

Streptococcus, inhibited by liquid smoke and acetic acid, 103

Survival (nonthermal inactivation) PMP models, 146

T

Tails (modeling), 144–145

Temperature
definition of, 4
storage, 22

Temperature tracking equipment,
221–222

Thermal inactivation

factors affecting, 199–203
pathogen factors, 200
process factors, 202–203
product factors, 200–201
PMP models, 147

Thermal oil, cooking with, 73

Thermal postpackaging treatments,
110–112

Thermal processing. *See also* Cooking continuous. *See* Continuous thermal processing

slurries. *See* Slurries, thermal processing of

Third-party audits. *See* Audits

U

U-factor, 63–64

Ultraviolet light, 108

University Extension Programs, 62

USDA (United States Department of Agriculture)

FSIS Compliance Guidelines, 88

FSIS *Generic HACCP Models*, 154

FSIS lethality performance standards,
88

FSIS supporting documentation for HACCP decisions, 160

pathogen modeling program. *See*

Predictive microbiology

information portal and

USDA–pathogen modeling program

V

Vacuum chilling, 81–82, 82*f*

W

W. viridescens, 24, 27, 31

Water accumulation, controlling inside the facility, 177–178

Water vapor pressure scale (P_{vap}), 5

Wet-bulb temperature, definition of, 4

Y

Yeasts, 17–20, 27

Yersinia enterocolitica, growth model for,
146

Z

Zones of control, 174–177

Z value, definition of, 129