

Index

Note: Page numbers in *italics* refer to figures, those in **bold** to tables.

- ABCs, use in computer simulation
of microwave heating, 115–116
- absorption coefficient, 305
- acoustic energy, 240, 241
- acoustic impedance, 242–243, 244
- acoustic intensity, 240–241
- acoustic momentum flow rate, 256
- acoustic properties, 31, 35
sound attenuation coefficient,
33–34
speed of sound, 32–33
- acoustic radiation pressure, 241–
242, 242
- acoustic streaming, 234, 248–250
and acoustic momentum flow
rate, 256
- Eckart streaming, 250
- high power, 255–260, 255, 257,
258, 259
- low power, 250–254, 250, 254
- Rayleigh streaming, 249
- Reynolds stress approach, 250–
251, 250, 252
- RNW streaming theory, 251–252
- sound absorption, 252–254, 254
- sound attenuation, 252–253, 255–
256, 255
- Stuart streaming, 245, 256–257
- successive approximations
method, 250, 250
- acoustics, linear, 235–236
acoustic energy, 240, 241
acoustic impedance, 242–243, 244
acoustic intensity, 240–241
acoustic radiation pressure, 241–
242, 242
boundary conditions, 243–244,
243
continuity equation, 236
harmonic waves, 237–239, 238
Helmholtz equation, 239
linear wave equation, 235–237,
246–247
plane sound waves, 239, 241,
243, 243, 244
rays of sound, 245, 245
sinusoidal waves, 237–239, 238
state equation, 236
velocity potential, 237
- acoustics, nonlinear, 247–248
- adsorption isotherms, 344–345, 344,
346, 347–348, 347, 348
- analytical solutions to Maxwell's
equations, 103–104
- cylindrical coordinate system,
104, 104
- rectangular coordinate system,
103–104, 104
- spherical coordinate system, 104–
105, 105
- ANNs (artificial neural networks).
See neural networks
- annular UV reactors, 306, 307
- artificial neural networks. *See* neural
networks
- atmospheric freeze drying, 298
- balancing equations, 62–64
- biodosimetry, 317, 319, 320
- boundary conditions
in high-pressure high-temperature
processing, 81–82, 81, 133
in microwave processing, 102–
103, 113, 141–142
in pulsed electric field processing,
211, 217, **217**
in ultrasound processing, 243–
244, 243
- bubbles, effect on acoustic
properties, 32, 34, 35, 234,
259–260

Innovative Food Processing Technologies: Advances in Multiphysics Simulation, First Edition.

Edited by Kai Knoerzer, Pablo Juliano, Peter Roupas, and Cornelis Versteeg.

© 2011 by John Wiley & Sons, Ltd. and Institute of Food Technologists. Published by John Wiley & Sons, Ltd.

- cell membrane rupture, in
microwave processing, 8
- cellular reactions, influence of
pressure, 60–61, 63
- CFD. *See* computational fluid
dynamics
- chemical marker methods for
determining microwave heating
patterns, 113
- chromatographic separation
technologies, 335
- adsorption isotherms, 344–345,
344, 346, 347–348, 347, 348
- equilibrium dispersive model,
341–342, 344
- equilibrium (ideal) model, 340, 343
- general rate model, 342, 343, 344
- ideal (equilibrium) model, 340,
343
- modeling approaches, 339–340,
340, 341
- See also* simulated moving bed
chromatography; true moving
bed chromatography
- circuit
analogy, in ohmic heating, 159, 160
for pulsed electric field
processing, 174, 174
- coaxial cylinders, in pulsed electric
field processing chamber, 194
- co-field design for pulsed electric
field processing chamber, 194–
195, 195
- coiled tube ultraviolet reactors,
306–307
- colinear treatment chamber, in
pulsed electric field processing
chamber, 194–195, 195, 218–
219, 219
- compressibility, and high-pressure
processing, 60
- compression heating
coefficient, 28–30
in high-pressure high-temperature
processing, 78–80, 79, 84
- computational fluid dynamics, 4, 16,
69–70, 70
- dimensionless parameters to
express process performance,
93–96, 94
- and disinfection of liquid food
using ultraviolet light processing,
326–327, 330, 332–333
- and high-pressure high-
temperature processing, 76,
80–97, 81, 83, 87, 88, 89, 90,
91, 92, 93, 94, 95
- and high-pressure processing,
57–59
- and inlet velocity, 85–86, 87
- investigations of impact of
process inhomogeneities on
molecular/cellular systems,
67–69, 68, 68, 69
- and process sterility, distribution
of, 88, 90–93, 90, 91, 92, 93
- temperature uniformity/flow,
prediction of, 84–88, 87, 88, 89
- and ultrasonic streaming, 257–
260, 257, 258, 259
- and ultraviolet fluence, 310–311,
311, 318
- and ultraviolet light processing,
304, 307–321, 308, 309, 311,
312, 313, 314, 315, 316, 317,
318, 320
- validation tools for, 96–97
- computational grids, used in pulsed
electric field processing
simulation, 217–218, 218
- computational power, and
Multiphysics modeling, 353–
354, 362
- computer simulation for microwave
processing, 101–102, 125–126
heating, 113–120, 114, 118, 119,
120
- sterilization, 121–123, 121, 122,
122, 123, 124, 125, 126
- conductivity
electrical, 31
thermal, 27–28
- constitutive relations, 132–133
- continuity equation
in linear acoustics, 236
in nonlinear acoustics, 247
- continuous chromatographic
separation. *See*
chromatographic separation
technologies
- convective drier, in ultrasonic
system for drying of food
materials, 282–283, 284, 285,
285–287
- cylindrical coordinate system, use in
Maxwell's equations, 104, 104
- cylindrical radiator, in ultrasonic
system for drying of food
materials, 273–274, 274, 276,
276, 277
- Dean flow, 309–310, 309
- density, 24–25
- dielectric breakdowns, in pulsed
electric field processing 194
- dielectric materials, dissipated
power in, 112
- dielectric properties, 30–31
- diffusion effects, and high-pressure
processing, 63
- dimensionless parameters to express
process performance in high-
pressure high-temperature
processing, 93–96, 94
- direct measurements, in model
validation, 17–18, 17
- disinfection efficiency, 329, 330,
331, 333
- disinfection of liquid food using
ultraviolet light processing,
325–326, 330, 332–333
- computational fluid dynamics
modeling, used in, 326–327,
330, 332–333
- disinfection efficiency of, 329,
330, 331, 333
- reactors for, 325–326
- simulation of, 329–330, 329, 331,
332
- ultraviolet fluence, 327–329, 330,
331, 332, 332–333
- ultraviolet intensity field model,
327
- dynamic mixers, used in ultraviolet
light processing, 306
- Eckart streaming, 250
- ECP (elution by characteristic point)
method of determining
adsorption isotherms, 347

- Eigenvalue method, and numerical stability, 109–110
- electric field processing, and ohmic heating, 165–166
- electric field strength, in pulsed electric field processing, 176
- electrical conductivity, 31
- and ohmic heating, 158, 159–160, 166
- in pulsed electric field processing, 182, 182, **183**, 193
- electrical properties of foods, and pulsed electric field processing, 182–183, 182, **182**, 183
- electro-hydrodynamic field in colinear treatment chamber, 218–219, 219
- electromagnetic heating. *See* microwave processing
- electromagnetic wave equations, 102–103
- electroporation
- in microwave processing, 8
- in pulsed electric field processing, 180
- in ultrasound processing, 233
- elution by characteristic point method of determining adsorption isotherms, 347
- EM (electromagnetic wave) equations, 102–103
- emulsification, use of ultrasound processing in, 233, 261, 361–362
- energy
- conservation of, 81, 213, 236, 247–248
- saving, and ultrasonic system for drying of food materials, 297–298, **297**
- transport of, 59–60
- enzyme inactivation
- in pulsed electric field processing, 186–187, **187**, 188, 210, 214–216, 223
- in ultrasound processing, 233
- equilibrium dispersive model, in chromatographic separation technologies, 341–342, 344
- equilibrium (ideal) model, in chromatographic separation technologies, 340, 343
- ER (external resistance to mass transfer) models, 290–291, 291, 292, 293, 293, 294
- Euler's formula, 238–239, 239
- exponential decay pulses, 174–175, 175, 178, 179
- external resistance to mass transfer models, 290–291, 291, 292, 293, 293, 294
- extraction, use of ultrasound processing, 233
- FDM (finite difference method). *See* finite difference time domain method
- FDTD method. *See* finite difference time domain method
- FEM method. *See* finite element method
- fiber optic probes, use in temperature measurement (mapping) in microwave fields, 135
- finite difference method. *See* finite difference time domain method
- finite difference time domain method, use in microwave processing, 101–102, 105–110, 107, 113–114
- ABCs, 115–116
- communication algorithm
- between electromagnetic and thermal fields, 117–118
- electromagnetic energy related to microwave heating, 116
- heat transfer equations, 116–117
- model formulation, 114–115, 114
- source specification, 116
- sterilization, simulation model for, 121–123, 121, 122, **122**, 123, 124, 125, 126
- validation of model, 118–120, 118, 119, 120
- finite element method
- use in microwave processing, 101, 110–111, 110
- use in pulsed electric field processing, 196
- use in ultrasonic systems for drying of food materials, 267–274, **269**, 271, 272, **273**, 273, **274**, 274, 275, 276, 276–280, 277, 278, 279, 280, 281, 282
- first-order microbial inactivation model, 311, 312
- flow fields, modeling of, 308, 319–320
- Dean flow, 309–310, 309
- laminar, 308–309, 308, 312, 312, 316–317
- Taylor-Couette flow, 312, 312
- turbulent, 309, 312, 312, 316, 317
- fluence. *See* ultraviolet fluence
- fluid properties, and pulsed electric field processing, 216–217
- frontal analysis method of determining adsorption isotherms, 347, 347
- Gaussian jet velocity distribution approach, used in modeling ultrasonic streaming, 258–259, 258, 259
- general rate model, in chromatographic separation technologies, 342, 343, 344
- GJVD (Gaussian jet velocity distribution) approach, used in modeling ultrasonic streaming, 258–259, 258, 259
- grids, used in pulsed electric field processing, 200–203, 201, 202, 203
- harmonic waves, in linear acoustics, 237–239, 238
- health of foods, 357–358
- heat conduction losses, 247, 248
- heat loss in high-pressure high-temperature processing, 77, 78–80
- heat transfer
- balance, 80, 172
- coefficient, 28, 83, 94, 183–184
- equations, 80, 112–113, 116–117, 172, 173–174
- heating equations, in microwave processing, 112–113, 133

- heating models, in microwave processing, 140
 boundary conditions, 141–142
 computational methods, 143, 144, 145
 geometry, 140, 141, 142
 initial conditions, 141
 material properties, 142–143
 model food cylinder, controlled heating of, 148–149, 148, 149
 process conditions, 140–141
 simulated heating of chicken wing, 147–148, 148
 validation of simulation, 145, 145, 146, 147, 147, 149–150
- Helmholtz equation, in linear acoustics, 239
- HHP systems. *See* high hydrostatic pressure systems
- high hydrostatic pressure systems
 macroscopic model for thermal exchange, 50–51, 52
 neural networks, use in, 47–49
 simple representation/modeling of thermal processes, 49, 49, 50, 51, 52
- high-power ultrasonic streaming
 computational fluid dynamics modeling of, 257–260, 257, 258, 259
 and sound attenuation, 255–256, 255
 Stuart streaming, 256–257
- high-pressure high-temperature processing, 75–80, 77
 boundary conditions, 81–82, 81, 133
 and compression heating, 78–80, 79, 84
 and computational fluid dynamics models, 76, 80–97, 81, 83, 87, 88, 89, 90, 91, 92, 93, 94, 95
 dimensionless parameters to express process performance, 93–96, 94
 heat loss, 77, 78–80
 heat transfer balance, 80
 integrated temperature distributor, 94–96, 95
 physical properties of foods/other materials, 82–83, 83
 preheating methods, 78
 process uniformity, 94, 94
 and spore inactivation, 75, 88, 89–96, 90, 91, 92, 93, 95, 97
 and thermal conductivity, 82
 vessel, 76–77, 83–84, 86–88, 88, 89
 and viscosity, 82–83
- high-pressure processing, 5–7, 5, 57–59, 69–70, 360–361
 balancing equations, 62–64
 and compressibility, 60
 and computational fluid dynamics, 57–59
 control of process impact, 64–69, 65, 66
 diffusion effects, 63
 limitations of, 6–7
 macroscopic model for thermal exchange, 50–51, 52
 and mass, momentum, and energy, 59–60
 mathematical modeling, 61–64
 molecular/cellular reactions, influence on, 60–61, 63
 neural networks, use in, 46–49
 numerical simulation, 61–64
 phases of, 66–67, 66
 scaling up, 64–67, 65, 66
 thermofluidynamic phenomena under high-pressure conditions, 59–61
See also high hydrostatic pressure systems; high-pressure high-temperature processing
- high-pressure thermal sterilization, 6–7
- high-temperature short-time processing, 155, 156
- homogeneity of pulsed electric field processing treatment, 200–203, 201, 202, 203
- HPHT processing. *See* high-pressure high-temperature processing
- HPP. *See* high-pressure processing
- HPTS (high-pressure thermal sterilization), 6–7
- HTST (high-temperature short-time processing), 155, 156
- ideal (equilibrium) model, in chromatographic separation technologies, 340, 343
- inactivation
 and determining distribution of process sterility, 88, 90–93, 90, 91, 92, 93
 enzyme, 186–187, 187, 188, 210, 214–216, 223, 233
 microbial, 185–186, 186, 188, 209–210, 214–216, 233, 303, 307, 311–312, 312, 317, 318, 319
 and numerical simulations in pulsed electric field processing, 184–187, 186, 187, 188, 221–223, 221, 222
- indirect measurements, in model validation, 17, 18
- inflow velocity boundary, in high-pressure high-temperature systems, 81–82
- infrared imaging, 113
- infrared thermography, 135–136
- inhomogeneities
 process, 60, 67–69, 68, 68, 69, 156
 temperature, 60
- inlet velocity
 and computational fluid dynamics, 85–86, 87
 at laminar conditions, 85
 at turbulent conditions, 85–86, 87
- innovative food processing technologies
 and conventional processes modeling, 356–357
 and nutrition/health of foods, 357–358
 process modeling of, 355–356
 and thermophysical properties of food, 23–36, 24, 358
- integrated temperature distributor, in high-pressure high-temperature processing, 94–96, 95
- IR (infrared) imaging, 113
- IR (infrared) thermography, 135–136

- isothermal pressurization, 60
- ITD (integrated temperature distributor), in high-pressure high-temperature processing, 94–96, 95
- joule heating, 171, 179, 180
- kinetic models
 for enzyme inactivation, 186–187, **187**, 188, 214, 215
 for microbial inactivation, 185–186, **186**, 188, 214, 215
- Kohonen's self-organization map, 41–43, 42
- laminar flow fields, modeling of, 308–309, 308, 312, 312, 316–317
- lamps used in ultraviolet light processing, 303, 318–319, 318
- linear acoustics, 235–236
 acoustic energy, 240, 241
 acoustic impedance, 242–243, 244
 acoustic intensity, 240–241
 acoustic radiation pressure, 241–242, 242
 boundary conditions, 243–244, 243
 continuity equation, 236
 harmonic waves, 237–239, 238
 Helmholtz equation, 239
 linear wave equation, 235–237, 246–247
 plane sound waves, 239, 241, 243, 243, 244
 rays of sound, 245, 245
 sinusoidal waves, 237–239, 238
 state equation, 236
 velocity potential, 237
- linear wave equation, 235–237, 246–247
- liquid crystal foils, use in temperature measurement (mapping) in microwave fields, 136, 136
- low power acoustic streaming, 250–254, 250, 254
 RNW streaming theory, 251–252
 and sound absorption, 252–254, 254
- and sound attenuation, 252–253
 successive approximations
 method vs. Reynolds stress approach, 250–251, 250
- low-pressure amalgam lamps, used in ultraviolet light processing, 318–319, 318
- low-pressure mercury lamps, used in ultraviolet light processing, 303
- LPAL (low-pressure amalgam lamps), used in ultraviolet light processing, 318–319, 318
- LPM (low-pressure mercury) lamps, used in ultraviolet light processing, 303
- macroscopic modeling, 49–51, 49, 50, 51, 52, 53
- magnetic field coupling, in microwave processing, 8
- magnetic resonance imaging, use in temperature measurement (mapping) in microwave fields, 137–140, 137, 138, 139, 140
- mass
 conservation of, 80–81, 172, 213, 236, 247
 transport of, 59–60, 291–298, 292, 293, 294, 295, 296
- mathematical modeling, and high-pressure processing, 61–64
- Maxwell's equations, 102, 132
 analytical solutions, 103–105, 104, 105
 numerical solutions, 105–112, 107, 110
- medium-pressure mercury lamps, used in ultraviolet light processing, 303
- mercury lamps, used in ultraviolet light processing, 303
- method of moment (MoM), use in microwave processing, 111–112
- microbial inactivation
 in pulsed electric field processing, 185–186, **186**, 188, 209–210, 214–216
 in ultrasound processing, 233
 in ultraviolet processing, 303, 307, 311–312, 312, 317, 318, 319
- microwave processing, 7–9, 131–132, 361
 boundary conditions, 102–103, 113, 133, 141–142
 computer simulations for, 101–102, 113–123, 114, 118, 119, 120, 121, 122, **122**, 123, 124, 125, 125–126, 126
 constitutive relations, 132–133
 electromagnetic wave equations, 102–103
 and electroporation, 8
 finite difference time domain method, use in, 101–102, 105–110, 107
 finite element method, use in, 101, 110–111, 110
 heating equations, 112–113, 133
 heating models, 140–143, 141, 142, 144, 145, 145, 146, 147, 147–149, 148, 149
 limitations of, 8–9
 magnetic field coupling in, 8
 Maxwell's equations, 102, 103–112, 104, 105, 107, 110, 132
 method of moment (MoM), use in, 111–112
 nonthermal effects, 8
 nonuniformity in, 8–9
 selective heating in, 8
 sterilization, simulation model for, 121–123, 121, 122, **122**, 123, 124, 125, 126
 temperature distributions, 131–132, 149–150
 temperature measurement (mapping), in microwave fields, 134–140, 136, 137, 138, 139, 140
 temperature responses, measurement of, 113
 thermal effects, 8
 thermal modeling, 132–134
- microwave radiometry, use in temperature measurement (mapping) in microwave fields, 136
- minor disturbance (perturbation)
 method of determining adsorption isotherms, 347–348, 348

- model food cylinder, controlled heating of, in microwave processing, 148–149, 148, 149
- model substances, use in temperature measurement (mapping) in microwave fields, 135
- molar absorptivity, 34
- molecular reactions, influence of pressure, 60–61, 63
- molecular relaxation losses, in acoustic energy, 247
- MoM (method of moment), use in microwave processing, 111–112
- momentum conservation of, 81, 172, 213, 236–237, 247 transport of, 59–60
- MPM (medium-pressure mercury) lamps, used in ultraviolet light processing, 303
- MRI (magnetic resonance imaging), use in temperature measurement (mapping) in microwave fields, 137–140, 137, 138, 139, 140
- Multiphysics modeling, x, 15–18, 353–363 complexity of, 354, 362 and computational power, 353–354, 362 definition, 4 and economics, 356 and food structure, 359–360 and kinetics (microbial, enzyme, quality, nutrient), 358–359 and nutrition/health of foods, 357–358, 359 and product quality, 355–356 and sustainability, 356 and thermophysical properties of food, 23–36, 24, 358 validation, 16–18, 17
- neglecting external resistance to mass transfer models, 289–290, 290, 292, 293
- NER (neglecting external resistance to mass transfer) models, 289–290, 290, 292, 293
- neural networks, 51, 53 basis of, 40–43, 40 BP algorithm, 40–41, 42 in chemical industry, 43–45 in food industry, 45–51 in high-pressure processes, 46–49 history of, 39 supervised learning process, 40, 41 unsupervised learning process, 40, 41–43, 42 weights, 40, 41
- Newtonian fluids, 26
- NNs. *See* neural networks
- nonhomogeneity in processes, 156
- nonlinear acoustics, 247–248
- non-Newtonian fluids, 26
- nonthermal effects of microwave processing, 8
- nonuniformity, 3–4, 6–7 in microwave processing, 8–9 in ohmic processing, 10 in pulsed electric field processing, 12
- numerical dispersion, and Maxwell's equations, 108–109
- numerical simulations and high-pressure processing, 61–64 of pulsed electric field processing, 204–205, 205, 206, 211, 212–223, 217, 218, 219, 220, 221, 222
- numerical solutions to Maxwell's equations, 105 finite difference time domain method, 105–110, 107 finite element method, 110–111, 110 method of moment (MoM), 111–112 numerical dispersion, 108–109 numerical stability, 109–110 Yee algorithm, 106–108, 107
- numerical stability, and Maxwell's equations, 109–110
- nutrition of foods, 357–358
- ohmic heating, 9–10, 155–156, 157, 166–167, 361 circuit analogy, 159, 160 and electric field processing, 165–166 and electrical conductivity, 158, 159–160, 166 equations in, 157–158 limitations of, 10 nonuniformity in, 10 particle–fluid flows, measurements of, 163–164 potential model, 159, 159 and shadow regions, 160, 163, 166 simple models, 159–160, 159, 160 single-phase behavior, 160 3D models, 161–163, 161, 162, 163 2D models, 160, 160–161, 161 use in processing single-phase viscous liquids, 165, 165 validation of, 163–164 worst case, identification of, 162–163 optimization of pulsed electric field processing, 211, 212, 214, 223–227, 224, 226, 227, 228, 229
- parallel plates, as design for chamber, 194
- particle–fluid flows, in ohmic heating, 163–164
- PATP (pressure-assisted thermal processing). *See* high-pressure high-temperature processing
- PATS (pressure-assisted thermal sterilization). *See* high-pressure high-temperature processing
- PEF processing. *See* pulsed electric field processing
- penetration depth, and ultraviolet light absorption in liquid foods, 305
- permeabilization of cells, and pulsed electric field processing, 209, 210, 211
- perturbation (minor disturbance) method of determining adsorption isotherms, 347–348, 348

- physical properties of foods/other materials in high-pressure high-temperature processing, 82–83, 83
- piezoelectric sandwich transducer, 268–271, **269**, 271, 272
- plane sound waves, 239, 241, 243, 243, 244
- Poisson's equations, 172–174
- porosity, 25, 297
- preheating methods in high-pressure high-temperature processing, 78
- pressure boundary, in high-pressure high-temperature systems, 82
- pressure-assisted thermal processing. *See* high-pressure high-temperature processing
- pressure-assisted thermal sterilization. *See* high-pressure high-temperature processing
- process impact, control of, in high-pressure processing, 64–69, **65**, 66
- process inhomogeneities, 60, 67–69, **68**, 68, 69, 156
- process parameters, in pulsed electric field processing, 219–221, 220
- process sterility, distribution of, 88, 90–93, 90, 91, **92**, 93
- process uniformity in high-pressure high-temperature processing, 94, **94**
- product quality, and Multiphysics modeling, 355–356
- pulse energy, 178–179
- pulse shape, in pulsed electric field processing, 174–175, 176, 176
- pulse width, in pulsed electric field processing, 175
- pulsed electric field processing, 10–12, 171–172, 187–188, 193–194, 209–212, 210, 361
- boundary conditions, 211, 217, **217**
- circuit for, 174, 174
- computational grids, 217–218, 218
- dielectric breakdowns in, 194
- and electric conductivity, 182, 182, **183**, 193
- electric field strength, 176
- and electrical properties of foods, 182–183, 182, **182**, 183
- electro-hydrodynamic field in colinear treatment chamber, 218–219, 219
- and electroporation, 180
- and enzyme inactivation, 186–187, **187**, 188, 210, 214–216, 223
- equations in, 172–174, 212–214
- finite element method, use in, 196
- and fluid properties, 216–217
- and heat transfer coefficient, 183–184
- homogeneity of treatment, improvement in, 200–203, 201, 202, 203
- inactivation models for numerical simulations, 184–187, **186**, **187**, 188, 221–223, 221, 222
- joule heating, 171, 179, 180
- limitations of, 11–12
- and microbial inactivation, 185–186, **186**, 188, 209–210, 214–216
- nonuniformity in, 12
- numerical simulations, 204–205, **205**, 206, 211, 212–223, **217**, 218, 219, 220, 221, 222
- optimization of, 211, 212, 214, 223–227, 224, 226, 227, 228, 229
- and permeabilization of cells, 209, 210, 211
- process parameters, 219–221, 220
- pulse energy, 178–179
- pulse shape, 174–175, 176, 176
- pulse width, 175
- residence time, 177, 201
- and rheological properties of foods, 181–182
- specific energy, 177–179
- steady-state simulation of continuous processing, 199–200, 199, **200**, 200
- temperature, 179–180, 219–221, 220
- temperature-time profile, 184, 184
- and thermal conductivity, 181
- and thermophysical properties of foods, 180–181, 180
- treatment chamber, 194–195, 195, 205–206
- treatment temperature, 179–180
- treatment time, 176–177, 178, 221–223
- turbulence simulation, 203–204
- unsteady-state simulation of batch processing, 197–198, 197, 198, **198**, 199
- and viscosity, 181
- validation of simulations, 195–197, 195, 197
- voltage, 176
- “quartz wind” (Eckart streaming), 250
- Rayleigh streaming, 249
- rays of sound, 245, 245
- reactors
- in simulated moving bed chromatography, 339
 - for ultraviolet light processing, 305–307, 309, 309, 313–317, 313, 314, 315, 316, 317, 320, 325–326
- rectangular coordinate system, use in Maxwell's equations, 103–104, 104
- residence time, in pulsed electric field processing, 177, 201
- Reynolds stress approach, 250–251, 250, 252
- rheological properties of foods, and pulsed electric field processing, 181–182
- RNW streaming theory, 251–252
- sandwich transducer, 268–271, **269**, 271, 272
- scaling up, in high-pressure systems, 64–67, **65**, 66
- scattering, and ultraviolet light absorption in liquid foods, 305
- selective heating, in microwave processing, 8

- self-organizing maps, 41–43, 42
- series-event microbial inactivation model, 311–312, 312
- shadow regions, in ohmic heating, 160, 163, 166
- shrinkage, 25
- simulated moving bed
- chromatography, 335, 336, 337, 339, 349
 - dynamic methods of determining adsorption isotherms, 347–348
 - ECP (elution by characteristic point) method of determining adsorption isotherms, 347
 - elution by characteristic point method of determining adsorption isotherms, 347
 - frontal analysis method of determining adsorption isotherms, 347, 347
 - minor disturbance (perturbation) method of determining adsorption isotherms, 347–348, 348
 - modeling of process, 342–344
 - node model, 343
 - parameters, determination of, 346–348
 - perturbation (minor disturbance) method of determining adsorption isotherms, 347–348, 348
 - reactors, 339
 - separation volume theory of design, 346, 346
 - simulation of, 348–349, 348
 - static methods of determining adsorption isotherms, 347
 - triangle theory of design, 345, 346
 - and true moving bed chromatography model, 342
 - validation of, 349
 - variations of, 336–339, 338
- single-phase viscous liquids, ohmic processing of, 165, 165
- sinusoidal waves, in linear acoustics, 237–239, 238
- SMB. *See* simulated moving bed chromatography
- SMBRs (simulated moving bed reactors), 339
- SOMs (self-organizing maps), 41–43, 42
- sound absorption, 252–254, 254
- sound attenuation, 33–34, 252–253, 255–256, 255
- sound, rays of, 245, 245
- sound, speed of, 32–33
- sound waves, plane, 239, 241, 243, 243, 244
- specific energy, in pulsed electric field processing, 177–179
- specific heat capacity, 27
- speed of sound, 32–33
- spherical coordinate system, use in Maxwell's equations, 104–105, 105
- spore inactivation in high-pressure high-temperature processing, 75, 88, 89–96, 90, 91, 92, 93, 95, 97
- square wave pulses, 174, 175, 178
- state equation
- in linear acoustics, 236
 - in nonlinear acoustics, 247
- static mixers, used in ultraviolet light processing, 306
- steady-state simulation of continuous pulsed electric field processing, 199–200, 199, 200, 200
- sterilization, simulation model for, 121–123, 121, 122, 122, 123, 124, 125, 126
- streaming, acoustic. *See* acoustic streaming
- Stuart streaming, 245, 256–257
- subdomains, boundaries between, in high-pressure high-temperature systems, 82
- successive approximations method, 250, 250
- surface heat transfer coefficient, 28
- sustainability, and Multiphysics modeling, 356
- symmetry boundary, in high-pressure high-temperature systems, 81
- Taylor/Couette flow modeling of, 312, 312
- reactor, used in ultraviolet light processing, 307, 313–317, 313, 314, 315, 316, 317
- TCJS (turbulent circular jet solution) approach, used in modeling ultrasonic streaming, 258–259, 258, 259
- temperature distributions, in microwave processing, 131–132, 149–150
- temperature, in pulsed electric field processing, 179–180, 184, 184, 219–221, 220
- temperature inhomogeneities, 60
- temperature measurement (mapping), in microwave fields, 134
- fiber optic probes, 135
 - infrared thermography, 135–136
 - liquid crystal foils, 136, 136
 - magnetic resonance imaging, 137–140, 137, 138, 139, 140
 - microwave radiometry, 136
- model substances, 135
- thermo paper, 136
- thermocouples, 135
- temperature responses, measurement of, in microwave processing, 113
- temperature uniformity/flow, prediction of, 84–88, 87, 88, 89
- temperature-time profile, in pulsed electric field processing, 184, 184
- thermal conductivity, 27–28
- and high-pressure high-temperature processing, 82
 - in pulsed electric field processing, 181
- thermal diffusivity, 27–28, 82
- thermal effects of microwave processing, 8
- thermal expansion coefficient, 29, 30, 82
- thermal modeling, in microwave processing, 132–134

- thermal/pressure processing
 application of neural networks, 47–49
 macroscopic model for thermal exchange, 49–51, 49, 50, 51, 52
- thermo paper, use in temperature measurement (mapping) in microwave fields, 136
- thermocouples, use in temperature measurement (mapping) in microwave fields, 135
- thermofluiddynamic phenomena under high-pressure conditions, 59
 influence of pressure on molecular/cellular reactions, 60–61
 transport of mass, momentum, and energy, 59–60
- thermophysical properties, 23–24, **24**, 34–36, 358
 acoustic properties, 31–34, 35
 and balancing equations, 62–64
 compression heating coefficient, 28–30
 density, 24–25
 dielectric properties, 30–31
 electrical conductivity, 31
 of foods, and pulsed electric field processing, 180–181, 180
 molar absorptivity, 34
 porosity, 25
 shrinkage, 25
 specific heat capacity, 27
 thermal conductivity, 27–28
 thermal diffusivity, 27–28
 thermal expansion coefficient, 29, 30
 viscosity, 25–27
- thin-film reactors, used in ultraviolet light processing, 306, 308, 308
- TMB. *See* true moving bed chromatography
- transmittance, and ultraviolet light absorption in liquid foods, 305
- treatment chamber, in pulsed electric field processing, 194–195, 195, 205–206, 223–226, 224, 226, 227
- treatment temperature, in pulsed electric field processing, 179–180
- treatment time, in pulsed electric field processing, 176–177, 178, 221–223
- true moving bed chromatography, 335–336, 336, 339, 342
- turbulence simulation of continuous pulsed electric field processing, 203–204
- turbulent circular jet solution approach, used in modeling ultrasonic streaming, 258–259, 258, 259
- turbulent flow fields, modeling of, 309, 312, 312, 316, 317
- ultrasonic effect on mass transport phenomena, 291–298, 292, 293, 294, 295, 296
- ultrasonic horn reactor, simulations/ modeling of, 245–246, 246, 257–260, 257, 258, 259
- ultrasonic systems for drying of food materials, 265–267, 266, 267
 acoustic behavior, 276–282, 278, 279, 280, 281, 282, 283, 284, 287, 293, 296
 behavior of system during drying, 286–287, 286, 287
 computational analysis, 287–298, 288, 290, 291, 292, 293, 294, 295, 296, 297
 convective drier, 282–283, 284, 285, 285–287
 cylindrical radiator, 273–274, **274**, 276, 276, 277
 diffusion models for analysis of, 288–291, 290, 291
 digital power meter, 285–286
 empirical models for analysis of, 287–288, 288
 and energy saving, 297–298, **297**
 external resistance to mass transfer models, 290–291, 291, 292, 293, 293, 294
 and freeze drying, 298
 future trends in, 298
- impedance matching unit, 285
 neglecting external resistance to mass transfer models, 289–290, 290, 292, 293
 numerical study of constituent elements using finite element method, 267–274, **269**, 271, 272, **273**, 273, **274**, 274, 275, 276, 276–280, 277, 278, 279, 280, 281, 282
 and porosity of food product, 297
 prototype, 280–283, 283, 284, 285
 ultrasonic effect on mass transport phenomena, 291–298, 292, 293, 294, 295, 296
 ultrasonic power generator, 283, 285
 ultrasonic vibrator, 268–273, **269**, 271, 272, **273**, 273, 274, 275
 vibration behavior, 270–271
- ultrasonic vibrator, in system for drying of food materials, 268, 272–273, 273, 274, 275
 mechanical amplifier, 271–273, **273**, 273
 piezoelectric sandwich transducer, 268–271, **269**, 271, 272
- ultrasound processing, 12–14, 233–234, 260–261, 361–362
 acoustic momentum flow rate, 256
 acoustic streaming, 234, 245, 248–260, 250, 254, 255, 257, 258, 259
 boundary conditions, 243–244, 243
 and electroporation, 233
 emulsification, use in, 233, 261, 361–362
 enzyme inactivation, use in, 233
 extraction, use in, 233
 and heat conduction losses, 247, 248
 limitations of, 13–14
 linear acoustics, 235–246, 238, 239, 242, 243, 244, 245, 246
 microbial inactivation, use in, 233
 and molecular relaxation losses, 247

- ultrasound processing (*continued*)
 - nonlinear acoustics, 247
 - Rayleigh streaming, 249
 - simulations/modeling of
 - ultrasonic horn reactor, 245–246, 246, 257–260, 257, 258, 259
 - sound absorption, 252–254, 254
 - sound attenuation, 252–253, 255–256, 255
 - Stuart streaming, 245, 256–257
 - and turbulence, 234, 251, 252, 255
 - and viscous losses, 246, 248, 249
 - See also* ultrasonic systems for drying of food materials
- ultraviolet fluence, 330
 - computational fluid dynamics modeling of, 310–311, 311, 318
 - and disinfection of liquid food, 327–329, 330, 331, 332, 332–333
 - field, 327–328
 - value handling at reactor exit, 328–329
- ultraviolet intensity field model, 327
- ultraviolet light processing, 14–15, 303–304, 320
 - computational fluid dynamics modeling, used in, 304, 307–321, 308, 309, 311, 312, 313, 314, 315, 316, 317, 318, 320
 - and Dean flow, 309–310, 309
 - and disinfection of liquid food, 325–330, 329, 331, 332, 332–333, 333
- efficacy, factors affecting, 303–304
- future research needs, 320–321
- limitations of, 15
- lamps, 303, 318–319, 318
- microbial inactivation in, 303, 307, 311–312, 312, 317, 318, 319
- optimum geometry (gap width), calculation of, 312–313, 313, 317
- and properties of liquid foods, 304–305
- reactors, 305–307, 309, 309, 320
- ultraviolet light absorption in liquid foods, 304–305
- ultraviolet radiation, modeling of, 310
- unsteady-state simulation of batch pulsed electric field processing, 197–198, 197, 198, 198, 199
- UV processing. *See* ultraviolet light processing
- vacuum freeze drying, 298
- validation
 - of computational fluid dynamics models, in ultraviolet light processing, 317–320, 318, 320
 - direct measurements, in model validation, 17–18, 17
 - of finite difference time domain method, 118–120, 118, 119, 120
 - indirect measurements, in model validation, 17, 18
 - of microwave heating models, 145, 145, 146, 147, 147, 149–150
- and Multiphysics modeling, 16–18, 17
- of ohmic heating models, 163–164
- of pulsed electric field processing models, 195–197, 195, 197
- of simulated moving bed chromatography, 349
- tools, for computational fluid dynamics, 96–97
- velocity potential, in linear acoustics, 237
- vessels for high-pressure high-temperature processing, 76–77, 83–84, 86–88, 88, 89
- viscosity, 25–27
 - and high-pressure high-temperature processing, 82–83
 - and pulsed electric field processing, 181
- viscous losses, in acoustic energy, 246, 248, 249
- voltage, in pulsed electric field processing, 176
- water content
 - effect on specific heat of foods, 27
 - effect on thermal conductivity of foods, 28
- worst case, identification of, and modeling ohmic heating, 162–163
- Yee algorithm, and Maxwell's equations, 106–108, 107