

Index

Note: Page numbers featuring figures and tables are given with 'f' and 't' followed with the corresponding figure/table number.

- A**
- Abdominal cramping, 21
 - Abdominal pain, 9, 15, 23, 32, 37–38
 - Acetoin, 72t3.3
 - Acid, 34, 69, 72t3.3
 - Acidophiles, 64
 - Acid-tolerant, 28, 67, 71
 - bacteria, 71
 - Acid tolerant yeasts, 67
 - Acinetobacter*, 65, 67, 71
 - Acinetobacter calcoaceticus*, 71
 - Ackers, M. L., 168
 - Active transport, 108
 - Adams, 36
 - Aerobacter*, 70
 - Aerobic respiration, 19, 109
 - Aeromonas*, 70
 - Agar slide method, 129
 - Air, 22, 67, 80
 - Air flow (unsanitary design), 82
 - Air handling units (AHUs) (unsanitary design), 82
 - Air line boxes, 86
 - Air sampler
 - sieve-type impactor, 129
 - slit-type impactor, 129
 - Alcaligenes*, 69t3.2, 70
 - Alcohols, 70, 72t3.3
 - Alfalfa sprout, 10, 34, 40
 - Alicyclobacillus* spp., 72t3.3
 - Allan, J. T., 6
 - Altekruse, S. F., 14–16
 - Alter, T., 18–19
 - Alternaria*, 70
 - Alteromonas*, 66t3.2
 - Alteromonas putrefaciens*, 66t3.1
 - Amino acid, 67
 - Anaerobes, 19, 35, 109–110
 - Ancestor, 160–161, 165
 - Andrews, W. H., 144
 - Anemia, 32
 - Anifantaki, K., 66
 - Animal feed, 10
 - Annous, B. A., 134, 151
 - Anserine, 67
 - Antibiotics, 110
 - Antibiotic-resistant, 16, 21
 - multi-antibiotic-resistant, 20
 - Antimicrobials, 28, 159
 - APC (aerobic plate counts), 132–134, 154
 - AP-PCR (amplified polymorphic polymerase chain reaction), 163
 - Apples, 108t5.2
 - Apple cider, 34
 - Arcobacter*, 38–39
 - characteristics of, 38
 - food and environmental sources, 39
 - nature of disease, 38
 - Arcobacter butzleri*, 38–39
 - Arcobacter cryaerophilus*, 38–39
 - Arcobacter skirrowii*, 38–39
 - Arritt, F. M., 118
 - Arseni, A., 41
 - Ascorbates, 28
 - Aseptic sampling, 120
 - Aspergillus*, 67, 73t3.4, 73, 107, 108t5.2
 - Aspergillus flavus*, 107t5.1
 - Aspic glaze, 10
 - Assadi, M. M., 41
 - Assays, 27, 47, 119–120, 129–130, 133, 140, 165
 - Assistant sampler, 122
 - Atabay, H. I., 39
 - ATP assay, 129–130
 - Attached cells, 80
 - Attachment, 31–32, 127
 - Attributes plans, 143
 - Audit, 150

- Audit scores, 151–152
 Autoclave, 23, 105f5.3
 Autoclaved skim milk, 104f5.3
 a_w (water activity), 27–28, 36, 106, 112, 143
 limiting, 107
- B**
- Bacillus* spp., 65, 69, 108
Bacillus cereus, 6, 22–25
 factors related to cost, 23
 food processing environments, 24–25
 foods associated, 24
 infectious dose, 24
 organism, 22–23
 reservoirs, 24
 symptoms, 23
Bacillus coagulans, 66t3.1, 74
Bacillus licheniformis, 73
Bacillus pumilus, 73
Bacillus stearothermophilus, 74
Bacillus subtilis, 73
 Bacteremia, 9
 Bacteria, 2, 37, 64–69, 104, 106, 109–111, 169
 Bacterial cell membranes, 107–108
 Bacterial survival at lethal temperatures,
 111f5.5
 Bacteriocins, 18, 28, 110
 Baetz, A. L., 38
 Bakery products, 22, 72–74, 73t3.4
 spoilage of, 72–74
 Baksh, F. K., 44
 Ball, W. S., 41
 Ball–valves (unsanitary design), 82, 100f4.32
 Banding pattern, 161–162
 Banks, J. M., 70
 Banwart, G. J., 107–108, 110
 Barletta, R. G., 44–51
 Bar-Oz, B., 41
 Battey, A. S., 71
 Bean, P., 160
 Beans, 26
 Beef, 17, 33–34, 40, 46, 134
 Beer, 72t3.3
 Beginning investigation, food contamination
 determine extent of contamination, 120
 assembling sampling team, 121–122
 determine production schedule, 120
 post-startup observations and sampling,
 123
 prepare operations for disruption, 121
 sanitation observations and validation,
 123
 touring plant and preliminary site
 selection, 121
 facts collection, 118
 know process
 check assumptions, 118–120
 review HACCP plan, 118
- Belay, N., 23
 Bennett, R., 23
 Besser, R. E., 29–30, 32, 34
 Betts, R. P., 75
Bettisia alvei, 74
 Beuchat, L. R., 41
 Beverage products, 40, 71–72
 spoilage of, 71–72
 Beverages (processed), Causative spoilage
 agents and manifestations of
 microbial defects in, 72t3.3
- Biering, G., 41
 Biofilms, 18, 19, 71, 80, 127–128
 formation, 127
 Biosecurity, 17
 Bioterrorism, 21
 Birds, 11, 16–17, 39
 Bitter, 69
 Bitter peptides, 70, 71
 Bloating, 66
 Block, C., 41
 Bloodborne, 13
 Blood pressure, 21
 Blown-up, 66
 Body temperature, 21
 Boils, 21
 Boor, K., 45
 Bordova, O., 69
 Bowen, A. B., 42
 Braconnier, A., 28
 Braden, C., 41
 Braden, C. R., 42, 166
 Bradshaw, J. G., 36
 Bradshaw, M., 27
 Brain, 13
 Bread, 40, 73t3.4, 73
 Breathing (difficulty), 26
 Breeuwer, P., 41
 Breuer, T., 162
 Broccoli, 28
 Broken gasket seals on product pumps
 (unsanitary maintenance and repair
 practices), 81
 Brosch, R., 162
 Browning defects, 68t3.2
 Bruce, J., 163
 Brunner, K. G., 20
 Bryan, F. L., 45
 Bryant, R. G., 145

- Bulging, 66
 Bull, T. J., 44
 Burdette, J. H., 41
 Butter, 7t2.1, 10, 14, 68t3.2, 70, 72t3.3, 108t5.2
 Butzler, J. P., 16
 Buzby, J. C., 2, 8, 12, 15, 30
Byssochlamys fulva, 74
- C
- C. botulinum*, 25–28
 control treatments, 27–28
 detection of neurotoxins, 27
 disease incidence and syndrome, 25–26
 organism, 25
 physiological characteristics, 26–27
 reservoirs and prevalence in foods, 26
- C. estertheticum*, 66t3.1
C. piscicola, 66t3.1
 Cabbage, 108t5.2
 Calcium lactate, 71
 Callicott, K. A., 17
Campylobacter, 6, 7t2.1, 14–19, 29, 38
 costs, 15
 disease syndromes, 15–16
 foods associated, 16–17
 infectious dose, 16
 organism, 15
 and poultry, 17–19
 reservoirs, 16
- Campylobacteriosis, 15, 17–18
Candida, 67, 72t3.3
Candida guilliermondii, 68t3.2, 73
Candida lipolytica, 71
Candida magnolia, 75
Candida parolopsis, 68t3.2
 Canned foods, 27, 74
 spoilage of, 74
 Canning, 19, 25, 28, 36, 74, 111
 Cantaloupe, 10
 Carbohydrates, 64, 66, 76, 106
 Carcasses, 17, 19, 35, 39, 46
Carnobacterium divergens, 66t3.1
 Carnosine, 67
 Carrots, 26
 Catalase, 19, 109
 Catch pans (unsanitary design), 81–82
 Cattle, 16, 33, 44–46
 Caubilla-Barron, J., 41
 Causal, 158, 162
 C₄–C₁₀ fatty acids, 70
 Cealing leaks, 94f4.20
 Ceiling tiles, 91f4.15
 Cell lysis, 70
 Cellular metabolism, 106
 Centrifugal samplers, 129
 Cereal, 24, 40
 Cereulide, 23
 Chalk mold, 73
 Challenge studies, 82, 103
 Chamber's sanitation efficacy test, 127
 Cheddar cheese, 10, 71
 Cheese, 7t2.1, 10, 13, 14, 34, 40, 46, 68t3.2,
 69, 70–71, 140
 early gas defects in, 70
 Cheese curds, 34
 Chemical disinfection, 63
 Chemically bound, 106
 Chicken, 17–19, 22, 39, 75
 Children, 13, 15, 21
 Chiodini, R. J., 44–45
 Chlorine, 18–19, 152–153
 Chmielewski, R., 111
 Chocolate, 7t2.1, 10, 22, 40, 74, 83, 112, 134
 Chocolate candy, 107t5.1
 Chou, Y. E., 71
Chrysosporium farinicola, 74
 Citrate-utilizing strains, 70
Cladosporium spp., 67, 70, 73
 Clark, D. L., 46
 Clark, N. C., 41
 Clavero, R., 63–77
 Cleaner, 40, 80, 127, 152
 Cleaning and sanitation, effectiveness of, 127
 Cleaning efficacy, 130
 Clean-up to clean-up, 154
 Clonal, 164
Clostridium spp., 65, 67
Clostridium botulinum, 6, 7t2.1, 25–28, 35–36,
 107t5.1, 110–111
Clostridium botulinum type E, 107t5.1
Clostridium butyricum, 66t3.1
Clostridium ctm, 66t3.1
Clostridium laramie, 66t3.1
Clostridium pasteurianum, 66t3.1, 72t3.3
Clostridium perfringens, 2, 5, 6, 7t2.1,
 35–37, 143
 cost, 36
 disease syndromes, 37
 enterotoxin, 36
 infectious dose, 37
 organism, 35–36
 reservoirs, 37
Clostridium sporogenes, 68t3.2, 74, 134
Clostridium thermosaccharolyticum, 68t3.2
Clostridium types A and B, 25–26, 35–37
Clostridium tyrobutyricum, 68t3.2

- Cloudiness, 71
 CO₂, 46, 66, 67
 Coagulase positive *Staphylococci*, 128
 Coccobacilli, 65
 Cocoa beans, 135
 Coignard, B., 41
 Colby cheese, 112
 Colby-like cheese, 113f5.6
 Cold chain, 67
 Cole, M. B., 28
 Coliforms, 30, 42, 65, 72, 128, 132
 Colitis, 30, 32
 Collins, C. I., 39
 Collins, M. T., 43, 45–46
 Colon, 29, 31–33
 Colonization, 16, 31–32
 Coma, 32
 “Commercially processed” foods, 6
 Compendium of Methods for Microbiological Examination of Foods, 24, 75, 139
 Competition, 110
 Composite sampling, 154
 Composites/compositing (sample), 140, 144, 154
 Compressed air, 71, 81, 99
 Condensate catch pan drains (unsanitary maintenance and repair practices), 81
 Confectionery products, 74
 Confectionery products, spoilage of, 74
 Conserved regions, 163
 Constipation, 26
 Contaminant sources, 79–101
 equipment or factory design creating growth niches/transmit microbes, 96–101
 maintenance/repair practices creating growth niches/transmit microbes, 90–95
 operating practices creating growth niches/transmit microbes, 84–89
 significance of environmental contamination, 79–83
 significance of ingredient contamination, 83
 significance of process failure events, 83
 Contamination, 1–3, 22, 35, 42–43, 65, 67, 71, 73, 79–83, 118, 120–123, 125–126, 130, 138f8.1, f8.2
 Contamination events, 120, 123, 127, 147
 Conveyor, 88f4.11, 97f4.26
 Conveyor belt, 132
 Cooling, 25, 82, 118–119
 Cooling coils (unsanitary design), 82
 Corn, 26, 43
 Cornblath, D. R., 16
 Corn syrup, 43
 Corrective actions (CAs), 118, 148, 150, 169
 Corry, J. E. L., 39
Corynebacterium, 69
 Coryneforms, 69
 Cost of food contamination
 costs associated with selected foodborne pathogens, 2
 costs associated with spoilage and foods with microbial indicators of “unacceptable quality,” 2–3
 microbial foodborne illness in America, 1–2
 Cottage cheese, 14, 68t3.2, 70
 Cottyn, B., 40
 Cox, N. A., 17
 Cracked plates, 69
 Cracks, 71, 101
 Cramps, 9, 15, 23
 Cream, 14, 68t3.2, 70, 108t5.2
 Creatine, 67
 Cress, 24
 Crevices, 128, 129, 132
 Critical control points (CCP), 83, 117, 118, 139, 148–150
 surrogate organisms, 47
 validation, 83
 Critical limits (CL), 83, 117, 118
 Crohn’s disease, 44, 47
Cronobacter (*Enterobacter sakazakii*), 5, 6, 39–40, 43
 food industry concerns, 42–43
 introduction, background, and bacterial characteristics, 39–40
 pathogenicity and infectious dose, 41–42
 regulation, 42
 reservoirs and presence in food and environment, 40–41
 Cross contamination, 17, 69, 97, 132, 166
 Cruz, A. C., 40
Cryptococcus, 67, 68t3.2
Cryptococcus laurentii, 66t3.1
 Cultured milk products, 13
 Cuniff, P. A., 119
 Cunningham, A. F., 46
 Curd, 68t3.2, 70
 Curiale, M., 140
 Cuttlefish, 10
 Cytosol, 108

- D**
- Dairy products, 10, 13–14, 22, 24, 45, 68–71, 133
 causative spoilage agents and manifestations of microbial defects in, 68t3.2
 spoilage of, 68–71
- Damaged gasket/s, 69
- D'Aoust, J. Y., 9–10
- Datta, A. R., 12
- David, J. R. D., 20, 74
- Davies, A. R., 65
- 12D concept, 111
- Deamination, 112
- Death, 1–2, 29, 32, 104, 106, 110–111
- Debaryomyces hansenii*, 66t3.1, 68t3.2, 73
- Debaryomyces vanriji*, 66
- DeBeer, D., 80, 127
- Decline phase, 104
- Dehydration, 9, 18, 21, 63
- Deli meats, 13, 158
- Den Aantrekker, E. D., 6
- Desiccation resistance, 41
- Detection, 11, 24, 27–28, 140, 164
- Dextrose, 12, 76
- Dhir, V. K., 80, 127
- Diacetyl aroma, 71
- Diarrhea, 9, 12, 15, 23, 31, 38
- Dillon, V., 67
- Dimethyl sulfide, 70, 75
- Disassembly (unsanitary design), 76, 122
- Discriminatory/discrimination, 159, 160, 162, 163–164, 170
- Disease syndromes/infectious process, 5, 8–9, 12–13, 15–16, 21, 30, 37
- Disruptions, 121
- Dizziness, 26
- D(-)-lactate, 71
- DNA, 46, 75, 160–162
 fingerprinting, 160
 probe, 162
 16s rDNA, 159–160
- DNA sequencing technology, 75, 159, 161, 163–163
- Dodd, C. E. R., 69, 80, 127
- Dogs, 16, 34
- Double vision, 26
- Downes, F. P., 75
- Doyle, L. P., 16
- Doyle, M. P., 5, 18, 29–30, 32–34
- Doyle, T. M., 44–45
- Drinking water, 39
- Drudy, D., 41
- Dry cereal, 10
- Dry foods, 10
- Drying, 106, 112
- Dryness of skin, mouth and throat, 26
- Dry soup mixes, 10
- Duct tape (unsanitary maintenance and repair practices), 81, 131
- Dust (unsanitary operating practices relating to), 22, 37, 40, 81, 86f4.6
- D*-value, 105f5.3, 111
- E**
- E. sakazakii*, see *Cronobacter* (*Enterobacter sakazakii*)
- Eblen, B. S., 28
- Eblen, D. R., 151
- Edelson-Mammel, S. G., 41
- EDTA, 28
- Egg drink, 10
- Eggplant, 108t5.2
- Eggs, 7f2.1, 10, 22, 24
- Egg salad, 10
- E_h , see Oxidation/reduction potential (ORP/Redox, E_h)
- Eifert, J. D., 39
- Electrical box, 95f4.23
- Electrical charging rooms for electrically powered vehicles (unsanitary design), 82
- Electrophoresis, 159, 161–162
- Electrostatic precipitation impactors, 129
- Elevators (unsanitary design), 82, 97f4.27
- Ellingson, J. L., 45
- Ellingson, J. L. E., 44
- Emergency response team, 160, 170, 171t10.1
- Emerging pathogens, 6
 concern to food processors (industrial)
Arcobacter, 38–39
Cronobacter (*Enterobacter sakazakii*), 39–43
M. avium subsp. *paratuberculosis*, 43–47
- Emetic, 20, 23
- Emilani, F., 41
- Emulsions, 74–75
- Endocarditis, 12
- Endophthalmitis (eye infection), 23
- Endospores, 26, 37
- Endotoxin, 9, 41, 44
- Engeljohn, D., 151
- Enrichments, 40, 119, 133–134, 140–141
- Enteric/paratyphoid fever, 9
- Enteric pathogens, 14, 133

- Enterobacteriaceae*, 8, 40, 43, 65, 72t3.3, 128, 132, 154
- Enterobacter liquefaciens*, 66t3.1
- Enterobacter sakazakii*, 6, 39–43
- Enterococci*, 66t3.1, 69, 110, 128, 133, 135
- Enterococcus faecalis*, 66
- Enterococcus faecium*, 66, 134
- Enterocolitis, 9, 40
- Enterohemorrhagic *E. coli*, 6, 29–35
 - cost, 30
 - disease syndromes, 30
 - attachment and colonization, 31–32
 - hemorrhagic colitis, 32
 - HUS, 32
 - onset time, 30–31
 - TPP, 32
 - food processing environments, 34–35
 - foods associated with, 34
 - infectious dose, 33
 - organism, 29–30
 - other sources of infection, 34
 - pathogenic mechanisms, 33
 - reservoirs, 33–34
 - unique acid tolerance in foods, 34
- Enteropathogenic *E. coli*, 15, 112
- Enterotoxigenic *E. coli*, behavior of, 113f5.6
- Enterotoxigenic *E. coli* H10407, 113t5.6
- Enterotoxins, 6, 20
- Entrap, 80–81, 127, 132
- Environment, 11, 14, 24–25, 34–35, 39–41
- Environmental contamination, 6, 7t2.1, 79–83
 - examples of outbreaks attributed to, 7t2.1
 - significance of, 79–80
 - causes of microbial growth niche development, 80–82
 - in-factory risk assessments and zones, 82–83
- Environmental monitoring, 43
- Environment and equipment, sampling, 125–126
 - ATP bioluminescence and protein assays, 129–130
 - biofilm formation, factors resulting in, 127
 - some implications of growth niches and biofilms to food factory environment, 127–128
 - comparison of approaches, 128t7.1
 - factors resulting in microbial growth niche formation, 126
 - indicator microorganisms
 - index organisms, 133
 - indicators of quality, 133–134
 - indicators of sanitation efficacy, 134
 - in-line sampling, 130–131
 - location, 131
 - recommended sampling supplies, 131T7.2
 - sampling techniques, 128
 - air sampling, 129
 - contact plate, 129
 - pre-sterilize tongue blades, 129
 - sponge samples, 128
 - swab samples, 128–129
 - suggestions for sampling supplies, 131
 - surrogates, 134–135
 - time
 - value of operational swabs, 132
 - value of post-operational swabs, 132
 - value of pre-operational swabs, 132
- Enzymes, 19, 162
- Equipment, 22, 96–101, 125–135
- Equipment or factory design creating growth niches/transmit microbes, 96–101
 - compressed air trap, 99f4.31
 - equipment designed with numerous areas to entrap product residue, 100f4.33
- large immovable support bases for equipment, 98f4.29
- poorly plumbed gurgling drain spraying droplets into factory environment, 98f4.28
- sandwiched areas in gears under product conveyor can collect product residues, 97f4.26
- sandwiched areas on cleaning equipment, 99f4.30
- steam exhaust over floor by trench drain, 101f4.34
- tracked residues and standing water inside elevators, 97f4.27
- untapped (to drain) pump coolant water, 96f4.24
- use of adjacent dissimilar flooring, 101f4.35
- use of ball-valves, 100f4.32
- water lines not tapped to drains, 96f4.25
- Erickson, M., 22
- ERIC PCR (Enterobacterial Repetitive Intergenic Consensus PCR), 163
- Escherichia coli*, 2, 5–6, 7t2.1, 29–35, 113f5.6, 133
- Esculin-hydrolyzing bacteria, 133
- Eslava, C., 33
- Espelund, E. M., 41
- Esterase, 69
- Ethanol, 69–70
- Ethyl esters, 69

- Eurotium*, 73t3.4, 73
Eurotium glaucus, 73
 Evancho, G. M., 129, 132
 Evans, J. R., 154
 Exotoxin, 20, 44
 Expediency, 170
 Exponential growth phase, 69
 Exposed product (unsanitary operating practices relating to), 80, 119
 Extracellular degradative enzymes, 69
 Extracellular polysaccharides, 73
 Extracellular spoilage factors, 75
 Extrapolation, 83, 112, 151
 Extrinsic factors, 106, 110–114
- F**
- Factory environment, 6, 11, 24, 84–89, 90–95, 107, 127–128, 132
 Factory process, 123
 Facultative anaerobes, 19, 109, 110
 False ceilings (unsanitary maintenance and repair practices), 67, 81, 91f4.15, 94f4.20
 False positives, 119, 141
 FAO/WHO, 40, 41, 42, 43
 Farber, J. M., 40, 163
 Farmer, J. J., 40
 Fat, 24, 28, 69
 Fat bloom, 74
 Fatigue, 26
 Fatty residues (unsanitary operating practices relating to), 80, 127
 Faust, R. E., 80, 126
 FDA, 24, 42–43
 FDA BAM, 142, 154
 FDA plans, 144–145
 Category I, 144, 151
 Category II, 144
 Category III, 144
 Fecal, 16, 30, 37, 42, 44, 46, 133
 Feng, P., 29
 Fermentation, 63, 76, 107, 112
 Festy, B., 39
 Fetus, 12, 13
 Filler heads, 76, 169
 Filtration samplers, 129
 Final filter (unsanitary design), 82
 Finished product tests, 118, 138–139, 150, 153–154
 Fish, 26, 65–67
 spoilage of, 65–67
 Flat sour spoilage defect, 74
 Flat surface, 129
Flavobacterium, 68t3.2, 69
 Fletcher, M., 127
 Flooring, 101f4.35
 Flu-like symptoms, 12
 Fly, 40
 Foamy, 68t 3.2
 Foegeding, P. M., 27–28
 Fondants, 73
 Foodborne disease from selected pathogens, 7t2.1
 Food contamination, cost of
 costs associated with selected foodborne pathogens, 2
 costs associated with spoilage and foods with microbial indicators of “unacceptable quality,” 2–3
 microbial foodborne illness in America, 1–2
 Food poisoning, 19–22, 24, 35–37
 Food process diagram, 130f7.2
 Food processors (industrial), selected pathogens of concern to, 5–6
Arcobacter, emerging pathogen, 38–39
B. cereus, toxigenic pathogen, 22–25
C. botulinum, toxigenic pathogen, 25–28
C. perfringens, toxico-infectious agent, 35–37
Campylobacter, infectious invasive agent, 14–19
Cronobacter (*Enterobacter sakazakii*), emerging pathogen, 39–43
 enterohemorrhagic *E. coli*, toxico-infectious pathogen, 29–35
 infectious vs. toxigenic bacterial pathogens, 6
L. monocytogenes, infectious invasive agent, 11–14
M. avium subsp. *paratuberculosis*, emerging pathogen, 43–47
Salmonella, infectious invasive agent, 6–11
Staphylococcus, toxigenic pathogen, 19–22
 Foods associated with (the organism), 10, 16–17, 24, 34
 Food service germ, 35
 Forklift, 40, 80, 82, 132
 wheeled vehicle traffic (unsanitary operating practices relating to), 80, 97t4.27
 Forklift tires, 131
 Forsythe, S., 40
 Forsythe, S. J., 41
 Fragment(s), 161–163
 Francis, J., 31

- Franco, D. A., 15
 Frank, J. F., 19, 107, 111
 Frankfurters, 13, 66, 76
 Franklin, A. W., 41
 Free fatty acids, 110
 Freeman, H., 44
 Freeze drying, 106
 Frost, J. A., 160
 Frozen dairy, 13
 Frozen dessert, 9, 10
 Fruit, 10, 34, 40, 74
 spoilage of, 74
 Fruit juices, 34, 72t3.3, 107t5.1
 Fruit soup, 10
 FTG (fluid thioglycollate medium), 109
 Fuerst, J. A., 82
 Fungal contaminants, 67, 70
 Fungi, 103–104, 106
 Furunculosis, 21
- G**
- Gabis, D. A., 80, 110, 126, 128
 Gakuya, F. M., 41
 Gallagher, P. G., 41
 Game meat, 34
 Garcia-Lopez, M. L., 65
 Garments (sources), 79
 Gas, 29, 64–65, 66t3.1, 70–71
 excessive, 71, 108
 formation, 71, 75
 Gas chromatography, 75
 Gaskets, 69, 76, 81, 84f4.1, 90f4.13, 93f4.19,
 122, 169
 valves (unsanitary operating practices
 relating to), 84f 4.1, 87f4.8, 93f4.19
 Gas producers, 74
 Gasse, M. A. A., 40
 Gassing, 66t3.4, 73t3.4
 Gassy fermentation, 76
 Gastroenteritis, 9, 14–15
 Gastrointestinal illness, 12, 23, 29, 44
 Gastrointestinal tract, 9, 25–26, 29, 33
 Gears, 97, 132
 Generation time, 35, 104
 Genes, 31, 33, 75, 163–164
 virulence genes, 164
 Genome, 161, 164
 Georgsson, F., 18
Geotrichum, 70
Geotrichum candidum, 68t3.2
 Germicidal footbaths (unsanitary operating
 practices relating to), 80
 Gill, C. O., 7, 18
- Glass, K. A., 28
 Glove (use) (unsanitary operating practices
 relating to), 80
 GLP (good laboratory practices), 141–142, 165
Gluconobacter oxydans, 71
 Glycoproteins, 80, 127
 GMP (good manufacturing practices), 139,
 142, 151–152
 Graham, A. F., 27
 Gram-negative aerobic bacteria, 65
 Gram-negative cells, 110
 Gram-positive lactic acid bacteria, 65
 Gram-positive spores, 110
 Gram-positive vegetative cells, 110
 Grant, J., 34
 Grapefruit, 108t5.2
 Grape nuts, 68t3.2
 Graves, L. M., 160
 Green discoloration, 66
 Greening, 65, 66
 Green onion/s, 17
 Greenwood, M. H., 10
 Griffin, P. M., 32–33
 Grimont, F., 162
 Grimont, P. A. D., 162
 Growth (factors influencing growth), 105f5.2
 inhibitors, 126
 interactions between microorganisms,
 80, 126
 moisture, 80, 106
 nutrients, 79–80
 oxidation/reduction potential, 79, 107, 109
 pH, 126
 temperature, 110–112
 Growth niches, 80–82, 84–101, 126–128
 Gude, A., 39
 Guidelines (microbiological criteria), 42, 142
 Guillain-Barré syndrome (GBS), 15
 Gums, 40
 Gurtler, J. B., 5–47
 Guzewich, J., 43
- H**
- Ham, 7t2.1, 22, 26, 76, 108t5.2
 Hamasaki, Y., 65
 Hamilton, J. V., 40
 Hammack, S., 24
 Hammack, T. S., 144
 Hammes, W. P., 67
 Handcarts, 132
 Hand samples, 119, 141
 Hand washing, 22
 Hanes, D., 9

- Hansenula* spp., 68t3.2
Hansenula anomala, 73
 Hard cheese, 13
 Harmon, S. M., 24
 Harris, B. A., 44
 Harris, L. M., 7, 18
 Havelaar, A. H., 42
 Hazard analysis, 118, 148–149
 Hazard analysis critical control points plan (HACCP), 118, 139, 148–149, 150–151
 Headache, 15, 21, 26
 Health, C., 42
 Heat, 18, 36, 65, 76, 106, 118, 127
 Heat resistant, 20, 24, 27–28, 36–37, 69–70, 135
 Heat resistant lipases, 69, 70
 Helgason, E., 22
 Hemolytic uremic syndrome (HUS), 30, 32
 Hennessy, W. H., 10
 Henning, W. R., 45
 Herbs, 40
 Hermon-Taylor, J., 44–45
 Heterofermentative lactic acid bacteria, 65, 70
 Heterofermentative *Lactobacilli*, 108
 Heterofermenters, 64, 66
 Hiett, K. L., 17
 High acid foods, 64, 74
 High pressure hoses, 123, 128
 aerosolization (unsanitary operating practices relating to), 80
 High pressure treatments, 112
 Himelright, I., 41
 Histamine, 67
 Hitchens, A. D., 145
 Hold and test, 153–154
 Hollow structures, 95f4.22
 Holzapfel, W., 67
 Holzapfel, W. H., 65
 Home-preserved, 26
 Homofermenters, 66
 Honey, 107t5.1
 Hoover, D. G., 18
 Hopper, W. L., 10
 Horses, 34
 Hoses (unsanitary maintenance and repair practices), 80, 81, 91f4.14
 Host, 6, 9, 17, 19
 Houf, K., 39
 H₂S, 65, 66t3.1
 Hugenholtz, P., 82
 Hughes, R. A., 16
 Hurdles, 71, 113–114
 Hydrogen peroxide (H₂O₂), 66, 109
 Hydrolytic rancidity, 70
 Hydrophilicity, 127
 Hydrophobicity, 127
 Hydrostatic pressure, 18
 Hygiene, 17, 67
 Hypotension, 9
I
 Ice cream, 7t2.1, 10, 13–14, 134
 ICMSF, 13, 15, 30–32, 82, 148, 151
 plans, 143–144
 Immiscible liquids, 74
 Immunocompromised adult, 12, 40
 Immunological analyses, 75
 Impact wrenches (effect of improper use on gaskets) (unsanitary maintenance and repair practices), 81, 93f4.19
 Impingers, 129
 Incubation, 6, 30, 112
 In-factory risk assessment, 82–83
 Infant formula, 7t2.1, 40–43
 Infants, 9, 12, 40–41
 Infectious dose, 9, 13–14, 16, 24, 33, 37, 41–42
 Infectious invasive agents, 6
 concern to food processors (industrial)
 Campylobacter, 14–19
 L. monocytogenes, 11–14
 Salmonella, 6–11
 Infectious vs. toxigenic bacterial pathogens, 6
 Ingredient contamination, significance of, 83
 Ingredients, 6, 43, 83, 151–152
 Ingredient specifications, 28
 Inhibitors, 80, 126
 Inhibitors (factors influencing growth), 80
 Inhibitory substances, 28, 107–108
 In-line (tests), 130
 Insulation (unsanitary maintenance and repair practices), 81, 92f4.16
 Interactions between microorganisms (factors influencing growth), 80, 126
 Intermediate moisture, 72
 International Commission on Microbiological Specifications for Foods (ICMSF), 15
 Intoxication, 19, 21, 24, 25
 Intracellular, 13, 45
 Intrinsic factors, 104, 106–110, 149
 Investigational sampling, 117, 139–140
 Investigations, 31, 44, 67, 75, 131, 132
 Irradiation, 18, 20, 63
 Isolates, 20, 36, 38, 162, 163–167, 169–170
 Ito, K., 75
 Iversen, C., 40–42

J

Jacobs-Reitsma, W. F., 17
 Jam, 73, 106
 Janicka, G., 41
 Jay, J., 109
 Jay, M. T., 168
 Jensen, I., 23
 Joerger, R. D., 18
 Johansen, K. A., 46
 John's disease, 44, 46
 Johnson, E. A., 25, 28
 Johnson, J., 29
 Johnson, J. L., 133
 Johnson, K., 160
 Jöker, R. N., 41
 Jones, P. H., 17
 Jones, R. L., 44
 Joshua, G. W., 18
 Juneja, V. K., 28
 Jung, M., 40

K

Kalinowski, R. M., 67
 Kandhai, M. C., 40
 Kang, D. H., 40
 Keener, K. M., 15–16
 Kennedy, D., 45
 Ketley, J. M., 16
 Keys, C., 164
 Kiehlbauch, J. A., 38
 Kim, J., 27–28
 Kimura, A. C., 168
 Kinderlerer, J. L., 74
 Kleiman, M. B., 41
Kluyveromyces marxianus, 68t3.2
 Knill, M. J., 16
 Kollee, L. A. A., 41
 Kornacki, J. L., 1–3, 5–47, 70–71, 79–101,
 103–114, 117–123, 125–135,
 137–145, 147–154
 Kozempel, M. F., 134, 151
 Kramer, J. M., 17
 Krüning, H. J., 44
 Kuzina, L. V., 40

L

L. monocytogenes, 2, 6, 7t2.1, 11–14, 82, 110,
 112, 133, 134, 145, 158, 162, 165
 cost, 12
 disease syndromes, 12–13
 food processing environments, 14
 growth in high-temperature, 111f5.5
 infectious dose, 13–14

infectious process, 13
 key reactions of *Listeria*, 12t2.3
 organism, 11–12
 reservoirs and implicated foods, 14
L. perolens, 71, 72t3.3
 Laboratory cross contamination, 120, 166, 173
 Laboratory environment, 119, 141
 Lactate salts, 28
 Lactic acid, 19, 28, 64–67, 70, 71, 76, 107,
 169–170
 Lactic acid bacteria (LAB), 28, 64–67, 72t3.3,
 107, 135, 169–170
Lactobacilli, 65, 71, 75, 107t5.1, 108t5.2, 135
Lactobacillus spp., 72t3.3, 108
Lactobacillus jensenii, 66
Lactobacillus plantarum, 75
Lactobacillus viridescens, 66t3.1, 76
Lactococci, 69
Lactococcus lactis, 65, 68t3.2
 subsp. *Diacetylactis*, 68t3.2
 Lai, E., 162
 Lai, K. K., 41
 Lamb, 17
 Lammerding, A. M., 39
 Lappi, V. R., 170
 Lawsuit, 2, 8, 15
Lb. buchneri, 75
Lc. lactis var *maltigenes* (*Lc. lactis* var.
maltigenes), 68t3.2, 69, 70
 Leclercq, A., 40
 Lehmacher, A., 10
 Lehner, A., 38–39
 Lenati, R., 42
 Lerner, J., 38
 Lethal, 25, 83
 Lettuce, 17, 34, 40
 Leuchner, R., 67
Leuconostoc spp., 65, 66t3.1, 71
Leuconostoc citreum, 65
Leuconostoc mesenteriodes, 65
 Leukocytes, 9, 13
 Leuschner, R. G. K., 40
 Lindsay, W. M., 154
 Line, J. E., 17–18
 Lipases, 69, 70
 Lipolytic bacteria, 110
 Liquefy, 80, 127
Listeria, 11, 12t2.3, 14, 107t5.1, 133, 139
Listeria-like organisms, 133
Listeria monocytogenes, 2, 6, 7t2.1, 82, 110,
 133, 145, 158
Listeria seeligeri, 11, 12t2.3
 Listeriosis, 12–14, 158

- Liver pate, 10
 L(+)-lactate, 71
 Log linear, 111
 Log normal, 143
 Log phase, 31, 104
 Lot contamination, 120
 Lots, 33, 121, 154
 Lovell, R., 46
 Lowman, R., 28
 Low moisture baked products, 72
 Low water activity, 10, 13, 67, 74
 Lozano-Leon, A., 44
 Luber, P., 17
 Lucas, H. L., 134
 Luchansky, J. B., 140
 Lui, Y., 23
 Lund, D., 112
 Lynt, R. K., 26
- M**
- M. avium* subsp. *paratuberculosis*, 43–47
 costs, 44–45
 disease, 44
 food processing issues
 heat resistance, 45–46
 reason for lack of information about
 MAP, 46–47
 organism, 43–44
 reservoirs, 45
- Ma, L., 83, 134, 151
 Madden, R. H., 18
 Mafart, P., 28
- Maintenance/repair practices creating
 growth niches/transmit microbes,
 90–95
- cealing leaks, bowed water-soaked ceiling
 tile, 94f4.20
 deformed gasket, 93f4.19
 failure to maintain seal on electrical box
 cover, 95f4.23
 failure to replace torn hoses, 91f4.14
 failure to replace torn or leaking gaskets,
 90f4.13
 penetrated hollow structures, 95f4.22
 poorly sealed roof, 93f4.18
 rusted opened back motor fan cover,
 92f4.17
 torn insulation, 92f4.16
 unsealed, pen-sized wall penetration,
 94f4.21
 wet ceiling tiles, 91f4.15
- Maltodextrin, 43
 Malty, 68–70
- Malty aroma, 69
 Malty flavor, 70
 Marinescu, M., 38–39
 Marth, E. H., 14, 82, 106–107, 112–113,
 134, 148
- Marzipan, 73
 Masaki, H., 41
 Mass spectroscopy, 75
 Mastitis, 21
 Mathur, R. P., 41
 Maximal temperature, 110
 Mayonnaise, 10, 34
 McClelland, M., 163
 McFadden, J. J., 44
 McIngvale, S. C., 31
 Mead, P. S., 1, 8, 9, 12, 23, 29, 33
 Meat, 11, 14, 16, 26, 33, 37, 65–67
 Meat, spoilage of, 65–67
 Meng, J., 34
 Meningitis, 12–13, 40–41
 Mesophiles, 64
 Mesophilic aerobic spores, 134
 Metabisulfite, 28
 Metal scrapers, 129
 Metaxopoulos, J., 66
 Methicillin-resistant *S. aureus* (MRSA), 20
 3-Methylbutanal, 69
 Methyl ketones, 69
 Methylmercaptan, 65
 Metz, H., 40
- Microbial growth, survival, death, factors are
 required for, 103–106
- extrinsic factors
 impact of temperature on microbial
 death, 110–112
 temperature, 110
- interactions between intrinsic and extrinsic
 factors, 112
- hurdles, 113–114
- intrinsic factors
 acidity, 106–107
 competition, 110
 inhibitory substances, 107–108
 oxygen and oxidation/reduction
 potential, 108–110
 water activity (a_w), 106
- Microbial growth niche, 45, 80, 81, 92f4.16,
 99f4.30, 126
- Microbial growth to oxygen, relationship,
 109f5.4
- Microbial population growth, 105f5.2
 Microbial size relationships, 104f5.1

- Microbial spoilage problems in processed foods, solving, 63–65
- emulsions, 74–75
- isolation and identification of spoilage organisms, 75
- spoilage of bakery products, 72–74
- spoilage of beverage products, 71–72
- spoilage of canned foods, 74
- spoilage of dairy products, 68–71
- spoilage of fruit and confectionery products, 74
- spoilage of processed meat, poultry, and fish, 65–67
- Microbiological criteria
 - guidelines, 42
 - microbiological limit, 142, 151
 - specifications, 142
 - establishing specifications, 142
 - standards, 142
- Microbiological limit (microbiological criteria), 142, 151
- Micrococci*, 69
- Microns (“ μ ”), 104
- Midura, T. F., 145
- Milk, 14, 22, 40, 69–70, 112
- Milk powder, 10, 112
- Millson, M., 17
- Mincemeat, 73
- Mitscherlich, E., 82, 112
- MLST (multilocus sequence typing), 163–164
- MLVA (multilocus variable-number tandem repeat analysis), 164
- Modified atmosphere packaged (MAP), 64, 65
- Modified Oxford Medium, 133
- Moir, C. J., 23
- Moisture, 27, 68, 72, 106, 126, 167
- Moisture (factors influencing growth), 80, 106
- Molds, 28, 66t3.1, 72t3.3
- Molecular subtyping, 158
 - DNA sequencing-based subtyping and characterization methods, 163–164
 - PCR methods generating fragment length polymorphisms, 163
 - pulsed field gel electrophoresis (PFGE), 161–162
 - ribotyping, 162–163
- Molecular subtyping of bacteria, value and methods for
 - principles of molecular subtyping methods, 160
 - overview of molecular subtyping genetic techniques, 160–161
 - overview of molecular subtyping methods, 161–164
 - users of molecular subtyping methods, 165–166
 - company response to molecular or subtyping data, 170–173
 - foodborne illness outbreak investigation, 166–168
 - in-plant investigation, 168–170
 - value of molecular subtyping methods for food industry, 157–158
 - evolution of molecular subtyping methods, 159–160
 - limitations of traditional cultural methods, 158–159
- Molin, N., 28
- N*-Monoalkyl maleates and fumarates, 28
- Monroe, P. W., 41
- Moore, G., 17–18, 129–130
- Moore, J. E., 18
- Moraxella*, 65, 67
- Moreno, G. S., 16
- Morgan, D., 17
- Mortimore, S., 29, 148
- Mosso, M. D. L. A., 40
- Motile, 8, 15, 38
- Motor fan cover, 92f4.17
- Mucor*, 68t3.2, 70
- Mucosal inflammation, 9
- Muir, D. D., 70
- Multilocus enzyme electrophoresis, 159
- Multilocus sequence typing, 159, 163
- Mung bean sprouts, 40
- Murphy, C., 17
- Murrell, W. G., 28
- Muscle cramping, 21
- Mustard, 10, 24
- Mustard dressing, 10
- Mutton, 10
- Muytjens, H., 41
- Muytjens, H. L., 41
- Mycobacteria*, 43, 44
- Mycobacterium bovis*, 43, 45
- Mycobacterium tuberculosis*, 43–44, 46
- N
- Naser, S. A., 44
- Nausea, 9, 21, 23, 37
- Nazarowec-White, M., 40
- Necrotic enteritis, 36
- Necrotizing enterocolitis, 40
- Neelam, M., 41
- Negative controls, 119
- Neonatal sepsis and meningitis, 40

- Neosartorya glabra*, 74
 Nephropathy, 32
 Neurological impairment, 13, 41
 Neurotoxins, 25–27
 Newell, D. G., 160
 Ng, H., 134
 Niches (microbial growth niche), 45, 80, 81, 92f4.16, 99f4.30, 126
 Nisin, 28
 Nitrites, 28
 Noble, M., 44
 Non-motile, 65
 Non-proteolytic, 25–27
 Non-starter lactic acid bacteria (NSLAB), 70
 Noriega, F. R., 41
 Nutrients (factors influencing growth), 43, 68, 114, 127
- O**
 Obligate aerobes, 109
 Obligate anaerobes, 109
 Odors, 26, 67, 71, 73
Oenococcus oenos, 72t 3.3
 Off-flavors, 67, 69, 72t3.3
 Oh, S. W., 40
 Oliguria, 9
 Olive, D. M., 160
 Olsen, S. J., 168
 One class (sampling plan), 143
 Open sores, 22
 Operating practices creating growth niches/transmit microbes, 84–89
 failure to adequately disassemble, clean, and inspect behind diaphragm of pump, 87f4.8
 failure to adequately disassemble horizontal agitator shaft coupling for cleaning, 87f4.9
 failure to clean underside of product conveyor and thoroughly dry afterward, 88f4.11
 failure to control dust accumulation, 86f4.6
 failure to disassemble pumps and gaskets adequately for cleaning, 84f4.1
 failure to inspect and clean air line boxes, 86f4.7
 failure to maintain segregation of work boots from street shoes, 85f4.5
 floor scrubber, 85f4.4
 inappropriate use of broom to move standing water, 84f4.2
 storage of cleaned and dried equipment near wet, 89f4.12
 storage of pallets, boxes, and packaging material on wet floor, 88f4.10
 uncleaned areas underside of floor-associated materials, 85f4.3
- Operational samples, 123
 Optimal temperature, 20, 27, 114
 Orange juice, 75
 Organic acid preservatives, 107
 Organic acids, 35, 107
 Organoleptic, 2, 64, 65
 Osmophilic yeasts, 73, 107t5.1
 Osmotolerant, 73
 Osteomyelitis, 21
 Oxidation/reduction potential (ORP/Redox, E_h), 28, 106, 108–110, 112
 factors influencing growth, 79, 107, 126
 Oxygen, 18, 28, 64
 Ozsan, K., 41
- P**
P. guillermundii, 68t3.2
P. mephitica, 70
P. nigrifacines, 70
P. norvegensis, 68t3.2
 Packaging, 22, 65, 67
 Packaging material (unsanitary operating practices relating to), 67, 72, 88t4.10
 Pallets (unsanitary operating practices relating to), 81, 88f4.10
 Palop, A., 74
 Palumbo, S. A., 29, 31, 35
 Paprika chips, 10
 Parabens, 28
 Paralysis, 15, 26
 Parasites, 103
 Park, C. E., 17
 Park, J., 40
 Park, S. F., 18
 Parsley, 17
 Particulates, 71
 Passover season, 76
 Pasta, 23, 40
 Pasteurization, 18, 28, 45–46, 69, 70, 134
 Pasteurized milk, 7t2.1, 10, 14, 45, 69
 Pathogen, enhanced detection of, 140
 Pathogen of concern, 148, 154
 Paton, A. W., 33
 Paton, J. C., 33
 Patton, C. M., 31
 PCA pour plates, 129
 PCA spread plates, 129

- PCR (polymerase chain reaction), 38, 47, 75,
140, 163
- Peanut butter, 10, 164
- Peck, M. W., 28
- Pediococcus*, 66, 71, 134
- Peeling paint and rust (unsanitary maintenance
and repair practices), 81, 91f4.15,
92f4.17
- Peleg, M., 28
- Penetrations, 11, 81, 94f4.21, 128
- Penicillium*, 67, 68t3.2, 70, 73t3.4
- Peppers, 26
- Percent moisture content, 106
- Personnel, 2, 97, 117, 122, 128, 158
- Pet food, 10
- Petrifilm™, 129
- pH, 106–107
factors influencing growth, 126
limiting, 107, 108t5.2
- Phage, 10, 159
- Phage typing, 159
- Phagocytic cells, 9, 13
- Phantom TDT curve, 111
- Phenolic antioxidant/s, 28
- Phlebitis, 21
- Phosphates, 28, 114
- Phospholipase, 69
- Photobacterium*, 67
- Physicochemical properties, 127
- Pichia burtonii*, 73
- Pichia fermentans*, 68t3.2
- Pierson, M. D., 145
- Pipe, 40, 76, 81
- Pipe brushes (unsanitary operating practices
relating to), 81
- Pipe interiors, 76
- Plate count agar (PCA), 129
- Plowman, J., 28
- Plumbs, 108t 5.2
- Pneumonia, 21
- Polymorphism, 161, 163–164
- Polyphosphates, 28
- Polysaccharides, 73, 80, 127
- Pork, 14, 17
- Portioning, 65
- Positive controls, 119
- Post-cook, 11
- Post operational (sampling/testing), 117
- Post-process contamination, 6, 67, 69, 83
- Post-processing environment, 125
- Potatoes, 17, 23, 108t5.2
- Potato flour, 40
- Potato salad, 10
- Poultry, 10, 14, 17–19, 39, 65–67
- Poultry, spoilage of, 65–67
- Poultry products, causative spoilage agents
and manifestations of microbial
deterioration in, 66t3.1
- Powdered milk, 40
- Pregnant, 13
- Pre-operational (sampling/testing), 117, 118,
132
- Pre-operational swabs, 132
- Preventative maintenance, 69
- Primers, 163
- Principle investigator (PI), 121
- Probabilities, 138, 142
- Probiotics, 17
- Process cheese, 13
- Process failure events, significance of, 83
- Product contact, 43, 121, 166
- Production schedule, 120
- Productivity, 2
- Product stream, 82, 118, 122, 134
- Prostration, 21
- Protease activity, 28
- Proteases, 26, 28, 70
- Proteinaceous, 127, 130, 132
- Protein detection kits, 129
- Proteins, 10, 25, 44
- Proteolysis, 112
- Proteus*, 70
- Pseudomonas*, 65, 66t3.1, 67, 68t3.2, 69, 70,
72t3.3, 109
- Pseudomonas fragi*, 69
- Psychrobacter*, 65
- Psychrotrophic, 23, 65, 69
- Psychrotrophs, 64, 110
- Puddings, 23
- Pulsed electric fields, 112
- Pulsed field gel electrophoresis (PFGE),
161–162
- Pulsed light, 112
- PulseNet, 158, 159
- Pulsotypes, 161
- Pumpkin, 2, 108t5
- Pumps (unsanitary operating practices relating
to), 76
- Putrid, 68t3.2, 69
- Pyruvic acid, 70
- Q**
- Quality assurance, 122, 169
- Quality systems, 119–120
- Quantitative analyses, 128
- Questionable results, 141–142

R

- Racemase, 71
 Radcliff, R., 5–47
 Radish, 17
 Radish sprouts, 34
 Rajmohan, S., 69
 Ralyea, R. D., 170
 Ranch dressing, 34
 Rancidity, 69, 70
 Randazzo, C. L., 159–160
 RAPD (random amplified polymorphic DNA), 161, 163
 Rats, 41
 Ray, B., 15
 Read, T. D., 161
 Ready-to-eat/heat and serve bakery products, causative spoilage agents and manifestations of microbial defects in, 73t3.4
 Ready-to-eat (RTE) meat, 6, 11, 13, 65, 66t3.1, 73t3.4, 140
 causative spoilage agents and manifestations of microbial deterioration in, 66t3.1
 Recalls (product), 2, 14, 167, 173
 Record-keeping, 118
 Red meat, 39
 Redox, *see* Oxidation/reduction potential (ORP/Redox, E_h)
 Refrigeration, 25, 28, 35, 63, 106
 Reij, M. W., 6, 7
 Renal failure, 32
 Rendered animal proteins, 10
 REP-PCR (Repetitive Extragenic Palindromic Sequences, PCR), 159, 161, 163, 169–170
 Reproducibility, 159, 163
 Reservoirs, 10, 14, 16, 22, 24, 26, 33–34, 37, 45
 Resistant microbial populations, 153
 Restaino, L., 40
 Restriction
 digestion, 161
 enzymes, 161–162
 Restrooms (unsanitary design), 82
Rhizopus, 70
 Rhodehammel, E. J., 24
Rhodotorula, 67, 69t3.2
Rhodotorula mucilaginosa, 66t3.1
 Ribotyping, 162–163
 Rice, 23–24
 Rice flour, 40
 Rice starch, 40
Rickettsia, 103
 Riordan, T., 17
 Risk assessment, 13, 24, 132
 Risk of product contamination, 82
 Risk rank (ingredients), 151
 Ritchie, J. M., 31, 33
 Roasting, 135
 Roberts, T., 2, 8, 15, 30
 Robertson, L. F., 40
 Robinson, J. E., 41
 Rodac™, 129
 Rodgers, S., 28
 Rollers, 132
 Roman, D. J., 18
 Roof, 11, 93f4.18
 Roof penetrations (unsanitary maintenance and repair practices), 81
 Ropy bread, 73
 Rossiter, C. A., 45
 Rotation of sanitizers, 80, 127, 153
 Ryser, E. T., 5–47, 112
- S**
Saccharomyces, 73t3.4
Saccharomyces bailii, 132
Saccharomyces cerevisiae, 68t3.2, 71, 73t3.4, 75
 Sacks, J. J., 17
 Sahin, O., 16–17
 Salad, 10, 34, 76–77, 168–170
 Salad base, 10
 Salad dressings, 76–77, 168
 Salami, 34, 67
 Salkin, D., 47
Salmonella, 6–11, 18, 109, 112, 133
 cost, 8
 disease syndromes, 8–9
 dry foods, 10
 food processing environments, 11
 foods associated with human infection, 10
 infectious dose, 9
 organism, 8
 reservoirs, 10
Salmonella berta, 8
Salmonella serotype Enteritidis, 9, 10
 Salmonellosis, 8, 10, 12, 166–168
 Salt, 11, 22, 27
 Salting, 63
 Salt/moisture (S/M), 70
 Sample collection, 121, 131t7.2
 Samples, 3, 36, 119–122, 128–129
 Sampling, 3, 121–122, 123
 investigational, 139–140
 and resampling, statistics, 137–139

- Sampling plans
 category I (FDA plans), 144
 category II (FDA plans), 144
 category III (FDA plans), 144
 one class, 143
 two class, 143
 types of
 attributes plans, 143
 FDA plans, 144–145
 ICMSF plans, 143–144
 variables plans, 145
- Sanders, G. W., 17
- Sandwiches, 34
- Sandwiched regions, 129
- Sandwich fillings, 22
- Sanitation, 22, 64, 122–123
- Sanitation breakpoint, 120
- Sanitation standard operating procedures (SSOP), 148
- Sanitization, 18, 19, 35, 127, 129, 132
- Sanitizer, 80, 127, 153
- Santos, C., 41
- Sauces, 23, 75
- Sausages, 26, 34, 40, 67, 135
- Scherer, K., 18–19
- Schindler, P. R., 40
- Schoeder-Tucker, L., 39
- Schoeni, J. L., 23, 25, 29
- Scoops, 129, 131f7.2
- Scott, W. J., 28
- Scribe, 121, 122
- Seafood, 14, 17
- Seizures, 32
- Septicemia, 9, 12
- Sequencing, 164
- Serologically defined, 8
- Serological reactivity, 20
- Serotypes, 8, 11, 38, 158
- Setlow, P., 25
- Shapiro, R. L., 25–26
- Sharma, S. K., 27
- Shelf-life, 69, 73
- Shelf-stable, 66t3.1, 67
- Shellfish, 14, 17, 29
- Shewanella*, 67
- Shewanella putrefaciens*, 66t3.1
- Shigella*, 8t2.2, 33, 168
- Shoulder, 111
- Shreeve, J. E., 17
- Siegel, L. S., 28
- Sieve-type impactors (air sampler), 129
- Silliker, J. H., 128
- Simmons, B. P., 41
- Simmons, N. A., 45
- Skelly, C., 16
- Skin lesions, 21
- Skinning, 65
- Skunk-like aroma, 70
- Slicing, 65
- Slicing machines, 132
- Slime, 64, 65, 67, 76
- Slimy gelatinous, 68t3.2
- Slit-type impactors (air sampler), 129
- Smeets, L. C., 41
- Smith, J. L., 15–16
- Smoked meat, 46
- Smoke house treatments, 46
- Smoot, L. M., 145
- Snygg, B. G., 28
- Sodium benzoate, 71
- Sodium chloride (NaCl), 18, 28
- Soils, 14, 24, 26, 130
- Solubilize, 127
- Sorbates, 28, 70, 71
- Sorbitol, 29
- Soriano, J. M., 40
- Soups, 10, 23
- Sources (contamination), 11, 39
 - air, 80
 - garments, 79
 - ingredients, 79, 82, 83
 - skin, 79, 81
- Souring, 66t3.1
- Sour milk, 14
- Sour tea, 40
- Southern blot, 162
- Soy, 24, 40
- Soy protein, 43
- Speck, M. L., 134
- Sperber, W. H., 151
- Spices, 24, 40, 73, 76
- Spinach, 17, 34
- Split curd, 68t3.2
- Split defects, 71
- Spoilage, 2–3, 63–77, 168–169
- Spoilage organisms, isolation and identification of, 75
- Spoilage yeasts, 67, 71, 107f5.1
- Sponge, 128
- Spores, 23, 28
- Sporotrichum carnis*, 67
- Spratt, B. G., 164
- 16S rDNA gene, 159–160
- Stabel, J. R., 44–47
- Stable, J., 46
- Stale, 69

- Stanbridge, L. H., 65
 Standard operating practices (SOP), 123
 Standards (microbiological criteria), 142
Staphylococcal enterotoxins (SE), 19–20
Staphylococcal food poisoning (SFP),
 19–22
Staphylococcus, 19–22
 costs, 21
 disease syndromes, 21
 organism, 19–20
 reservoirs, 22
 staphylococcal enterotoxin, 20
 toxic dose, 21
Staphylococcus aureus, 2, 6, 7t2.1, 19–22,
 107t5.1, 127
 culture age on heat resistance, 105f5.3
Staphylococcus epidermidis, 19–20
 Starter, 70, 71
 Stationary phase, 27, 31
 Statistically based finished product
 testing, 150
 Statistical process control (SPC), 154, 155
 Statistics, 130, 137–139
 Steam, 35
 Steam capper, 74
 Steels, H., 71
 Stern, N. J., 17–18
 Stiles, M. E., 65
 Stoll, B., 41
 Storage, 81
 Stratford, M., 71
Streptococci, 19, 109
 Strockbine, N. A., 160
 Styes, 21
 Subtyping, molecular, 75, 120, 157–173
 Sucrose, 36, 43, 76
 Sugars, 26, 40, 64, 107t5.1
 Sulfur compounds, 67
 Sulliman, S. M. A., 41
 Sung, N., 43, 45
 Superantigens, 21
 Suppliers, 152
 Support bases, 98
 Suppurative (pus-forming) infections, 21
 Surface, 18, 22, 35, 73–76
 Surface charges, 127
 Surface taint, 70
 Surfactant, 74
 Surrogate microorganisms, 83, 119, 151
 Surrogate organisms (CCPs), 47
 Surveillance, 23, 158
 Swabbing, 169
 Swabs, 34, 76, 128–129, 132
 Swaminathan, B., 158–159, 162
 Symptoms, 9, 15, 23, 32, 37
 onset of, 15, 21
- T**
 Tail (heat resistant), 111
 Taints, 71
 Tamplin, M. L., 32
 Tamura, A., 40
 Tanaka, N., 114
 Taurine, 67
 Tauxe, R. V., 17
 Team/sampling team, 117, 121–122
 Temperature, 18–20, 27–30, 74, 82–83
 factors influencing growth, 110–112
 Tenover, F. C., 162, 165
 Testing laboratory, 119, 140, 165
 Thermal death time (TDT), 11, 76
 Thermal processes, 106
 Thermoduric bacteria, 110
 Thermoduric micrococci and lactococci, 69
 Thermophiles, 110
 Thermotolerant *Streptococcus*, 69
 Thickening agent, 75
 Thompson, J. M., 73
 Threlfall, E., 160
 Thrombocytopenia, 32
 Tift, W. L., 41
 Time (factors influencing growth), 111–112
 Tines, 132
 Tompkin, B., 67
 Tongue blade, 129
 Top, J., 164
 Torn insulation, 81, 92f4.16
Torulospira delbrueckii, 68t3.2
Torulopsis, 68t3.2
 Touring (the plant), 121
 Townsend, S., 41
 Toxic dose, 21
 Toxic metabolites, 109, 110
 Toxicoinfectious agents, 5, 6
 Toxicoinfectious pathogen, concern to food
 processors (industrial)
 C. perfringens, 35–37
 enterohemorrhagic *E. coli*, 29–35
 Toxigenic pathogen, concern to food
 processors (industrial)
 B. cereus, 22–25
 C. botulinum, 25–28
 Staphylococcus, 19–22
 Toxigenic pathogens, 6
 Toxigenic vs. infectious bacterial pathogens, 6
 Toxin, 6, 15, 19–21, 24

- Toxin shock syndrome (TSS), 20
 TPP, 32
 Trachoo, N., 18–19
 Tradition, 83, 118, 151
 Traffic patterns, 123
 Training, 43, 122
 Transplacental migration, 13
 Trend analyses, 118
Trichosporon spp., 67
 Trimethylamine, 67, 75
 Trimethylamine oxide, 67
 Trisodium phosphate, 18
 Truncated *Listeria* assay, 133
 Tuncer, I., 41
 Tuttle, J., 30, 32–33, 35
 Two class (sampling plan), 143
- U**
- Ultraviolet light, 112
 Unclean utensils, 73
 Undercooked, 17, 29
 Undissociated acid, 107, 108
 United States Department of
 Agriculture (USDA), 8, 13,
 37, 83, 119, 151
 Unsanitary design of factory or its equipment
 air flow, 82
 air handling units (AHUs), 81, 82
 ball-valves, 82, 100f4.32
 catch pans, 81, 82
 common areas for raw and finished
 product, 82
 cooling coils, 82
 disassembly, 81, 84f4.1
 electrical charging rooms for electrically
 powered vehicles, 82
 elevators, 82, 97f4.27
 final filter, 82
 loading and receiving docks, 82
 restrooms, 82
 untrapped catch pans, sinks, lubrication,
 etc. water to drains, 81, 96f4.24
 Unsanitary maintenance and repair practices
 broken gasket seals on product pumps, 81
 condensate catch pan drains, 81
 duct tape, 81
 dust, 81, 86f4.6
 exposed product, 80
 false ceilings, 81, 91f4.15, 94f4.20
 fatty residues, 80
 forklift, wheeled vehicle traffic, 80, 82
 gaskets, valves, 80–81, 84f4.1, 93f4.19
 germicidal footbaths, 80
 glove (use), 80
 high pressure hoses, aerosolization, 80
 hoses, 80–81, 91f4.14
 impact wrenches (effect of improper use on
 gaskets), 81, 93f4.19
 insulation, 81, 92f4.16
 maintenance worker attire, 81
 packaging material, 81, 884.10
 pallets, 81, 88f4.10
 peeling paint and rust, 81
 pipe brushes, 81
 point of use filters on compressed air-lines,
 81, 99f4.31
 walls and ceilings, 81, 94f4.21
 water (inadequate temperature), 80
 welds, 81
- Uremia, 9
 Uric acid, 67
 Urinary tract infections, 21
 Urmenyi, A. M. C., 41
- V**
- Validation, 83, 123
 Validation (re-validation), 150–151
 Valliant, V., 41
 Valves, 76
 Van Acker, J., 41
 Van Belkum, A., 160
 Vandamme, P., 38
 Van Kruiningen, H. J., 44
 Van Os, M., 41
 Variables plans, 143, 145
 Vegetable oil, 43
 Vegetables, 14, 17, 23, 34
 Verification procedures, 118, 148, 150
Vibrio, 67
Vibrio parahemolyticus, 108t5.2
 Viruses, 103–104
 Vitamin, 43
 Volatile amines, 67
 Vomiting, 9, 12, 21, 23
 Vought, K. J., 9
- W**
- Wagenaar, J. A., 18
 Wallace, C., 148
 Wallace, F. M., 140
Wallemia sebi, 73
 Walls and ceilings (unsanitary maintenance
 and repair practices), 81, 94f4.21
 Wang, W. L., 18
 Water, 34, 39, 72t3.3

- contaminated/unchlorinated, 11, 16–17, 20, 24, 167
 - inadequate temperature (unsanitary operating practices relating to), 80
 - Water activity, *see* a_w (water activity)
 - Water-in-oil emulsion, 70
 - Wayne, L. G., 46
 - Weinstein, P., 16
 - Weir, E., 41
 - Weissella viridescens, 65, 66t3.1
 - Weissman, J. B., 10
 - Welds (unsanitary maintenance and repair practices), 81
 - Wells, S. J., 44
 - Welsh, J., 163
 - Wesley, I. V., 38–39
 - Wet heat, 106
 - Wetzel, R. G., 41
 - Wheeled containers, 132
 - Whey protein, 43
 - Whiskers, 66t3.1
 - White, P. L., 18
 - Whiting, R. C., 27
 - Wiedmann, M., 160–161, 163–164
 - Williams, C. E., 15
 - Williams, J. G., 163
 - Willis, J., 41
 - Wilson, J. G., 17
 - Wolter, H., 67
 - Wong, A. C., 23
 - Wong, A. C. L., 23, 25
 - Woodford, N., 160
 - Workers, 80, 131
- X**
- Xerophilic fungi, 74
 - Xerophilic molds, 73, 107t5.1
 - Xerotolerant, 73
 - X-ray, 112
- Y**
- Yan, Z., 5–47
 - Yanmin, H., 46
 - Yarrowia lipolytica*, 68t3.2
 - Yeasts, 7t2.1, 67, 73
 - Yersinia enterocolitica*, 7t2.1, 82, 110
 - Yogurt, 7t2.1, 68t3.2, 107
- Z**
- Zink, D., 42
 - Zogaj, X., 41
 - Zones (proximity to product), 82–83
 - Z-value, 111
 - Zwietering, M., 42
 - Zygosaccharomyces*, 73t3.4
 - Zygosaccharomyces bailii*, 71, 75
 - Zygosaccharomyces lentus*, 71
 - Zygosaccharomyces rouxii*, 71, 73, 75