

Subject Index

- A**
- Advances in cellulose hydrophobicity improvement
- chemical modification
 - alkyl ketene dimer (AKD), 254
 - CO (PT)-FAS sample, 248*f*
 - dispersion visualization of CN and CO-g-CN, 245*f*
 - fabrication of superhydrophobic cotton fabrics, 250*f*
 - grafting methods, 243
 - hydrophilic and hydrophobic behavior, 252
 - hydrophobic modification process, 246*s*
 - nanosilica and polymer composites, formation, 255
 - pentafluorobenzoylation of cellulose fibers, 244*s*
 - polymerization and LBL coating, 251
 - polymerization on surface, 249
 - RF magnetron plasma source, 249*s*
 - SI-ROMP from cellulose fibers, reaction scheme, 245*f*
 - sol-gel method, 246
 - superhydrophobic surface, 250
 - surface-initiated atom transfer radical polymerization (SI-ATRP) method, 253
 - novel functional materials fabricated from cellulose, 242*f*
 - physical treatments
 - cellulose fiber after PAH/PAA LBL assembly, 259*f*
 - chemical vapor deposition (CVD), 263
 - coating with inorganic nanoparticles, 260
 - cold plasma treatment, 262
 - cotton fiber cross-linked, 256*f*
 - CTA fibrous mats, 257*f*
 - different coating process, 270*f*
 - electrospraying, 269
 - growing nano ZnO on surface, 267
 - incorporation with stearic acid, 267
 - LBL self-assembly process of CPAM and LS on cellulose fiber, 259*s*
 - LBL technique and adsorption of colloidal wax, 258
 - modified with polyacrylate latex, 262
 - multistep nanoengineering, 271
 - painting with nanoporous polymer chalk, 261
 - papers coated with pure SMI nanoparticles, SMI/oil nanoparticles, 265*f*
 - preparation process of cellulose/stearic acid films, 268*f*
 - PVC coatings, 266*f*
 - silica sol preparation and coating procedure, reaction route, 266*s*
 - treatments on electrospun fibers, 255
 - water droplet ZnO embedded CA fibrous membrane, 257*f*
- B**
- Biopolymer-based CNC composites
- chitosan-based CNC composites, 217
 - functionalization of cellulose nanocrystals, different methods, 215*f*
 - PLA-based CNC composites, 214
 - polyhydroxyalkanoate-based CNC composites, 216
- Bisphenol A in Japanese canned foods, 155
- BPA levels in canned foods, reports, 158
 - canned foods, BPA levels, 157*t*
 - comparison of BPA levels, 162
 - domestic and imported canned foods
 - BPA levels, 160*t*
 - BPA survey, 161*t*
 - estimated BPA intake from canned foods, 164*t*, 165
 - maximum and average BPA levels, comparison, 163*f*
 - residue and migration level of BPA, 158*t*
- C**
- Cellulose nanocrystals
- acid hydrolysis of cellulose fibers, 198
 - cellulose extraction, biomass pretreatment methods, 203*f*
 - comparison of yield and morphology of CNCs, 210*t*
 - degradable polymers, potential sources, 199*f*
 - fabrication techniques and advancements, 227

- extrusion process, 230
 - layer-by-layer assembly, 229
 - solution casting-cum-evaporation technique, 228
 - food packaging applications,
 - biopolymers, 199
 - cellulose-based nanocomposites, 201
 - gelatin-based nanocomposites, 202
 - starch-based nanocomposites, 200
 - general pathway followed for CNC production, 203*f*
 - packaging industry, 198
 - polymer matrix, 198
 - properties
 - antibacterial properties, 227
 - barrier properties, 221
 - contact angle/wettability, 220
 - gas permeation, 222
 - hydrophobic polymers, 218
 - intermolecular hydrogen bonding, 218
 - mechanical properties, 217
 - mechanism of water sorption on cellulosic fibers, 225*f*
 - models for gas permeation in polymer nanocomposites, 224*t*
 - monolayer capacity, 224
 - nanindentation, 219
 - Nielsen model, 221
 - optical properties, 220
 - oxygen permeability, 223
 - PEK model equations, 225
 - percolation exponent, 218
 - thermal properties, 226
 - scale-up and industrial scale production, 232
 - scale-up strategies with different acid system, 231*t*
 - surface modification, 211, 212*f*
 - synthesis and surface modification, 202
 - ammonium persulfate (APS), 208
 - cellulose hydrolysis, effect of bio-feedstock, 204
 - cellulose hydrolysis, effect of different acids, 206
 - CNC production with TEMPO,
 - reaction mechanism, 208*f*
 - natural fibers, 205
 - oxidation system, 206
 - polymer-grafted cellulose nanocrystals, 213
 - reaction pathways for acid hydrolysis with different acids, 209*f*
 - recycling industrial residue, 205
 - Chemical structure and morphology of polymer materials during HPP, 142
 - Color additives and colorants, history of U.S. regulation
 - colorants as food contact substances, 66
 - Delaney clause and constituents policy, 64
 - early use of food coloring, 58
 - FDA regulation of color additives, 65
 - FDA regulation of colorants, 67
 - FDA regulation of food, drug, and cosmetic colors, 61
 - FD&C Act, amendments, 62
 - 1958 Amendment, 63
 - 1960 Amendments, 63
 - food colors in FID 76, 61*t*
 - other new amendments and laws, 64
 - USDA regulation of food colors, 59
 - Dr. Hesse's research, 60
 - food inspection decisions (FIDs), 60
 - hygienic table trials, 60
 - CRP development, conceptual framework, 131, 132*f*
 - process variables, 133
 - active compounds, 133
 - polymer composition, 133
 - processing methods, 134
 - property variables
 - food variables, 136
 - other film properties, 136
 - release properties, 135
 - target release rate, 136
 - structure variables, 134
 - active compounds, localization, 135
 - package structure, 134
 - polymer blend morphology, 134
- ## D
- Development of controlled release packaging (CRP) technology
 - delivery rates and tocopherol added at end of induction period, 130*t*
 - potential food applications, 137
 - safety considerations, 137
 - scientific evidence supporting concept, 129
 - useful terms, 128
- ## E
- EFSA. *See* European Food Safety Authority (EFSA)
 - Environmental review of food additive submissions, 97

FDA submissions, environmental information required, 98
claim of categorical exclusion, 99
environmental assessment, 100
inadequacies in EAs, 102
polymeric substances, 101
National Environmental Policy Act (NEPA), 98
EU legislation on food contact materials
active materials and articles, 87
good manufacturing practice, 83
horizontal EU measures, 82
material specific measures
implement general principles, approaches, 84
relation between EU and national measures, 83
objective, 81
plastic materials and articles
compositional requirements, 85
declaration of compliance (DoC) and supporting documentation, 86
scope, 84
verification of compliance, 86
recycled plastics, 87
useful websites, 88
European Food Safety Authority (EFSA), 3
European Union's food additives, enzymes, and flavourings legislation, 41

F

Federal Food, Drug, and Cosmetic Act (FD&C Act), 27
FIAP. *See* Food improvement agent package (FIAP)
Food contact materials (FCM), 82
Food improvement agent package (FIAP), 41
Food supply safety, framework
food and color additive petitions, 30
food contact notifications, 32
food ingredients, regulatory approaches, 34*t*
generally recognized as safe (GRAS), 27
generally recognized as safe notices, 31
legislative history, 28
overarching programmatic themes, 29

G

Global regulation of food additives
background, 3

EFSA regulation, 7
international review and standard setting bodies, 7
safety assessment, 5
toxicological data, 6
GRAS food contact substances and ingredients, 35
Flavor and Extract Manufacturers Association (FEMA), 38
GAO report recommendation, 37
general recognition of safety, 36
PEW Health group, 2012 report, 38
regulatory intervention, 39
safety conditions, 36

H

High pressure processing (HPP)
crystalline and amorphous regions, temperature and pressure sensitivity, 143
global migration, 145
aqueous and fatty food simulants, effect of HPP, 146
changes after HPP treatments, 146
high pressure dilatometric experiments, 144*f*
pressure-temperature response of food materials, 141*f*
principle, 140
sorption of food constituents (flavor scalping), 149
aroma compounds, 150
polymer films, sorption behavior, 150
specific migration, 147
sterilization, 148
volatile compounds, 148

I

Irradiation of prepackaged food, 119
food irradiation regulations, 121
holding food during irradiation, permitted food packaging materials, 121
interest in food irradiation, 120
polymer adjuvants, special considerations, 125
radiation-induced changes, 123
radiolysis products (RPs), 123
radiolysis products from adjuvants, 125
support of irradiation of packaging materials, 124

testing irradiated packaging materials, 124
undergo premarket approval, 122

N

New EU legislation

common authorisation procedure
application, 54
stages, 53
time limits, 54

enzymes

background, 48
legal framework, 49

flavourings

evaluation and approval, 51
framework regulation, 50
list of authorised flavourings, 52
requirements for labelling, 51
smoke flavourings, 52

food additives

framework regulation, 43
list of authorised additives, 45
re-evaluation, 47
specifications, 46
substances not considered to be food additives, 44

P

Packaging supply chain, 107

coatings compliance, 114
dietary exposure to migrants, 110
direct, indirect, and incidental food contact, 110
direct and indirect food additives, 109
FDA compliance of food-contact articles (FCA) and components, 108
FDA FCA and FCS compliance, listings, 110
FDA no objection letter (NOL) for recycling process, 116
FDA requirements for recycled plastics, 115
FDA safety concerns, 116
functional barrier as tool for compliance, 112
GRAS as tool for compliance, 112
inks compliance, 114
no migration as tool for compliance, 111
NOL for use of recycle plastics in food contact, 117
post industrial/post consumer, 115

prior sanction as tool for compliance, 112

recycling of plastic packaging materials, approaches, 115

risk assessment process, 113

secondary processes, FDA
recommendations, 116

substances excluded from food additive definition, 111

supply chain regulatory requirements, 108*f*

Poly(ethylene terephthalate) (PET) food packaging materials

calculated maximum bottle wall concentrations, 189*f*

diffusion coefficient, 171

European food law, PET bottles, 168

food law compliance, 167

migration modeling as tool, 170

migration of acetaldehyde, 177

migration prediction, 171

non-intentionally added substances

(NIAS), specific migration

acetaldehyde, 176

cyclic trimer of PET and other oligomers, 179

cyclopentanone and iso-phthalaldehyde, 182

formaldehyde, 178

limonene, 180

2-methyl-1,3-dioxolane, 179

phthalate and adipate esters, 180

toluene, xylenes, and other solvents, 181

overall migration, 172

permeation of label components, 182

polyethylene phthalate polymers, requirements, 170*t*

post-consumer recycled PET in direct food contact, 183

calculated permeation of components, 184*t*

EFSA evaluation, 186

expected migration of model, 187

maximum residual concentrations, 186*t*

toxicological evaluation, 187

U.S. FDA evaluation, 185

specific migration limits (SML), 169*t*

specific migration of monomers, additives, and catalysts, 173

2-aminobenzoic acid amide, 175

antimony, 175

1,4-bis(hydroxymethyl) cyclohexane, 174

- ethylene glycol and diethylene glycol, 174
 - terephthalic acid, iso-phthalic acid, and terephthalic acid dimethylester, 174
 - U.S. food law, PET bottles, 168
 - Polyhydroxybutyrate-based composites, 291
 - CNC loaded films, 297*f*
 - CNC nanoparticles and PHB polymer matrix, interactions, 297
 - d-spacing and loading of CNCs, 300*f*
 - fabrication of PHB-CNC films, 293
 - FESEM of PHB film, 299*f*
 - hydrogen-bonded network of CNC with PHB matrix, 295
 - incorporation of cellulose in PHB, 292
 - intermolecular and intramolecular H-bonding, 296*f*
 - linear viscoelastic region, 306*f*, 307*f*
 - montmorillonite clay, 292
 - nanocomposites of PHB, 292
 - PHB-CNC films
 - calorimetric studies, 303
 - linear viscoelastic region, 305
 - mechanical properties, 298
 - rheological studies, 304
 - thermogravimetric studies, 302
 - PHB-CNC films at different CNC loading, mechanical properties, 301*t*
 - PHB-CNC nanocomposites, thermal properties, 303*t*
 - PHB-silver sulphide nanocomposites, 292
 - storage and loss modulus of neat PHB, 308*f*
 - transparency measurement of PHB-CNC films, 294*f*
 - zeta potential of cellulose nanocrystals and PHB-CNC, 294*t*
 - Polyhydroxyalkanoates (PHA)-cellulose based nanobiocomposites
 - cellulose disintegration, 290*f*
 - cellulose nanocrystals, synthesis and fabrication process, 287
 - classification, property evaluation, and microbial synthesis, 278
 - classification and property comparison
 - poly(3-hydroxybutyrate), 280
 - poly(3-hydroxybutyrate-co-4-hydroxybutyrate), 283
 - poly(3-hydroxybutyrate-co-3-hydroxyhexanoate), 283
 - poly(3-hydroxybutyrate-co-3-hydroxyvalerate), 282
 - poly(3-hydroxyoctanoate-co-3-hydroxyhexanoate), 284
 - composition and type of PHAs produced by different microbial strains, 288*t*
 - food packaging applications, 275
 - microbial-based polymerization, 284
 - macroscopic model, 286
 - metabolic model, 285
 - polymerization model, 286
 - monomer units for different PHAs, 279*f*
 - physical properties, 282*t*
 - rate of hydrolytic and enzymatic degradation of PHAs, 281*t*
 - sustainable polymers, classification, 277
 - worldwide polyhydroxyalkanoates
 - commercial producers, 279*t*
- R**
- Regulation of food additives in Japan, 11
 - designation of food additives, 13
 - guidelines, 14
 - estimated daily intake, 23
 - flavoring substances, chemical groups, 15*t*
 - food safety legislation, basis, 12
 - international general-purpose food additives, 16
 - flavoring agents, 19*t*
 - food additives except flavoring agents, 17*t*
 - process of food additive designation, 13
 - recommended safety evaluation studies, 16*t*
 - risk analysis, framework, 12*f*
 - specifications and standards, establishment, 20
 - sweeteners, preservatives, and colorants, 21*t*
 - Rheological behavior of PHB-CNCs, 305
- T**
- TEMPO. *See* 2, 2, 6, 6-tetramethyl-1-piperidinyloxy (TEMPO)
 - 2, 2, 6, 6-tetramethyl-1-piperidinyloxy (TEMPO), 206
 - Thailand's food additives and packaging, 73
 - cases of authorized food additives, 75*t*
 - feeding bottles, 78
 - food contact materials
 - certificate of analysis, 79

regulation and standard, 77
labeling of food additives, 76
Office of the Consumer Protection Board
(OCPB), 79
regulation of food additives, 74
regulatory enforcement, 74
use of cyclamate, 76
use of steviol glycosides, 76

U

U. S. Food and Drug Administration's
(FDA) safety assessment of food
ingredients, 91
alternative in vitro and in vivo safety
assessment paradigms, 94
chemicals added to food, 92

nanomaterials as food additives or color
additives, 93
United States regulation of food
additives/ingredients, 4

W

Worldwide polyhydroxyalkanoates
commercial producers, 279*t*

Z

Zeta potential of cellulose nanocrystals and
PHB-CNC, 294*t*