664.07 CHEm

Contact "Library Services" : info@dss.go.th

Index

α-actinin, 446 α-amylase, 506 α -hydroxysulfonates, 475 α -macroglobulin, 446 α-relaxation, 681 a-tocopherol, 26, 544 ABTS see 2,2'-azino bis-(3-ethyl benzthiazolin-6-sulfonic acid) accretion, 197 accretive recrystallisation, 583 acetaldehyde, 471 acetobacter bacteria, 472 acid milk gels, 343-5 acrylamide, 81-3, 427, 615, 640 actins, 589 Active Oxygen Method, 24 actomyosin, 447 adhesion, 684 adsorption chromatography, 19 agar, 340 agglomeration, of food powders, 673-4 chemical reactions, 674 dissolution and drying, 674 dissolved materials crystallisation, 674 melting, 673 powder particles, 675 sintering, 673 alcoholic beverages, 134–5 aldehydes, 39, 476, 615 alginates, 340-1 Alicyclobacillus acidoterrestris, 354

Amadori rearrangement product, 72, 692,729 amino acids. 40-3 aliphatic, 43 aromatic, 41-3 sulphur-containing, 40-1 susceptible to oxidation and their respective oxidation products, 40 ammonia, 443 amorphous, 186 amylopectin, 300, 304-5, 388 amylose, 298, 304, 388 content of some starches, 298 angle of repose, 668 anisidine value, 17, 428, 429, 455 annealing, 682 anosmia, 358 Anthracnose, 494 anti-oxidative process, 434 antioxidants, 13-14, 27, 435, 731 effect, 59-60 effect on protein oxidation in meat during chill storage, 60 primary, 431 proteins, 60-1 AOCS Cd 8-53, 17 AOCS Official Method Cd 10-57, 241 apples, 484 AquaLab Series, 153 AquaSorp, 161 Arrhenius equations, 558 Arrhenius model, 556, 557

Arrhenius temperature, 232 ascorbic acid. 523 ascorbyl palmitate, 432 asparagus, 485 Aspergillus orvzae, 718 astaxanthin, 126, 128 atmospheric pressure ionisation - mass spectrometry, 105 attenuated total reflectance mode, 176 Autosorp, 158 autoxidation, 3, 5-10, 428, 431 Avidin, 551 Avrami constant, 232 Avrami exponent, 232 Avrami model, 233 2,2'-azino bis-(3-ethyl benzthiazolin-6sulfonic acid), 520 β-amylase, 506 β-carotene, 494, 495, 638 β-oxidation, 419 β-relaxation, 682 bakery products bread crumb firming, 388 case studies, 407-9 cream cakes, 408 fruit and custard pies, 409 fruited cakes and breads, 407-8 iced éclairs and doughnuts, 408-9 characteristics for consumer acceptance and quality perception, 384-5 chemical and physical deterioration, 381-411 custard pie, 410 densities, 384 moisture content, 385 future trends, 410-11 impact of ingredients on cake quality, 397 moisture content, 392 and water activity, 394 apple pies post-baking components, 409 post-baking changes, 387 rancidity, 385-6 shelf-life manipulation, 401-7 effects of freezing and thawing on baked products, 405-6 freezing applications, 406-7 glass transition and bakery products, 404-5 humectants addition, 402 pH adjustment, 403-4

product formulations adjustment, 401 - 2storage temperatures adjustment, 404 using preservatives, 402-3 spoilage types, 399 staling, 386-91 biscuits, cookies and crackers shelf life, 390 bread and fermented products, 387-90 cakes, 390 pastries, 390-1 storage instability, 391-401 microbial spoilage, 399-401 moisture, 391-3 packaging impact on moisture migration, 398–9 reducing moisture migration, 396 - 8water activity and its importance for stability, 393-5 water and moisture migration, 395-6 sucrose equivalence of bakery ingredients, 397 various types and their relationship, 381 - 2biscuits, cookies and crackers, 383 bread, 382 cakes and sponges, 382-3 pastries, 384 baking, 381, 385 bananas, 484 changes in starch content and mechanical resistance, 486 respiration rates during ripening, 503 band-aid aroma, 467, 472 barnyard arome, 467, 472 beer detailed mechanism for light-struck flavour, 134 isohumulones used, 133 Kuroiwa mechanism for light-struck flavour formation, 132 bentonite, 473 benzophenone, 734 benzoquinone, 471, 525 Biofresh, 505 Biosystemes, 158 biotin, 550-1 bipotentiometric method, 148 bisulphite, 476 bitterpit, 493

blanching, 554 Bligh & Dyer method, 448 blue cheese, 745 blueberries, 507 Boltzmann's law, 263 bone fish, 439 bottom dwelling fish see demersal fish bovine glutathione peroxidase, 638 Brabender Amylo/viscograph, 308 Bragg's law, 223 Brassica sp, 520 bread, 382 and fermented products staling, 387-90 crumb firming, 388 freezing applications, 406 loss of desirable aroma components, 103 - 5changes in the FD-factors of crust odorants, 104 odorants concentration in baguettes, 104 moisture transfer from crust to centre, 167 Brettanomyces, 467, 472 brine solutions, 702 British standard, 372 bromelain, 717 bromophenol, 354 Brownian motion, 146, 263 browning, 473 BS 684, 430 bulk diffusion, 147 bulk oils and shortenings chemical deterioration and physical instability, 414-22 cholesterol oxidation, 418-19 hydrolysis, 419 hydroperoxides decomposition to short-chain products, 417-18 hyperoxide structure, 417 oxidative deterioration, 414-16 photo-oxidation, 416-17 thermal changes, 419–20 physical deterioration, 420–2 oil migration, 422 polymorphism, 422 solid fat content, 422 texture and hardness, 422 butter and dairy spreads changes in firmness of butter blend, 750 flavour deterioration case study, 108 oxidation, 734-8

butter, 734-5 butter and ghee, 737 dairy spreads, 738 packaging materials for butter, 735-7 light transmission in visible range, 737 water vapour and oxygen permeability, 736 temperature-induced destabilisation, 281 butylated hydroxyanisole, 435, 459, 542 butylated hydroxytoluene, 435, 459 Cabernet Sauvignon, 467 caffeic acid, 459 caffeoyl tartaric acid, 474 caftaric acid, 474 caking, 164, 750 and structural collapse, 687-9 caking index, 164 calcium carbonate, 403 calcium deficiency, 493 calpain, 447 canthaxanthin, 126, 128 capacitance hygrometer, 152 capillary threshold pressure phenomenon, 336 Capkold, 639 Capsicum annuum L., 522 capsicums, 497 Carbowax, 149 carotenes, 417 carotenoids, 127, 128, 131, 523 Carpenter method, 86 carrageenans, 592, 713-14 Carri-Med CSL 500 stress controlled rheometer, 252 cartilage fish, 439 cassava, 506 catastrophic inversion, 272 catechin, 473 catechol, 526 catered foods see ready meals catfish fillets, 713 cathepsin, 446, 447, 448 Cavendish bananas, 485 cell permeability, 575 centrifugation, 325 Chardonnay wine, 473 cheddar cheese, 740, 743, 745 cheeses, 130, 592 see also specific cheese lipolysis, 744-5 Maillard reaction, 740

microflora, 745 oxidation. 731-4 fresh cheese, 731 mould cheese, 733-4 processed cheese, 734 semi-hard and hard cheese, 732-3 photo-oxidation reduction, 733 proteolysis effect on cheese-making process, 742-3 textural changes in semi-hard cheese, 743 syneresis fresh cheese, 748-9 influencing factors, 745-6 predicted vs measured syneresis in fresh cheeses, 749 chewiness, 382 chewing gum loss of aroma and taste compounds during storage, 103 loss of desirable aroma components, 103 chilling injury, 495 chitosan, 505, 638 chlorine, 356 chlorogenic acid, 459 chlorophenol, 357 chlorophylls, 114, 131, 523 chloropropham, 505 cholecalciferol, 544 cholesterol, 615-16 oxidation, 418-19 structure, 418 citral, 98 degradation pathways, 99 Clark electrode, 455, 526 Clark oxygen monitor, 524 climacteric fruit, 484, 489–90 Clostridium botulinum, 713 Clostridium histolyticum, 717 Clostridium perfringens, 712 coagulation, 266-7 coalescence, 267-9, 424 controlling droplet movement, 273-4 film rupture, 274-5 droplet approach and film thinning, 267 - 8film rupture, 268-9 cobalt atom, 550 cod family, 449 coffee, 102, 106-7 cohesion, 684

collapse phenomena, 685 Colletotrichium gloeosporioides, 494 Colocasia esculenta, 506 compressive bruising, 491 cone penetrometry, 235, 236, 240 cooking loss, 345 copper, 470 core aldehydes, 415 core browning, 493 corn starch, 717 corrin ring, 550 COST-90, 158 Cox's Orange Pippin apples, 492 creaming, 261-3, 423 controlling, 272-3 oil-in-water emulsion schematic illustration, 262 critical coagulation concentration, 266 crust, 382 cryodemulsification, 592 cryoprotectants, 592 cryostabilisation, 562, 600-2 crystal-melt interfacial tension, 232 crystal wetting, 271 crystalline, 186 crystalline matter characterisation methods, 200-2 microscopy, 200-1 spectroscopy, 202 thermal techniques, 201 presence verification, 199 crystallisation, 165, 228, 672, 689-90, 749 crystalline microstructure measurement, 199-202 α -lactose monohydrate crystals x-ray diffraction spectra, 203 crystalline matter characterisation, 200 - 2crystalline matter presence verification, 199 crystals characteristics, 199-200 lipids melting patterns, 201 number and size quantification of crystals, 199 sucrose crystals in fondant based candy, 200 sugar crystals Raman spectra, 204 type of crystals, 199 foods, 187-98 accretion of ice crystals, 197 and food quality deterioration, 186 - 213change in lipid nucleation rate, 193

fat bloom in chocolate, 198 future trends, 213 growth, 195-6 nucleation, 191-5 phase-state diagrams, 188-91 recrystallisation, 196–8 sucrose-water binary system phase diagram, 189 sugar glasses, 194 kinetics, 228-34 characterisation, 232-4 growth, 232 nucleation, 229-32 undercooling, 229 quality deterioration in food products, 203-13 calcium lactate crystals formation on cheddar cheese, 209 caramel sauce quality defects, 207 change in crystal size distribution, 212 chocolate bloom development, 211 crystallisation in honey, 208 graining in hard candy, 205 quality defects in non-crystalline products, 204-9 quality defects owing to recrystallisation, 209-13 sucrose glass DSC heating curves, 206 temperature, cooling rate and shear effects, 250-1 crystallised polyethylene terephthalate, 597 crystals characteristics, 199-200 growth, 195-6 factors, 196 mechanisms, 195 number and size quantification, 199 type, 199 cyanocobalamin, 550 cyclisation, 420 cysteine, 133 cysteine endopeptidases, 717 D-panthenol, 548 2D SDS-PAGE, 446 dairy products, 129-30 chemical deterioration and physical instability, 726-52 future trends, 751-2

general aspects, 727-9

lipolysis, 728, 744–5 Maillard reaction, 728–9, 739–41 cheeses, 740 milk powder and whey concentrates, 740-1 **UHT milk**, 739 milk as raw material, 727 oxidation, 727-8, 729-39 butter and dairy spreads, 734–8 fresh cheese, 731 milk, 730-1 milk powder, 738–9 mould cheese, 733-4 processed cheese, 734 semi-hard and hard cheese, 732-3 proteolysis, 728, 741-3 cheese-making process, 742–3 textural changes in semi-hard cheese during maturation, 743 UHT milk, 742 structural changes, 729, 749-51 fat structure during storage, 749-50 milk powder, 750–1 syneresis, 728, 745-9 fermented dairy products, 747-8 fresh cheese, 748-9 dairy spreads see also butter oxidation, 734-8 Danbo cheese hardness during storage, 743 stretchability during storage, 744 Danish semi-hard cheeses, 743 Darcy's law, 145 decadienal, 417 Decagon, 153, 161 decarboxylation, 419 Decimal Reaction Time, 525 dehydration, 556, 618, 641-2 demersal fish, 439, 443 denaturation, 346 deoxymyoglobin, 703 depletion flocculation, 337 Derjaguin-Landau-Verwey-Overbeek potential, 338 destabilisation velocity, 423 devitrification, 583 dew point hygrometer, 153 dextrins, 389 diacid TAGs, 220 dichloran, 489 diffusion, 146, 395 dihydroisohumulones, 132, 133

dimethylamine, 450 2,4-dinitrophenylhydrazine, 45, 475 dioxygen, 118, 119 diphenolase, 525 dispersibility, 669 DLVO theory, 266 DNPH see 2,4-dinitrophenylhydrazine DNPH derivation assay, 45 docosahexaenoic acid, 420 Donnan equilibrium, 333-4, 338 droplet aggregation, 264-6 controlling, 273-5 electrostatic interactions, 264 total interaction energy, 265-6 types, 266-7 van der Waals interactions, 264 droplet movement controlling, 273-4 continuous phase structure by fat crystal networks, 274 viscosity of continuous phase, 273 - 4droplet size evolution, 284-5 methods for measurement, 284-5 droplet size distribution, 284-5 microscopy, 285 drum drying, 671 duo-trio test, 362, 365 DVS apparatus see dynamic vapour sorption apparatus DVS method, 161 Dynamic Dewpoint Isotherm method, 161 dynamic head space analysis, 18 dynamic light scattering, 228 Dynamic Vapour Sorption apparatus, 159 schematic design, 160 ε-N-deoxylactulosyl-L-lysine, 692 edible aroids see Colocasia esculenta (E,E)-2,4-nonadienal, 615 eggs, 592-3 eicosapentaenoic acid, 420 electron microscopy, 201 electron spin resonance spectroscopy, 25, 49-50, 129 electronic nose, 621 Ellman's reagent, 47 emulsifiers, 261, 389 emulsion breakdown and quality deterioration, 260-1 desirable and undesirable effects. 261

overview, 260-1 controlling, 272-6 creaming and sedimentation, 272 - 3droplet aggregation and coalescence, 273-5 Ostwald ripening, 275-6 partial coalescence, 276 phase inversion, 276 protein conformation, 274 future trends, 287-8 in foods and beverages, 260-88 influencing factors, 277-83 butter and margarine polarised light micrographs, 279 emulsion composition, 277-9 PGPR-stabilised 20 wt% water-in-CNP emulsion, 283 pickering vs network stabilisation, 279 processing conditions, 282-3 temperature extremes, 280-2 measuring, predicting and monitoring, 283-7 droplet size evolution measurement method, 284-5 DSC thermograms of PGPR-CNO emulsion, 286 gravitational separation measurement method, 284 methods to quantify micro-scale separation in emulsions, 285-7 mechanisms, 261-72 approach and thin film formation between two droplets, 268 coalescence, 267-9 creaming and sedimentation, 261–3 DLVO interdroplet pair potential, 265 droplet aggregation, 264-6 emulsion droplets partial coalescence, 270 emulsion inversion, 272 fat crystal orientation at oil-water interface, 271 flocculation and coagulation, 266 - 7oriented wedge model for droplet coalescence, 269 Ostwald ripening, 269 partial coalescence, 270-1 schematic illustration of creaming and sedimentation, 262

emulsions, 260, 423 composition, 277-9 change in pH and ionic strength, 277 - 8interface composition, 277 presence of fat crystals, 278-9 creaming and sedimentation mechanisms, 423 destabilisation by freezing, 281-2 destabilisation by heating effect on oil-in-water emulsions, 280effect on water-in-oil emulsions, 280destabilisation by temperature extremes, 280-2 freeze-thaw stability oil-in-water emulsions, 281-2 water-in-oil emulsions, 282 inversion, 272 temperature-induced destabilisation, 281 Enfamil, 686 enhancement, 702 enthalpy relaxation, 682 supercooled liquid during annealing, 681 enzymatic browning, 525 enzymatic oxidation, 10-11 epicatechin, 473 equilibrium relative humidity, 152, 393, 677 equilibrium thermodynamic process, 564, 598 Equivalent apparatus, 153 ergocalciferol, 544-5 Erwinia carotovorum, 494 ESR spectroscopy, 455 ethanol, 471 ethyl alcohol, 403 ethylene, 490, 505 ethylene vinyl alcohol, 597 ethylenediaminetetraacetic acid, 26, 432, 546, 552 EU Directive 89/108, 596 Eupotorium odoratum, 520, 522 eutectic point, 188 FAST method see fluorescence of

advanced Maillard products and soluble tryptophan fat crystal network characteristic length and analytical characterisation, 227–8

controlling continuous phase structure, 274 structural hierarchy, 219 structure components, 220-34 techniques to characterise structural hierarchy levels, 228 fat crystals, 271 orientation at oil-water interface, 271 presence in emulsions, 278-9 fat rancidity, 383 fat-soluble vitamins, 542-5 vitamin A, 542-3 β-carotene, 543 retinol, 542-3 vitamin D, 544–5 vitamin E, 543-4 vitamin K, 545 fats see also oils and fats crystal network structure components, 220-34 Avrami equation non-linear fit, 234 Avrami Exponent values for nucleation types and growth, 233 characteristic length and analytical characterisation, 227-8 characteristic peak obtained by XRD, 224 crystalline structure, 221-5 crystallisation kinetics, 228-34 crystallographic subcells for TAGs, 222 Fisher-Thurnball plot for palm oil, 231 lamella length and orientation, 225 microstructure, 226-7 molecular composition, 220-1 nanoscale structure, 225-6 saturated TAG chain stacking, 221 saturated TAG molecule unit cell and subcell, 222 simulation of changes in nucleation free energy, 230 single crystallites structures, 226 TAG molecule schematic representation, 220 techniques to characterise structural hierarchy levels, 228 processing conditions, 250-4 cocoa butter PLM micrographs, 253

crystallisation temperature, cooling rate and shear effects, 250-1 shear modulus and SFC, 253 storage, 252-4 structural and mechanical properties and implications for food quality, 216-54 colloidal fat crystal networks structural hierarchy, 219 definition, 217-18 reasons for studying fats, 218 structural hierarchy, 218-20 structural basis for elasticity and vield stress, 234-50 anhydrous milk fat small deformation rheological testing, 238changes in yield stress, 239 fractal dimension, 246-50 Hanker constant values, 245 intercrystalline interactions, 244-6 load deformation curve, 236 permeability fractal dimension calculation, 248 rheology, 234-9 scheme to measure microscopy fractal dimension, 248 solid fat content, 239-41 solid fat content profile, 240 storage moduli for different fat systems, 238 storage modulus log-log plot, 247 structural mechanical models, 241 - 3subject spreadability scores vs vield stress values, 241 feeding regime, 58-9 Fenton chemistry, 36 Fenton reaction, 471 Fermi equation, 163 ferryl porphyrin, 705 ferulic acid, 459 FHCO see fully hydrogenated canola oil ficin, 717 Fick equation, 171 Fickian diffusion equation, 177 Fickian formalism, 171 Fickian mechanism, 176 Fickian model, 177 Fick's law, 147, 173, 175, 176, 177 film rupture, 268–9 controlling, 274-5 interfacial layer thickness, 274-5

interfacial rheology, 275 fish. 126-9 and sectional slide with myotomes. myommata, white and red muscle, 442 chemical processes responsible for quality deterioration, 439-60 future trends, 460 classification according to fat content, 444 composition, 442-3 lipids degradation by enzymes, 448-9 free fatty acids detection, 448 lipolysis prevention, 448-9 protein degradation catalysed by enzymes, 445-8 detection of protein degradation, 445 - 6enzymatic protein degradation prevention, 447-8 post mortem proteolysis relation with soft texture in trout, 446 reaction of protein degradation, 445 raw material chain from catch to consumer, 441 rigor mortis process, 443-4 seafood oxidative damage, 452-60 lipid oxidation, 452-5 prevention of lipid and protein oxidation, 458-60 protein and lipid interactions during oxidation, 456-8 protein oxidation, 455 TMAO enzymatic degradation, 449-52 fish gel see surimi Fisher-Turnball equation, 231 flavin adenine dinucleotide, 547 flavonoids, 130 flavour, 485 flavour deterioration case studies, 106-8 butter quality, 108 coffee, 106-7 olive oil, 107-8 predicted sensory scores comparison, 107 PTR-MS data vs measured peroxide value, 108 during food storage, 95-110 loss of desirable aroma components from food systems, 101-5 bread, 103-5

changes in FD-factors of crust odorants, 104 chewing gum, 103 coffee, 102 odorants concentration in baguettes, 104 peanuts, 101-2 pyrazine and aldehyde concentrations over 21 days of storage, 102 sensory scores for positive flavour descriptors, 101 loss of desirable aroma components from model systems, 96-100 degradation pathways for citral, 99 dry model systems, 96-8 liquid model systems, 98-100 loss of various volatiles, 97 volatiles rates of loss after 12 weeks storage, 100 measuring, predicting and monitoring, 105methodologies, 105-6 electronic noses, 105 mass spectrometry, 105--6 prevention, 108-9 flocculation, 266-7, 424 Flory-Rehner theory, 346 flow diffusion, 147 flow index, 668 flowability, 668, 690 fluorescein-5-thiosemicarbazide. 49 fluorescence of advanced Maillard products and soluble tryptophan, 86 fluoride, 331 foam-mat drying, 671 folacin, 548-9 folates. 548–9 Folch method, 448 folic acid, 548-9, 553 food conditions for moisture migration and foods affected by moisture transfer, 165-9 moisture loss, gain and migration and impact on food quality, 143 moisture transfer in bread from crust to centre, 167 with atmosphere, 166 within the product, 166-9 moisture transfers mechanism. 144 - 54chilled mirror dew principle, 153

diffusion through homogenous medium, 146 from dough to dry raisins, 145 porous media, 146 principle of capacitive sensor, 152 water activity measurement, 150-4 water content measurement. 147 - 50moisture transport phenomena modelling, 170-80 assumptions and boundary conditions of models, 172 diffusion coefficient calculated from moisture absorption, 178 dry biscuit moisture uptake, 173 foodstuff to surrounding atmosphere and within foodstuff, 170-3 moisture transfer three-step mechanism, 173 prediction of moisture transfers, 180Schroeder paradox, 175 shelf life prediction schematic representation, 179 through-barrier packaging and/or edible coatings, 173-80 sorption isotherm characterisation, 154-61 adsorption and desorption isotherms, 155 DVS apparatus schematic design, 160 general considerations on isotherms, 154-6 isotherm determination, 157-61 isotherms IUPAC classification, 156mathematical expression for sorption isotherm description, 157saturated salt solution method vs DVS instrument, 160 sorption and desorption kinetics, 159 water migration measurement concentration profile, 169 NMR imaging, 169 STRAFI-NMRI, 169 water relationships, 161-5 caking index vs time for fish protein hydrolysates, 164 crispness, 162-3 crystallisation, 165

plasticisation, 162 sensory crispness of starch-based extrudate vs water activity, 163 softness, 164 stickiness, caking, and collapse, 164–5 food and beverages emulsion breakdown, 260-88 and quality deterioration, 260-1 controlling, 272-6 future trends, 287-8 influencing factors, 277-83 measuring, predicting and monitoring, 283-7 mechanisms, 261-72 light-induced quality changes, 113-35 alcoholic beverages, 134-5 beer, 131-3 carotenoids structures, 127 common photosensitiser, 114 dairy products, 129-30 electronic states and distribution of electrons in electronic orbitals, 117 formation of light-struck flavour in beer suggested mechanism, 132 fresh and cured meat colour cycle, 126 frozen fish, 126-9 future trends, 135 Havarti cheese surface absorption spectrum, 121 isohumulones used in beer, 133 meat and meat products, 123-6 overview, 116 oxymyoglobin and nitrosylmyoglobin oxidation, 125 packaging materials light transmission spectra, 123 phytochemical reactions, 115-23 riboflavin triplet excited state deactivation mechanism, 119 second-order rate constants for riboflavin quenching, 120 solar spectral irradiance distribution, 122 spectral power distribution of light, 122 transitions between molecule electronic states, 118 vegetable oils, 131 food chemistry, xxii

food freezing basic principles, 562-6 initial freezing point, 563-4 phase and state diagrams, 564-6 properties of water and ice, 562-3 freezing rate definitions, 570–1 graphs, 568-70 ice formation process, 566-8 crystal growth, 568 homogeneous and heterogeneous nucleation, 566-8 nucleation and crystal growth curves, 569 supercooling effect on heterogeneous nucleation of ice, 567 time-temperature curves food system with thermal gradients, 571 small liquid specimen, 569 Food Hygiene (Amendment) Regulations (1990), 400 food physics, xxii food powders, 664-5 amorphous structure caking and collapse sequence, 688 basic and functional properties, 665-9 density and porosity, 667 flowability, 668 moisture and water activity, 665-6 particle size, 666 particle surface property and composition, 667-8 reconstitution property, 669 changes during production, handling and storage, 665 chemical deterioration, 692-3 loss of volatiles in encapsulated powders, 693 Maillard browning, 692 release of free fats, 693 chemical deterioration and physical instability, 663-95 classification, 664 flowability changes with moisture, 691 formation techniques and powder properties manipulation, 669-74 agglomeration, 673-4 crystallisation, 672 drying, 669-71 grinding, 673

fresh and aged skim milk powder DSC thermogram, 683 future trends, 695 glass transition temperature individual food components, 677 molecular weight effect on carbohydrate food powders, 680 relation with stickiness temperature of amorphous skim milk powder, 687 skim milk powder, 679 some food powders, 678 lactose crystallisation, 690 physical deterioration, 683-92 caking and structural collapse, 687-9 crystallisation, 689-90 food powder stickiness, 683-7 loss of flowability, 690 loss of protein solubility, 691-2 powder particles agglomeration, 675 flowability classification, 668 prevention of physical instability and chemical deterioration, 693-4 properties deterioration, 683-93 quality changes and glass transition related phenomena, 674-83 factors governing glass transition, 676-80,677 glass transition concept, 675-6 glass transition effect on powder stability, 680-1 powder ageing and structural relaxation, 681-3 spray drying production schematic diagram, 670 steps in crystallisation processing, 672 supercooled liquid enthalpy relaxation, 681 food quality and Maillard reaction, 70-88 deterioration and crystallisation in foods, 186-213 deterioration in food products associated with crystallisation, 203 - 13defects in non-crystalline products, 204–9 defects owing to recrystallisation, 209 - 13effect of freezing and frozen storage, 589-94

effect of oxidative rancidity, 3-28 food gels syneresis and its implications, 324-46 impact of moisture loss, gain and migration, 143 implication of fats and their structural and mechanical properties, 216-54 food safety, xxii food science, xxi-xxii food security, xxii food storage, 52-3 flavour deterioration, 95-110 case studies, 106-8 future trends, 109-10 measuring, predicting and monitoring, 105 methodologies, 105-6 prevention, 108-9 loss of desirable aroma components food systems, 101–5 model systems, 96-100 food taints case studies, 373-5 catty taint formation, 375 contamination by flooring, 373 contamination by water treatment, 373-4 contamination by wood preservatives, 374 planning permission dispute, 374-5 chemistry, 353-4 chemical sources and descriptions, 353 components migration from packaging, 617-18 definition, 349, 350 detection and analysis, 358-68 chemical analysis, 366-8 panel selection and training, 363-4 perception, 358 procedures for recruiting and training panellists, 364 sensory taint test data analysis, 365-6 sensory testing procedures, 359-63 sensory tests selection and operation, 364-5 thresholds, 358-9 diagnostic testing, 368–72 foods/food stimulants for taint transfer testing, 372 taint transfer testing, 370-1

taint transfer testing main steps, 370 test methods standardisation. 371-2 sources, 354-7 aerial transfer, 356-7 classification, 355 direct contact, 354-5 internal chemical reaction, 357 water supply contamination, 355-6 understanding, detecting, and preventing conditions for halophenol formation, 352 ethical aspects, 373 halophenols and haloanisoles taste thresholds, 352 insurance claims, 351 litigation, 352 lost consumer confidence, 351 lost stock, 351 product recall costs, 351 production disruption, 351 understanding, detecting and preventing, 349-76 food texture protein oxidation consequences food enzymes inactivation, 55 protein crosslinking, 55 forced-choice procedure, 361 formaldehvde, 450-1 Fourier transform infra-red spectroscopy, 176 fractal analysis, 249 fractal dimension, 246-50 box-counting, 249 microscopy, 247-9 particle-counting, 249-50 permeability calculation, 248 small deformation rheology, 246-7 fractal model, 241, 243 fragmentation, 48 free induction decay, 241 free lipid fraction, 14 free oil fraction, 21 freeze-cracking, 579-80 freeze drying, 671 freeze fixation technique, 576 freeze-thaw stability, 305 freeze-thaw stability tests, 342 freezer burn, 406, 580-1 freezing, 405, 555 applications to bakery products, 406 - 7

bread, 406 cakes, 407 composite products, 407 part-baked products, 407 freezing time, 571 Frenkel's equation, 685 frozen foods basic principles of food freezing, 562-6 initial freezing point of foodstuffs, 563-4 phase and state diagrams, 564-6 water and ice properties, 562-3 beef tissue from piece of frozen meat, 577 chemical and physical deterioration, 561-602 chemical changes, 585-9 enzymatic reactions, 586-7 lipids deterioration, 587-8 loss of vitamins, 588-9 protein denaturation, 588 cryostabilisation of food system, 600-2definitions of freezing rate, 570-1 effect of temperature and thermophysical properties, 573 frozen water percentage, 565 practical storage life, 595 effects of freezing and frozen storage on food quality, 589-94 frozen eggs, 592-3 frozen ready meals, 593-4 milk and milk products, 592 muscle tissues, 589-90 plant tissues, 590-1 freezing graphs, 568-70 freezing process, 566-8 crystal growth, 568 homogeneous and heterogeneous nucleation, 566-8 nucleation and crystal growth curves, 569 future trends, 602 glass transition temperature and stability, 598-600 intracellular and extracellular ice crystals in frozen tissues, 574-7 mathematical modelling of freezing time, 571-4 microbial stability, 589 packaging, 596-7 physical changes, 578-85 freeze-cracking, 579-80

freezer burn, 580-1 ice recrystallisation, 581-5 moisture migration, 580 surface colour, cell volume, water dislocation, mechanical damage and exudate production, 578-9 schematic state diagram for aqueous system with single solute, 565 shelf life, 594-6 fruit and vegetables beetroot storage in different systems over 6-month period, 498 benomyl and imazalil on Penicillium sclerotigenum growth, 489 detecting, predicting and monitoring chemical deterioration and physical instability, 503-4 effects on decay carbon dioxide concentration during storage, 499 controlled atmosphere storage conditions, 501 factors affecting the rate of postharvest chemical and physical deterioration, 491-503 harvest maturity, 494-5 humidity, 502-3 packaging, 497-8 postharvest temperature, 495-7 preharvest factors, 492-4 storage atmosphere, 498-502 longer acceptable quality when sealed in 70µm film, 492 number of days during which good or acceptable quality is retained, 497 postharvest chemical and physical deterioration, 483-508 future trends. 507-8 magnitude of losses, 487-8 postharvest chemical deterioration, 484-6 postharvest physical deterioration, 486-7 preventing chemical deterioration and physical instability, 504-7 chemicals, 505 irradiation, 507 sprout suppressants, 504-5 temperature, 505-7 processes involved in qualitative and quantitative deterioration, 488-91 infection, 488-9

physical injury, 490-1 residue levels of benomyl fungicide, 488 respiration, 489-90 water loss, 490 respiration rate and metabolism of potatoes, 496 bananas during ripening, 503 effects of ethylene on selected crops, 502 effects of temperature and reduced O2 concentrations, 500 storage disorders and characteristics of Cox's Orange Pippin apples, 492 summarised effects of oxygen, 499 - 500types of deterioration, 484 frying oils chemical deterioration and physical instability, 425-7 fatty acid composition of nonhydrogenated oils used in frying, 427 fully hydrogenated canola oil, 224 load-deformation curve, 236 procedure employed for preparation, 224 x-ray spectra of three polymorphic forms, 225 furan, 84, 616 furosine, 86, 692 Gadoids, 449, 452 gaping, 444, 445 gel electrophoresis, 47-8 gelatine, 339-40 gelatinisation, 300-3, 342 and retrogradation of starch in foods, 296-315 concepts, 297-303 starch granule, 297-300 controlling to improve shelf-life, 310-15 additives modification, 313-14 modified starch, 314-15 process conditions, 311-12 starch source, 312-13 heating of starch in water, 301–2 measuring, predicting, monitoring, 305 - 8methods, 306 starch gels and rheological behaviour, 308

temperature, 388 without use of heat, 302-3 gelling carrageenans, 713-14 gels future trends, 346 syneresis and its implications for food quality, 324-46 characteristics, 339-46 mechanism, 325-39 monitoring, 325 geometrical isomerism, 420 Geotrichum candidum, 734 German DIN standard, 372 Gibbs-Thompson equation, 229, 230 glass transition, 666, 674-83 factors governing in food powders, 676-80 composition, 679-80 humidity, 676–9 temperature, 676 glass transition curve, 188 glass transition temperature, 568, 675, 750 of frozen food, 598-600 2-S-glutathionylcaftaric acid, 474 glyceraldehyde, 476 glycerine, 402 glyoxylic acid, 476 Good Fry, 427, 433 Goodstart, 686 Gordon-Taylor equation, 686 Gouda, 745 gran crus of Bodeaux, 468 Gran Reserva, 468 grape reaction product, 474 gravimetric method, 158 grinding, 673 guaiacol, 353, 520 guar gum, 592 haemoglobin, 702 haloanisoles, 352 halophenols, 354, 367 conditions for formation, 352 taste thresholds, 352 ham muscle, 613 Hamaker approach, 264 Hamaker constant, 242, 243, 244 values, 245 Hausner ratio, 668 Havarti cheese, 732, 733 surface absorption spectrum, 121 heat processing, 554-5 Henry coefficient, 174

Henry's law, 174 herbs, 731 heterocyclic aromatic amines, 83 heterogeneous nucleation, 405 hexagonal ice, 562-3 hexanal, 417 Hidden Isochema, 161 high density polyethylene, 597 high-intensity pulsed electric fields, 528 high-performance size-exclusion chromatography, 18, 22 non-volatile oxidation products analysis, 19-22 oxidation profiles differences in chromatograms, 23 high-pressure processing, 529-30 high-quality life, 595 High Temperature Short Time (HTST) treatment; 525 HMM-S1, 590 Hoff's law, 326 Hofmeister series, 332 homogalacturonan, 526 homogeneous nucleation, 405 Honeycrisp, 495-6 Honeycrisp' apples, 494 horseradish peroxidase, 37, 528 hot air drying, 671 HPSEC see high-performance sizeexclusion chromatography humectant, 390, 402 Hunter Lab, 617, 641 hydration, 163 hydrazine, 475 hydrocolloids, 313, 592 influence on syneresis in starch gels, 314 hydrogels solution retention, 330-4 water retention, 329-30 hydrogen abstraction, 36 hydrogen peroxide, 476 hydroperoxides, 6, 17 decomposition, 8-10 formation. 7-8 from linoleic acid, 8 from linolenic acid, 9 from oleic acid, 7 rate as a function of oxygen pressure, 12 metal-catalysed decomposition, 6 reaction of β -scission, 10 hydroxycinnamic acids, 459

hydroxyl radical, 37 hydroxymethylfurfural, 692 hygrometric method, 158 hypoglycin, 486 1-carrageenans, 714 ice cream, 592 IGA-200 Multicomponent Gas/Vapour Analyser, 161 IGA series, 161 imazalil, 489 immunoblot, 48-9 impact bruising, 491 Individually Quick Frozen, 579 induction period, 414 interfacial rheology, 275 iodide, 331 ionising radiation, 553 iron, 470 irradiation, 507, 553, 614 irruptive recrystallisation, 583 ISO 8586-1, 364 ISO standard, 372 isohumulones, 132, 133 used in beer, 133 isopropyl *N*-(3-chlorophenyl) carbamate, 505 isotherm food adsorption and desorption, 155 **IUPAC** classification, 156 isothermal calorimetry, 310 Italian cheese types, 740, 745 IUPAC 2.501, 17 Jablonski diagram, 118 Japanese pears, 486 jasmonic acid, 524 Just Noticeable Difference, 595 κ-carrageenans, 714 Karl Fischer titration, 148-9, 430 kinetic stability, 423 knockwurst, 714 Kries test, 619 Kuroiwa model, 132 L-ascorbic acid, 551 LabMaster-aw, 152 lactates, 710-13 lactose, 692, 750 lactosyl amine formation, 79 lactosylation, 729, 741 lactulosylamine, 692

lamellae, 221 schematic representation of length and orientation, 225 Langmuir, 156 Langrangian co-ordinate, 170, 171 lard, 432 Lee-Kramer shear force values, 716, 717 lemons, 506 Lickens-Nickerson extraction, 368 Lifshitz theory, 245 light-struck flavour, 131, 132 detailed mechanism for formation in beer. 134 mechanism of formation in beer, 132 lignification, 520 linear chain model, 242 linoleate, 417 linoleic acid, 524 hydroperoxides formation, 8 linolenic acid, 420 hydroperoxides formation, 9 lipases, 386, 389 lipid oxidation, 126, 435, 701, 703-5 factors affecting rate, 11-16 fatty acid composition, 13 food physical structure, 14-16 light, 13 metals, 13 oxygen content, 12 temperature, 12 mechanism, 704-5 mechanisms, 5-11 enzymatic oxidation, 10-11 lipid autoxidation, 5 photo-oxidation, 11 lipids, 4, 217 lipolysis, 728, 744-5 lipoprotein lipase, 728, 744 lipoxygenase, 523-5, 705 13-HPOD formation from linoleic acid. 524 activity measurement, 524 nature and function, 523-4 soybean residual activity, 529 thermal properties, 525 Listeria monocytogenes, 712 locust bean gum, 592 loquats, 497 low density polyethylene, 597 low field nuclear magnetic resonance, 621 lumping, 750 lutein, 495

lycopene, 494, 496 lysine, 79 structure, 71 Maillard browning, 80-1 food powders, 692 Maillard flavours, 76 cooked or process-generated, 76-7 storage-borne, 77-8 Maillard reaction, 382, 546, 681, 701, 715, 728-9, 739-41 and food flavour deterioration. 76 - 84-hydroxy-2.5-dimethyl-3(2H) furanone structure, 78 2-methyl-3-furanthiol and 2-acetyl-2-thiazolidine structure, 77 cooked or process-generated Maillard flavours, 76-7 stale odorants in milk, 78 storage-borne Maillard flavours. 77 - 8and food quality deterioration, 70-88 cheeses, 740 food nutritional losses and browning, 78-81 browning, 80-1 nutritional losses, 78-80 influencing factors, 72-6 nature of reactants, 75-6 pH, 73-5 time and temperature, 75 water activity, 75 Maillard-generated toxicants, 81-4 5-hydroxymethylfurfural, 84 acrylamide, 81–3 acrylamide in foods, 82 furan, 84 heterocyclic aromatic amines, 83 structures, 82 measuring and monitoring in foods, 85 - 7Maillard damage markers, 87 measuring browning, 85 mechanisms involved lysine structure, 71 summary, 73 milk powder and whey concentrates, 740 - 1monitoring, 85-7 chemical markers for assessment, 86-7 direct assessment, 85-6

Strecker degradation fragrant products, 74 methionine to methional, 74 UHT milk, 739 Maillard reaction products, 623 malonaldehyde, 612 malondialdehvde, 612 maltodextrins, 694 maltose, 389 Manchego cheese, 732, 740 manometric hygrometer, 153-4 manometric method, 158 margarines, 423, 425 temperature-induced destabilisation, 281 marination, 707 Marks & Spencer, 356, 372 mass transport phenomena, 170 meat and meat products, 123-6 syneresis phenomena characteristics, 345-6 meat and poultry effect of non-meat ingredients on quality parameters, 701-18 factors affecting quality, 702-6 colour, 702-3 lipid oxidation, 703-5 microbiology, 705-6 texture, 705 quality deterioration prevention, 706 - 18carrageenans, 713-14 enzymes, 717-18 lactates, 710-13 phosphates, 708-10 sodium chloride, 708 soya protein, 715-16 starch, 716-17 whey protein, 714-15 meat flavour, 701 melanins, 490, 526 melanoidins, 741 melting, 749 menadione sodium bisulphite, 545 menaquinone, 545 mesityl oxide, 357 metastability, 190-1 methionine, 357 2-methoxyphenol see guaiacol methyl bromide, 357 methyl ketone, 419 3-methylbut-2-ene-1-thiol, 132 1-methylcyclopropene, 505

5-methyltetrahydrofolic acid, 549 metmyoglobin, 124, 590, 703 micro-oxygenation, 477-8 basic set-up, 477 microwave spectroscopy, 150 migratory recrystallisation, 582 milk and milk products freezing, 592 as raw material, 727 lipolysis, 744-5 Maillard reaction milk powder and whey concentrates, 740-1 UHT milk, 739 oxidation, 730-1, 738-9 fresh milk, 730-1 milk powder, 738-9 UHT milk, 731 proteolysis effect on gelation, 742 stale odorants, 78 structural changes in milk powder, 750–1 syneresis in fermented dairy products, 747-8 milk fat globule membrane, 744 milk protein concentrate, 692 milk protein gels syneresis phenomena characteristics, 342 - 5acid milk gels, 343-5 rennet-induced gels, 343 mixed-acid TAGs, 220 modified atmosphere packaging, 497, 614, 638 modified potato starch, 717 moisture diffusivity, 174, 175 assumptions and boundary conditions of models for effective prediction, 172 moisture equation, 171 moisture migration, 580 basic concepts of mechanism, 144-54 water activity measurement, 150-4 water content measurement, 147 - 50in bread from crust to centre as function of time, 167 prediction in composite foods, 180 three-step mechanism through barrier layers, 173 with atmosphere, 166 within the product, 166-9 moisture sorption isotherm, 154

moisture transport phenomena, 170-80 molecular mobility, 15 molecular relaxation, 682 monoacid TAGs, 220 mould-free shelf life, 382, 400, 401 approximate at 21°C of cake treated with 1000 ppm sorbic acid, 403 approximate increase for reductions in storage temperature, 404 mould growth, 400 Mozzarella cheese, 740 MPC85, 692 multi-needle injection technology, 706 Musculus longissimus dorsi, 613 Musculus semimembranosus, 613, 718 Musculus semitendinosus, 715 mushrooms, 485 mycommata, 442 myofibrils, 589 myoglobin, 702-3 myosin, 447, 589 myotomes, 442 n-3 fatty acids, 443 Nasturtium officinale, 531 neovitamin A, 542 network pressure, 330 management, 339 niacin. 548 niacinamide, 548, 553 niacytin, 548 Nicotiana attenuata, 527 nicotinamide, 548 nicotinic acid, 548 ninhydrin, 446 nitrogen fertiliser, 492 nitrosylmyoglobin, 125 non-climacteric fruit, 489-90 non-meat ingredients effect on meat and poultry quality parameters, 701–18 factors affecting quality, 702–6 quality deterioration prevention, 706-18 non-volatile oxidation products determination of total content, 15 HPSEC analysis, 19–22 Nordis aquavits, 134 Novasina, 152 nuclear magnetic resonance, 150 13C-nuclear magnetic resonance, 469 nucleation, 191-5, 229-32, 405, 566-7 Avrami Exponent values for types and growth, 233

from amorphous or glassy state, 193 - 5kinetics, 192-3 simulation of changes in free energy, 230 types, 230 nutritional losses attributable to Maillard reaction, 78-81 decrease in protein digestibility, 79-80 essential amino acids destruction, 70 trace metals chelation, 80 nuts. 386 nylon 6, 597 o-coumaric acid, 459 o-phthaldialdehyde, 86 oats. 386 occluded air, 667 odour activity value, 98 off-flavour, 350, 357 ohmic heating, 530-1 OICC standard, 372 oil-in-water emulsion effect of heating, 280 freeze-thaw stability, 281-2 oriented wedge model for droplet coalescence, 269 schematic illustration of creaming, 262 oil stability index, 428 oils and fats, 217 allylic hydroperoxides homolytic breakdown to short-chain compounds, 418 autoxidation and photo-oxidation of oleate, linoleate and linolenate, 417 chemical and physical deterioration of bulk oils, spreads and frying oils. 413-36 chemical deterioration and physical instability, 414-27 bulk oils and shortenings, 414-22 frying oils, 425-7 spreads and dressings, 423-5 cholesterol structure, 418 detecting, predicting, and monitoring undesirable changes, 428-31 changes during frying, 429–30 changes from hydrolysis, 430 oxidative changes, 428-9

physical deterioration, 431 thermal changes, 430 double bond migration and stereomutation to trans configuration, 416 future trends, 435-6 olefin autoxidation, 415 preventing oxidative deterioration with antioxidants, 431–5 structures and E numbers of synthetic antioxidants, 434 tocopherols and tocotrienols, 432 typical solid fat index profile, 421 vitamin E content of vegetable oils and of butter and lard, 433 oleic acid hydroperoxides formation, 7 oleocellosis, 490 olestra, 427 olive oil flavour deterioration case study, 107 - 8Omnium Oxidative Stability, 429 onion, 506 oranges, 506 oriented wedge theory, 268 orthophosphates, 708 osmometer, 330 osmotic pressure, 325 high concentration BSA curve shape, 327 low concentration BSA curve shape, 327 NaCl, polyacrylic acid, and polyacrylamide, 328 possible means of increasing in gel, 338-9 Ostwald ripening, 196-7, 269, 582, 584 controlling, 275-6 oven drying, 148 overage, 557 oxidation, 727-8, 729-39 butter and dairy spreads, 734-8 fresh cheese, 731 measurement in food or food ingredient analysis of volatiles, 18-19 HPSEC analysis of non-volatile oxidation products, 19-22 instrumental analyses, 18 milk, 730-1 milk powder, 738–9 mould cheese, 733-4

processed cheese, 734 semi-hard and hard cheese, 732-3 oxidative deterioration. 4 oxidative rancidity, 3, 6, 431 factors affecting lipid oxidation rate, 11 - 16antioxidants, 13-14 fatty acid composition, 13 food physical structure, 14-16 hydroperoxide formation rate, 12 light, 13 metals, 13 oxygen content, 12 temperature, 12 total content of non-volatile oxidation products, 15 in foods and food quality, 3-28 future trends, 27-8 measuring oxidative stability, 23-5 oxidative rancidity and food quality, 3-5 lipid oxidation mechanisms, 5-11 autoxidation, 5-10 β-scission reaction of hydroperoxides, 10 enzymatic oxidation, 10–11 hydroperoxide metal-catalysed decomposition, 6 lipid autoxidation mechanism, 5 photo-oxidation, 11 secondary oxidation products formation, 9 measuring oxidation in food or food ingredient, 16-22 chemical analyses, 16-17 instrumental analyses, 18 non-volatile oxidation products HPSEC analysis, 19–22 oxidation profiles differences in HPSEC chromatograms, 23 sensory analysis, 16 SPE-HPSEC application, 21 volatiles analysis, 18-19 prevention, 25-7 oxidative stability, 25 in food or food ingredient, 23-5 Oxidative Stability Index, 24 oxidised triacylglycerols monomers, 19, 20 OxTGM see oxidised triacylglycerols monomers oxymyoglobin, 703 thermal and light-induced oxidation, 125

PAGE see polyacrylamide gel electrophoresis pantothenic acid, 548 papain, 717 Parmasan cheese, 740 partial coalescence, 270-1 controlling lipid type, 276 surfactant composition, 276 of emulsion droplets, 270 particulate gels, 337-8 controlling crosslinking, 339 peanuts, 101-2 pectin, 486 pectin methylesterases, 526-8, 531 activity measurement, 527-8 mode of action, 527 nature and function, 527 pectinesterase, 530 pelagic fish, 439, 443 penetrometry test, 235 Penicillium candidum, 734 Penicillium sclerotigenum, 488 periderm, 505 permeability coefficient, 174 permeable ions, 333 permethylation, 434 peroxidases, 520-3 activity in some common vegetables, 521 activity measurement, 520 enzymatic inactivation model comparison, 523 heat stability, 521-3 nature and function, 520-1 time course of activity loss of isoforms at 66°C, 522 peroxide value, 17, 428, 619 peroxides, 506 PGPR see polyglycerol polyricinoleate phase inversion, 272 controlling, 276 phase-state diagrams, 188-91 driving force, 189-90 effects of formulation ingredients, 191 metastability, 190-1 metastable zone for sucrose, 190 polymorphism, 191 sucrose-water binary system, 189 pheophytin, 591 phosphates, 708-10 phospholipase A, 449 phosphorus fertilisers, 492

photo-oxidation, 11, 38-9, 431 photoisomerisation, 134 photosensitiser, 38, 118 in foods, 114 photosynthesis, xxi phylloquinone, 545 physical gels, 336-8 phytoalexins, 506 phytochemicals, 483-4 classification, 484 phytomenadione, 545 Pickering effect, 425 pin-bones, 442 Pinot gris, 473 Plank's equation, 573, 574 plant foods alternative methods of inactivation, 528 - 31high-intensity pulsed electric fields, 528 high-pressure processing, 529-30 ohmic heating, 530-1 thermosonification, 531 enzymatic deterioration, 519-31 lipoxygenase, 523-5 activity measurement, 524 nature and function, 523-4 thermal properties, 525 pectin methylesterases and polygalacturonases, 526-8 activity measurement, 527-8 nature and function, 527 peroxidases, 520-3 activity measurement, 520 heat stability, 521-3 nature and function, 520-1 polyphenol oxidase, 525-6 activity measurement, 526 nature and function, 525-6 plasmin, 741, 742 plasmin activating enzymes, 741 plasminogen, 741 polar paradox, 27 polvacrvlamide, 328 polyacrylamide gel electrophoresis, 52 polyacrylic acid, 328 polyamide, 597 polyethylene film bags, 497 polyethylene terephthalate, 597, 618 polygalacturonases, 526-8 activity measurement, 527-8 mode of action, 527 nature and function, 527 polyglycerol polyricinoleate, 274

polymeric gels, 325-9 polymeric triglycerides, 430 polymerisation, 420 polymerisation compounds, 21-2 polymorphism, 191, 223 polymorphs, 191, 223 polyphenol oxidase, 525-6 activity measurement, 526 monophenolase hydroxylation and diphenolase reactions, 526 nature and function, 525-6 polyphenol oxidation, 477 polyphenols, 134 polyphosphates, 708 polypropylene, 597 polyunsaturated fatty acids, 612 polyuronides, 486 polyvinyl chloride, 597 polyvinylidene chloride, 597 polyvinylpolypyrrolidone, 473 Porapaq-Q, 149 pork flavour intensity, 709 potassium fertilisers, 492-3 potassium metabisulfite, 476 potassium sorbate, 403 potato flour, 717 potato off-flavour, 615 potato powder model system, 640 practical storage life, 595 pre-cooling, 579 pre-emulsified fat, 715 precalciferol, 545 pressure-induced recrystallisation, 583 pro-oxidant, 432, 544 propionic acid, 402, 403 propyl gallate, 435, 459 Prosobee, 686 protein oxidation consequences, 34 definitions and mechanisms, 35-9 enzymes, pseudo-enzymes and radical transfer, 37 interaction with other molecules, 39 iron and Fenton chemistry, 36-7 iron mediated oxidation of protein, 36 myoglobin activation cycle and radical transfer, 38 photo-oxidation, 38-9 protein and α , β unsaturated aldehydes interactions, 39 foods and food quality, 33-61 future trends, 61

from amino acid oxidation, 40-5 phenylalanine during oxidation, 41 side chain modifications, 40-4 from amino acid oxidation to protein oxidation backbone modifications, 44-5 carbon-centred radical formation, 43 hydrogen abstraction at alpha carbon, 43 N-formylkynurenine formation, 42 tyrosyl radical stabilised by resonance, 42 in foods, 50-7 casein zymogram gels, 57 consequences for food-eating values, 56–7 consequences for food texture, 55 DNP-labelled carbonylated/ oxidised proteins, 54 food processing conditions, 50-2 food proteins susceptible to oxidation, 53-5 food storage, 52-3 maximum carbonyl content in chill storage experiments, 53 myosin crosslinking on meat tenderness, 56 protein carbonyl groups in milk, 51 SDS-PAGE of salted herring muscle, 52 Warner-Bratzler shear force values for steaks, 51 measurement in foods, 45-50 measuring oxidation in foods hydrazone formation, 45 immunoblot and proteomics, 48-9 other promising alternatives and perspectives, 49-50 protein carbonyl groups detection by DNPH derivation assay, 45-7 protein crosslinking and fragmentation, 47–8 protein thiol groups detection using DTNB assay, 47 predicting and monitoring and controlling, 58-61 antioxidants effect, 59-60 effects of various antioxidants in meat, 60 feeding regime, 58-9 protein as antioxidants, 60-1

proteinases, 717 proteins as antioxidants, 60-1 spatial arrangement, 44 proteolysis, 728, 741-3 cheese-making process, 742-3 textural changes in semi-hard cheese during maturation, 743 UHT milk, 742 proteomics, 48–9 proton transfer reaction – mass spectrometry, 105-6 provitamin, 543 Pseudomonas syringae, 526 pteroylglutamic acid, 548 PTR-MS see proton transfer reaction mass spectrometry purpurogallin, 520 pyrazine, 102 pyridoxal, 549-50 pyridoxamine, 549-50 pyridoxine, 549-50 pyridoxol, 549-50 pyrocatechol, 526 pyrogallol, 520 pyrraline, 87 Quantitative Descriptive Analysis (QDA), 749 quercetin, 624 r-index test, 362 radical acceptors, 431 radical scavengers, 431 radical transfer, 37 rancid, 704, 728, 744 rancidity, 385-6, 414, 611-15, 622-39 Rancimat, 24, 25, 428, 429, 620 rapid cooling, 405-6 Rapid Viscosity Analyser, 308 reactive oxygen species, 34, 35 ready meals, chemical deterioration and physical instability, 608-47, 611 - 19cooked multi-component foods vs single food commodities, 611 decline in quality components over storage time assumed constant temperature, 644 temperature reflecting consumer handling, 645 with effective anti-oxidants. pretreatments, 646

from amino acid oxidation, 40-5 phenylalanine during oxidation, 41 side chain modifications, 40-4 from amino acid oxidation to protein oxidation backbone modifications, 44-5 carbon-centred radical formation. 43 hydrogen abstraction at alpha carbon, 43 N-formylkynurenine formation, 42 tyrosyl radical stabilised by resonance, 42 in foods, 50-7 casein zymogram gels, 57 consequences for food-eating values, 56-7 consequences for food texture, 55 DNP-labelled carbonylated/ oxidised proteins, 54 food processing conditions, 50-2 food proteins susceptible to oxidation, 53-5 food storage, 52-3 maximum carbonyl content in chill storage experiments, 53 myosin crosslinking on meat tenderness, 56 protein carbonyl groups in milk, 51 SDS-PAGE of salted herring muscle, 52 Warner-Bratzler shear force values for steaks, 51 measurement in foods, 45-50 measuring oxidation in foods hydrazone formation, 45 immunoblot and proteomics, 48-9 other promising alternatives and perspectives, 49-50 protein carbonyl groups detection by DNPH derivation assay, 45-7 protein crosslinking and fragmentation, 47-8 protein thiol groups detection using DTNB assay, 47 predicting and monitoring and controlling, 58-61 antioxidants effect, 59-60 effects of various antioxidants in meat, 60 feeding regime, 58-9 protein as antioxidants, 60-1

proteinases, 717 proteins as antioxidants, 60-1 spatial arrangement, 44 proteolysis, 728, 741-3 cheese-making process, 742-3 textural changes in semi-hard cheese during maturation, 743 UHT milk, 742 proteomics, 48-9 proton transfer reaction – mass spectrometry, 105-6 provitamin, 543 Pseudomonas syringae, 526 pteroylglutamic acid, 548 PTR-MS see proton transfer reaction mass spectrometry purpurogallin, 520 pyrazine, 102 pyridoxal, 549-50 pyridoxamine, 549-50 pyridoxine, 549-50 pyridoxol, 549-50 pyrocatechol, 526 pyrogallol, 520 pyrraline, 87 Quantitative Descriptive Analysis (ODA), 749 quercetin, 624 r-index test, 362 radical acceptors, 431 radical scavengers, 431 radical transfer, 37 rancid, 704, 728, 744 rancidity, 385-6, 414, 611-15, 622-39 Rancimat, 24, 25, 428, 429, 620 rapid cooling, 405-6 Rapid Viscosity Analyser, 308 reactive oxygen species, 34, 35 ready meals, chemical deterioration and physical instability, 608-47, 611-19 cooked multi-component foods vs single food commodities, 611 decline in quality components over storage time assumed constant temperature, 644 temperature reflecting consumer handling, 645 with effective anti-oxidants, pretreatments, 646

detecting, predicting and monitoring, 619-21 computer modelling and prediction, 620-1 detection using TBA and TBARS values. 619-20 electronic nose, 621 distribution of UK expenditure in 2008 on food, 610 frozen, 593-4 future trends, 646-7 list of ingredients for Indian recipe, 643 prevention, 622-42 dehydration, 641-2 harmful substances development, 639-40 inhibiting warmed-over flavour and rancidity, 622-39 nutritional changes, 640–1 reducing breakdown of sauces, 642 taint components migration from packaging, 641 undesirable colour and texture change, 641 problems in processed and catered meals, 611-19 colour and texture changes, 616-17 dehydration, 618 nutritional changes, 616 potato off-flavour, 615 potentially harmful products formed during heat processing, 615 - 16sauces breakdown, 618-19 taint components migration from packaging, 617-18 warmed-over flavour and rancidity, 611-15 role in shelf-life determination, 642 - 5réchauffé cooking, 612 recognition test, 362 recrystallisation, 196-8, 592 basic principles, 584 ice, 581–5 influencing factors, 210-13 initial crystalline state, 210 product formulation, 212-13 storage conditions, 211-12 subsequent processing steps, 210 mechanisms, 196-8 accretion, 197-8

irruptive, 198 isomass rounding, 197 Ostwald ripening, 196-7 polymorphic transformation, 198 rates, 583-5 red pepper see Capsicum annuum L. red seaweeds, 713 refractive index detector, 19 refractometers, 503 refrigeration, 408, 622 regeneration trolleys, 641 relative fluorescence intensity, 528 rennet, 745 rennet-induced gels, 343, 344 Reserva, 468 retrogradation, 303-5, 342 amylopectin, 304-5 amylose, 304 and gelatinisation of starch in foods, 296-315 concepts, 297-303 starch granule, 297-300 controlling to improve shelf-life, 310 - 15additives modification, 313-14 changes in bread quality, 311 modified starch, 314-15 process conditions, 311-12 starch source, 312-13 freeze-thaw stability and syneresis, 305 measuring, predicting, monitoring, 308 - 10methods, 309 ordered structures formation, 303-4 rhamnogalacturonan I, 526 rhamnogalacturonan II, 526 rheology, 234-9, 431 large deformation test, 235-6 small deformation test, 236-9 rheology fractal dimension, 246 Rhizomucor sp. 718 Rhodophyta, 713 riboflavin, 114, 118, 129, 131, 133, 547-8, 553 second-order rate constants for quenching, 120 triplet excited state deactivation mechanisms, 119 riboflavin mononucleotide, 547 rigor mortis, 443-4

salt, 402 salting-in salting-out effect, 332 sandiness, 751 Sauvignon blanc, 473 scaling theory, 328 scalping, 641 Scherrer analysis, 219 Scherrer equation, 223 Schroeder's paradox, 175 scuffing, 490-1 SDS see sodium dodecyl sulphate seafood, 439-40 lipid oxidation, 452-5 methods for detecting lipid oxidation, 455 oxidation in different fish species, 454-5 pro-oxidants and initiation of oxidation, 454 oxidative damage, 452-60 prevention of lipid and protein oxidation, 458-60 addition of antioxidants, 459-60 oxygen, 458 temperature and light, 458-9 protein and lipid interactions during oxidation, 456-8 case studies, 456-8 lipid hydroperoxides and protein carbonyls formation, 457 protein oxidation, 455 sedimentation, 261-3, 423 controlling, 272-3 water-in-oil emulsion schematic illustration, 262 selected ion monitoring, 368 self-diffusion, 146-7 Semillon wine, 478 Semperfresh, 505 sensory testing, 359-63 analysis of test data, 365-6 appropriate subjects, 360 bias minimisation, 360 clear objective, 359 comparison of paired comparison, duo-trio and triangle test procedures, 361 data validation, 360 descriptive test procedures, 363 environment, 359 selection and operation, 364-5 test methods, 360-3 difference from control test, 362 - 3discrimination tests, 361 duo-trio test. 362

paired comparison test, 361-2 r-index test, 362 triangle test, 362 service temperature range, 597 SFC see solid fat content shear strain, 237 shelling, 407 short-cut-signal-detection method, 362 shortenings definition, 420 typical solid fat index profile, 421 Siam Weed see Eupotorium odoratum singlet oxygen, 114, 115 sinkability, 669 skim milk powder, 738, 741 soapiness, 386 sodium chloride, 616, 708 sodium dodecyl sulphate, 47 sodium tetrapolyphosphate, 709 sodium tetrapyrophosphate, 709 sodium tripolyphosphate, 616, 709 solanine, 486 solid fat content, 232, 239-41, 270 as a function of storage time for cocoa butter, 253 changes in yield in cocoa butter and anhydrous milk fat, 239 solid-melt interfacial tension, 232 solubility, 669 loss of protein solubility, 691-2 solubility coefficient, 174 solution-solution osmometer, 331 sorbic acid, 402 sorbitol, 402 Soret effect, 334 sorption isotherm characterisation of foods, 154-61 determination, 157-61 automated commercialised apparatus, 158-61 conventional methods, 158 foods characterisation general considerations, 154-6 mathematical expression, 157 zones, 155-6 sous vide processing, 613 soya protein, 715-16 soya protein isolate, 716 spray drying, 669-70 spreads and dressings chemical deterioration and physical instability, 423-5 oxidative deterioration, 423 physical deterioration, 423-5

creaming and sedimentation mechanisms, 423 flocculation and coalescence destabilisation mechanisms, 424 squeeze test, 391 stale off-flavour, 704 staling, 386-7 biscuits, cookies and crackers shelf life, 390 bread and fermented products, 387-90 cakes, 390 pastries, 390-1 starch, 716-17 concepts of gelatinisation and retrogradation, 297-305 amylose content, 298 double helix, 300 double helix packing and unit cells, 301 gelatinisation, 301-3 potato starch granules, 298 retrogradation, 303-5 starch granule, 297-300 starch granule schematic drawing, 299 controlling gelatinisation and retrogradation to improve shelf-life, 310-15 additives modification, 313-14 influence of hydrocolloids and chemical modification on syneresis, 314 modified starch, 314-15 process conditions, 311-12 starch source, 312-13 gelatinisation and retrogradation and its implications for food, 296-315 measuring, predicting and monitoring gelatinisation and retrogradation, 305-10 changes in bread quality related to retrogradation, 311 gelatinisation, 305-8 gels and rheological behaviour, 308 methods for measuring retrogradation, 309 methods for studying gelatinisation, 306 retrogradation, 308-10 starch systems DSC scans, 307

modified starches approved for food, 297 syneresis phenomena characteristics, 342 starch granules, 388 stickiness, 683-7, 750 Stoke's equation, 263 Stoke's law, 262, 263, 423 STRAFI-NMR, stray field nuclear magnetic resonance imaging strawberries, 499 stray field nuclear magnetic resonance imaging, 169 Strecker degradation, 72 fragrant products, 74 methionine into methional, 74 Streptococcus thermopilus, 740 suberisation, 520 sucrose equivalent, 397 sucrose hydrate, 409 sugars, 402 sulphate, 331 sulphite, 480 sulphur dioxide, 467, 478, 543 supercooled liquid, 681 supercooling, 566, 568 supersaturation, 189 surface iso-mass recrystallisation, 582 surfactants, 261 surimi, 446 sweetpotatoes, 506 swelling pressure, 330 Swiss-type cheeses, 742, 745 syneresis, 297, 305, 600, 618, 728, 745-9 characteristics in foods, 339-46 agar, 340 alginates, 340-1 gelatine, 339-40 meat, 345-6 milk protein gels, 342-5 tomato juice, 341-2 external factors, 334-5 external pressure, 334 gel mechanical disturbance, 335 temperature, 335 water vapour absorption, 334 fermented dairy products, 747-8 fresh cheese, 748-9 future trends, 346 in food gels and its implications for food quality, 324-46 influence of hydrocolloids and chemical modification in starch gels, 314

mechanism, 325-39 Donnan equilibrium schematic diagram, 332 entrapped liquid, 335-6 hydrogels water retention, 329-30 osmotic pressure of NaCl, polyacrylic acid and polyacrylamide, 328 physical gels, 336-8 polymeric gels, 325–9 prevention, 338-9 pushing liquid out of a capillary, 336 sodium halides pre-exponent factor, 332 solution retention in hydrogels, 330 - 4solution-solution osmometer, 331 monitoring, 325 osmotic pressure curve high concentration BSA, 327 low concentration BSA, 327 synergism, 435, 436 TAG see triacylglycerols taint transfer testing, 370–1 foods/food stimulants, 372 main steps, 370 taints see food taints Tal prolong, 505 tapioca, 642 tapioca starch, 717 taurine, 443 TBA/TBARS value, 619-20 effect on change of values of cooked meat, poultry, and fish during chilled storage, 625-37 artificial antioxidants, 625-6 carbohydrate-based products, 634 fruit and fruit concentrate, 633 herbs and spices, 627-9 protein-based products, 635 vegetable and plant materials, 630-2 vitamins and dietary vitamins, 636-7 tederometers, 503 temperature quotient, 495 tenderloin, 613 tensile deformation, 235 terpenes, 134 tert-butyl catechol, 526 tertbutyl hydroquinone, 435 tetrahydrofuran solution, 430

tetrahydroisohumulones, 132, 133 texture, 701 texture profile analysis, 310, 431, 705, 717 theory of fluid hydrodynamics, 263 thermodynamic theory, 566 thermosonification, 531 thiamin, 545-7 thiaminase, 547 thiobarbituric acid reactive substances (TBARS), 455, 587, 612, 623 thiobarbituric acid (TBA), 428, 429, 612,623 thiobarbituric acid test, 17 thiothiazolone, 546 time domain nuclear magnetic resonance, 431 time of flight mass spectrometers, 106 time-temperature indicators decline in quality components over storage time with effective anti-oxidants, pretreatments, 646 tocols, 432 tocopherols, 432 *see also* vitamin E concentration in crude rapeseed, palm, soyabean, sunflower oils, 433 tocotrienols, 432 tomato juice, 341–2 tomatoes, 484 effects of controlled atmosphere storage conditions on decay, 501 total polar materials, 429 Totox value, 428 transitional inversion, 272 traumatin, 524 triacylglycerols, 4, 217, 220 classification, 220 crystallographic subcells, 222 saturated chain stacking schematic representation, 221 unit cell and subcell, 222 triangle test, 362 trichloroanisole, 467, 471, 472, 478 trichlorophenol, 472 TriChloroPhenols, 367 triglycerides, 4, 745 trimethylamine, 449 trimethylamine-N-oxide (TMAO), 443 enzymatic degradation, 449-52

enzyme activity measurements by TMAO aldolase assay, 451-2 trinitrobenzene sulfonic acid, 446 Trolox, 59 **TWEEN 20, 524** ultrahigh temperature (UHT) treatment, 542-3, 555 ultrasonic spectroscopy, 431 ultrasound, 531 undercooling, 229, 566 urate, 131 urea, 443 urea fractionation, 430 UV-C radiation, 507 V-cut, 442 vacuum drum drying, 671 vacuum-oven drying, 148 vacuum-tumbling, 706-7 van der Waals forces, 666 van der Waals interactions, 244, 264 Vapor Gard, 505 vapour heat treatment, 507 vapour phase transfer, 395-6 Vibrio B-30 collagenase, 717 vitamin A, 542-3 β-carotene, 543 retinol, 542-3 vitamin B₆, 549-50 vitamin B_{12} , 550 vitamin C, 434, 495, 551-3 vitamin D, 539, 544-5 vitamin E, 434, 523, 543-4 vitamin K, 545 vitamins, 540 classification, 542-53 fat-soluble vitamins, 542-5 water-soluble vitamins, 545-53 commonly used synonyms, 540 definition, 539 effect of irradiation on stability in foods, 553-4 factors affecting stability, 541-2 food product shelf life and its determination, 556-8 loss during processing, 554-6 blanching, 554 dehydration, 556 freezing, 555 heat processing, 554-5 overages, 557-8 predicted vs actual percentage losses in multivitamin tablet, 558

principal vitamin-vitamin interactions, 553 protection in foods, 558 stability during food processing and storage, 539-58 vitamin-vitamin interactions, 553 vitrification, 675 vodka, 134 volumetric titration, 149 warmed-over flavour, 612, 622-39, 704, 712 and rancidity in processed and catered meals, 611-15 warmholding, 612 Warner-Bratzler shear force test, 705, 707, 709, 710 water activity, 391 definition, 150-1 gradient, 151 measurement, 150-4 capacitance or resistive hygrometer, 152 dew point hygrometer, 153 manometric hygrometer, 153-4 relative humidity spectroscopy measurement, 154 water content measurement, 147-50 chemical determination of water, 148 - 9gas chromatography, 149 physical techniques for water determination, 148 spectroscopic techniques, 149-50 thermal analysis, 149 water dislocation, 578-9 water-in-oil emulsion effect of heating, 280 freeze/thaw stability, 282 pickering vs network stabilisation, 279 schematic illustration of sedimentation, 262 water-in-oil emulsions, 425 water migration concentration profile, 169 NMR imaging, 169 STRAFI-NMRI, 169 water plasticisation effect, 676 water relationships in foods, 161-5 crispness, 162-3 crystallisation, 165

plasticisation, 162 softness, 164 stickiness, caking, and collapse, 164 - 5water-soluble vitamins, 545-53 biotin, 550-1 folic acid and folates, 548-9 niacin. 548 pantothenic acid, 548 riboflavin, 547-8 thiamin, 545-7 vitamin B₆, 549-50 vitamin B_{12} , 550 vitamin C, 551-3 water vapour transfer rate, 174 watercress see Nasturtium officinale wetability, 669 wetting phenomenon, 176 wheat flour, 642 wheat starch, 717 whey concentrates Maillard reaction, 740-1 whey protein, 714-15 whey protein concentrates, 714, 738, 741 whey protein isolates, 715, 738 whole milk powder, 738 wine 2-S-glutathionylcaftaric acid oxidative production, 474 carbonyl products of oxidation, 475 case studies, 478-80 effect of closure type on bottled wine shelf life, 478-9 need for better defined standards and tools in assessing shelf life, 479 predicting and preventing deterioration, 479-80 chemical and physical deterioration, 466-80 cultural differences in appreciating quality, 467-8 deterioration mechanisms, 469-72 chemical oxidation reactions.

470 - 1

metal-catalysed oxidation mechanism, 470 microbial deterioration and contamination, 471-2 physical deterioration, 469 difficulties in assessing desirable vs undesirable changes, 468 ethylene-linked product from acetaldehyde and flavanol reaction, 476 future trends, 480 methods for monitoring deterioration, 472-7 carbonyls, 475-6 ethyl-bridged catechin derivatives, 476 secondary quinone products, 474 spectral methods, 472-3 sulphur dioxide loss, 476-7 oxidation during processing and post bottling, 477-8 closures and bottle-aging, 478 micro-oxygenation, 477-8 wound hormone, 524 X-ray diffraction, 199, 227, 309, 310 X-ray powder diffractometry, 223 X-ray scattering, 227 xanthan gum, 592, 601 xylogalacturonan, 526 yams, 506 effects of benomyl and imazalil on Penicillium sclerotigenum growth, 489 yield stress, 235 changes as a function of solid fat content, 239 vs subjective spreadability scores in a fat product, 241

yoghurt

Brookfield viscosity profiles, 747 syneresis, 747–8 predicted vs measured syneresis, 748 prevention, 746