

Index

A

- AACC International. *See* Standard methods
 - Abbe refractometer, 99
 - Absolute error, 58
 - Absorption of radiation, 382, 383, 389, 390, 392, 400, 418, 427
 - Absorption spectrum, 382, 383, 392, 397, 403, 404, 424, 425, 505
 - Accelerated solvent extraction (ASE), 323, 330, 475
 - Accuracy, analyses, 55
 - Acid value, oils, 248
 - Acid-base equilibria, 223, 224
 - Acid-base titrations, 228
 - Acidity. *See also* pH; Titratable acidity
 - standard acid, 231
 - standard alkali, 230, 231
 - titration
 - endpoint, 229
 - equivalence point, 229
 - indicators, 229, 230
 - Acids, organic
 - in foods, 222, 227–229, 232, 233
 - ion-chromatographic analysis, 509, 510
 - malic, enzymatic assay, 295, 296
 - Acrylamide, 268, 270, 343, 467
 - Activation energy (E_a), 290
 - Active oxygen method (AOM), 254
 - Adsorption chromatography, 264, 265, 481–484, 488, 530
 - Adulteration, 19, 72, 76, 353, 358, 361, 363, 453, 454
 - Affinity chromatography
 - applications, 265, 489
 - elution methods, 489
 - ligand, 488
 - principles, 488, 489, 511
 - spacers, 489
 - Aflatoxins. *See* Mycotoxin residues
 - Agricultural biotechnology, 335, 336
 - Alcoholometers, 97
 - Alkaline phosphatase, assay, 296, 297
 - Allergens, 339–341
 - DNA methods, 341
 - protein methods, 340, 341
 - Amici prism, 98
 - Amino acid
 - analysis, 271, 272, 274, 510
 - classification, 135, 272
 - scoring patterns, 273 (Found in table only)
 - Ammonium sulfate fractionation of proteins, 263
 - Amylase, used in assay, 160–162, 295, 297
 - Amylopectin, 162, 166, 510, 511
 - Amylose, 160, 162, 166, 418, 511
 - Analytical microbiology. *See* Microbiological assays
 - Anionic dye-binding. *See* Dye-binding methods
 - Anisidine value, 250–252, 254
 - Anthocyanins, 227, 509
 - Antibiotic residue, assay, 332–335
 - Antibodies, 265, 269, 303–305, 308–311, 313, 314, 326, 331, 336, 337, 340, 361, 489
 - Antigens, 303–306, 308, 311, 313, 361
 - Antinutritional factors, 272
 - Antioxidants, 80, 184, 188, 189, 243, 253, 254, 258, 275, 469, 509, 515, 526
 - AOAC International. *See* Standard methods
 - Archimedes principle, 97
 - Arrhenius
 - equation, 290
 - plot, 290
 - Ascarite trap, 230
 - Ash. *See also* Minerals
 - alkalinity, 112
 - comparison of methods, 112, 113
 - contamination during assay, 108, 112
 - content of foods, 107, 108
 - definitions, 107
 - importance of analysis, 107
 - insoluble, 109, 112
 - methods of determination
 - dry ashing
 - crucibles, 108
 - for elemental analyses, 436
 - furnaces, 107, 108
 - losses during, 109
 - modified procedures, 110
 - preparation of sample, 108
 - principles, 108
 - procedures, 109
 - temperature, 108
 - microwave ashing
 - dry ashing, 110, 112
 - wet ashing
 - closed-vessel system, 111
 - open-vessel system, 111, 112
 - wet ashing
 - acids used, 110
 - for elemental analysis, 107, 109, 113, 436
 - precautions, 110
 - principles, 109, 110
 - procedures, 110
- sample preparation, 108
- soluble, 112
- sulfated, 112
- Aspartame, 509
- Assay methods, general
 - selection, 7–10
 - standard methods (*see* Standard methods)
 - steps in analysis, 6, 7
 - validity, 9, 10
- Assessing the nutritional value of proteins. *See* Protein, nutritional quality
- Atomic absorption spectroscopy
 - applications, 436, 437
 - atomization, 424
 - calibration
 - sensitivity check, 429
 - standards, 429

- comparison to inductively coupled plasma-atomic emission spectroscopy, 436
 - energy transitions in atoms, 423, 424
 - flame, 425
 - graphite furnace, 426
 - instrument components
 - atomizer
 - burner, 427
 - cold vapor technique, 428
 - electrothermal, 428
 - flame, 427
 - graphite furnace, 426
 - hydride generation, 428
 - nebulizer, 427
 - chopper, 427
 - detector, 428
 - hollow cathode lamp (HCL), 426, 427
 - monochromator, 428
 - interferences
 - nonspectral
 - ionization, 430
 - solute volatilization, 430
 - transport, 430
 - spectral
 - absorption of source radiation, 429
 - background absorption of source radiation, 430
 - labware, 437
 - operation, 428, 429
 - principles, 425, 426
 - procedure, 428, 429
 - reagents, 437
 - standards, 437
- Atomic emission spectroscopy
- applications, 436, 437
 - flame
 - instrument components, 431
 - principles, 431
 - inductively coupled plasma
 - comparison to atomic absorption spectroscopy, 436
 - instrument components
 - argon plasma torch, 432, 433
 - detectors
 - charge coupled device, 431, 434
 - charge injection device, 431, 434
 - photomultiplier tube, 431, 434
 - echelle optical system, 431, 434
 - monochromator, 431
 - optical system, 434, 435
 - polychromator, 431
 - interferences, 435, 436
 - labware, 437
 - principles, 431
 - procedures, 435
 - reagents, 437
 - standards, 437
- Atomization, 424–426, 428, 430–433, 437
- Automation, 131, 137, 212, 453, 485
- Autosamplers, 7, 503
- B**
- Babcock method, fat analysis, 127, 130
- Bacteria, in microbiological assays
 - drug residues, 333, 334
 - vitamins, 185–187, 194
- Baumé hydrometer, 97, 98
- Beer's law, 390–394, 402, 412, 425, 429
- Benzene, 257, 343, 344, 382, 399
- Beta-glucan, 10, 149, 159, 162, 166, 169, 450–452
- Bicinchoninic acid method, proteins, 141–144, 495
- Bioassays
 - protein quality, 272–274
 - vitamins, 184–186
- Biochemical oxygen demand (BOD), 24, 369–371
- Biosensors, 297, 298, 331, 332, 340
- Bisphenol A (BPA), 343
- Biuret method, proteins, 139, 143
- Bradford method, proteins, 141, 143
- Brix, 23, 87, 97–99, 172, 233
- Brix/acid ratio, 233
- Bronsted-Lowry theory, 223
- Buffering, 221, 228–231, 289, 291
- C**
- Caffeine, 61–64, 467, 468, 506, 509
- Calculations
 - ash, 109
 - chromatographic parameters, 491–494
 - fat, 122–124, 127
 - fiber, 170, 172
 - Mohr titration, 207
 - moisture, 91, 96
 - neutralization reaction, 221–223
 - protein, 137
 - titratable acidity, 232
 - vitamins, 187–194
 - Vohlard titration, 208
- Calibration curves. *See* Data evaluation, standard curves
- Calorie content, 40–42
- Calorimeters, 563
- Calorimetry, 41, 42, 563. *See also* Thermal analysis
- Capillary electrophoresis, 160, 270, 271, 278, 332
- Capillary isoelectric focusing, 271
- Carbazole assay, 165
- Carbohydrates. *See also* individual carbohydrates by name
 - beta-glucan, 10, 149, 159, 166, 450–452
 - calculation by difference, 151
 - Carrez treatment, 159
 - cellulose, 166, 167
 - content in foods, 151
 - definitions, 149, 151
 - extraction, 152
 - gums, 162–167
 - hemicellulose, 163, 166–168
 - hydrocolloids, 162–167
 - methods of analysis
 - chemical, for monosaccharides and oligosaccharides
 - dinitrosalicylic acid, 154
 - enzymatic, 159
 - Lane-Eynon, 154
 - Munson-Walker, 154
 - phenol-sulfuric acid, 152, 153
 - reducing sugars, 153, 154
 - Somogyi-Nelson, 153, 154
 - chromatographic
 - gas chromatography
 - derivatization, 157, 158
 - hydrolyzates of polysaccharides, 158
 - neutral sugars, 157
 - high-performance liquid chromatography
 - detection, 156, 157
 - stationary phases, 155, 156

- dietary fiber, 168–171
- extraction, 152
- fiber, 168–171
- glucose, 159, 160, 295
- gums, 163–165
- hydrocolloids, 163–167
- microscopy, 171
- near-infrared spectroscopy, 171
- pectin
 - degree of esterification, 165
 - determination, 165
- physical
 - microscopy, 171
 - refractive index, 172
 - specific gravity
 - hydrometer, 172
 - pycnometer, 97
 - spectrometry, 171
- resistant starch, 167
- sample preparation, 151, 152, 159, 168
- starch
 - degree of gelatinization, 162
 - degree of retrogradation, 162
 - determination, 160, 161
 - resistant, 167
 - total carbohydrate, 152, 153
- monosaccharides, 152–159, 163, 172, 173
- occurrence, 149, 150
- oligosaccharides, 149, 152–160, 162, 167–169, 172
- pectin
 - component of dietary fiber, 167
 - degree of esterification, 165
 - determination, 165
 - nature, 165, 167
- polysaccharides, 160–165
- reducing sugars, 153, 154
- starch
 - degree of gelatinization, 162
 - degree of retrogradation, 162
 - determination, 160–162
 - gelatinization, 162
 - in foods, 160
 - methods of analysis, 160–163, 295
 - problematic in fiber determination, 168
 - resistant, 160–162, 166–169, 171
 - retrogradation, 162
 - sugar alcohols, 150–152, 155
 - sugars, 151–160, 162–165, 167, 171, 172
- Carotenoids, assay, 181, 481, 508, 509
- Carrez reagent, 159
- Cellulose, 166, 167, 323, 370, 477, 478, 483, 484, 489, 511
- Charge coupled device (CCD), 359, 431, 434
- Charge injection device (CID), 431, 434
- CHARM II® test, 334
- Check sample, 9, 10
- Chemical constituents of concern. *See* Contaminants
- Chemical ionization (CI), 463
- Chemical oxygen demand (COD), 370, 371
- Chlorophylls, 481, 509
- Choices of method, general
 - characteristics, 7
 - food matrix, 8, 9
 - objective, 7, 8
 - validity, 9, 10
- Cholesterol, 5, 10, 38, 39, 46, 48, 149, 167, 241, 243, 257, 258, 515
- Chromatography, 475–497, 501–512, 515–535. *See also* individual types
- Chromatography, applications
 - amino acids, 271, 272, 478, 509
 - antioxidants, 509, 526
 - aspartame, 509
 - carbohydrates, 155–160, 479, 483, 485, 497, 505, 508, 509, 516, 526
 - cholesterol, 257, 258, 515
 - drug residues, 319–321, 333, 485, 515
 - flavors, 515, 519, 526–528
 - lipids, 125–127, 255–257, 481, 483, 509, 515, 516
 - mycotoxin residues, 320, 321, 327–332, 478
 - organic acids, 483, 485, 509
 - pesticide residues, 319–327, 329, 341, 481, 524, 526, 528
 - pigments, 478, 483, 508, 509, 519
 - polyphenols, 483, 508, 509
 - protein separation, 264–267, 484, 487–489, 511
 - sulfite, 341, 342, 510
 - vitamins, 182–195, 478, 479, 481, 508, 515
- Chromatography, principles
 - adsorption, 481
 - affinity, 488, 489
 - developing a separation, 490, 491
 - elution
 - gradient, 490, 491
 - isocratic, 490
 - extraction, 475, 517–519
 - gradient elution, 490, 491
 - historical perspective, 475, 476
 - ion exchange
 - anion exchangers, 484
 - cation exchangers, 484
 - liquid-liquid, 482, 483
 - liquid-solid, 481
 - paper, 477, 478
 - partition
 - bonded supports, 483
 - coated supports, 483
 - normal-phase, 482
 - reversed-phase, 482
 - qualitative analysis, 495
 - quantitative analysis
 - external standards, 495
 - internal standards, 495, 496
 - peak area, 495
 - peak height, 491, 495, 496
 - resolution
 - capacity factor, 494, 495
 - efficiency
 - height equivalent to a theoretical plate, 493
 - theoretical plates, 492, 493, 530
 - Van Deemter equation, 493, 530
 - selectivity, 494
 - separation, 481–489
 - size exclusion, 485–488
 - supercritical fluid, 480, 481
 - terminology, 476
 - thin layer
 - afatoxins, 331, 479
 - amino acids, 479
 - carbohydrates, 479
 - lipids, 258, 479
 - mycotoxin residues, 331, 479
 - pesticide residues, 326
 - principles, 478
 - vitamins, 479

Code of Federal Regulations (CFR), 17, 18, 21–25, 27, 37–43, 46, 47, 49, 60, 74, 241, 243, 273, 333, 341, 353

Codex Alimentarius Commission, 29, 30

Coefficient of determination, 62

Coefficient of variation (CV), 57

Collision reaction cells (CRC), 438, 439

Color

- colorimeters, 246, 575, 580–582
- equations, 583
- instrument choice, 583
- interaction of light with sample, 582
- measurement, 582–585
- physiological basis, 575, 576
- sample preparation, 583–585
- sample presentation, 583–585
- space, 580–582
- systems, to describe color
 - instrumental
 - CIE system, 579, 580
 - standard observer, 578, 579
 - visual
 - Munsell System, 577
- tolerances, 583
- tristimulus colorimeters, 580–582

Colorimeter, 246, 580–583

Colorimetric methods

- carbohydrates, 152–154
- minerals, 208, 209
- proteins, 139–142

Column chromatography, 322, 476, 479, 481, 503, 531

Columns

- analytical HPLC
 - capillary, 503
 - microbore, 503
 - microcolumn, 503
 - ultra-HPLC, 503
- capillary
 - megabore, 523
 - microbore, 523
 - normal, 523
- efficiency, 492, 493
- guard, 503
- packed, 522, 523
- packing material, 503, 520
- porous-layer open-tubular (PLOT), 524
- precolumn, 503

Concentration units, 221–223, 397

Conductivity

- detector for GC, 138
- detector for HPLC, 509

Confidence interval, 57, 58, 63, 76

Conjugated acid, 228

Conjugated base, 228

Constituents of concern. *See* Contaminants

Contaminants

- 3-monochloropropane 1,2-diol, 344
- 4-methylbenzophenone, 343
- acrylamide, 268, 270, 343
- allergens, 339–341
- benzene, 343, 344
- bisphenol A, 343
- choice of methods, 320, 321, 341
- drug residues, 332–335
- furans, 343
- heavy metals, 319
- melamine, 342
- mycotoxins, 327–331

- perchlorate, 344
- pesticide residues, 324–327
- sample preparation
 - derivatization, 323
 - extraction, 322
- sulfites, 294, 295, 341, 342

Correlation coefficient, 61–63

D

Daily Value (DV), 38–42, 49, 50, 181, 182, 273, 274

Data evaluation

- errors, 59, 62, 63
- measures of central tendency, 55
- reliability of analysis
 - absolute error, 58
 - accuracy, 55–59
 - coefficient of variation, 57
 - confidence interval, 57
 - limit of detection, 59, 60
 - limit of quantitation, 60
 - precision, 55–59
 - Q-test, 65
 - Q-value, 65
 - range, 56
 - relative error, 58
 - sensitivity, 59
 - sources of error, 59
 - specificity, 59
 - standard deviation, 56
 - standard error of the mean, 58
 - t-score, 77
 - t-test, 77
 - t-value, 7, 58
 - Z value, 57
- reporting results
 - rejecting data, 65
 - significant figures, 64
- standard curves
 - applications, 208, 209, 393, 394, 401, 402, 429
 - coefficient of determination, 62
 - confidence intervals, 63
 - correlation coefficient, 61, 62
 - errors, 62, 63
 - linear regression, 60, 61
 - plotting curve, 61–63

Databases

- mass spectroscopy, 462
- nutrient content, 43

Defect action level (DAL), 353

Denaturation of proteins, 264, 311, 565

Density

- fat determination, 130, 131
- hydrometers, 97, 172
- pycnometers, 97, 98

Derivatization

- carbohydrate analysis, 155, 160
- contaminants, 321, 323
- GC analysis, 519
- HPLC analysis, 157
- lipid analysis, 125, 126, 255
- pesticide residues, 323

Detection limit, 60, 340, 423, 433, 435, 436, 439, 460, 467, 505, 519, 527, 528

Detectors

- atomic absorption spectroscopy, 426, 428
- atomic emission spectroscopy, 431, 434, 435

- gas chromatography, 524–528
- high-performance liquid chromatography, 505, 506
- infrared-spectroscopy, 410, 415
- UV-visible spectroscopy, 396, 397
- Dextrinizing activity, 297
- Dextrins, 295
- Dialysis, 144, 164, 265–267, 488
- Dielectric method for moisture analysis, 96
- Dietary fiber. *See* Fiber, dietary
- Dietary supplements, 17, 40, 43, 48
- Differential scanning calorimetry. *See* Thermal analysis
- Digestibility, proteins, 42, 144, 272–275. *See also* Protein, nutritional quality
- Dilatometry, 248
- Distillation methods. *See* Moisture, distillation methods
- Dough formation. *See* Protein, functional properties
- Drug residues
 - confirmatory methods, 335
 - determinative methods, 335
 - regulations, 332, 333
 - screening methods, 333–335
- Dry ashing, 107–110, 112, 113. *See also* Ash, methods of determination
- Drying methods. *See* Moisture
- Dye-binding methods, proteins
 - anionic dye-binding, 140, 141
 - Bradford, 141
- Dynamic mechanical thermal analysis, 558. *See also* Thermal analysis
- E
- Echelle optical system, 431, 434
- EDTA complexometric titration, mineral determination, 205, 206
- Effluent composition, 24, 25
- Electrical methods
 - extraneous matter, 360
 - moisture determination, 96
- Electrode potential, 211, 225
- Electrodes
 - combination, 227
 - enzyme, 297
 - glass, 226
 - indicator, 226, 227
 - ion selective, 209–212
 - oxygen-sensitive membrane, 369
 - reference, 210, 226
 - saturated calomel, 226
 - silver-silver chloride, 226
- Electromagnetic radiation, 172, 323, 377, 389, 400, 459, 478
- Electron impact ionization, 327, 460, 462, 464
- Electrophoresis
 - applications, 267, 311
 - capillary, 160, 270, 271
 - isoelectric focusing, 269, 270
 - mobility calculations, 267
 - molecular weight estimation, 269
 - native, 268
 - polyacrylamide gel, 267–269
 - sodium dodecyl sulfate (SDS), 268
 - two-dimensional, 270
- Elemental analysis, 107, 113, 203–212, 423–439. *See also* Minerals, determination
- ELISA. *See* Enzyme-linked immunosorbent assay
- Emission of radiation, 377, 383, 384, 423, 437
- Emission spectrum, 424, 425
- Emulsification. *See* Protein, functional properties
- Emulsions. *See* Protein, functional properties
- Endpoint
 - colorimetric, 229
 - equivalence point, 229
 - phenolphthalein, 229
- Energy level transitions. *See* Spectroscopy
- Energy states of matter. *See* Spectroscopy
- Enthalpy, 560, 564
- Environmental Protection Agency (EPA), 17, 23–25, 319, 324
- Enzymatic methods
 - as analytical aids
 - fiber analysis, 168–171, 285
 - protein hydrolysis, 272, 274, 285
 - vitamin assays, 184, 193, 285
 - biosensors, 297, 298
 - electrodes, 298
 - enzyme activity assays
 - alkaline phosphatase, 296, 297
 - alpha-amylase, 297
 - lipoxxygenase, 296
 - peroxidase, 296
 - rennet, 297
 - immobilized enzymes, 297, 298
 - substrate determination
 - carbohydrate analysis, 159–162, 295
 - endpoint method, 294
 - glucose, 295
 - malic acid, 295
 - monosaccharides, 149, 159, 295
 - oligosaccharides, 159
 - polysaccharides, 159–162, 295
 - sample preparation, 159, 294
 - starch, 160–162, 295
 - sulfite, 294, 295
 - total change, 294
- Enzymic methods. *See* Enzymatic methods
- Enzyme
 - activity
 - affected by
 - activators, 291, 292
 - enzyme concentration, 288, 289
 - inhibitors
 - irreversible, 292
 - reversible, 292
 - pH, 290–291
 - substrate concentration, 289
 - temperature, 289, 290
 - assays (*see* Enzymatic methods)
 - coupled reactions, 293
 - methods of measurement, 292, 293
 - order of reactions, 287
 - reaction rate, 286–292
 - electrodes, 298
 - immunoassays, 306–311
 - kinetics, 285–288
- Enzyme immunoassays. *See* Immunoassays
- Enzyme-linked immunosorbent assay (ELISA), 306–311, 321, 325, 326, 331, 332, 334–341
- Equivalent weight, 221, 222, 232, 236
- Error, data, 59
- Ethylene oxide, 533, 534
- External standards, 495, 521

Extraction

- accelerated solvent, 323
- batch, 475
- continuous, 122, 475
- countercurrent, 475
- lipids, 120–125
- microwave-assisted solvent, 323
- monosaccharides, 152
- nonsolvent, 127, 130
- oligosaccharides, 152
- partition coefficient, 475
- polysaccharides, 152
- pressurized liquid, 323
- QuEChERS, 323
- solid phase
 - dynamic extraction, 518, 519
 - microextraction, 252, 322, 323, 517, 518
- solvent, 120–125, 517
- stir bar sorptive extraction, 518, 519

Extractor types, 122–124, 517, 518

Extraneous matter

- definition, 353, 354
- diagnostic characteristics, 354
- filth, 354
- isolation principles, 354–358, 363–364
- methods of analysis
 - comparison of methods, 361, 362
 - electrical conductance, 360
 - flotation, 356–358
 - immunoassays, 361
 - impact-acoustic emission, 360
 - microscopy, 360, 361
 - near-infrared spectroscopy, 361
 - objectivity/subjectivity, 358
 - x-ray microtomography, 359
 - x-ray radiography, 359
- regulations
 - defect action levels (DALs), 353
 - Federal Food, Drug, and Cosmetic Act, 353
 - good manufacturing practices, 353

F

- Falling number method, 297
- Farinograph[®], 278
- Fat substitutes, 5, 254, 255, 481
- Fats. *See* Lipids
- Fatty acids, 12, 48, 59, 89, 119, 125, 127, 186, 232, 241, 243, 244, 247, 248, 250, 254–258, 296, 453, 464, 467, 481, 515, 523

Fiber

- dietary
 - components, 167, 168
 - definition, 166, 167
- importance in diet, 166
- insoluble fiber, 166
- methods of analysis, 168–171
- principles, 169–171
- procedures, 170, 171
- resistant starch, 167
- sample preparation, 168
- soluble fiber, 166
- total, 170

Filth. *See* Extraneous matter

Fixed acidity, 233

Flavor analysis, 515, 519, 526–528

Fluorescence microscopy, 250

Fluorescence spectroscopy

- calibration curve, 401, 402
- detector, 400, 401
- emission beam, 400
- excitation beam, 400
- quantum efficiency, 401
- vitamin analysis, 191–194

Foaming. *See* Protein, functional properties

Folate, 184–187, 195, 511

Folin-Ciocalteu phenol reagent, 139

Food additives, 12, 17, 19, 23, 29, 30, 319, 339, 515

Food analysis, general

- necessity, 5–7
- standard methods (*see* Standard methods)
- steps in analysis, 6, 7
- types of samples, 6

Food and Drug Administration (FDA), 17, 37, 38, 41, 43–48, 71, 319

Food Chemicals Codex (FCC), 12, 30

Food composition. *See* Specifications

Food dyes, assay, 509

Food Safety Inspection Service (FSIS), 21

Food, Drug, and Cosmetic Act, 17, 37, 353

Foreign matter. *See* Extraneous matter

Foss-Let fat determination method, 130, 131

Fourier transform

- gas chromatography, 528
- infrared, 241, 256, 257, 332, 410–412, 415
- ion cyclotrons, 460
- mass spectrometry, 460, 528

Free fatty acids (FFAs), 59, 241, 244, 248, 523

Freezing point, 100, 101, 558

Functional properties. *See* Protein, functional properties

Furans, 343

G

Gas chromatography

applications

- 3-monochloropropane 1,2-diol, 344
- aroma analysis, 534, 535
- benzene, 343, 344
- carbohydrates, 157, 158, 519
- cholesterol, 257, 258, 515
- drug residues, 320, 515
- flavors, 515, 519, 526–528
- furans, 343
- lipids, 125–127, 255–258, 516
- melamine, 342
- mycotoxin residues, 328, 331
- packaging materials, 343, 533
- pesticides residues, 325–329, 526
- spices, 533, 534
- stereoisomer separation, 533

columns

- capillary, 523, 524
- megabore, 523
- microbore, 523
- packed, 522–523
- solid support, 522
- stationary phases, 522

detectors

- applications, 525–528
- electrolytic conductivity, 528
- electron capture, 526
- flame ionization, 525, 526
- flame photometric, 526, 527

- photoionization, 527, 528
- pulsed flame photometric, 526, 527
- thermal conductivity, 524, 525
- thermionic, 528
- gas supply, 520
- headspace methods
 - direct headspace sampling, 516
 - dynamic headspace sampling, 516
- hyphenated techniques
 - atomic emission detector (AED), 528
 - Fourier transform infrared (FTIR), 528
 - mass spectrometry (MS), 459, 460, 464, 465, 528
- injection port
 - hardware, 520, 521
 - sample injection, 521, 522
- isolation of solutes, methods
 - direct injection, 519
 - distillation, 516, 517
 - headspace
 - adsorbent trap, 516
 - concentration, 516
 - cryogenic trap, 516
 - direct sampling, 516
 - solid-phase extraction, 517–519
 - solvent extraction, 517
- multidimensional GC
 - comprehensive two-dimensional GC, 529, 530
 - conventional two-dimensional GC, 529
- oven, 522
- principles, 476, 477
- sample derivatization, 519, 520
- sample preparation, 515–519
- separation efficiency
 - carrier gas
 - flow rate, 530, 531
 - type, 531, 532
 - column parameters, 530, 531
 - temperature programming, 521–523
- Gel filtration. *See* Size-exclusion chromatography
- Gel permeation. *See* Size-exclusion chromatography
- Gelatinization, starch, 162
- Gelation, protein, 275, 277
- General Agreement on Tariffs and Trade (GATT), 29
- Genetic engineering. *See* Agricultural biotechnology
- Genetically modified organisms (GMOs)
 - DNA methods, 337, 338
 - labeling, 336
 - method comparison, 338
 - polymerase chain reaction (PCR) (DNA method), 337, 338
 - protein methods
 - enzyme-linked immunosorbent assays, 336, 337
 - lateral flow strips, 337
 - Western blots, 336
 - uses, 335
- Gerber method, fat analysis, 130
- Glass electrodes, 226
- Glass transition temperature, 454, 557, 558, 564, 569, 570
- Glucose, assay, 159, 160, 295
- Goldfish method, fat analysis, 122
- Good manufacturing practices (GMP), 6, 18, 43, 353
- Government
 - acts
 - Agricultural Marketing Act, 27
 - Dietary Supplement Health and Education Act, 17
 - Egg Products Inspection Act, 22
 - Fair Packaging and Labeling Act, 26
 - Federal Alcohol Administration Act, 22
 - Federal Insecticide, Fungicide, and Rodenticide Act, 18, 23
 - Federal Trade Commission Act, 25
 - Federal Water Pollution and Control Act, 24
 - Food and Drug Administration Modernization Act, 37
 - Food Quality Protection Act, 18, 23
 - Food, Drug, and Cosmetic Act, 17, 37, 353
 - Nutrition Labeling and Education Act, 17, 37, 38
 - Poultry Products Inspection Act, 22
 - Safe Drinking Water Act, 24
 - U.S. Grain Standards Act, 22
 - agencies, bureaus, departments
 - Bureau of Alcohol, Tobacco, Firearms and Explosives, 22
 - Bureau of Consumer Protection, 25
 - Department of Health and Human Services, 17, 23–25, 319, 324
 - Environmental Protection Agency (EPA), 17
 - Federal Trade Commission (FTC), 25
 - Food and Drug Administration (FDA), 17, 37, 38, 41, 43–48, 71, 319
 - National Bureau of Standards (*see* National Institute of Standards and Technology)
 - National Conference on Weights and Measures (NCWM), 28
 - National Institute of Standards and Technology (NIST), 28
 - National Marine Fisheries Service (NMFS), 22
 - National Oceanic and Atmospheric Administration (NOAA), 22
 - U.S. Customs Service, 25
 - U.S. Department of Agriculture (USDA), 21, 22, 26, 27, 37, 40, 42, 43
 - U.S. Department of Commerce, 22
 - U.S. Department of Justice, 22
 - amendments
 - Color Additives Amendment, 17
 - Delaney Clause, 17
 - Food Additives Amendment, 17
 - inspection programs and services
 - Dairy Quality Program, 27
 - Food Safety and Inspection Service (FSIS), 21
 - Grain Inspection, Packers and Stockyard Administration (GIPSA), 22
 - Interstate Milk Shippers Program (IMS), 27
 - National Marine Fisheries Service (NMFS), 22
 - National Shellfish Sanitation Program (NSSP), 27
 - regulations, 5, 6, 17 (*see also* Government, acts; Government, amendments)
 - advertising, 26
 - alcoholic beverages, 22, 23
 - Code of Federal Regulations (CFR), 17, 37
 - drinking water, 24
 - effluent composition, 24, 25
 - extraneous matter, 353
 - fishery products, 22, 27, 28
 - Good manufacturing practice (GMP) regulations, 6, 18, 43, 353
 - Harmonized Tariff Schedules of the U.S., 25
 - imported goods, 25
 - labeling
 - alcoholic beverages, 22

- dairy products, 26, 27
 - ingredient, 49
 - milk, 26, 27
 - nutrition
 - caloric content, 40–42
 - compliance, 42, 43
 - Daily Value (DV), 39, 40
 - databases, 37
 - designation of ingredients, 49
 - exemptions, 40
 - format, 38–40
 - health claims, 43, 46, 48, 49
 - methods of analysis, 42
 - national uniformity and preemptions, 49
 - nutrient content claims, 43–48
 - Nutrition Labeling and Education Act (NLEA), 17, 37, 49
 - protein quality, 42
 - rounding rules, 40
 - sample collection, 42
 - serving size, 39, 40
 - structure/function claims, 48
 - total carbohydrate, 151
 - meat and poultry, 21, 22, 37
 - milk
 - Grade A, 26
 - Grade B, 27
 - manufacturing grade, 27
 - Pasteurized Milk Ordinance (PMO), 26
 - pesticide residues, 23, 24, 28 (*see also* Pesticide residues)
 - shellfish, 27–28
 - standards
 - fill, 19
 - grades, 21
 - identity, 18
 - quality, 19
 - Gratings, monochromator, 396
 - Gravimetric analysis
 - fiber determination, 168
 - Grinding
 - applications, 78
 - equipment, 78
 - particle size determination, 78, 79
 - samples for fat analysis, 121
 - samples for moisture analysis, 87, 88
 - Gums, 162–164, 166, 167
- H**
- Handbooks
 - National Institute of Standards and Technology (NIST)
 - handbook, 9, 28
 - Pesticide Analytical Manual (PAM), 324, 325
 - Hazard Analysis Critical Control Point (HACCP), 6, 18, 19, 22, 29
 - Headspace methods
 - direct headspace sampling, 516
 - dynamic headspace sampling, 516
 - Health claims, 5, 18, 38, 43, 46, 48, 49
 - Heat capacity, 558, 560, 564–568, 570
 - Heavy metals, 319, 423
 - Hemicellulose, 163, 166–168
 - Henderson-Hasselbach equation, 228, 229
 - Hexanal, 250, 252, 516, 534
 - High-performance liquid chromatography (HPLC)
 - applications
 - 4-methylbenzophenone, 343
 - acrylamide, 343, 467
 - amino acids, 272, 507, 510
 - antioxidants, 509
 - aspartame, 509
 - bisphenol A, 343
 - caffeine, 468, 506, 509
 - carbohydrates, 155–157, 507–511
 - drug residues, 335, 507
 - dyes, 511
 - flavor compounds, 509
 - folates, 511
 - inorganic ions, 506, 509, 510
 - lectins, 511
 - lipids, 501, 506, 509
 - melamine, 342, 467–469, 507
 - molecular weight estimation, 510
 - mycotoxin residues, 332, 507
 - organic acids, 509, 510
 - perchlorate, 344
 - pesticide residues, 326, 327, 507
 - phenolic compounds, 506
 - pigments, 508, 509
 - proteins, 265, 510
 - sugars, 501, 507, 510, 511
 - sulfites, 341, 342, 507
 - surfactants, 508
 - vitamins, 183, 188–190, 505, 507, 508
 - column hardware
 - analytical, 503
 - guard column, 503
 - precolumns, 503
 - column packing materials
 - carbohydrate analysis, 510
 - polymeric
 - macroporous, 504
 - microporous, 504
 - silica-based
 - bonded phases, 504
 - pellicular packing, 504
 - porous silica, 504
 - coupled techniques, 195, 465–467, 503, 506
 - data stations, 507
 - derivatization
 - postcolumn, 157, 271, 326, 327, 332, 506
 - precolumn, 157, 272, 506
 - detectors
 - amperometric, 155, 505, 506, 510
 - chemiluminescent nitrogen (CLND), 506
 - conductivity, 509, 510
 - diode array, 505
 - electrochemical, 157, 505, 506
 - fluorescence, 505
 - light scattering, 506
 - mass, 505
 - pulsed amperometric (PAD), 157, 510
 - radioactive, 506
 - refractive index (RI), 156, 467, 505, 511
 - ultraviolet-visible (UV-Vis) absorption
 - diode-array, 505
 - fixed wavelength, 505
 - variable wavelength, 505
 - gradient elution, 501, 502
 - hyphenated techniques mass spectrometry, 195, 459, 465–467, 503, 506
 - injector
 - autosamplers, 503
 - fixed-volume loop, 502
 - valve injectors, 502

- postcolumn derivatization, 157, 271, 326, 327, 332, 506
 - precolumn derivatization, 157, 272, 506
 - pump, 501, 502
 - separation modes
 - affinity, 511
 - ion exchange
 - ion chromatography, 509, 510
 - normal phase, 507, 508
 - reversed phase, 508, 509
 - size exclusion, 510, 511
 - software packages, 507
 - with mass spectrometry, 195, 321, 465–467, 503, 506
 - Hollow cathode lamp, 426, 427
 - Hydrocolloids, 162–167
 - Hydrogenation, oils, 247
 - Hydrolysis
 - methods of starch determination, 160–162, 295
 - of lipids, 121, 122, 125
 - of pectins, 165
 - of proteins to amino acids, 135, 141, 271, 272
 - Hydrolytic rancidity, 248, 250
 - Hydrometry, 96–98, 172. *See also* Moisture, physical methods
 - Hyphenated techniques, 195, 321, 464–467, 503, 506, 528
- I**
- Immunoassays
 - applications
 - allergens, 313, 339–341
 - bacterial toxins, 313
 - drug residues, 313, 334, 335
 - extraneous matter, 361
 - fish species, 313
 - genetically modified organisms, 313, 314, 336–338
 - meat species identification, 313
 - mycotoxin residues, 331, 332
 - pathogens, 313
 - pesticide residues, 313, 325, 326
 - definitions, 303, 304
 - enzyme
 - competitive
 - bound antibody format, 309
 - bound hapten format, 309
 - standard curve, 309, 310
 - direct, 307–310
 - indirect, 307, 310, 311
 - noncompetitive, 307, 308
 - sandwich, 308, 336, 337
 - immunoaffinity purification, 313
 - lateral flow strip test, 312, 313, 337
 - radioimmunoassay (RIA), 305, 306, 331
 - theory, 305, 306
 - Western blot, 311, 336
 - Immunoaffinity purification, 313
 - Impact-acoustic emission, extraneous matter, 360
 - Inductively coupled plasma (ICP)
 - atomic emission spectroscopy (AES) (*see* Atomic emission spectroscopy, inductively coupled plasma)
 - mass spectrometry, 423, 437–439
 - Infrared spectroscopy
 - applications
 - carbohydrates, 414
 - extraneous matter, 361
 - fat, 130, 412
 - mid-infrared, 100, 130, 138, 342, 411, 414
 - moisture, 99, 100, 409, 414, 417, 418
 - mycotoxins, 332
 - near-infrared, 99, 100, 342, 413–416
 - protein, 138, 412, 414, 417, 418
 - Raman, 412, 413
 - sugar, 171, 418
 - trans* fatty acids, 256, 257, 413
 - wheat hardness, 417
 - near-infrared
 - calibration, 417
 - Infrared spectroscopy mid-infrared
 - applications
 - absorption bands, 411
 - presentation of spectra, 411
 - qualitative, 412
 - quantitative, 412
 - instrumentation
 - dispersive, 410
 - fourier transforms, 410, 411
 - sample handling, 411
 - Infrared spectroscopy near-infrared
 - absorption bands, 414, 415
 - applications, 417, 418
 - calibration, 417
 - diffuse reflectance measurements, 413, 414
 - instrumentation, 415, 416
 - principles, 413–415
 - qualitative analysis, 417
 - quantitative methods, 416, 417
 - Infrared spectroscopy principles
 - frequency of vibration, 409, 410
 - infrared radiation, 409
 - molecular vibrations, 409
 - Infrared spectroscopy Raman, 412, 413
 - Infrared spectroscopy sample handling, 411
 - Insoluble fiber. *See* Fiber, insoluble
 - Internal standards, 495, 496
 - International Organization for Standardization, 30
 - International standards and policies
 - Codex Alimentarius Commission, 29
 - International Organization for Standardization, 30
 - others, 30
 - Iodine value, oils, 246, 247
 - Ion chromatography, 344, 506, 509, 510
 - Ion selective electrodes
 - activity, 210
 - applications, 211, 212
 - calibration curves, 211
 - electrodes, 209–211
 - end point of titration, 211
 - principle, 209, 210
 - standard addition, 211
 - Ion-exchange chromatography
 - anion exchangers, 264, 484
 - applications, 265, 509, 510
 - cation exchangers, 264, 484
 - HPLC, 265, 483–485, 509, 510
 - principles, 264, 483, 484
 - Iron analysis, 208, 209
 - Isoelectric focusing, 269–271
 - Isoelectric point, 141, 263, 270
 - Isoelectric precipitation, 263, 264

J

 - Joint FAO/WHO Expert Committee on Food Additives (JECFA), 30, 330

K

Karl Fischer titration, 94–96, 101, 102. *See also* Moisture
Kjeldahl method, proteins, 136–139, 141, 143, 170, 275

L

Labeling. *See* Government, regulations

Laboratory information management system (LIMS), 7

Lactometers, 97

Lane-Eynon method, 154

Lateral flow strips, 312, 313, 337

Ligand, affinity chromatography, 488, 489

Light. *See* Spectroscopy

Lignin, 149, 166–168, 371

Limit dextrin, 297

Limit of detection, 59, 60, 335, 341, 436, 519

Limit of quantitation, 60

Linear regression, 60–62, 412, 417

Lineweaver-Burk

formula, 297

plot, 287, 288

Lipids

analyses of lipid fractions

cholesterol content, 257, 258

gas chromatography, 125–127, 255–258

thin-layer chromatography, 258

antioxidants, 243, 252–254, 258

characterization, methods

acid value, 248

cloud point, 246

cold test, 246

color, Lovibond, 246

consistency, 249

fat substitutes, 5, 254, 255, 481

fatty acid composition, 125–127, 254–257

fire point, 245

flash point, 245

free fatty acids, 248

hexanal, 252

iodine value, 243, 246, 247

melting point, 243, 245

polar components, 249, 250

refractive index, 243–245

sample preparation, 244, 251

saponification number, 243, 247, 248

smoke point, 245

solid fat content, 248, 249

solid fat index, 248, 249

trans isomer fatty acids, 256, 257

choice of methods, 212

cholesterol, 257, 258

classification

compound, 241

derived, 241

monounsaturated, 241

polyunsaturated, 241, 256

saturated, 241

simple, 241

color, Lovibond, 246

comparison of methods, 131

consistency, 249

content in foods, 120, 243

definitions, 119, 120, 241–243

dilatometry, 248

extraction, 120–130, 244, 255

fat substitutes, 5, 254, 255, 481

fractionation, 125–127, 255–257

gas chromatography analysis, 125–128, 255–257

high-performance liquid chromatography analysis, 233

importance of analysis, 120, 243

in dairy products, 124, 125, 127, 130

in flour, 121, 124

in pet food, 124

monounsaturated fatty acids, 125, 241, 256

nuclear magnetic resonance analysis, 131, 453

oxidation

evaluating present status

anisidine value, 251, 252

fluorescence microscopy, 250

hexanal, 252

peroxide value, 251

sample preparation, 251

thiobarbituric acid test, 252

total value, 251, 252

evaluating stability

active oxygen method

oil stability index, 254

oxygen bomb, 254

Schaal oven test, 253

sample protection, 251

polar components, 249, 250

polyunsaturated fatty acids, 241, 254, 256, 259

rancidity

hydrolytic, 248, 250

oxidative, 250–254

saturated fat, 241

solid fat content, 248, 249

solid fat index, 248, 249

solvent extraction, 120–127, 244, 255

total content, methods

instrumental methods

Foss-Let, 130

infrared, 130

NMR, 131

specific gravity, 130

nonsolvent wet extraction

Babcock, 127, 130

Gerber, 130

solvent extraction

accelerated, 253

chloroform-methanol, 124, 125

gas chromatography, 125–128, 255–257

Goldfish, 122

Mojonnier, 123, 124

sample preparation, 121, 125

solid-phase, 244

solvent selection, 122

Soxhlet, 123

trans isomer fatty acids, 256, 257

Lipoxigenase, assay, 296

Liquid-liquid chromatography, 482, 483. *See also* Column chromatography

Lovibond method, 246

Lowry method, proteins, 139–144, 389

Lysine, availability, 140, 141, 275

M

Magnetic resonance. *See* Nuclear magnetic resonance

Malic acid, assay, 295, 296

Mass analyzers, 329, 459–463

Mass spectrometry (MS)

applications, 159, 160, 195, 327, 332, 335, 342–344

gas chromatography-MS, 459, 460, 464, 465, 530

- inductively coupled plasma, 423, 436–439, 460
- instrumentation, 459–462, 467
- interfaces, 459, 460, 463–468, 470
- interpretation of mass spectra, 462, 463
- ionization, 327, 342, 425, 430, 431, 459, 460, 462–467, 469, 470
- liquid chromatography-MS, 195, 459, 465–467, 503, 506
- mass analyzers, 460–462
- sample introduction, 459
- Matrix, food, 8, 9, 12, 160, 204, 320, 324, 337, 342, 453, 515, 550
- Measures of central tendency. *See* Data evaluation
- Melamine, 143, 342, 467–469, 507
- Melting point of lipids, 245, 559
- Mesh size, 78, 79, 354, 356, 522
- Methods of analysis. *See* Assay methods, general; Standard methods
- 4-Methylbenzophenone, 343
- Michaelis constant, 286–288
- Michaelis-Menten equation, 286, 287, 289
- Micro Kjeldahl, proteins, 137, 138
- Microbiological assays
 - drug residues, 333, 334
 - vitamins, 185–187, 194
- Microfiltration, 266, 267
- Microscopy
 - carbohydrate analysis, 171
 - extraneous matter, 355–361
 - lipid oxidation analysis, 250, 251
- Microwave-assisted methods
 - ashing, 110–112
 - moisture analysis, 92, 93, 102
- Mid-infrared spectroscopy (Mid-IR), 100, 130, 138, 342, 409–413, 416, 418. *See also* Infrared spectroscopy
- Minerals. *See also* Ash
 - content in foods, 39, 48, 107, 109, 203–206, 208, 209
 - determination
 - atomic absorption spectroscopy, 28, 110, 203, 204, 423, 425–430, 436, 437
 - atomic emission spectroscopy, 203, 204, 423, 430–437
 - atomic emission spectroscopy-inductively couple plasma, 203, 204, 423, 431–437
 - colorimetric methods, 208, 209
 - comparison of methods, 212, 436
 - dry ashing, 113, 436
 - EDTA complexometric titration, 205, 206
 - inductively coupled plasma-MS, 423, 437–439
 - interferences, 203, 205, 429, 430, 435
 - ion selective electrodes, 209–212
 - mass spectrometry-inductively coupled plasma, 423, 437–439
 - microwave ashing, 110–112
 - precipitation titration Mohr titration, 206, 207
 - precipitation titration Volhard titration, 206–208
 - sample preparation, 204, 205
 - water hardness, 205, 206
 - wet ashing, 107, 109, 436
 - importance in diet, 203
- Mixograph, 277, 278
- Modulated temperature DSC®, 557, 565–567, 569, 570
- Moisture
 - basis for reporting results, 87
 - comparison of methods
 - intended purpose, 102
 - nature of sample, 101, 102
 - principles, 101
 - content of foods, 87
- distillation methods
 - elimination of errors, 94
 - receiver tubes, 93, 94
 - solvents, 93, 95
 - types, 93
- drying methods
 - calculations, 91
 - decomposition, 89
 - ovens
 - forced draft, 91
 - infrared, 93
 - microwave, 92, 93, 102
 - rapid moisture analyzer, 93
 - vacuum, 91
 - pans
 - handling, 90
 - types, 90
 - removal of moisture, 88, 89
 - surface crust formation, 90, 91
 - temperature control, 89, 90
- forms in foods
 - adsorbed, 87
 - free, 87
 - water of hydration, 87
- importance of assay, 87
- Karl Fischer titration method
 - applications, 96
 - endpoints, 95, 96
 - reactions, 94, 95
 - reagents, 95, 96
 - sources of error, 96
- physical methods
 - electrical, 96
 - freezing point, 100, 101
 - hydrometry
 - hydrometer
 - alcoholometer, 97
 - Baumé, 97
 - Brix, 97
 - lactometer, 97
 - Twaddell, 97
 - pycnometer, 97, 98
 - infrared, 99, 100
 - refractometry
 - refractive index, 98
 - refractometer, 98
 - sample collection, 87, 88
 - total solids, 23, 73, 87, 91, 92, 100
- Mojonnier method, fat analysis, 123, 124
- Molarity, 221, 222
- Molecular energy levels, 380, 381, 383, 384
- Molecular exclusion. *See* Size-exclusion chromatography
- 3-Monochloropropane 1,2-diol, 344
- Monochromator, 394–396, 398–400, 410, 412, 415, 416, 425–429, 431, 438, 505
- Monosaccharides, 140, 149, 150, 155–157, 159, 163, 164, 173, 285, 559. *See also* Carbohydrates, methods of analysis
- Multidimensional GC. *See* Gas chromatography
- Munson-Walker method, 154
- Mycotoxin residues
 - methods of analysis
 - capillary electrophoresis, 320, 332
 - gas chromatography, 320, 332
 - high performance liquid chromatography, 320, 332

- immunoassays, 320, 331, 332
 - thin-layer chromatography, 320, 331
 - occurrence, 329
 - sampling, 330
- N**
- Nanofiltration, 266, 267
 - National Institute of Standards and Technology (NIST), 28
 - Near-infrared spectroscopy. *See also* Infrared spectroscopy
 - carbohydrate, 171, 414
 - extraneous matter, 361
 - fat, 130, 418
 - moisture, 99, 100, 409, 414, 417, 418
 - mycotoxins, 332
 - protein, 138, 414, 415, 417, 418
 - Nernst equation, 210, 211, 225, 226, 234
 - Nessler colorimetric method, proteins, 136, 137, 140
 - Neutralization reactions, 221–223
 - Newtonian fluids, 545–547
 - Niacin, 37, 181, 184–186, 194
 - Ninhydrin method, proteins, 272, 362
 - Non-Newtonian fluids, 545–547
 - Nonprotein-N compounds
 - amino acids, 135, 141, 144
 - separation from protein, 144
 - Normal-phase chromatography, 155, 342, 482, 507, 508
 - Normality, 221, 222, 228, 230, 232
 - Nuclear magnetic resonance (NMR)
 - applications
 - fats, 131, 249, 453, 454
 - ingredients, 454
 - liquids, 450–452
 - magnetic resonance imaging, 452, 453
 - relaxometry, 453
 - solids, 452
 - water, 454
 - instrument, 449, 450
 - principles, 445–449
 - Nutrient content claims, 37, 38, 40, 43–48, 50, 131
 - Nutrient content databases, 37, 38
 - Nutrition labeling. *See* Government, regulations, labeling
 - Nutritional value of proteins. *See* Protein, nutritional quality
- O**
- Oil stability index, 254
 - Oils. *See* Lipids
 - Oligosaccharides. *See* Carbohydrates
 - On-line analyses, 99, 130, 418
 - Organic acids, 222, 227–229, 232, 233
 - Ovens. *See* Moisture, drying methods
 - Oxidation, lipid, 80, 91, 121, 125, 241, 243, 244, 247, 250–254
 - Oxygen bomb, 254
 - Oxygen demand
 - biochemical oxygen demand (BOD), 24, 369–371
 - chemical oxygen demand (COD), 369–371
 - comparison of methods, 370, 371
 - sampling and handling, 371
- P**
- Packaging material volatiles
 - residues, 343, 533
 - volatiles, 533
 - Paper chromatography, 149, 477, 478
 - Partition chromatography. *See* Chromatography, principles
 - Pathogens, 313
 - Pectin. *See* Carbohydrates
 - Perchlorate, 110, 319, 344
 - Peroxidase, assay, 296
 - Peroxide value, 28, 242, 250–252, 254, 258, 259, 418
 - Pesticide residues
 - methods of analysis
 - chromatographic separation and analysis
 - gas chromatography, 326, 327
 - high-performance liquid chromatography, 326, 327
 - thin-layer chromatography, 326
 - extraction, 324, 325
 - immunoassays, 320, 325, 326
 - mass spectrometry detection, 327
 - multiple-residue methods, 324
 - screening methods, 326
 - single-residue methods, 324, 326
 - regulations
 - other raw agricultural commodities, 20, 324
 - shellfish, 27, 28
 - tolerance levels, 23, 24, 324
 - safety, 324, 329
 - types, 324, 325
 - pH
 - acid-base equilibria, 223–224
 - activity coefficient, 224
 - meter
 - calibration, 227
 - electrodes, 226–227
 - operation, 227
 - principles, 224–226
 - Phenol-sulfuric acid method, 153, 389
 - Photomultiplier tube (PMT), 396, 397, 426, 428, 431, 506
 - Phototube, 396, 397
 - Phthalaldehyde method, proteins, 272, 506
 - Physical methods
 - color, 575–586
 - rheology, 543–554
 - thermal analysis, 557–570
 - Pigments
 - carotenoids, 181, 509
 - chlorophylls, 481, 509
 - synthetic food dyes, 509
 - Planck's constant, 379, 409, 410, 424
 - Polarimetry, 293
 - Polyacrylamide gel electrophoresis, 267–269, 271, 311
 - Polymerase chain reaction (PCR), 336–339, 341
 - Polysaccharides, 149, 150, 152–155, 157–168, 170–173, 451, 484, 486–489, 497, 504, 511, 512. *See also* Carbohydrates, methods of analysis
 - Polyunsaturated fatty acids, 241, 254, 256, 259
 - Potentiometer, 95, 224, 227
 - Potentiometry, 224, 225, 229–231, 234. *See also* Ion selective electrodes; pH
 - Precipitation titration, mineral determination
 - Mohr, 206–208
 - Volhard, 206–208
 - Precision, analyses, 8, 55–59, 76
 - Preparation of samples. *See* Sample, preparation
 - Protein. *See* Proteins
 - Protein digestibility-corrected amino acid score (PDCAAS), 42, 273, 274
 - Protein efficiency ratio (PER), 42, 144, 273–275
 - Protein needs, 50, 135, 272, 273
 - Protein, functional properties
 - dough formation
 - Farinograph®, 277, 278
 - mixograph, 277, 278
 - RapidViscoAnalyser (RVA), 277, 278

- emulsification
 - applications, 277
 - emulsion, 275
 - emulsion stability, 276
 - foaming
 - applications, 277
 - foam stability, 276, 277
 - foam volume, 276, 277
 - gelation, 277–278
 - solubility
 - applications, 277
 - Protein, nutritional quality
 - amino acid composition, 271–274
 - amino acid score, 274
 - digestibility
 - corrected amino acid score, 273
 - pH-shift, 274
 - true, 273
 - essential amino acid index (EAAI), 274
 - estimates of protein needs, 273, 274
 - lysine, availability, 275
 - protein digestibility-corrected amino acid score, 273, 274
 - protein efficiency ratio, 42, 144, 273–275
 - regulations, 42
 - Protein, separation
 - adsorption, chromatography
 - affinity, 265
 - ion-exchange, 264, 265
 - differential solubility characteristics
 - denaturation, 264
 - isoelectric precipitation, 263, 264
 - salting out, 263
 - solvent fractionation, 264
 - electrophoresis
 - capillary electrophoresis, 270, 271
 - isoelectric focusing, 269–270
 - polyacrylamide gel electrophoresis, 267–269
 - high-performance liquid chromatography (HPLC), 265
 - reversed-phase HPLC, 271, 272
 - size
 - applications, 267
 - dialysis, 265, 266
 - membrane processes
 - microfiltration, 266
 - nanofiltration, 266
 - reverse osmosis, 266
 - ultrafiltration, 266
 - size-exclusion chromatography, 266, 267
 - Proteins
 - amino acid analysis, 271, 272
 - amino acids in, 278, 279
 - classification, 135
 - content in foods, 135
 - importance of analysis, 135
 - methods of analysis
 - bicinchoninic acid, 141–143
 - biuret, 139, 143
 - Bradford, 141, 143
 - comparison of, 143
 - Dumas, 138, 143
 - dye binding
 - anionic dye, 140, 141
 - Bradford method, 141, 143
 - infrared, 135, 138, 143, 144
 - Kjeldahl, 136, 139, 141, 143
 - Lowry, 139–144
 - Nessler colorimetric, 136
 - ninhydrin, 272
 - nitrogen combustion, 138, 143
 - nonprotein nitrogen, 135, 141, 144
 - o-phthaldehyde, 272
 - phenol reagent, 137
 - selection of, 135
 - ultraviolet 280 nm absorption, 142, 143
 - quality (*see* Protein, nutritional quality)
 - separation (*see* Protein, separation)
 - Proximate analysis, 8, 151
 - Pycnometers, 97, 98
- Q**
- Q-value, 65
 - Quality assurance, 6, 7, 72, 149, 212, 250, 258, 451, 455, 557
- R**
- Radioimmunoassay (RIA), 305, 306, 331
 - Raman spectroscopy, 412, 413
 - Rancidity
 - hydrolytic, 248, 250
 - oxidative, 250, 254
 - Rapid visco analyser (RVA), 277, 278
 - Redox reactions, 203
 - Reducing sugars, 140, 142, 149, 152–155, 172, 275, 295
 - Reference samples, 10, 389, 398
 - Refractive index
 - carbohydrate analysis, 156, 157
 - fat characterization, 244
 - total solids analysis, 98, 99
 - Refractometers
 - Abbe, 99
 - refractive index, 98, 99, 156, 157, 244
 - Relative error, 58, 59, 394
 - Relaxometry. *See* Nuclear magnetic resonance
 - Reliability of analysis. *See* Data evaluation
 - Rennet, assay, 297
 - Replication of analyses, 55, 65
 - Reporting results. *See* Data evaluation
 - Representative samples, 75, 76, 80, 204
 - Residues. *See* Contaminants
 - Resistant starch (RS), 160–162, 166–169, 171
 - Reverse osmosis (RO), 266, 267
 - Reversed-phase chromatography, 156, 482, 483, 504, 508
 - Rheology
 - Brookfield viscometer, 549
 - empirical methods, 543
 - fluid models
 - Bingham plastic, 547
 - Herschel-Bulkley, 547
 - Newtonian, 547
 - Power law, 547
 - fundamental methods, 543
 - glossary, 552–553
 - Newtonian fluids, 545–547
 - Newtonian viscosity, 545–547
 - nomenclature, 553
 - non-Newtonian fluids, 545–547
 - principles
 - elastic modulus, 545
 - fluid rheograms, 546
 - fluid viscosity, 545
 - shear modulus, 545, 553
 - strain, 544–545
 - stress, 545–551

- rheometers
 - rotational viscometers, 548–550
 - concentric cylinder, 548, 549
 - Brookfield, 549
 - cone and plate, 549, 550
 - procedure, 550
 - solids
 - large strain, 550–552
 - small strain, 552
 - shear, 544, 545
 - strain, 544, 545
 - stress, 543, 544
 - texture profile analysis, 552
 - universal testing machine, 552
 - viscoelasticity, 550–552
 - viscometry, 548, 550, 551
 - rotational, 548
 - concentric cylinders, 548, 549
 - cone and plate, 549, 550
 - procedures, 550
 - viscosity, 545, 546
 - yield stress, 546, 553
 - Rheometers. *See* Rheology
 - Riboflavin, 37, 184, 193, 194
 - Roesse-Gottlieb method, fat determination, 123, 124, 131
 - Rotary evaporator, 125, 153, 243, 257
 - Rototap, 79
 - Rounding rules, nutrition labeling, 40, 41
- S**
- Salt analysis, 206–208
 - Salting out proteins, 263
 - Sampler types, 74, 75
 - Samples. *See also* individual food constituents
 - preparation
 - contamination, 80, 108, 204, 516, 519
 - derivatization, 125, 126, 155, 157, 160, 255, 323, 519
 - enzymatic inactivation, 79
 - extraction, 120–125, 322, 323, 337
 - grinding, 78, 79
 - homogenization, 322
 - lipid oxidation protection, 80, 125
 - microbial growth, 80
 - particle size, 78, 79, 121
 - size reduction, 77, 78, 80, 121
 - types, 7
 - Sampling
 - mycotoxins, 330
 - nutrition labeling, 42
 - plans, 71–76, 80, 330
 - problems, 77, 330
 - procedures, 74–77
 - selection of procedure, 71–74
 - factors affecting choice, 72
 - risks, 74
 - size, 76, 77
 - statistical considerations, 75–77
 - Saponification number, oils, 242, 247–250, 255
 - Scanning electron microscopy (SEM), 171, 359, 360
 - Schaal oven test, oils, 253
 - Screening tests in food analysis, 320, 333–335
 - Selection, assay methods, 7, 8
 - Sensitivity, analyses, 60
 - Shear. *See* Rheology
 - Significant figures, 64, 65
 - Size-exclusion chromatography
 - applications, 267, 485
 - fractionation range, 487
 - hydrophilic gels, 488
 - hydrophobia media, 488
 - molecular weight estimation, 487
 - Slip melting point, 245
 - Solid fat content, 248, 249, 454
 - Solid fat index, 248, 249, 559
 - Solid-phase extraction (SPE), 244, 323, 330, 333, 344, 475, 515–519
 - Solids, 23, 73, 87, 91, 92, 100, 172
 - Solubility criteria for lipids, 119
 - Soluble fiber. *See* Fiber, soluble
 - Solvent extraction
 - GC analysis, 121–125, 322, 517
 - lipids, 120–127
 - pesticides, 323
 - Solvent fractionation, proteins, 264
 - Somogyi-Nelson method, 153–154
 - Soxhlet method, fat analysis, 123, 125, 126
 - Specific gravity, 97, 101, 130, 131, 172, 356
 - Specifications
 - commercial item descriptions (CIDs), 28
 - commodity specifications, 28
 - Department of Defense, 28
 - federal specifications, 28
 - purchase product description (PPD), 28
 - USDA specifications, 28
 - Specificity, analyses, 59
 - Spectroscopy
 - absorption, basis of quantitation, 389–391
 - absorbance, 382, 389, 390, 392
 - Beer's law, 390–393, 402, 412, 425
 - molar absorptivity, 390, 392, 399, 400, 425
 - reference cell, 390, 392, 398, 399
 - transmittance, 171, 389–394, 396, 397, 411
 - calibration curves, 393–394
 - characteristics of UV-Vis absorbing species, 399, 400
 - energy level transitions
 - absorption, 382, 383
 - emission, 383, 384
 - resonance line, 424
 - resonance transition, 424
 - energy states of matter
 - levels
 - electronic, 380, 381
 - nuclear, 382
 - rotational, 380, 381
 - transitions
 - absorption of radiation, 382, 383
 - emission of radiation, 383, 384
 - vibrational, 380, 381
 - quantum nature, 379, 380
 - errors, 394
 - instrument design
 - double-beam, 398
 - single-beam, 398
 - instrumentation, UV-visible
 - cells, 392
 - detectors, 396, 397
 - light sources, 394, 395
 - monochromators, 395, 396
 - light
 - interferences, 378, 379
 - properties, 377, 378
 - terminology, 378
 - sample handling and preparation, 391, 392, 411

- types
 - atomic absorption, 28, 110, 203, 204, 423, 425–430
 - atomic emission, 203, 204, 423, 430–437
 - fluorescence, 400–402
 - infrared
 - mid-, 100, 130, 138, 342, 411, 414
 - near-, 99, 100, 138, 361, 409, 413–418
 - mass, 151, 159–161, 171, 195, 255, 256, 292, 321, 327, 328, 342, 344, 421–441, 457–470, 481, 495, 503, 505, 506, 511, 528, 530, 557
 - nuclear magnetic resonance, 131, 249, 445, 454
 - Raman, 412, 413
 - ultraviolet, 389, 400
 - visible, 389, 400
 - UV-visible, 389, 400
 - wavelength selection, 392
- Spices, moisture analysis, 93
- Stability test of lipids, 253, 254
- Standard acid, 231
- Standard addition, 211, 294, 343
- Standard curves. *See also* Data evaluation
 - atomic absorption spectroscopy, 429
 - colorimetric method, iron, 208, 209
 - fluorescence spectroscopy, 401, 402
 - ion selective electrodes, 210
 - UV-Vis spectroscopy, 393
- Standard deviation, 56, 57, 60, 63–65, 76, 77, 90, 394, 492
- Standard error of the mean, 58
- Standard methods
 - AACC International, 9, 11, 12, 166, 169, 171, 195, 275, 330, 354, 355, 417
 - American Oil Chemists' Society (AOCS), 10–12, 28, 125, 242–247, 251–253, 255–257, 275, 330
 - American Society for Testing Materials (ASTM), 24
 - AOAC International, 8–11, 19, 20, 26, 42, 74, 77, 87, 88, 92, 93, 109, 121, 125, 149, 152, 163, 169, 170, 172, 182, 186, 187, 195, 203, 241, 242, 330–332, 353–355, 363, 441
 - extraneous matter, 354, 355
 - food additives, 12
 - Food Chemicals Codex (FCC), 12, 30
 - International Union of Pure and Applied Chemistry (IUPAC), 72, 242, 330
 - pesticides, 324–327
 - Standard Methods for the Examination of Dairy Products (SMEDP), 12, 26
 - Standard Methods for the Examination of Water and Wastewater, 24, 206, 369
- Standards. *See* Government, standards
- Starch. *See* Carbohydrates
- Statistics
 - data analysis, 55, 63, 65
 - sampling, 72, 74–77, 80
- Stereoisomer separation, 533
- Strain. *See* Rheology
- Stress. *See* Rheology
- Structure/function claims, 48
- Sulfite, 294, 295, 341, 342, 510
- Supercritical fluid chromatography (SFC), 476, 480–481, 515
- Synthetic food dyes, 508, 509
- T**
 - t-test, 77
 - t-value, 57, 58
 - Texture. *See* Rheology
 - Texture profile analysis (TPA), 552
 - Thermal analysis
 - amorphous structure, 557, 558, 570
 - applications, 567–569
 - calorimetry
 - calorimeter, 557
 - reactions
 - endothermic, 565
 - exothermic, 565
 - crystalline structure, 558–560, 564, 569
 - differential scanning calorimetry (DSC)
 - applications, 567–569
 - experimental conditions, 564
 - measurements, 564, 565
 - dynamic mechanical analysis (DMA), 557
 - enthalpy, 564
 - glass transition temperature, 454, 557, 558, 564, 569, 570
 - heat capacity, 560
 - modulated temperature DSC
 - applications, 569
 - experimental conditions, 566
 - measurements, 566
 - thermodynamic properties, 560
 - thermogravimetric analysis (TGA), 557, 561–563
 - thermomechanical analysis (TMA), 558
 - Thermogravimetric analysis. *See* Thermal analysis
 - Thiamin, 20, 37, 39, 183, 184, 191–193, 389
 - Thin-layer chromatography (TLC)
 - applications
 - lipids, 258, 478, 479
 - mycotoxin residues, 331, 479
 - pesticide residues, 326
 - high performance (HPTLC), 478
 - principles, 478
 - procedure, 478
 - Thiobarbituric acid (TBA) test, 242, 252, 389
 - Titrateable acidity
 - analysis
 - high-performance liquid chromatography (HPLC), 233
 - titration
 - endpoint, 230
 - indicators, 229–230
 - reagents, 230–231
 - sample preparation and analysis, 231, 232
 - Brix/acid ratio, 233
 - calculations, 232
 - content in food, 232, 233
 - interference, 230
 - predominant acid, 232
 - principle, 227, 228
- Total carbohydrate. *See* Carbohydrate, methods of analysis
- Total dietary fiber. *See* Fiber, dietary
- Total fiber. *See* Fiber, total
- Total solids (TS), 23, 73, 87–91, 172
- Totox value, 251
- Trace metals determination. *See* Minerals, determination
- Trans isomer fatty acids, 242, 243, 256, 257
- Trends
 - consumer, 5
 - food industry, 5–6
 - government regulation, 6
 - international standards, 6
- Turbidimetry, vitamins, 185

U

U.S.Department of Agriculture (USDA), 10, 18, 21–23, 25–30, 37, 40, 42, 43, 49, 71, 73, 155, 319, 325, 330, 423, 577
Ultrafiltration, 144, 266, 267, 278
Ultraviolet 280 nm absorption, proteins, 142, 143
Ultraviolet absorption spectroscopy, 389–400. *See also* Spectroscopy, types
Unsaturated fatty acids, 89, 243, 247, 453
Uronic acid, 157, 158, 165, 167

V

Validity of method, 7–10
Van Deemter equation, 493, 530, 531
Viscometers. *See* Rheology, rheometers
Viscometry. *See* Rheology
Viscosity. *See* Rheology
Visible absorption spectroscopy, 389–400.
See also Spectroscopy, types

Vitamins

bioassay methods, 184, 185
 vitamin D line test, 184–186
chemical methods
 riboflavin, 193, 194
 thiamin, 191–193
 vitamin A, 188, 189
 vitamin C
 2,6-dichloroindophenol, 190, 191
 fluorometric, 191, 192
 vitamin D, 184–186
 vitamin E, 189, 190
comparison of methods, 194, 195

definition, 181
extraction methods, 184
high-performance liquid chromatography (HPLC)
 analysis, 183, 188, 189, 194, 195
importance
 in diet, 181, 182
 of analysis, 181
microbiological assays
 folate, 185, 187
 niacin, 185, 186
 principles, 185, 187
units, 181
Volatile acidity, 23, 233

W

Water activity (a_w), 87, 101
Water hardness, 205, 206, 212
Water, drinking, regulations, 24
Western blots, 311, 336
Wet ashing, 109–111, 113, 436. *See also* Ash, methods of determination

X

X-ray microtomography (XMT), extraneous matter, 359, 360
X-ray radiography, extraneous matter, 359

Z

Z value, 57