

Index

- a**
- accelerators 20
 - acceptable daily intake (ADI) 427, 450
 - acetylacetone 478
 - achievable barrier effect 320
 - acid scavengers 71
 - acrylates 472
 - relative threshold levels 472
 - acrylic acid 34, 38, 41, 44
 - acrylonitrile-butadiene rubber 49
 - acrylonitrile-butadiene-styrene (ABS)
 - polymer 39
 - additive mole constants 101
 - additive molecular properties 7
 - additive structural increments 101
 - adsorption 350
 - afore-described barrier 326
 - alcohol soluble propionates (ASP) 59
 - aliphatic carboxylic acid 40
 - aliphatic diamines ethylenediamine 395
 - aliphatic oligomeric esters 69
 - aliphatic phosphites 74
 - n*-alkanes 165, 168, 170
 - critical temperatures 168
 - homologous series 165
 - melting temperatures 170
 - alkylhydroperoxides 24
 - O*-alkylhydroxylamine group 78
 - aluminum-coated polymer 326
 - aluminum oxide layers 330
 - β -aminocrotonic acid 76
 - amorphous polymer phase 165
 - amylopectin 54
 - amylose 54
 - analogous weight fractions 96
 - analytical methods 380
 - interpretation 380
 - validation 380
 - antiacids, *see* acid scavengers
 - antifogging agents 64
 - antimicrobial effect 72
 - antistatic agents 65
 - Antoine equation 110
 - area-related migration value 369
 - area-to-volume ratio 273
 - aromatic amines 399
 - aromatic polyamide MXD-6 336
 - Arrhenius relation 316
 - Arrhenius-type equation 282
 - atom clusters 173
 - melting temperatures 173
 - atomic force microscopy (AFM) 323
 - Avogadro constant 179
- b**
- barrier improvement factor 311
 - barrier systems 298
 - BASIC computer program 107
 - batching oil 487
 - formulation 484
 - benzoate-based phenols 77
 - benzyl alcohol 20
 - BET adsorption studies 331
 - biaxially orientated polypropylene (BOPP)
 - 35
 - substrate film 312, 340
 - biaxial orientation 30
 - biodegradable plastic materials 54
 - biodegradable polymer 55
 - bisphenol A-diglycidyl ether (BADGE) 20, 375, 459
 - bisphenol F-diglycidyl ether (BFDGE) 375, 459
 - block copolymer (BCP) 19
 - blow-molded containers 40
 - Boltzmann distribution 177
 - British Standards Institution (BSI) 467
 - built-in biocidal moieties 72

- tert*-butylesters 24
- tert*-butyl-hydroxyanisol 408
-
- c**
- camphorated off-flavours 479
- carbon chain polymers 76
- carcinogenic assessments 429
- cardboard baking dishes 42
- catalysts 25
 - heterogeneous 25
 - homogeneous 25
- cationactive agents 65
- ccp system 174
- cellulose acetate butyrate (CAB) 59
- cellulose acetate propionate (CAP) 59
- chain-breaking antioxidants 73
- chemical compounds 167
 - homologous series 167
- chemical interactions 4
 - pharmaceuticals 4
 - plastics 4
- chemical modeling 99
- chemical potential 90
 - definition 91
- chloroanisoles 486
- chlorophenols 481, 482
- chocolate products 488
- chromatographic instrument 381
- chromatographic system, *see* detection system
- classification and regression tree (CART)
 - algorithms 156
 - calculations 156
 - diagram 156
 - structure 156
- cobalt naphthenate 47
- colorants 66
- combinatorial activity coefficient
 - contribution 107
- Community Reference Laboratory (CRL) 445
- Council on Environmental Quality (CEQ) 421
- Crank-Nicolson method 251
- crosslinked polyurethanes 48
- crystalline polymers 31
 - properties 31
- crystallization 30
- cumulative estimated daily intake (CEDI) 427
- cyclic olefin copolymers (COC) 37
-
- d**
- defect model 324
- defect size distribution 315
- degradation-sensitive moieties 70
- dehydrating agent 75
- detection system 381
- diacylperoxide 24
- dialkylperoxides 24
- dicarboxylic acid 19
- dicumylperoxide 24
- diethylene glycol (DEG) 351, 459
- different parameters 307
 - units 307
- diffusion coefficient 8-9, 164, 168, 178, 501
 - *n*-alkanes 188
 - correlation 501
 - critical state 181
 - gases 165, 178
 - liquid 165, 184
 - models 164
 - plastic materials 188
 - prerequisites 168
 - solids 181
- diffusion equation 499
- diffusion model 7, 510
- diffusion process 197
 - differential equations 197
- dimensionless group-contribution
 - element 111
- dimensionless partition coefficient 96
- diphenyl butadiene migration 404
- dipropylene glycol diacrylate (DPGDA) 60
- direct experimental measurement 99
- dispersion systems 25
- distance-time scale 124
- dynamic headspace technique 468
-
- e**
- Einstein-Smoluchowski equation 152, 163
- elastomer-modified thermoplastics 36
- Elbro free volume model (ELBRO-FV) 108, 109
- electron beam irradiation 37
- empirical approximation method 100
- environmental assessment (EA) 432, 434
- equilibrium saturated vapor pressure 91
- ether alcohols 493
- ethoxylated fatty alkylamines 65
- ethyl acetate 472
- ethylene-propylene-diene rubber 49
- ethylene-propylene elastomer 35
- ethylene-vinyl acetate (EVA) 34-35
- EU food packaging legislation 374
- European commission 445, 500
 - Joint Research Centre (JRC) 445
 - practical guide 500
- European Committee for Standardization 374

- European Food Safety Authority (EFSA) 376
 European harmonization process 351
 European norms (EN) 374
 excess free energy 94
 excited state intramolecular proton transfer (ESIPT) mechanism 77
- f**
- FABES formula 265, 282
 FABES GmbH 9
 – user-friendly programs 9
 face-centered unit cell 173
 Fat reduction factor (FRF) 455
 favored polymeric multilayers 10
 Federal Food, Drug, and Cosmetic Act (FFDCA) 417
 finite difference (FD) method 9, 249
 – numerical methods 9, 249
 finite element method (FEM) 249
 Flexographicinks 59
 Food and Drug Administration (FDA) 417, 500
 – regulation policy 352
 food contact material (FCM) 10, 351
 food contact notification (FCN) 418
 food contact substances (FCS) 10, 417
 food industry 465
 – off-flavors 465
 food-packaging materials 404
 – safety 404
 fossil-based raw materials 17
 Fourier trigonometric series 210
 Fraunhofer-Institute of Process Engineering and Packaging 374
 free hydroxyl groups 49
 free-radical fragments 80
 free volume concept 103
 free-volume model(s) 131, 133
 free-volume parameters 139
 frozen-food temperatures 45
- g**
- gas chromatography-mass spectrometry (GC-MS) 468
 Gaussian error 390
 glassy polymer-solvent systems 138
 glycerol propoxylate triacrylate (GPTA) 60
 good manufacturing practice (GMP) 445
 graft copolymers (GCP) 19
 group-contribution Flory equation-of-state (GCFLORY) 108
 – models 109
 – polymer activity coefficient 109
 group-contribution parameters 104
 group-contribution thermodynamic polymer partition coefficient estimation methods 102
 guide of uncertainty of measurements (GUM) 389
- h**
- halogenated hydrocarbons 39
 hard core volume, *see* van der Waals volume
 HAS-functionalized PO 78
 heat stabilizers (HS) 75, 85
 – transformation products 85
 Henry's constant 98
 Henry's law coefficients 92–93
 heptane matrix 185
 heteroatoms 26
 heterophasic copolymer (heco-PP) 503
 heuristic analytical formula 310
 high aspect ratio 337
 high density polyethylene (HDPE) 18, 63, 108, 189
 high-sensitive spectral methods 85
 high-temperature migration 365
 Hildebrand rule 176
 hindered amine stabilizers (HAS) 66, 84
 Holten–Anderson model 108
 homologous series 100
 – example 100
 homopolymer 22, 35
 – melt blending 22,
 – plastic processing 22
 HPLC methods 383
 hydrochloric acid 52
 hydrogen bonds 26
 hydrogen peroxide 24
 – derivatives
 hydroperoxide deactivating antioxidants 74, 83
 – transformation products 83
 hydrophilic-hydrophobic balance 102
- i**
- ideal gas law equation 97
 ideal solution 92
 – partitioning 92
 indirect migration assessment 354
 inorganic barrier layers 323
 inorganic foils 9
 inorganic layers 302, 320, 323
 inorganic silicates 51
 interaction energy 167, 176
 – relative density 176
 interaction model 166
 – assumptions 166
 intermediate polymeric layer 320

- intermolecular binding relationships 101
- intermolecular condensation reaction 17
- internal food reactions 465
- ionic addition⁺ polymerization reactions 18
- isocyanates 399
 - chemical degradation 399
- isophthalic acid 395
- isopropylisothioxanthone (ITX) 458
- isotactic polypropylene (PP) 63

- k**
- kinetic curve 364
- kinetic theory 165
 - gases 165
- Kurderna–Danish evaporation apparatus 469

- l**
- lamellae 170
 - thickness 170
- laminar theory 320
- laminating agents 58
- Laplace transforms 210
- light screening pigments 76
- light stabilizers 76
- Likens–Nickerson steam distillation extraction apparatus 469
- linear-low density polyethylene (L-LDPE) 32, 63
- linear relationships 111
 - advantage 111
- linseed oil 484
- longer shelf-lives 4
 - factors leading 4
- long-term heat aging (LTHA) 72
- long-term migration, *see* high-temperature migration
- long-term model experiments 83
- low density polyethylene (LDPE) 18, 63, 108, 189
- low-discoloring properties 73
- lowest unoccupied molecular orbital (LUMO) 102
- low molecular components 6
 - diffusion coefficients 6
- low molecular weight component systems 103
- low molecular weight compounds 63
- low molecular weight polyisobutylene 36
- low-temperature extraction
 - measurements 365
- lubricant residues 486
- lubricants 67

- m**
- macroscopic alkane crystal samples 171
 - melting points 171
- macroscopic *n*-alkane sample 165
- macroscopic defects 323
 - properties 165
- macroscopic particle systems 165, 167
 - characteristic 167
 - properties 165
- maleic acid anhydride 38
- mass spectroscopy (MS) 383
- mass transport 5, 499
 - external influences 5
 - mass transport equation 8, 263
 - mass transport phenomena 63
 - material-specific permeability 311
 - material-specific properties 99
- mathematical models 500
- maximum initial concentration (MIC) 500
- mean-square displacement (MSD) 143
- medium-forming substances 23
- melamine-aldehyde resin 56
- melamine resins 47
- mercaptan-derived compounds 480
- metallic off-flavors 485
- metallocene random copolymers 35
- methacrylic acid 38–39, 41, 44, 57
- methylacrylamide–methylol ether 38
- methyl acrylates 472
 - relative threshold levels 472
- 4-methyl-4-mercaptopentan-2-one 481
- microcrystalline waxes 57
- MIGRATEST EXP software 9, 281–282
 - migration estimations 281
- MIGRATEST Lite 266, 273
 - basic features 266
 - estimation 276
 - output information 278
- migration 349, 366, 499
 - alternative 366
 - extraction 366
 - process 350
 - measurements 12, 500
- modeling diffusion coefficients 520
- modern food packaging migration testing 10
- molal activity coefficient 97
 - relationship 97
- molar activation energy 179
- molar activity coefficient 97
 - relationship 97
- molar concentration partition coefficients 96
- molar fraction partition coefficient 95
 - relationship 95
- molar free enthalpy 90

moldy off-flavors 486
 molecular descriptors 102
 molecular models 126
 mole fraction partition coefficient 95
 – relationship 95
 monoethylene glycol (MEG) 351, 459,
 447
 monolayer films 338
 – permeation 338
 monolayer polymer films 303
 – substance transport 303
 monomeric quinone methide 81
 monophasic homopolymer 503
 monophasic random copolymer 503
 more than one inorganic barrier layer 332
 – combinations 332
 motor oil off-flavor 486
 multilayer films 338
 – permeation 338
 multilayer (ML)-food system 259, 260
 multilayer (ML) materials 8, 247
 multilayer (ML) packaging 248
 multilayer polymer films 305
 – substance transport 305
 mushroom-like off-flavors 486
 musty off-flavors 486, 487
 mutual recognition 461
 – principle 461

n

naphthalene 487
 National Environmental Policy Act (NEPA)
 417, 421
 Nernst's Law 92
 nonadhesive rubber-covered rollers 51
 nonbranched hydrocarbon 165
 nonideal solutions 93–94
 – partition coefficients 94
 non-intentionally added substances (NIAS)
 351
 nonionic agents 65
 nonpolar isooctane, *see* polar ethanol
 nonpolar plastics 352
 nonpolymeric liquids 98
 – molar volume 98
 no observed effect level (NOEL) 427
 norbornene 37
 novolac glycidyl ethers (NOGE) 459
n-pentane–polystyrene system 138
 nucleating agents 67
 nucleation 31
 – heterogeneous 31
 – homogeneous 31
 number-average molar mass 28, 510

o

odor limit value concentration 475
 off-flavor compounds 468
 – identification 468
 off-flavor contamination 12
 off-flavor sensitive foods 468
 olfactometer 470
 oligomer 6
 one-dimensional (1D) diffusion problem 8
 one-dimensional P–F system 264
 one inorganic barrier layer 313, 322
 open-chain hydrocarbon 165
 open-chain products 85
 OPP films 35
 optical brighteners 68
 organic peroxides 24
 organic polymers 51
 organo-metal compounds 23
 overall migration limit (OML) 350, 351, 450
 oxidation-drying process 484
 oxidation reactions 18
 oxygen-triggered degradation 72
 α -oxyperoxides 25

p

packaging 1, 4
 – minimization 4
 – plastics 349
 packaging materials 465
 particle system 168
 – characteristic 168
 particulate contaminations 324
 partition coefficient 9, 89, 98–99, 102, 111,
 510
 – estimation 102, 111
 – liquids 99
 – polymers 99
 – relationship 98
 – thermodynamics 90
 pencil-like off-flavor 488
 penetrant-intramolecular energy 127
 penetrant-polymer system(s) 127, 129, 135,
 137, 140, 154–155, 157,
 pentaerythritol tri-tetraacrylate (PETA) 60
 permeability 6
 permeation coefficient(s) 304, 316, 318
 permeation processes 9
 peroxide-controlled polymerizations 25
 peroxide crosslinked ionomer 37
 peroxyaliphatic fatty acids 24
 peroxy-benzoic acids 24
 peroxy-carbonic acid 24
 PET-inorganic layer 314
 PET-packed foodstuff 407

- phase ratio variation (PRV) 89
- phenolic antioxidants 79
 - transformation products 79
- phosphoric acid 58
- photoantioxidants 77
- photocatalytic effect 74
- photoinitiators 59
- phthalate-based polycondensate resins 48
- physicochemical parameters 89
- plaque sorption method 89
- plastic additives 6
 - characteristic functions 6
 - representative structures 6
- plastic additives producers 349
- plastic applications 1
 - today's multitude
- plastic-food system. 264
- plasticizer 68–69,
 - key role 69
- plasticizer diethylhexyl adipate 369
- plasticizer-free blends 41
- plasticizer-functionalized polymers 69
- plastic material barrier layer 5
- plastic materials 15
 - characteristics 15
- plastic matrix 504
 - two-phase structure 504
- plastic processing 22
 - melt blending 22,
- plastic properties, *see* diffusion coefficients
- plastic stabilizers 78
 - transformation products 78
- plastic-packaging material 353, 361
- plastomers 32
- platelets 337
 - good parallel alignment 337
- platelet-shaped particles 301, 322, 336
- polar ethanol 363
- polyaddition polymers 48
- polyamide (PA) materials 43, 108, 352, 478
- polybutylene tere-phthalate (PBT) 41
- polycarbonate (PC) 42
- polycondensation products 56
- polycrystallinity 31
- Polydimethyl siloxane networks 21, 52
- polyester networks 21
- polyetherpolyole 49
- polyethylene (PE) 6, 17, 32–33, 107
 - oxidation 33
- polyethylene terephthalate (PET) 33, 108, 191,
 - 301, 308, 314, 357
 - bottles 292, 371, 477
 - layer 340
 - substrate film 312, 324
- polymer-based packaging 297
 - barrier function 297
- polymer blends 43
- polymer-borne free-radical intermediates 79
- polymer-bound oxygenated groups 70
- polymer-bound UV light-absorbing
 - impurities 76
- polymer chemistry 22
- polymer films 332
 - combinations 332
- polymeric materials 302
 - permeation 302
- polymeric multilayered structures 9
- polymerization 22
 - chain reaction 25
 - process 17, 32
 - synthesis 19
- polymer-like LDPE 509
- polymer matrix 71, 265, 501
 - diffusion behavior 501
- polymer molecule 15
- polymer-penetrant systems 142, 149, 152
- polymer polycaprolactone (PCL) 55
- polymer reactions 20
- polymer-solvent systems 134
- polymer substrates 302, 313, 323–324
 - multilayer 313
 - single layer 313
- polyolefin packaging materials 475
- polyoxyethylpentaerythritol tetraacrylate
 - (PPTTA) 60
- polyoxymethylene (POM) plastics 45
- polyphenylene ether (PPE) 45
- polyphenylene oxide 373
- polyterephthalic acid diol ester 26
- polytetrafluorethylene (PTFE) 46, 58
- polyurethane (PUR) elastomers 48
- polyurethane networks 21
- polyvinyl chloride (PVC) 34, 39, 56, 63,
 - 494
 - outdoor application 75
- polyvinylether 46
 - polymerization 46
- polyvinylidene chloride (PVDC) 41
 - dispersion coatings 41
 - films 41
- polyvinylmethyl ether 46
- polyvinyloctadecyl ether 46
- predefined data banks 282
- P-regenerated cellulose foil 54
- present state-of-the-art technology 472
- primary aromatic amines 398
- printing inks 59
- prokaryotic microorganisms 55

- processing aids 15
- product mummification 4
- propionate-type phenolic moiety 83
- propylene oxide 49

- q**
- quality assurance system 4, 6, 445
- quality preservation 3
 - packaging 3
- quantitative structure activity relationship (QSAR) 7, 99, 102
 - parameters 102
 - statistical linear regression methods 102
- quantitative structure property relationship (QSPR) 7, 102
- quasi-chemical lattice model 107
- quasi-homogenous material 303
- quinone methide (QM) methods 81, 383–384

- r**
- random walk 163
- Raoult's law 92–94, 103
 - accuracy 104
- reaction injection molding (RIM) 21, 48
- reactive extrusion (REX) 22
- reactive polymer process 21
- ready-prepared migration solution 390
- real diffusion coefficient 265
- regenerated cellulose film (RCF) 446
- Registration, Evaluation and Authorisation of Chemicals (REACH) 63
- regular solution theory (RST) 103
 - scope 109
- reinforcing agents 66
- relative molecular mass 100, 101
- relative threshold values 472
- resin transfer molding (RTM) 21
- retention index 110
 - definition 110

- s**
- Sackur–Tetrode equation 177
- sacrificial stabilizer consumption 79
- salty tastes 491
- SAN copolymers 39
- Scientific Committee for Food (SCF) 443
- sealable films 370
- sebacic acid 395
- self-diffusion coefficient 165, 166, 331, 181, 184, 185
 - *n*-alkanes 184, 185
 - liquid alkanes 166
 - metal 165, 181, 184
 - salt 183
 - semiconductor 183
 - solid alkanes 166
- self-installing executable program
- self-service stores 1
- semipermeable packaging materials 474
- sensitized photolysis 79
- sensorial properties 6
- sensory-active compounds 474
 - threshold concentrations 474
- sensory evaluation 466, 472
 - packaging materials 466
- sewer-like off-flavors 491
- shelf-life 3
- short-term extraction measurements, *see* low-temperature extraction measurements
- silicon-containing siloxane units 51
- single branched molecules 111
- single-component gas 91
- single-phase homogeneous system 203
- single-sided contact 371
- SML methods 382, 384
- sodium-cellulose-xanthogenate 54
- solid phase microextraction (SPME) technique 468, 469
- solubility coefficient 98, 303
 - relationship 98
- sophisticated package 4
 - barrier layer 4
- sorption coefficient 303
- specific food-contact polymers 423
- specific geometry factors 10
- specific migration limit (SML) 265, 390, 350, 351, 450
- stabilizers 70
- standard cold seal formulation 480
- standard olfactory methods 467
- standard vapor phase 176
 - definition 176
- state-of-the-art hardening technology 20
- static headspace technique 469
- steam distillation 469
- stimulant-based migration test 404
- stirred-port version 22
- Stokes–Einstein equation 164
- structure–activity relationship (SAR) 427
 - analysis 430
- styrene homopolymers 39
- styrene-acrylonitrile copolymer 39
- styrene-butadiene rubber (SBR) 49
- styrene rubber solution 38
 - polymerization 38
- substance transport 318
- sulfur containing stabilizers 74, 78

- surface-to-volume ratio 369–370
 synthetic macromolecules 15
 synthetic rubber 16
- t**
- taint transfer test 467
 technological development 3
 – goal 3
 temperature-resistant coatings 58
 terephthalic acid 17, 358
 – polycondensation reaction 17
 tertiarybutylphenol disulfide 46
 thermo-degrading PVC 71
 thermodynamic group-contribution partition
 coefficient estimation methods 103–104,
 108, 109
 – comparison 108
 thermodynamic models 99
 thermoplastic polymethylmethacrylate
 (PMMA) 44
 thermoplastics 17
 – thermoset coatings 17
 – thermoset plastic 28
 thin polymer layers 318
 threshold of regulation (TOR) 418
 time-dependent evolution 287
 time–temperature conditions 367, 384
 time–temperature migration test 397
 tolerable daily intake (TDI) 450, 457
 toluene 493
 2,6-toluene diisocyanate 48
 tortuosity factor (τ) 321
 total mass transfer 355
 transition-state theory (TST) 150
 translational partition function 177
 transmittance 304
 transport equations 9, 195, 200
 triangle corner foods 378
 tri-isopropanol amine 49
 4,4,6-trimethyl-1,3-dioxane 487
 trioxymethylene oligomers (trioxane) 45
 tripropylene glycol diacrylate (TPGDA) 59
 tris(2-ethylhexyl) phosphate 69
 Trouton's rule 175, 176
 two-component liquid phase 91
 two-layer laminates 306
 two-phase system 38, 91
- u**
- ultrabARRIER multilayer stacks 335
 ultraviolet (UV) light 33
 undesirable foreign substances 2
 UNIFAC group-contribution method 7, 104,
 107
 unified quasi chemical (UNIQUAC)
 theory 104
 – liquid mixtures 104
 unsaturated polyester (UP) 47
 urea-formaldehyde resins (UF) 46
 user-friendly software 203
 UV absorbers 79
 – transformation products 79
 UV diode array detection systems 383
- v**
- vacuum web coater 324
 van der Waals attractions 26
 – equation 175
 – forces 26, 171
 – volume 104, 107, 108
 vapor pressure index method (VPIM) 7, 110,
 514
 – partition coefficient estimation 109
 vapor pressure unit contributions, *see* linear
 relationships
 vinyl chloride (VC) 37, 40, 351, 441
 vinyl chloride monomer (VCM) 459
 vinylidene chloride (VDC) 37, 41, 44
 volatile organic compounds 489
 volume fractions 97
- w**
- water vapor
 – transport mechanisms 331
 wax-like consistency 46
 worst case
 – assumption 355
 – scenario 265
- x**
- X-regenerated cellulose foil 54
- z**
- zero permeated amount 339
 Ziegler–Natta catalysts 18, 27, 32, 71