

Index

A

- Acetone, 100, 201
 Acetyl- β -glucosides, 38
 Acidolysis, 254, 255
 Acoustical cavitation, 141
 Active oxygen method (AOM), 78
 Activated carbons, 151
 Adsorbents for bleaching
 activated carbons, 151
 alumina, 151
 aluminum silicates, 151
 clays, 32, 150–151
 magnesium silicates, 151
 magnesol, 227, 230
 silica gel, 151, 161
 silicic acid, 151
 Adsorption, 149–150
 Adsorption equilibrium, 149
 Age-related diseases, role of diet in, 7
 Aggressive hostility, 10
 Agricultural Revolution, 1
 ALA. *See* α -linolenic acid (ALA)
 Alcoholism, 7
 Alcoholysis, 254, 255
 Alfalfa sprouts, 38
 Algucons, 38, 63,
 Alkali isomerization, of linoleic acid, 6–7
 Alkali refining, 30, 35. *See also*
 Neutralization
 Alkali wet milling, 25
 Alkyl esters, 257–258
 α -linolenic acid (ALA), 5–6, 8–9, 207
 α -sitosterols, 204
 α -tocopherol, 11, 13. *See also* Vitamin E
 Alumina, 151
 Aluminum silicates, 151
 Anti-bloom agents, 241, 242
 Antinutrients, 2
 Antioxidants, 13, 62, 281
 Apolipoprotein B, 202
 Aqueous enzymatic extraction. *See* Enzyme-
 aided aqueous oil extraction
 Aqueous ethanol solvent, 41
 Aqueous extraction process (AEP), 89. *See*
 also Enzyme-aided aqueous oil ex-
 traction

- Aqueous methanol solvent, 41
 Arachidonic acid (ARA), 5, 280, 285–287,
 290, 294
 Association of Official Analytical Chemists
 (AOAC), 42
 Atherosclerosis, 10, 13
 Atmospheric pressure, 161
 Atopic eczema, 7
 Attention deficit/hyperactivity disorder, 10

B

- Bag filters, 168, 169, 177
 Base stock (margarine and shortening),
 275–276
 Batch bleaching, 152
 Batch degumming, 122
 Batch filtration, 161, 173
 Batch mixers, 134
 Batch operations, supercritical fluid extrac-
 tion, 104
 Beany flavor, 77, 231, 232
 Bentonites, 150
 Benzene, 101
 β -glucosides, 38, 62–63
 β -sitosterols, 204, 205
Bifidobacterium, 54
 Bioactive materials, addition of, 193
 Biocatalysis
 advantages of, 239
 defined, 239
 uses of, 239
 use of supercritical fluids for, 111
 Biodiesels, 257
 Biological oxygen demand (BOD), 127
 Blanching, 59
 Bleaching, 148–159
 activated carbon, 151
 adsorbents, 150–151
 adsorption, 149–150
 agitation and, 154–155
 alumina, 151
 aluminum silicates, 151
 applications, 154–156
 batch, 152
 centrifugation and, 157
 clays, 150–151, 158
 cocurrent, 153
 color and, 149
 in conjugation of oxidized polyunsatu-
 rated fatty acids (PUFAs), 33

- Bleaching (*cont'd*)
 continuous, 152–153
 conventional, 153
 countercurrent multistage system,
 175
 dry, 152, 156
 effects of, 32–33
 equipment, 152–154
 filters in, 154
 filtration, 157, 167, 175
 fixed-bed, 157–158
 history of, 148
 and nutritional quality of oil, 159
 magnesium silicates, 151
 press bleach effect, 157
 pretreatment, 156–157
 principles of, 148–150
 processing conditions, 152
 purpose of, 32, 148–149, 159,
 226, 228
 SCF-aided, 112, 158
 silica gel, 151
 silicic acid, 151
 taste of oil and, 154
 techniques, advances in, 156–158
 wet, 152, 156
- Blending, milkfat, 202
- Body aids. *See* Filter aids
- Bone health
 conjugated linoleic acid and, 204
 soy protein and, 62, 76
- Brain development and growth, 8, 10
- Breast cancer, 204
 conjugated linoleic acid and, 204
 role of diet in, 62
 soy protein and, 62
- Buttery flavor, 231, 232
- C**
- Cake filters, 161
- Calcium bentonites, 150
- Campesterols, 204
- Cancer, 3, 7, 10
 role of diet in, 13
 soy protein and, 62, 76
- Canola oil, 11, 27, 28
- Carbohydrates, 1
- Carbon filter aids, 173
- Cardiovascular disease
 role of diet in, 2, 3, 7, 13, 202
 soy protein and, 61–62, 76
- Carotenoid fatty acid esters, 258
- Carotenoids, 33, 149, 151, 189–190
- Cartridge filters, 166, 168
- Catalyst
 deactivation, 111
 defined, 211
 selectivity, 213
- Caustic refining, 226
- Cellulose filter aids, 173
- Centrifugal force, calculating, 135
- Centrifugal still, 185, 189, 190, 191
- Centrifugation, 95, 135–138, 226
- Chemical degumming, 127
- Chemical interesterification, 251, 270, 273
- Chemical oxygen demand (COD), 126
- Chemical treatment, to recover tocopherols
 and phytosterols, 109
- Chemisorption, 149
- Chickpea, 38
- Chloroform, 101
- Chlorophyll, removal of, 151, 155, 158
- Chocolate, 241
- Cholesterol
 biosynthesis, 16
 and consumption of fats and oils, 3
 function of, 3
 phytosterols in reduction of, 15–16, 204
 in saturated fats, 202
- Chromatography, 254
- Chronic diseases, 1, 2
 diet and, 13
 role of edible oils in protecting against, 35
- Chronic obstructive pulmonary disease, 8
- Chymotrypsin inhibitors, 76
- Cis* double bond, 211
- Cis* isomers, 6, 213
- Cis-trans* isomerization, 213
- Clarifiers, 161
- Clarifying filtration, 164
- Classical heterogeneous nucleation theory, 197
- Classical homogeneous nucleation theory, 197
- Clays (bleaching), 32, 150–151
 fine-ground vs. coarse-ground, 158
 microwave treatment of, 158
 nutritional quality and, 159

- Clean Air Act, 75, 100
- Clover sprouts, 38
- Cocoa butter equivalents (CBEs), 208, 241, 280
- Cocoa butter substitutes (CBSs), 208
- Coconut oil, 275
 - enzyme-aided aqueous extraction of, 94, 96
 - medium-chain fatty acids (MCFAs) in, 18
- Cocurrent bleaching, 153
- Cold-pressed oils, 26–27, 190
- Colloidal suspensions, 149
- Colon cancer, soy protein and, 62
- Color bodies, 149
- Columnar supercritical fluid fractionation, 109–110
- Committee on Medical Aspects of Food Policy, 11
- Commodity fat modification, 251–254
- Confectionery anti-bloom agents, 241, 242
- Confectionery fats, nutritional enhancement of, 208
- Conjugated linoleic acid (CLA), 6–7, 254
 - alkali isomerization of, 6
 - anticarcinogenic properties of, 6, 202
 - health benefits of, 204
 - isomers of, 6
 - nutritional enhancement of, 203–204
- Constant-pressure filtration, 164
- Constant-rate filtration, 164
- Continuous bleaching, 152–153
- Continuous degumming process, 122, 123, 267
- Continuous filtration, 161, 173
- Continuously stirred tank reactor (CSTR), 268
- Continuous screw press, 5, 72–73
- Conventional bleaching, 153
- Conventional deodorization, 229, 231
- Conventional stills, 179
- Conventional wet milling, 25
- Converter (hydrogenation), 213, 214–215
- Corn fiber
 - heat treatment, of 26
 - supercritical fluid fractionation of, 109
- Corn germ oil, 29
- Coronary heart disease (CHD), role of diet in, 2, 8, 10
- Crude oil
 - components of, 225
 - defined, 117
 - phospholipid contents of, 117–118, 119
- Cryptocodinium cohnii*, single-cell oils (SCOs) from, 280, 290–291
- Crystallization, 193–198
 - agitation rate, 200
 - determinants of, 194
 - driving force for, 195–196
 - in dry (melt) fractionation, 199–200
 - low-temperature, 254
 - melting curve, 195
 - melting point, 194, 208
 - nucleation and growth, 196–198
 - polymorphism, 194–195
 - temperatures, 200
- Crystallizers, 200, 201
- Cuphea* oil, 18
- Cystic fibrosis, 5, 10
- D**
- Daidzein, 38, 61, 63
- Deacidification, 30, 226. *See also*
 - Neutralization
- Deemulsification, 96
- Deficiency diseases, 2
- Degassing, 181–185
 - centrifugal still, 185, 189, 190, 191
 - falling-film still, 183–184, 189, 190, 191
 - pot still, 182
 - rotary still, 182–183, 189
 - vacuum degasser, 181, 189
 - wiped-film still, 184–185, 189
- Degree of conversion (interesterification), 273–274
- Degummed commodity oil (DCO), 233
- Degumming, 29–30
 - batch, 122
 - batch mixers, 134
 - centrifugation, 135–138
 - chemical, 127
 - continuous, 122, 123, 267
 - conventional technologies, 121–126
 - defined, 29, 119, 225
 - dry, 126
 - enzymatic, 130–132, 264–270, 276
 - EnzyMax, 130, 131, 132, 265

- Degumming (*cont'd*)
 equipment, 133–138
 expander process, 143
 flocculation, 127
 high-shear in-line mixers, 134, 136
 hydration, 133–135
 industrial, 121–133
 integrated TOP, 130
 iron content, 125
 laboratory, 265–266
 membrane, 139–140, 144
 phosphoric acid, 125–126
 and phytosterol content, 30
 primary objective of, 124
 principles of, 119–121
 separation, 133, 135–138
 SOFT, 132–133
 supercritical CO₂, 140–141
 superdegumming, 127, 128
 and tocopherol content, 30
 total (TOP), 127–130
 two-solvent-phase extraction, 141–143
 ultrasonic, 141, 142
 water, 121–125, 226, 264
 Zenith process, 125
 zero-discharge processes, 144
- Dense gases. *See* Supercritical fluids (SCFs)
- Deodorization
 changes caused by, 33–34
 conventional, 229, 231
 DUAL TEMP™ deodorizer, 34
 filtration in, 177
 gas purging, 229–232
 high-temperature, 224
 in minimal refining, 228
 oxidative qualities following, 231
 purpose of, 33, 226–227
 sensory evaluation following, 232
 SoftColumn™ technology, 34–35
 steam process, 5, 230
- Department of Health and Human Services (HHS), 2
- Dewaxing, 161, 168, 176
- DHA. *See* Docosahexaenoic acid (DHA)
- DHAGold oil, 290–291, 294
- DHASCO™ oil, 290–291
- Diabetes, 1, 2, 8
- Diabetic neuropathy, 7
- Diacylglycerides, 3, 264
- Diacylglycerols (DAGs), 194, 246, 247–248, 249
- Diatomaceous earth (DE), 172, 175
- Dietary guidelines
 current emphasis of, 2–3
 fat intake, 2–3
 fat/oil consumption, 1–2
 food guide pyramid, 2
 modification of, 1, 2
 n-3 fatty acid intake, 11
- Dietary supplements, 18
- Digital capacitance manometer, 188
- Dihomogamma-linolenic acid (DGLA), 285
- Discontinuous filtration, 161, 173
- Disphosphatidyl glycerol, 117
- Distillation, 255. *See also* Vacuum distillation
 advances in, 185–189
 centrifugal operation, 187
 conventional stills, 179
 defined, 178
 digital capacitance manometer, 187
 ebullient, 179
 evaporative, 179
 fractional, 254
 molecular, 109, 179, 180, 190, 192
 short-path, 180
 technical equipment, characteristics of, 186–187
 thermal hazard, 181, 182
 unobstructed-path, 179, 180
- DNA synthesis, 2
- Docosahexaenoic acid (DHA), 9, 254, 280, 290
 deficiency of, 10
- Double-bond isomerization, 224
- Double bonds (fatty ester), 211–212
- Drum filters, 176
- Dry bleaching, 152, 156
- Dry degumming, 126
- Dry extruders, 74–75, 77–78, 79
- Dry (melt) fractionation, 199–200
- DUAL TEMP™ deodorizer, 34
- E**
- Ebullient distillation, 179
- Eicosanoids, 5, 11

- Eicosapentaenoic acid (EPA), 9, 198, 254, 280, 291, 293, 294
- Electrochemical hydrogenation, 218
- Entrainers, 101
- Environmental factors, 2
- Enzymatic acidolysis, 244
- Enzymatic degumming, 130–132, 264–270, 276
 - phospholipases (PLase), 265–266
 - process, steps in, 266–269
 - troubleshooting, 269–270
 - vegetable oil phospholipids, 264–265
- Enzymatic fat/oil conversion reactions, 248–250
- Enzymatic hydrolysis, 120
- Enzymatic interesterification, 251–252, 277
 - of margarine and shortening base stocks, 270–276
- Enzymatic lipid modification and synthesis. *See* Lipid modification, biocatalysis for
- Enzymatic processing, 276
- EnzyMax degumming, 130, 131, 132, 265
- Enzyme(s)
 - defined, 239
 - as living organisms, 261
 - as processing aids, 264–277
- Enzyme-aided aqueous oil extraction, 29
 - advantages/disadvantages of, 96–97
 - basic principle of, 96
 - deemulsification, 96
 - for different fruits and oilseeds, 92–94
 - downstream-process for, 95–96
 - factors affecting, 91, 94–95
 - of olive oil, 29, 30
 - process scheme for, 90–91
 - product recovery, 96
 - quality of oil obtained by, 96, 97
 - and solvent extraction compared, 89–90, 96
 - of soy isoflavones, 41
 - and yield, 91, 96
- Enzyme hydrolysis, 95
- Enzyme selectivity, and operation conditions, 256–257
- EPA. *See* Eicosapentaenoic acid (EPA)
- Essential fatty acids (EFAs), 5, 207. *See also* Linoleic acid (LA); Linolenic acid (LNA)
- Essential nutrient, defined, 5
- Ester-ester exchange, 244, 254, 255
- Esterification, 254, 271
- Ethanol, 28, 100, 101, 201
- Evaporative distillation, 179
- Expanders
 - degumming, 143
 - described, 73–74
- Expanding, 220
- Expeller, 72. *See also* Screw pressing
- Express Systems®, 78
- Extraction, 28–29
 - degree of heat treatment before and during, 25–26
 - efficiency, 83–84
 - environmental concerns, 75–76
 - enzyme-aided aqueous oil method, 29, 89–97
 - heat conditioning as a prelude to, 72
 - hydraulic pressing, 72
 - mechanical processing, 28, 72, 78–86, 220–224
 - quality of processing methods compared, 85
 - screw pressing, 72–73, 80–82, 89, 220, 222, 224
 - single-cell oils (SCOs), 280–282
 - solvent, 28, 71, 73, 59–60, 220–224
 - of soy isoflavones, 41, 59–60
 - supercritical fluid, 29, 100–112
 - two-solvent phase, 141–143
- Extruders, described, 73
- Extruding, 79–80, 220
- Extruding-expelling (E-E) system of mechanical processing, 220–224, 237
 - extraction efficiency, 83–84
 - and feeding value of protein meal, 84–86
 - flow diagram for, 222
 - food product applications, 86–87
 - for high-oil-bearing seeds, 83
 - nutritional quality and, 85, 224–225
 - operation of, 78–79, 220–221
- Extrusion-based oilseed processing
 - dry extruders, 74–75, 77–78
 - environmental concerns, 75–76
 - evolution of, 71
 - expanders, described, 73–74
 - extruders, described, 73

- Extrusion-based oilseed processing (*cont'd*)
 extruding, 79–80
 extruding-expelling (E-E) technology,
 78–79, 83–86
 food product applications, 86–87
 future prospects, 87
 heat processing, importance of, 76–77
 and high-oil-bearing materials, 83
 screw pressing, 80–83
- F**
- Falling-film still, 183–184, 189, 190, 191
 Fast hydration, 119–120
 Fat bloom, 208
 Fat intake, U.S. recommendations concern-
 ing, 2–3
 Fats and oils
 dietary importance of, 1, 3, 5, 193
 early sources of, 1
 health benefits of, 3
 quality, determinants of, 1
 Fat-soluble vitamins, 3
 Fatty acids
 alkyl esters of, 257–258
 cholesterol, 202
 composition and distribution, changing,
 202–203, 285–287
 fractionation, 254–257
 hydrolysis of, 256
 medium-chain (MCFAs), 18
 naming of, 4
n-3, 8–11
n-6/*n*-3 ratio, 5, 10–11, 193
 purity of, 256
 in SC-CO₂-extracted oil, 107
 shorter-chain, 255
 Ferulate phytosterol ester (FPE), 25
 Ferulic acid–esterified sterol, 14. *See also*
 Oryzanol
 Fetal alcohol syndrome, 10
 Filter aids, 171–173
 carbon, 173
 cellulose, 173
 diatomaceous earth (DE), 172
 material properties, 172
 perlite, 173
 Filter media, 161, 166, 170–171
 construction of, 170
 materials used for, 170, 171
 permeability, 170
 requirements of, 170
 Filter press, 166, 167
 Filters
 in the bleaching process, 154
 classification of, 161
 performance characteristics, by type,
 162–163
 types, 166–170
 Filter-thickeners, 161
 Filtration, 220
 application of in vegetable oil process-
 ing, 173–177
 bag filters, 168, 169, 177
 batch mode, 161, 173
 and bleaching, 157, 167, 175
 cartridge filters, 166, 168
 clarifying, 164
 constant-pressure, 164
 constant-rate, 164
 continuous mode, 161, 173
 defined, 161, 164
 deodorization, 177
 dewaxing, 176
 discontinuous mode, 161, 173
 drum filters, 176
 filter aids, 171–173
 filter media, 170–171
 filter press, 166, 167
 filters, 161
 filter types, 166–170
 flow resistance, 164
 horizontal plate press, 166–167, 177
 in hydrogenation, 175–176
 permeability, 170
 plate-and-frame press, 166, 167, 177
 press filters, 166–167
 pressure differential, 161
 pressure drop, 164–165
 pressure leaf filter, 167–168
 principles of, 164
 and refining, 174–175
 rotary filters, 168–170, 176
 and tank loading, 174
 theory, 164–166
 Fixed-bed bleaching, 157–158
 Flavonoid fatty acid esters, 258

- Flavonoids, 149
- Flavor intensity, 232
- Flaxseed
 - heat treatment of, 26
 - medicinal properties of, 18
- Flocculation degumming, 127
- Flow resistance, 164
- Food additives, regulation of, 8
- Food and Drug Administration (FDA)
 - food labeling requirements, 35
 - GRAS substances, 10, 15, 18, 101, 284
 - health claims on food products, 61–62, 76
- Food components, major classes of, 1
- Food guide pyramid, 2
- Foots
 - defined, 82
 - removal of, 220
- Fractionation, 198–201, 208
 - in commodity fat modification, 251
 - described, 199
 - dry (melt), 199–200
 - of fats, 198–199
 - fatty acid, 254–257
 - in margarine and shortening production, 270
 - of milkfat, 202, 203
 - single-step, 199, 207
 - solvent, 200–201
 - soy isoflavones, 50–52
 - during supercritical fluid extraction, 107–108
 - winterization, 198
- Fractional distillation, 254
- Free fatty acid (FFA) content, 224
- Free fatty acids (FFAs), 3, 191, 194, 244
 - extraction method and, 224
 - heat treatment and, 26
 - removal of, 35, 191, 231
- Freundlich equation, 149
- Full-energy (full-fat) soybeans, 74–75
- Fuller's earth, 148, 155
- Full hydrogenation, 251
- Fully hydrogenated oils, 275
 - palm kernel oil, 275
 - soybean oil, solid fat content of, 277
- Fully saturated double bond, 211
- Functional foods, 18, 198
- G**
- γ -linolenic acid (GLA), 7–8, 207, 254, 280, 282, 284
- Garbanzo beans, 38
- Gas chromatography–mass spectrometry, 41
- Gas-purging deodorization, 229–232
- Gastrointestinal disorders, 7
- Gene expression, 2
- Genetically enhanced (GE, modified by traditional breeding) soybean products, 224
- Genetically modified organisms (GMOs), 76, 217
- Genetics, role of in triglyceride levels, 3
- Genistein, 38, 61, 63
- Glycerol backbone, changing the fatty acid composition and distribution of fatty acids on, 202–203
- Glycitein, 38, 63
- Glycolipids, 3
- GRAS (generally recognized as safe) substances, 10, 15, 18, 101, 284
- Gums, 117. *See also* Phospholipids
- Gynecological disorders, 7
- H**
- Haematococcus pluvialis*, 292
- Heat conditioning, as a prelude to oil extraction, 72
- Heat treatment
 - and oil quality, 25–26
 - of soy isoflavones, 42–43, 59–61
- Hexane, 71, 220, 281
 - dangers of, 28–29, 100
 - as an entrainer in supercritical fluids, 101
 - environmental concerns about, 75–76, 89
 - for fractionation, 201
 - percolation, 220
 - removal of following extraction, 110
- Highly refined fats, components of, 193–194
- High-performance liquid chromatography (HPLC), 41, 56, 274, 292
- High-shear in-line mixers, 134, 136
- High-stearate soybean oil, 217
- High vacuum, defined, 179
- High-vacuum distillation
 - advancements in, 185–189
 - application of to edible oils, 189–191
 - centrifugal still, 185, 189

- High-vacuum distillation (*cont'd*)
 conventional stills, 179–180
 degasser, 181, 189
 equipment, 181–185, 186
 falling-film still, 183–184, 189
 fundamentals of, 179–181
 molecular distillation, 179, 180
 pot still, 182
 pressure range, 180
 rotary still, 182–183, 189
 short-path distillation, 180
 thermal hazard, 181
 unobstructed-path distillation, 179, 180
 uses of, 179–180
 wiped-film still, 184–185, 189
- Hivex® Expander, 74
- Horizontal plate press filters, 166–167, 177
- Hot-water flotation method of oil separation, 95–96
- HPLC–mass spectrometry, 41
- Human milkfat substitutes (HMFSs), 241–242
- Hydratable phospholipids, 119–120, 264
- Hydration
 degumming, 133–135
 rates of, phospholipids, 120–121
- Hydraulic extraction, 72
- Hydraulic filters, 200
- Hydrogenation
 in commodity fat modification, 251
 converter in, 213, 214–215
 defined, 211
 electrochemical, 218
 filtration in, 175–176
 full, 251, 275
 future of, 216–217
 in margarine and shortening production, 270
 mass transfer resistance in, 111
 of milkfat, 202
 nickel catalyst, 175–176, 211
 oxidation rate, 212
 partial, 5, 251, 270
 public attacks on, 3
 reaction process, 212
 selective, 213
 semicontinuous plant, 214, 215
 and specialty oils, 76
trans acid reduction via, 217–218
- Hydrolysis
 enzymatic, 120
 and enzymatic interesterification, 252
 enzyme, 95
 of fatty acids, 256
 lipase-catalyzed, 240
 lipase selectivity and, 254
- Hydrolytic degradation, 224
- Hydroperoxides, 228
- Hydrophobic bonding, 57
- Hyperactivity, 7
- Hypertension, 8
- Hypertrophy, 77
- I**
- Immunoassays, 41
- Immunological disorders, 7
- Inductive coupled plasma (ICP) spectrometer, 270
- Inflammation, 7
- Inflammatory diseases, 10
- Insta-Pro International, 220
- Institute of Food Technologists, 61
- Integrated TOP degumming, 130
- Intesterification
 chemical, 251, 270, 273
 chemical and enzymatic methods compared, 272
 in commodity fat modification, 251
 degree of conversion, 273–274
 enzymatic, 251–252, 270–276, 277
 of hard fat, 270–271
 margarine and, 216–217, 271
 milkfat, 202
- Intermittent milling and dynamic steeping (IMDS), 25
- Intestinal malabsorption, 5
- Iodine value, 211
- Iron content (degummed oil), 125
- Isochrysis galbana*, 293
- Isoflavones
 analytical measurement of, 40–42
 antioxidant effects, 62
 bitterness, 61
 blanching and, 59
 cancer and, 62
 chemical structure of, 39
 defined, 38

- distribution, 55–56, 60
 - estrogenic activity of, 62
 - food analysis of, 44–50
 - foods containing, 38
 - forms, 38–39
 - health and safety aspects of, 38, 61–64
 - and health of postmenopausal women, 62
 - heat treatment of, 42–43, 59–61
 - Maillard reaction and, 61
 - partitioning of during processing, 59
 - pH effect, 56–57
 - phytonutrient content, 61
 - solvent extraction, 59–60
 - in soy foods, effects of processing on, 43, 57–61
 - in soy ingredients, effects of processing on, 52–56
 - soy protein ingredients, 50–52
 - toxicity of, 63–64
 - USDA–Iowa State University Isoflavone Database, 38
- Iso-hexane, 100
- Isopropanol, 28–29, 100, 101, 201
- L**
- LA. *See* Linoleic acid
- Laboratory degumming, 265–266
- Latent heat, 194
- Lecitase Ultra, 265, 266, 268
- Lecithin, 17, 119, 124, 126
- Leukotrienes, 207
- Lightly hydrogenated, winterized soybean salad oil, 212–213
- Linoleic acid (LA), 5–6, 7, 207
- alkali isomerization of, 6–7
 - conjugated (CLA), 6–7, 202, 203–204, 254
 - deficiency of, 5, 6
 - defined, 5
 - necessity of, 3, 5
 - nutritional enhancement, 203–204
- Linolenic acid (LNA), 3, 5, 7. *See also* α -linolenic acid (ALA); γ -linolenic acid (GLA)
- Lipase-catalyzed hydrolysis, 240
- Lipases, 240
- alcohol inactivation and inhibition of, 257–258
 - immobilization, 271, 272
 - isolation of, 271
 - selectivities, 243–244
- Lipase selectivity, 254
- Lipase utilization, 240
- Lipid modification, biocatalysis for, 239–261
- alkyl esters, 257–258
 - commodity fat modification, 251–254
 - fatty acid fractionation, 254–257
 - partial acylglycerols, 246–251
 - phospholipids, 258
 - structured triacylglycerols, 241–246
- Lipid polymorphs, characteristics of, 195
- Lipid-related bioactive compounds
- conjugated linoleic acid, 6–7, 202–204, 254
 - γ -linolenic acid, 7–8, 207, 254, 280, 282, 284
 - linoleic acid, 5–6, 7, 203–204, 207
 - linolenic acid, 3, 5, 7
 - medium-chain triglycerides, 18
 - n*-3 polyunsaturated fatty acids, 5, 8–11
 - phospholipids, 3, 4, 17–18, 117
 - phytosterols, 13–16, 204–206
 - polyunsaturated fatty acids (PUFAs), 4–5, 193, 206–207
 - squalene, 16–17, 32
 - tocols, 11–13
- Lipids, 194
- functions of, 3
 - health benefits of, 3
 - reactions of in supercritical fluid extraction, 110–111
- Lipozyme RM IM (*Rhizomucor miehei* lipase, immobilized on a macroporous anion exchange resin), 252, 253, 254
- Lipozyme TL IM (*Thermomyces lanuginosa* lipase, immobilized through silica granulation), 252, 253, 254
- Liver disorders, 18
- LNA. *See* Linolenic acid (LNA)
- Loading capacity, 149–150
- Low-cost oil-processing techniques, 219–237
- applications of minimally refined soybean oil, 232–237
 - conventional soybean oil refining, 225–227
 - gas purging deodorization, 229–232
 - minimal refining of mechanically extracted soybean oils, 227–229

- Low-cost oil-processing techniques (*cont'd*)
 oil quality and, 224–225
 solvent vs. mechanical oil extraction,
 220–224
- Low-cost refining procedures, 237
- Low-density lipoprotein (LDL) cholesterol,
 2, 202
- Low-fat dairy products, 202
- Low-linolenic soybeans, 76
- Low-temperature crystallization, 254
- Lysine, 61
- M**
- Macronutrients, 2
- Magnesium silicates, 151
- Magnesol adsorption, 227, 230
- Magnesol-treated oil, 231
 commodity oil (MCO), 233
 HO oil (MHO), 233
- Maillard nonenzymatic browning reaction
 model system, 61, 233
- Malnutrition, 1, 5
- Malonyl- β -glucosides, 38, 43
- Margarine, 216–217
- Margarine and shortening base stocks,
 enzymatic interesterification of,
 270–276
- Mass transfer resistance, 111
- Meal desolventising, 220
- Meal toasting, 220
- Mean free path, 180
- Mechanical extraction, 28, 72, 78–86
 applied to high-oil-bearing materials, 83
 extruding, 79–80
 extruding-expelling technology, 78–79,
 83–86
 screw pressing, 80–82
 and solvent extraction compared,
 220–224
 steps in, 220
- Medium-chain fatty acids (MCFAs), 18
- Medium-chain triacylglycerols (MCTs), 243
- Medium-chain triglycerides (MCTs), 18
- Melting curve, 195
- Melting point, 194, 196, 208, 211, 213
- Membrane degumming, 139–140, 144
- Menhaden oil (MO), 206
- Metabolism, 2
- Methanol, 101
- Micella, separation of organic solvents
 from, 112
- Microalgae, single-cell oils (SCOs) from,
 291–294
- Microbial oils. *See* Single-cell oils (SCOs)
- Microfiltration (MF), 139
- Micronutrients, 2, 227
- Microwave pretreatment, and oil quality,
 25–26, 27
- Milkfat
 blending, 202
 nutritional enhancement of, 201–203
 triacylglycerols in, 203
- Minimally refined soybean oil, 227–229
 applications of, 232–237
 bread frying, 233
 frying performance of, 233–237
- Miso, 60
- Modified Caustic Refining™, 156–157
- Moisture content, and supercritical fluid ex-
 traction, 106–107
- Molecular distillation
 defined, 179, 180
 fractionation by (rapeseed oil), 190
 to recover tocopherols and phytosterols, 109
 uses of, 192
- Molecular weight cut-off (MWCO), 139
- Monoacylglycerides, 3
- Monoacylglycerols (MAGs), 194, 246, 249.
See also Lipids
- Monodus subterraneus*, single-cell oils
 (SCOs) from, 292, 293–294
- Monogalactosyldiacylglycerol (MGDG), 293
- Monotropic polymorphism, 194–195
- Monounsaturated fatty acids (MUFAs), 292
 increasing in foods, 193, 206–207
- Morphology, supercritical fluid extraction
 (SCFE) and, 106
- Mortierella alpina*, single-cell oils (SCOs)
 from, 280, 284–290, 291
- Mortierella isabellina*, single-cell oils
 (SCOs) from, 280
- Mucor circinelloides*, single-cell oils
 (SCOs) from, 280, 282–284, 291
- Mucor javanicus*, 283
- Myocardial infarction, 10
- Myristic acid, 111, 202

N

- Nannochloropsis* spp., single-cell oils (SCOs) from, 291–292
- Nanofiltration (NF), 139
- National Cholesterol Education Program, 15
- National Institutes of Health, 15
- National Oilseed Processors Association (NOPA), 123
- National Soybean Processors Association (NSPA), 78
- Natural bleaching clays, 150–151
- Natural cocoa butter, 241
- Neurological disorders, 7
- Neutralization, 30–32
 - defined, 30, 226
 - effects of, 35
 - physical refining and, 35
- n*-hexane, 75, 89, 96, 100, 220
- Nickel, in hydrogenation, 175–176, 211
- Non-GM (non-genetically modified by transgenic means) soybean products, 224
- Nonhydratable phospholipids (NHPs), 119–121
 - composition of from different oils, 264, 266
- North Atlantic Treaty Organization Advance Workshop, dietary recommendations, 11
- n*-3 polyunsaturated fatty acids, 5, 8–11
- n*-6 to *n*-3 fatty acids, ratio of, 5, 10–11, 193
- Nuclear magnetic resonance (NMR), 274
- Nucleation, 196–198
- Nutraceuticals, 18, 36, 198
- Nutri-genomics, 2
- Nutritional enhancement
 - bleaching as, 159
 - confectionery fats, 208
 - conjugated linoleic acid, 203–204
 - milkfat, 201–203
 - mono- and polyunsaturated fatty acids, 206–207
 - phytosterol addition to oils and fats, 204–206
 - primary focus areas, 193
 - specialty vegetable oils, 207
- Nutritional quality, bleaching and, 159

O

- Obesity, 1, 2, 3
- Oil and oilseed processing. *See also* Low-cost oil processing techniques
 - bleaching, 32–33
 - cold-pressed oils, 26–27
 - degumming, 29–30
 - deodorization, 33–35
 - dry extrusion, 77–78
 - effects of on bioactive compounds, 35
 - effects of on quality, 228
 - European and U.S. approaches compared, 35
 - extraction, 28–29
 - extrusion in, 75–78
 - filtration, 173–177
 - goal of, 25
 - mechanical methods, 78–86
 - milling operation, 25
 - neutralization, 30–32
 - novel techniques, public acceptance of, 36
 - product stability, long-term, 264
 - public attacks on, 3
 - seed pretreatment, 25–28
 - steaming, 27
 - supercritical fluid (SCF) technology for, 100–112
- Oil blends, solid fat content of, 276
- Oil-degrading enzymes, inactivation of, 27
- Oil desolventizing, 220
- Oil of Javanicus, 283
- Oilseeds
 - enzyme-aided aqueous extraction process, by seed type, 92–94
 - extraction, environmental concerns, 75–76
 - health benefits of, 18
 - oil content of, 71
 - SCFE curve, 105
 - supercritical fluid extraction of, 105–111
 - world production of, 71
- Oilseed SCFE curve, 105
- Oil separation. *See also* Extraction
 - hexanes in, 71
 - historical development of, 72–73
 - hot-water flotation method, 95–96
 - mechanical and hydraulic devices, 72
 - screw presses, 72–73

- Oil separation (*cont'd*)
 solvent extraction, 71, 73
 technology of, 71
- Oil solubility, 105
- Oleic acid, 206, 231, 241
- Olein, 199
- Olive oil, 29, 30, 96, 148
- Omega-3 fatty acids, 2
- Oryzanol, 14, 25
- Oxidation, 228, 280
- Oxidative stability index (OSI), 233
- P**
- Palmitic acid, 202
- Palm kernel oil, 18, 208, 275
- Palm oil, 12, 241
 clay bleaching of, 32–33
 color, cause of, 33
- Palm stearin, 275
- Parietochloris incisa*, 292
- Partial acylglycerols, 246–251
 production of, 248
- Partial hydrogenation, 5, 251, 270
- Partially hydrogenated menhaden oil
 (PHMO), 206
- Pentane, 201
- Perilla seed oil, 9
- Perlite filter aids, 173
- Permeability, 170
- Peroxide value (PV), 224
- “Personalized” medicine, 2
- pH, effects of on soy isoflavone distribution,
 56–57
- Phaeodactylum tricornutum*, single-cell oils
 (SCOs) from, 291–292
- Phase equilibrium, 197–198
- Phosphatides, 117
- Phosphatidic acid (PA), 117, 119, 129, 264
- Phosphatidyl choline (PC), 30, 117, 119, 264
- Phosphatidyl ethanolamine (PE), 117, 119
- Phosphatidyl glycerol, 117
- Phosphatidyl inositol (PI), 117, 119
- Phospholipase C (PLC) enzyme, 265
- Phospholipase D enzyme, 264, 265
- Phospholipases (PLase), 120, 130, 265–269
- Phospholipids (PLs)
 chemical structure of, 17
 as component of highly refined fats, 194
 composition of, 264
 contents of crude oils, 117–118, 119
 defined, 117
 emulsifying capacity of, 119
 extraction method and, 224
 function of, 3, 4, 17, 117
 health benefits of, 17–18
 modification of, 258
 molecular structures of, 118
 problems of, 118–119
 removal of. *See* Degumming
 vegetable oil, 264–265
 water affinity of, 119–120
- Phosphoric acid degumming, 125–126
- Photodiode array detection, 41–42
- Physical blending, 270
- Physical refining, drawback of, 35
- Phytosterol ester, 25
- Phytosterols, 13–16
 addition of to oils and fats, 204–206
 chemical structure of, 13–14
 and cholesterol, 15–16, 204
 degumming and, 30
 effect of refining on, 31
 hypocholesteremic properties of, 14–15
 neutralization and, 31
 recovery, 25, 109
- Pigmented compounds, 4
- Plant sterols. *See* Phytosterols
- Plasmalogen, 117
- Plate-and-frame press filters, 166, 167, 177
- Pneumatic filters, 200
- Polymorphism, 194–195, 275
- Polymorphs, characteristics of, 195
- Polyunsaturated fatty acids (PUFAs), 280,
 292, 294
 bleaching and, 33
 chemical structure of, 4–5
 defined, 4
 function of, 5
 increasing in foods, 193, 206–207
n-3, 8–11
n-6/*n*-3 ratio, 5, 10–11
 purification of by molecular distillation,
 191
 single-cell oils (SCOs) and, 280
- Porphyridium cruentum*, single-cell oils
 (SCOs) from, 292, 293

- Postmenopausal symptoms, relief of, 62, 76
- Pot still, 182
- Press bleach effect, 157
- Press filters, 166–167
- Pressure drop, calculation of, 164–165
- Pressure filters, 161, 166
- Pressure leaf filter, 167–168
- Process stability, 245–246
- Product development, problems facing, 261
- Product quality
 - enzyme-aided aqueous oil extraction, 91, 96
 - modified commodity fats, 252
- Programmable logic controllers (PLCs), 216
- Prostaglandins, 207
- Prostate cancer, soy protein and, 62
- Protease inhibitors, 76–77
- Protein malnutrition, 5
- Proteins, 1
- Q**
- Quick germ process, 25
- R**
- Radial-flow impellers, 213
- Rancidity, 280
- Rapeseed
 - fractionation of by molecular distillation, 190
 - pretreatment of, 27
- RBD (refined, bleached, and deodorized) oil, 212, 227
- Recommended Dietary Allowances (RDA), 2, 13
- Reduced-fat/reduced-calories products, 193, 203
- Refining, filtration and, 174–175
- Renal disease, 8
- Reverse osmosis (RO), 139
- Reverse phase chromatography, 293
- Rheumatoid arthritis, 8
- Rice bran
 - heat treatment of, 25
 - microwave pretreatment, 25–26
- Rice bran oil (RBO), 12
 - enzyme-aided aqueous oil extraction, 95, 96
 - health benefits of, 14
 - supercritical fluid fractionation of, 109
- Rotary filters, 168–170, 176
- Rotary still, 183, 189
- S**
- Saturated fats
 - public perception of, 216
 - recommended intake of, 2
 - role of in cardiovascular diseases, 3
- Saturated fatty acids, 292
 - and cholesterol, 202
 - efforts to reduce, 193
 - health effects of, 193
- Saturated sterol stanols, 204
- Scenedesmus obliquus*, 292
- Schizochytrium* spp., single-cell oils (SCOs)
 - from, 280, 290–291
- Scraped-surface heat exchangers (SSHEs), 201
- Screw pressing, 5, 72–73, 80–82, 89, 220, 222, 224
- Sedimentation, 135
- Seed(s)
 - heat treatment of, 220
 - preparation of prior to extraction, 220
 - pretreatment of, 25–28, 106
 - quality, 120
 - supercritical fluid extraction (SCFE) in preparation of, 106
- Selective hydrogenation, 213
- Semicontinuous hydrogenation plant, 214, 215
- Separation
 - based on melting point or solubility, 208
 - centrifugation, 135
 - in degumming, 133, 135–138
 - in dry (melt) fractionation, 200
 - efficiency, 199
 - of organic solvents from micella, 112
- Septum, 161, 166
- Sesame seed, medicinal properties of, 18
- Settling, 226
- Shark liver oil, 16–17
- Shea kernel oil, enzyme-aided aqueous extraction, 95
- Shell-and-leaf filters, 166, 167
- Shinkaiizame-ekisu* (deep-sea shark liver oil), 16
- Shorter-chain fatty acids, 255

- Short-path distillation, 180
- Silica gel, 151, 161
- Silicic acid, 151
- Single-cell oils (SCOs)
 - antioxidants, 281
 - attractiveness of, 279
 - cost of, 279
 - from *Cryptocodinium cohnii*, 280, 290–291
 - defined, 279
 - extraction of, 280–282
 - fermentation, 281
 - from microalgae, 291–294
 - from *Monodus subterraneus*, 292, 293–294
 - from *Mortierella alpina*, 280, 284–290, 291
 - from *Mortierella isabellina*, 280
 - from *Mucor circinelloides*, 280, 282–284, 291
 - from *Nannochloropsis* spp., 291–292
 - oxidation, 280
 - from *Phaeodactylum tricornutum*, 291–292
 - and polyunsaturated fatty acids, 280
 - from *Porphyridium cruentum*, 292, 293
 - rancidity, 280
 - from *Schizochytrium* spp., 280, 290–291
 - solvent extraction using hexane, 281
- Slow hydration, 121
- Sodium bentonites, 150
- SoftColumn™ technology, 34–35
- SOFT degumming, 132–133
- Solid fat content
 - of fully hydrogenated soybean oil and soybean oil blend, 277
 - of palm stearin–coconut–rapeseed oil blends, 276
- Solid fat index (SFI) curve, 211
- Solid phase, 199
- Solubility, 208
- Solvent extraction, 73
 - and enzyme-aided aqueous oil extraction compared, 89–90, 96
 - in fatty acid fractionation, 254
 - using hexanes, 71
 - and mechanical extraction compared, 220–224
 - to recover tocopherols and phytosterols, 109
 - single-cell oils (SCOs), 281
 - of soy isoflavones, 59–60
 - steps in, 220
- Solvent fractionation, 200–201
- Soybean
 - full-energy, 75
 - health benefits of, 38, 61–62, 76
 - heat processing of, 76–77
 - importance of as food source, 75, 219
 - isoflavones. *See* Isoflavones
 - low-linolenic, 76
 - mechanical processing of, 220–224
 - non-genetically modified, 224
 - protease inhibitors in, 76–77
 - solvent processing of, 220–224
 - transgenic, 76
 - urease enzyme in, 77
 - worldwide production of, 71, 219
- Soybean cotyledon, 80, 90
- Soybean oil
 - consumption of in U.S., 219
 - with deep-fat frying, 233–237
 - enzyme-aided aqueous oil extraction, 94, 95, 96
 - extracted by different methods, quality of compared, 224–225
 - high-stearate, 217
 - lightly hydrogenated, winterized, 212
 - minimal refining of, 220
 - oxidative qualities after deodorization, 231
 - phospholipid content of, 118
 - quality, effects of processing on, 228
 - sensory evaluation of following deodorization, 229–232
- Soybean oil deodorizer distillate (SODD), 190–191
- Soybean oil refining
 - applications of minimally refined, 232–237
 - conventional methods, 225–227
 - effects of processing steps on oil quality, 228
 - gas purging deodorization, 229–232
 - minimal refining of mechanically extracted soybean oils, 227–229

- Soy foods
 - fat content of, 52
 - isoflavone distribution, effects of processing on, 43, 57–61
 - Soy ingredients
 - effects of processing on, 52–56
 - isoflavones and, 50–52
 - Soy isoflavones. *See* Isoflavones
 - Soy milk, 52, 54, 59
 - Specialty oils, 76, 198, 220
 - nutritional enhancement of, 207
 - Squalene, 16–17
 - refining and, 32
 - Static mixers, 110
 - Steaming, of oilseed, 27
 - Steam stripping, effects of, 35
 - Stearic acid, 202
 - Stearin, 199
 - Sterine cakes, 176
 - Sterol fatty acid esters, 193, 258
 - Stigmasterols, 204
 - Stokes' law, 135, 136
 - Strainers, 161
 - Structured lipids (SLs), 241, 242–243
 - Structured triacylglycerols (STs)
 - defined, 241
 - material oils, fats, and acyl donors for the production of, 245
 - modification of, 241–246
 - Sugar fatty acid esters, 258
 - Sulfided catalysts, 213
 - Sunflower oil, 27
 - enzyme-aided aqueous oil extraction, 95
 - Supercritical carbon dioxide (SC-CO₂), 25,
 - 100, 104, 108
 - degumming, 140–141
 - oil solubility and, 105
 - waste streams, 112
 - Supercritical fluid extraction (SCFE), 29
 - as alternative to organic solvent methods, 100
 - batch operations in, 104
 - carbon dioxide as a solvent for, 104
 - columnar fractionation, 109–110
 - cost considerations, 112
 - degumming, 140–141
 - extract properties, 107–108
 - flow diagram for, 101, 103
 - free delivery systems, 104–105
 - and hexane extraction compared, 108
 - industrial applications of, 112
 - lipid reactions, 110–111
 - from a liquid phase, 102
 - meal and flour properties, 108–109
 - moisture effect, 106–107
 - nontoxicity of, 112
 - oil solubility, 105
 - particle size and morphology, effect of, 106
 - to remove hexane from hexane-oil mixtures, 110
 - SCF-aided bleaching process, 112
 - SCF technology, principles of, 100–103
 - solvent selection, 103–104
 - transesterification of vegetable oils in, 111
 - Supercritical fluid fractionation (SFF)
 - described, 102
 - mathematical modeling of, 102–103
 - packed column approach, 109
 - solvent selection, 103–104
 - static mixers, use of, 110
 - Supercritical fluids (SCFs)
 - for biocatalysis of oils and fats, 111
 - in bleaching, 112, 158
 - defined, 100
 - density, 101
 - viscosity, 101
 - Supercritical phase, 100
 - Superdegumming, 127, 128
 - Supersaturation, 195–196
- T**
- Tank loading filters, 174
 - Tempeh, 41, 60–61
 - Tempering, 208
 - Textured soy protein (TSP), 41, 86–87
 - Theoretical plates, concept of, 103
 - Thrombosis, 10, 207
 - Thromboxanes, 207
 - Thumb Oil Processors Cooperatives (TOPC), 233, 235
 - Toasty/nutty flavor, 230, 232
 - Tocopherols, 11–13, 194
 - chemical structure of, 11–12
 - chemical treatment to recover, 109
 - degumming and, 30

- Tocopherols (*cont'd*)
 extraction method and, 28–29, 225
 and processing method, 31, 35
- Tocotrienols, 11–13
 and processing method, 31
- Tofu, 41, 52, 59–60
- Total degumming process (TOP), 127–130
- Total fat, recommended intake of, 2
- Trans* acid formation, 217
- Trans* acid reduction via hydrogenation,
 217–218
- Trans* double bond, 211
- Transesterification, 111, 190, 271
- Trans* fatty acids (TFAs)
 adverse health affects of, 208
 enzymatic interesterification, 277
 FDA food labeling requirements for, 35
 formation, 33, 34
 and heart disease, 2, 3
 in milkfat, 202, 204
 partial hydrogenation and, 251, 270
 and physical refining, 35
 of products obtained with supercritical
 fluid extraction, 111
 public perception of, 216
 reducing in foods, 76, 193
- Transgenic soybeans, 76
- Trans* isomers, 6, 213
- Trans* isomer selectivity, 213
- Trans* suppression, 217
- Triacylglycerides (TAGs), 3
- Triacylglycerols (TAGs), 194, 195, 196, 203,
 292
- Triglycerides, 2–3, 18
- Tropical oils, 3
- Trypsin inhibitors, 77
- Two-solvent-phase extraction, 141–143
- Type II diabetes, 8
- U**
- Ulcerative colitis, 8
- Ultrafiltration (UF), 139
- Ultrasonic degumming, 141, 142
- Unobstructed-path distillation, 179, 180
- Urea complexation, 254
- Urease enzyme, 77
- USDA, 2
- USDA–Iowa State University Isoflavone
 Database, 38
- V**
- Vacuum degassing, 181, 189
- Vacuum distillation
 advances in, 185–189
 application of to edible oils,
 189–191
 equipment, 181–185, 186–187
 high-vacuum, 179–181
 modes, 179
 removal of free fatty acids by, 191
 thermal hazard, 181, 182
- Vacuum filters, 161, 200
- Value-added functional lipid-based food
 products, 36
- Vitamin C fatty acid esters, 258
- Vitamin E, 11. *See also* α -tocopherol
 recovering from vegetable oils, 191
- W**
- Water degumming, 121–125, 226, 264
- Waxes, 4
- Wesson Oil, 148, 212
- Wet bleaching, 152, 156
- Wheat germ, 12
- Winterization process, 198, 291
- Winterizing, 161, 168
- Wiped-film still, 184–185, 189
- X**
- Xanthophylls, 149
- Y**
- Yield, 91, 96
- Z**
- Zenith process, 125
- Zero-discharge degumming processes, 144
- Zero-*trans* fat margarine and shortening
 blends, 275, 277
- Zero *trans* soybean oil, 217