

Index

- a
- AAS, atom absorption spectrometry 587
- Absolue 248
- Acetaldehyde 279
- Acetic acid and acetates 277, 385
- Acetoin 162
- 5-Acetyl-2,3-dihydro-1,4-thiazine 279, 281
- N-Acetylglycine (NAG) 558
- 2-Acetyl-1-pyrrolin 281
- 2-Acetyltetrahydropyridine 281
- Acrylamide 292
- Activity coefficient 25, 72
- Adenosine monophosphate, AMP 356
- Adenosine triphosphate, ATP 358
- Adjuncts 640
- Affinity 24
- Agar-agar 443
- Agitated extraction tower 42
- Alanine 278f, 287, 290
- Alapyridaine 287
- Alcoholic beverages 487-514
- Alfa-Laval extractor 38
- Algae 124, 744
- Alginate 439
- Allspice 241
- Almond 306, 412
- Amadori rearrangement 277
- compounds 276-279, 287
- degradation of A. compounds 277f
- Ames test 291
- Amino acids 268, 278, 459
- interactions with free A. 449f
- AMP, adenosine monophosphate 356
- Amplification column 76
- Amylopectin 439
- Amylose 443
- Analytical methods 587-743
- Angelica 216
- Angostura bark 216
- Animal fats 543
- Anise 217, 624
- Anthocyanins 473
- Anti-aging 7
- Antioxidants 373-376
- Apple 166f, 412, 679
- aroma 723
- juice 167f, 171ff
- Apricot 413
- Aquavit 493f
- Aqueous essences 187
- Arabian Standardisation and Metrology Organization, ASMO 784
- Arachidonic acid 283f
- ARD extractor 43f
- Argentina, legislation 781
- Aroma 576, 578
- analysis 704-743
- changes 737
- chemicals 5, 140
- compound 140
- reconstitution 729
- recovery 166, 175, 177
- Aroma extract concentration analysis, AECA 706
- Aroma extract dilution analysis, AEDA 705
- Aroma model 710
- baguette crust 710
- camembert cheese 717
- grapefruit juice 722f
- gruyere cheese 717
- olive oils 718ff
- orange 720ff
- reconstitution 729
- roasted coffee 710
- strawberry juice 724
- Swiss cheese 716
- wine 735
- Aroma value, definition 704
- Aronia 470
- ARP, Amadori rearrangement products 277
- Arrack 491
- Artificial compounds 159
- Artificial flavouring substance 139, 158, 755, 757
- Artificial flavourings 775
- Artificial sweeteners 470, 476, 522
- Ascorbic acid 374, 472
- Ascorbyl palmitate 374
- Asia, legislation 784-800
- ASMO, Arabian Standardisation and Metrology Organization 784
- Asparagine 233
- Asparagus 431
- Assessor 579f
- Atom absorption spectrometry, AAS 588
- Atomisation 98, 307
- Atomiser 98f
- centrifugal a. 99
- nozzle a. 99
- ATP, adenosine triphosphate 358

- Australia, legislation 801
 Authenticity control 619, 684f
 Autoxidation 282ff
 Azeotrope distillation 81 -
 Azeotrope, maximum 73, 81
 Azeotrope, minimum 73, 81
- b**
- Bacteria 109, 145, 744
 Baguette crust, aroma 705
 Baked goods 531
 Banana 413
 – puree 174
 Bärenfang 503
 Base notes 429, 557
 Basil 218
 – aroma 731f
 Beef 263, 287f, 559
 – aroma 711ff
 – broth 287
 – boiled 711ff
 Beer 345f, 474, 506-511
 – flavour 270
 – types 510
 Benzaldehyde 1, 158, 444, 602, 623f
 Benzene in beverages 386
 Benzo[a]pyrene 290
 Benzoates 382ff
 Benzoic acid in foods 373
 Benzpyrene 311f
 Bergamot oil 191
 Berl saddles 93
 Berries, juice 171
 Beta-carotene 473
 Beverage emulsions 471
 Beverage industry 4
 Beverages 333, 466, 473ff, 733ff
 BHA, butyl-hydroxyanisole 373
 BHT, butyl-hydroxytoluene 373
 Billberry 417
 Binodal curve 28
 Binomial distribution 580
 Biocatalysts 123, 148, 263
 Bioreactors 120
 – cell culture reactors 129
 Biotechnological processes 120-134, 142, 260
 Biotechnology 120, 260
 Biotransformation 121, 143ff
 – by microorganisms 145
 – of flavour precursors 128
 Biscuits 290, 531
- Bitter 578
 – almond oil 219, 623
 – blockers 11
 – orange oil 204
 Bitters 495
 Black currant 413
 – buds 219
 Black mustard 236
 Blackberry 418
 Blended flavourings 391-435
 Blessed thistle 219
 Blood orange
 – oil 204
 – essence oil 207
 Blue Book 758
 Blueberry 417
 Bollmann extractor 21
 Bone-stock 557
 Bonito 353
 Bonotto extractor 22
 Borage 220
 Bouillon 552, 558ff
 – cubes 549
 Brambles 418
 Brandies 488ff
 Brazil, legislation 779ff
 Bread 274, 282, 292, 327ff, 531
 Brewing 345, 506ff
 – process 509
 Bromelain 335
 Brominated vegetable oil, BVO 776
 Brown extractor 166f
 Bubble
 – flow 57
 – gum 522
 – b.-cap plates 93
 Buchu leaf oil 220, 685ff
 Buddhist conform 292
 Buns spice 533
 2,3-Butanedione 277, 279, 707
 Butter 284, 718
 Butterfat 265
 Butyric acid 161, 385
 BVO, brominated vegetable oil 776
- c**
- C₃-plants 606
 C₄-plants 606
 Cakes 531
 Calamus 62
 Callus cultures 130, 263
 Calories 7, 465
 Camembert cheese 717

- Camomile 61f
CAM-plants (crassulaceam acid metabolism) 606
Canada, legislation 775ff
Cape Gooseberry 418
Capers 220
Caramel 289, 521f
– colours 474
Caraway 221
Carbohydrate-based replacer 456f
Carbon Dioxide, CO₂ 50, 52
Carbonyl fragments 277
Cardamom 60, 221
Cardboard odour 283
Carmine 473
Carrier
– bound enzymes 128f
– distillation 79
– material for spray drying 97
– matrix for freeze dried products 114f
– permitted c. solvents 317-321
– permitted c~s 317-321
– sugars as c~s for flavours 438
Carrot seed oil 222
Carry-through effect 376
Carvone 162, 636
β-Caryophyllene epoxide 163
Cascarilla 222
Cassia cinnamon 224, 556
Cayenne pepper 242
CCFAC, Codex Committee on Food Additives and Contaminants 160, 756
CEFS, Committee of Experts on Flavouring Substances 761
Celery 223
Cell cultures 121, 271
– flavour manufacturing from c. c. 271
– immobilized cultures 143f
– plant c. c. 130, 261, 271
– plant tissue cultures 143
– reactors 129
– suspension cultures 143
– tuber melanosporum cells 272
Cell tissue cultures 143, 271
Cellulose 439
Centaury 223
Centrifugal
– atomizer 99f
– evaporator 88f
– extractor 37
Centrifuge 23, 167, 170, 177, 180ff
– decanter c. 180ff
Cereal malt 335
Ceylon cinnamon 224
Character impact compounds, CIC 396, 411ff
Charm analysis 705f, 708
Cheese 282, 292
– aroma 716-718
– enzymatic modified c. 264, 349
– flavour 269
– fresh c. products 545
– ripening 348f
Chemaesthetic stimulation 579
Chemical groups 161, 790
Chemical ionisation, CI 595
Chemical potential 71
Cherimoya 418f
Cherry 413f
Chervil 223
Chewing gum 522f
Chicken 263, 268, 284, 288, 551, 559
– aroma 713f
– boiled c. aroma 713
– roasted c. 713
Chico 418
Chile, legislation 782f
Chill proofing enzymes 346
China, legislation 787
Chinese Gooseberry 422
Chinese Restaurant Syndrome 356, 554
Chips 307
Chiral
– resolution, cRs 664
– separation 665
– stationary phases 696
– sulphur compounds 686
Chlorophyll 272, 474
Chloroplasts 272
3-Chloro-1,2-propanediol 292
Chocolate 282, 289f, 426, 526ff, 537
Cholesterol 7, 453
Chromatography 590ff
– absorption c. 591
– affinity c. 591
– c. of terpenes 190
– ion exchange c. 591
Chymosin 335
CI, chemical ionisation 595
CIC, character impact components 396, 411ff
Cinchona bark 223
1,8-Cineol 163
Cinnamic aldehyde 141, 158, 163, 623
Cinnamon 224f, 624
Citral 161, 414, 635

- Citrus -
 - aqueous essences 187
 - aurantifolia 196f, 414
 - aurantium 191f, 204
 - essence oil 187
 - juices 167, 176ff
 - latifolia 196f
 - limon 194f, 414
 - oils 187-211
 - paradisi 192f, 415
 - peel oil 167f, 176, 187, 468, 635
 - recovery, taste oil 187
 - reticulata 199f, 415
 - sinensis 201f, 414
- Clary sage 225
- Clear soft drinks 468f
- Cloudberry 424
- Clouding soft drinks 469f
- Cloudy concentrates 470
- Cloves 225
- CO₂, Carbon Dioxide 50-65
 - fixation 606
- Cocoa 274, 287, 290, 426, 498
 - liqueur 498
- Coconut 415, 674
- Code of Federal Regulations 159
- Cofactor 149, 151
- Coffee 282, 289, 425, 498
 - freeze dried 114
 - liqueur 498
 - brew 737
 - roasted 733
 - - aroma model, omission test 733
 - - aroma reconstitution 733
- Cognac oil 226
- Cola 433
- Cold pressed oil 187
- Colour shade 472ff
 - red 473
- Colours 466
- Colours for soft drinks 472
- Colombia, legislation 682f
- Column characteristics
 - loading range 40
 - throughput maximum 39
- Column fillings 93
 - Berl saddles 93
 - Grating rings 93
 - Intralox rings 93
 - Pall rings 93
 - Raschig rings 93
- Columns
 - amplification c. 76ff
 - pulsed packed c. 40
 - Scheibel c. 41
 - sieve plate c. 91
 - static sieve tray c. 40
 - stripping c. 76f
 - tray c. 93
- Combustion 608
- Compressed tablets 524
- Confectioneries 515-530
- Consumption ratio 759
- Contacting, stage-wise or differential 32
- Contaminants 386
- Continuous distillation 75ff
- Continuous phase 26
- Continuous rectification 76, 90f
- Convenience food 7, 138, 274, 549ff
- Cooler 505
- Cooling table 517, 522
- Coriander 226, 693
- Cornmint oil 240
- Coumarin 158
- Council of Europe 759
- Countercurrent distillation 90
- Countercurrent rectification 20
- Cow shed smell 545
- Crackers 307
- Cranberry 417
- Creatinine 291f
- Cross-current extraction 30
- Culinary aroma 561ff
- Culinary products 274, 549
- Curacao 497
- Curculin 369
- Custard apple 418
- Cut-back juice 177
- Cyclodextrins 348, 443, 670
- Cyclopentenolones 317
- Cyclotene® 290, 366
- Cysteine 279, 284, 288f

- d
- Da Vinci Principle 10
- DAD, diode array detection 592
- Dairy products 542-552
- Dalton's law 71, 81
- Dangerous preparations 769
- Dangerous substances 769
- DATEM, diacetyl tataric acid esters of monoglycerides 328f
- Davana oil 227
- De novo biosynthesis 143f
- DEAE-cellulose 271
- 2,4(E,E)-Decadienal 283

- 2,4(E,Z)-Decadienal 283
Decaffeination 51
 γ -Decalactone 162
Decanal 283
Decanter 22
2(E)-Decenal 283
Dehydrated convenience food 549-572
Dehydration 109, 382
Dense gas extraction 50ff
Deoxyglycosones 276f
Deterpenisation 189
Deuterium spectrum 616
Dextrins 473
Diacetyl 162
Dichloropropanols 264
Dielectric constant 25
Difference point or pole 33
Digeration 513
Digestion 18
Diketopiperazines 287
Dill 227, 730
Diluent 26
4,5-Dimethylthiazol 285
Diode array detection, DAD 592
Dipole moment 25
Discontinuous rectification 91
Disodium 5'-guanylate 353
Disodium 5'-inosinate 353
Dispersed phase 26f, 35f
Dispersion mode 41
Distillation 66-96
– azeotrope d. 81f
– carrier d. 79f
– continuous d. 83f
– countercurrent d. 90
– distillative separation of terpenes 190
– extractive d. 82f
– high vacuum d. 87f
Distillation-extraction process 30
Distilled lime oil 188
Distilled spirits 487
Distribution coefficient, K 24
Distribution curve 29
2,6(E,Z)-Dodecadienal 284
Double jacket 85
Dough 531
Dry product 556
Drying 109-119
– chamber 110
– methods 109ff
– spray d. 97ff
– thermal d. 109f
– vacuum d. 109
DUO tests 582
DUO-TRIO tests 582
Durian 424
Dust explosion 103

e
EC Directive 88/383 765
EC Flavour Directive 762
ECD, electron capturing detector 594
ECP, ethyl-2-cyclopentene-2-ol-1-one 366
EFFA, European Flavour and Fragrance Association 765
Effervescent tablets 525
EFSA, European Food Safety Authority 160, 763
Egg 289, 804
Egg yolk 284, 289
EI, electron impact 595
Elderberry 470
Electric discharge treatment 20
Electrochemical-detection 592
Electron impact, EI 595
EMC, enzyme modified cheese 264, 349
Emulsifiers 322-330, 456, 539
Emulsion stabiliser 330
Emulsions 470
Enantio cGC 664
Enantio-IRMS 692f
Enantio-MDGC, enantioselective multidimensional GC 665f
Enantiomeric excess, ee 669
Enantiomeric purity 669
Enantioselective analysis 664-703
Enantioselective cGC-IRMS 693
Encapsulation 97ff, 532, 565
Energy drinks 468
Enhancement 557
Enhancer 11
Entrainers 54, 83
Enzymatic activities 261
Enzymatic reactions 261f
Enzyme
– classification 148f, 336
– production 121, 337
– reactors 123
Enzyme modified cheese, EMC 264, 349
Enzymes 148f, 335-350
– carbohydrases 343
– endopeptidases 339
– exopeptidases 339
– for brewing 345f
– for cheese ripening 348f

- for clarification of fruit juices 173f, 179, 347
- hemicellulases 266, 338, 342
- in the baking industry 342ff
- industrial e. 337ff
- lipases 264f, 340
- lipoxygenases 121, 341
- origin of e. 337
- oxidoreductases 336, 341
- pectinesterases 266
- pectintranseliminase 266
- pectolytic e. 266
- polygalacturonases 266
- proteases 107, 263, 266, 339
- proteinases 342
- -glycosidases 267
- Epithelium 576
- Equation, Clausius-Clapeyron 74
- Equation, Gibbs-Duhem 73
- Equation, Langmuir-Knudsen 87
- Equation, Prausnitz 73
- Equation, Redlich-Kwong 73
- Equilibria, ideal-nonideal 71
- Equilibrium curve 27, 32
- Equilibrium phase diagrams 73
- Equipment, continuous distillation 83
- Equipment, countercurrent distillation 90
- Essence oils 187
- Essential oils 5, 137, 453, 456
- Ethnic foods 12
- Ethyl butanoate 161
- Ethyl maltol 362
- N-Ethyl-p-menthane-3-carboxamide 163
- Ethyl vanillin 159, 368, 528
- Ethylene oxide 748
- Eucalyptus oil 228
- Eugenol 58f, 163
- European Food Safety Authority (EFSA) 160, 763
- European Union, legislation 762-771
- Evaporator 83-89, 166-178
 - ALFA-LAVAL e. 167, 175
 - centrifugal e. 81
 - circular e. 86f
 - falling-film e. 83f
 - forced circulation evaporator 85f
 - LUWA e. 86
 - rotatory e. 85
 - SAKO e. 86
 - Sambay thin-film e. 79
 - TASTE e. 166, 174
 - thin-film e. 86
- Exposure level 758
- Extract 23
- Extracting agent 82
- Extraction 17-48
 - batteries 36f
 - battery with decanter 22f
 - countercurrent e. 20ff
 - cross current e. 30ff
 - e. tower with mechanical agitation 40
 - e. tower without mechanical agitation 39
 - liquid-liquid e. 24
 - maceration 18
 - membrane e. 178f, 271
 - multistage e. 30-35
 - single-stage e. 27-30
 - selectivity 26
 - solid-liquid e. 17f
 - solvents 26, 314ff
 - soxhlet e. 20
 - stages 23
 - tower 38-46
 - water e. 170
 - with CO₂ 50ff
- Extractive concentration of citrus oils 190
- Extractive distillation 82
- Extractive methods 190
- Extractors 20-46
 - citrus juice e., Brown 166f
 - citrus juice e., FMC 166f, 177
 - juice e. 166ff
- Extrusion 291
- f
- Falling film evaporator 83f
- FAO, Food and Agriculture Organization of the United Nations 761f
- Fat 7
- Fat degradation 274
- Fat replacer 12, 455ff
 - interactions of volatiles with f.-r. 455-459
- Fatty acids 282
- FD factor 705
- FDA, Food and Drug Administration 771
- FEMA, Flavour and Extract Manufacturers' Association 160, 760
- Fennel 229, 624
- Fenske method 76
- Fenugreek 229
- Fermentation 121, 145, 260
 - in-situ-f. 121
 - microbial f. 267f
 - of cell cultures 129
 - spontaneous f. 121f

- submerged f. 125f
- surface f. 124
- Fermenter 125f
- Ferulic acid 286
- FEXPAN, Panel of Expert Scientists 160, 773
- FFDCA, Federal Food, Drug and Cosmetic Act 771
- FID, flame ionization detector 593f, 666
- Filbert 416
- Filtration 171, 173, 178ff
- Fine bakery products 533
- Fining aids 173
- Fish 263, 288
 - aroma 714f
 - boiled 715
 - fresh 714
- Fitness 6, 479
- Fixed bed column reactor 271
- Fixes 551f
- Flame ionization detector, FID 593f, 666
- Flash distillation 66
- Flavour
 - adjunct 756
 - analysis 378
 - binding and release 437f
 - body 557ff
 - chemical 140
 - definition 138, 576
 - dilution factor 705
 - enhancer 286
 - formulated f.s 5
 - fruit f. 410-425
 - generation by fermentation 121ff
 - industry 1-13, 137f
 - intrinsic f. 557
 - legislation 763-767
 - manufacturing from cell cultures 271f
 - manufacturers of f. 3
 - migration 9
 - modifier 351-372
 - potentiator 351
 - precursors 282, 285
 - preservation by drying 114
 - profile 378ff
 - pyramid 570
 - research 137
 - substance 140
- Flavour dilution factor, FD factor 705
- Flavour & Fragrance Industry 1-13, 138
- Flavour & Fragrance Market 2
- Flavour extracts 260
 - by enzymatic reactions 140
 - by microbial processes 140, 145
- Flavouring
 - agent 140
 - definition 138, 755
 - permitted f. ingredients 138
 - preparations based on biotechnology 260-273
 - preparations by enzymatic reactions 261ff
 - preparations from microbial fermentation 267f
 - preparations 141
 - substance 140ff, 158, 755
- Flavourings
 - alcoholic f. 430
 - application of f. 403f
 - artificial f. 158-165
 - blended f. 391-435
 - commercially available f. 152ff
 - dairy f. 430f
 - fermented f. 429ff
 - for bakery products 531-534
 - for beverages 466-514
 - for confectioneries 515-530
 - for dairy products 542-548
 - for ice-cream 535-541
 - in fruit preparations 545f
 - inventory of f. 160
 - natural f. 140ff, 152, 755f
 - natural-identical f. 158-165
 - of dehydrated convenience food 549-570
 - process f. 138ff, 274-297
 - smoke f. 138ff, 298-313
 - vegetable f. 431f
- Flocculation aids 173
- Flotation 171, 173
- Flow conductance 69
- Flow regime 74
- Fluid bed dryers 525
- Fluorescence detection 591
- FMC extractor 166ff
- FNU value 467
- Fondants 518f
- Food additive 757, 772
- Food additive legislation 767f
- Food and Agriculture Organization of the United Nations, FAO 761f
- Food categories 161
- Food emulsifier 323f
- Food industry 7, 533f
- Food proteins 330
- Food-Minus 8

- Food-Plus 8
 Forced circulation evaporator 85
 Formic acid 277, 491
 Fortification 7
 Fourier transform infrared, FT-IR 667
 Fragrances 4
 Free excess enthalpy 73
 Freeze
 – concentration 112f, 177
 – dried coffee 114
 – dried herbs 116
 – dried mushrooms 115
 – dried products 112-117
 – drying 109-119
 – shelf life of f. dried products 116
 Freezing 110
 Freezing point 110
 French fries 724ff
 – omission test 724
 Freshness 7
 FreshNote process 180
 Fructose syrups 348
 Fructose 282, 348, 367
 Fruit
 – aroma, analysis 720ff
 – flavours 270, 410ff
 – preparations 545
 – purees 174
 – teas 469
 – wines 505
 Fruit juice 166-186, 469, 746
 – clarification 173, 179f, 347
 – concentrates 166-186, 469, 746
 – freshly squeezed 171
 – liqueurs 496f
 – production 174
 FUFOSE, Functional Food Science in Europe 479
 Fugacity coefficient 72f
 Functional drinks 478-482
 – definitions 478ff
 Functional food 7, 479f
 Fungi 145, 744
 Furaneol® 163, 366
 Furanones 281, 688
 Furfural 279, 454
 Furfuryl mercaptan 163
 2-Furfurylthiol 280

 g
 Galanga 229
 Garlic 230
 Gas chromatography, GC 589, 593
 Gas chromatography-olfactometry (GCO) 704
 GC enantiomer separation 665
 GC, gas chromatography 589, 593
 GCC; Golf Cooperation Council 784
 GC-FTIR, GC-Fourier transform infrared spectroscopy 596
 GC-IRMS, GC- isotope ratio mass spectrometry 608
 GC-MS, GC-mass spectrometry 595
 GCO, GC olfactometry 704
 – headspace, GCOH 706f
 Gelling 334
 Genetic engineering 131-133
 – genetically engineered products 133
 Gentian 230
 – spirit 492
 Geranial 161, 188
 Geraniol 161
 Geranium-aroma 387
 German purity law 271
 Gibbs' excess enthalpy 25
 Ginger 62, 231
 Glucose 276ff, 438, 475
 – syrup 348, 475
 Glutamate 352ff, 578
 Glutamic acid 288, 353
 Gluten 343f
 Gluten free 8
 Glycemic 8, 476
 Glycemic index 7
 Glyceraldehyde 288
 Glycerol 287-290
 Glycine 276-278, 282, 290
 Glycolaldehyde 277
 Glycosidically bound flavouring substances 152
 GMP, guanosine monophosphate 357
 Gooseberry 418
 Graesser contactor 44f
 Grape 415f
 – juice 166f
 – extract 473
 Grapefruit 192-194, 415
 – aqueous essence 193
 – aroma 722f
 – essence oil 193
 – juice 173, 723
 – oil 192
 GRAS, generally recognized as safe 292, 773
 Grating rings 95
 Gravies 371

- Green 410, 474
Green flavour complexes 272
Green notes 141ff
Grenadine 418
Grenco process 178
Grill flavours 306
Gruyere cheese 717
Guaiacol 286,368
Guanosine monophosphate, GMP 286,
356f
Guar gum 439, 459
Guava 422
Gum arabic 331, 471
- h
- Halal 292, 802
Haptic sensations 351, 575
Hazelnut 416, 732
– roasted 529, 732
HDMF, 4-hydroxy-2,5-dimethyl-3(2H)
furanone 366
Headspace analysis 706f
Health 7, 455
Health claim concepts 479f
Health food 7
Health food development 480
Health Organisation Joint Expert Committee
on Food Additives (JECFA) 160, 356
Healthy nutrition 478-483
Heat
– conductivity 70
– denatured proteins 445
– exchanger 85
– generation 70f
– transfer 70
– transfer coefficient 70
Heating pump 92
Heavy metal contamination 587
Height equivalent of a theoretical plate,
HETP 74
Height equivalent of a theoretical stage,
HETS 33
Height of a transfer unit, HTU 34
Height of diffusion rate, HDU 35
2(E)-Heptenal 283
Herbs 214-261
HETP, height equivalent of theoretical plate
74
HETS, high equivalent of theoretical stage
33
Heteroazeotrope 80, 82
Hexanal 161, 283
(Z)-3-Hexen-1-ol 161
2(E)-Hexenal 284
Heyns 276
Hibiscus extract 469
High boilings 516ff
High fibre 7
High vacuum distillation 87
HLB, hydrophile-lipophile balance 324
HMF, 4-hydroxy-5-methyl-3(2H)furanone
366
Homogenizers 268
Honey liqueur 503
Horseradish 231
Hotfill 171, 178, 746
HPLC, high performance liquid chromatog-
raphy 590ff, 665
HPLC-MS, HPLC-mass spectrometry
592f
HPTLC, high performance thin layer chro-
matography 665
Human senses 422, 575, 579
HVP, hydrolyzed vegetable proteins 264,
490ff
Hydrocolloids 453f
Hydrogen bridge binding 424f
Hydrogen sulphide 279, 285, 288f
Hydrolysed vegetable protein 284, 288, 292
Hydrolyzed vegetable proteins, HVP 264
Hydrophile-lipophile balance, HLB 324
Hydrophobic interactions 445ff
4-Hydroxy-2,5-dimethyl-3(2H)-furanone
281f, 289f
4-Hydroxy-5-methyl-3(2H)-furanone 279,
366f
Hydroxyproline 290
Hyssop 232
- i
- Ice-cream 535-541
Iced teas 469
ICP-AES, inductively coupled plasma-
atomic emission spectrometry 588
IMF's, intermediate moisture foods 381f
Immobilized cultures 143
IMP, inosine monophosphate 356, 558
India, legislation 788
Indonesia, legislation 789
Inductively coupled plasma-atomic emission
spectrometry, ICP-AES 588
Inorganic salts 454ff
Inosine monophosphate, IMP 286, 356, 558
In-situ-generation of flavours 121
Intalox rings 93
Intelligent flavours 11

- Interactions of volatiles
 – and food ingredients 437
 – with amino acids 449-450
 – with carbohydrates 438-445
 – with complex systems and foodstuff 459-462
 – with fat-replacers 455-459
 – with lipids 450-453
 – with proteins 445-449
 Interface area 74
 Interfacial area per unit volume 26
 Interfacial tension 26
 Intermediate moisture foods, IMF's, 381f
 Intermolecular forces 25, 71
 International isotopic standard, i-IST 691f
 International Organization of the Flavour Industry, IOFI 138f, 159, 755
 Inventory for flavouring substances 160
 IOFI, International Organization of the Flavour Industry 138f, 159, 755
 Ionising radiation 747
 IQ mutagens 291
 Irregular column packings 93
 IRMS, isotope ratio mass spectrometry 609
 Isoeugenol 163, 368, 625
 Isotonic beverages 746
 Isotope
 – abundance 608
 – analysis 613
 – discrimination 606
 – effects 603
 – ratio mass spectrometry, IRMS 609
 Isotopic correlations 637ff
 Isotopic pattern 606, 637ff
 Isotopomer 602

 j
 Jabuticaba 418
 Japan, legislation 785f
 JECFA, Joint Expert Committee on Food Additives 160, 759, 761
 Jellies and gums 520f
 JET COOKER 520
 Juice
 – extraction 167-171
 – extractors 166
 – oil 176
 Juices 9, 171-173
 – clarified j. 171ff, 175
 – cloudy concentrates 470
 – concentrates 173ff, 469
 – natural cloudy j. 171
 – reconstituted j. 178

 Juniper berries 232
 Juniper-based spirits 490f

 k
 Karr column 42
 Key lime 197ff
 Key odorants 704ff
 – screening 705
 Kinetic gas theory 68
 Kitchen aids 549-572
 Kiwi 422
 Koch plate casting procedure 750
 Kojji 124, 337
 Kokumi 11
 Korea (South), legislation 790f
 Kosher 292, 802
 Kühni extractor 43

 l
 Labelling directive 79/110/EEC 767
 Lactic acid starter cultures 744
 Lactic acid 162, 287, 804
 Lactones 630, 672ff
 Lamb 288, 803
 Lamellar phase 284
 Langmuir-Knudsen equation 87
 Laurel 233
 Lavandula oils 680ff, 693
 Law, Boyle and Mariotte 67
 Law, Dalton's 71
 Law, Raoult's 71
 Law, Trouton's 70
 LC Taste™ 160
 Leakage rate 83
 Lecithine 275
 Legislation and Toxicology 753-810
 Lemon 194-196, 414
 – essence oil 195
 – juice 173, 414
 – oil 194, 691
 – grass oil 635
 Leucine 278, 290
 Life-style 9
 Light taste 545
 Likens-Nickerson apparatus 30f
 Lime oil 196, 415
 Linalool type 218
 Linalool 162
 Linoleic acid 284
 Linolenic acid 284
 Lipid oxidation 276, 282ff
 Lipid-based fat-replacers 456
 Lipids 450

- interactions of volatiles with l. 450-453
- Lipoxygenase 282
- Liqueurs 487, 496-504
- Liquid-liquid
 - continuous countercurrent extraction 32
 - extraction 24ff
 - extraction tower 38
 - multi-stage extraction 30
 - single-stage extraction 27
- Liquid-solid extraction 17, 589
- Liquorice 233f
- Litsea cubeba oil 565
- Loading diagram 32
- Lovage 234
- Low caffeine 7
- Low nicotine 7
- Low-oxygen system 102f
- Lulo 417
- Lutein 473
- LUWA evaporator 88
- Lychee 422

- m
- Macapuno 415
- Maceration 18ff, 513
- Maillard products 263, 276-282
- Maillard reaction 274, 276-282, 287
- Malaysia, legislation 791ff
- Malt 274, 276, 289
- Maltodextrins 101, 319, 443
- Maltol 162, 289f, 362ff
- Mandarin 199-203, 415
 - essence oil 201
 - juice 173
 - oil 199ff
 - oranges, aroma 722
- Mango 423
- Manufacturers 3
- Marjoram 60, 235
- Market 8
- Market share 2
- Marshmallow 521
- Masking agents 11
- Mass selective detector, MSD 595
- Mass spectrometry, MS 595, 667
- Mass transfer coefficient 35, 74
- Mass transfer rate 26, 74
- Massive chocolate products 512
- Mossoia oil 248
- Mossoilactone 674
- Maximum azeotrope 81f
- Mayonnaise 549
- McCabe-Thiele diagrams 75, 76
- MCP, 3-methyl-2-cyclopentene-2-ol-1-one 366f
- MDGC, multidimensional gas chromatography 594, 612
- Mead 505
- Meat 274f, 427f
 - cooked 561
 - extract 557
 - flavour 263f, 561
 - snacks 307
- Meat aromas, analysis 711
- Meat flavour 274, 288f
- Melanoidins 278
- Melon 423
- Membrane contactor 44f
- Membrane extraction 271
- Membrane processes 178ff
- Mentha species 679f
 - 1-Menthen-8-thiol 160
- Menthol 60, 162
- Menthyl lactate 162
- 3-Mercapto-2-butanone 279
- 3-Mercapto-2-methylpentan-1-ol 276, 285f
- 3-Mercato-2-pentanone 279
- MERCOSUR 771
- Meristema 130
- Methional 279
- Methionine 288
- 2-Methylbutanal 279
- 3-Methylbutanal 279
- 2-Methyl butyrate 161
- Methyl chavicol type 219
- 4-Methyl-5-ethylthiazol 285
- 2-Methyl-3-furanthiol 279
- Methyl ketones from butterfat 265
- 2-Methylpropanal 279
- Methyl salicylate 158, 625
- 4-Methylthiazol 285
- 4-Methyl-5-vinylthiazol 285
- Mexico, legislation 778
- Microbial growth 744f
- Microbial processes 139, 260
- Microbiological testing 744-751
- Microemulsion 289
- Microfiltration 179f
- Micro-organisms 120, 145ff, 261ff, 744ff
 - water activity and growth of m. in food 377ff
- Microwave system 289, 547
- Microwave heating 291
- Microwave 290
- Middle notes 429, 559

- Milk
 – defects 545
 – fat 538
 – rice 545
 – Solids Non Fat, MSNF 538
 Minimum azeotrope 73, 81
 Minimum reflux ratio 77f
 Minimum solvent ratio 32
 Mint oils 240f, 679
 Miraculin, Mirlin® 369
 Miscella 17, 21f
 Miscibility 24
 – gap 28, 79f
 Mixed-blend fat-replacer 456f
 Mixer-settler 35, 41
 Mixtures, thermodynamic fundamentals 71-83
 Modified cyclodextrins 670
 Molar evaporation enthalpy 70
 Monosodium glutamate, MSG 353ff, 552f, 564
 Mould 744
 Mouthfeel 351, 455, 475f
 MS, mass spectrometry 595, 667
 MSD, Mass selective detector 595
 MSDI, Maximised Survey-Derived Daily Intake 161
 MSG, monosodium glutamate 353ff, 552f
 – hypersensitivity 356
 MSNF, Milk Solids Non Fat 538
 Mugwort 235f
 Multifunctionality 10f
 Multistage distillation 67
 Murcott tangerine oil 200f
 Mushroom flavours 270
 Mustard 226
- n
- NAFTA 771
 Nanostructure 284, 289
 Naranjilla 417
 Naringin 163
 Nasal-smelling 576f
 Nasopharynx 576f
 Natural
 – abundance 644
 – extracts 5
 – flavour concentrate 756
 – flavouring 775
 – flavouring substance 140ff, 152, 756f
 – commercially available n. f. s. 152ff
 – meat flavours 263f
 – origin 619
- Nature-identical 1, 158ff
 Nature-identical flavouring substance 139, 158, 755
 Near water drinks 468
 Negative List 757
 Neral 161
 NMR, nuclear magnetic resonance 614ff
 2,6(E,Z)-Nonadienal 284
 Non-alcoholic beverages 466
 Nonanal 283
 2(E)-Nonenal 283
 3(Z)-Nonenal 283
 Nootkatone 162
 Novel food 476
 NPD, nitrogen-phosphorus detector 594
 Number of a transfer unit, NTU 34
 Nut 284
 Nutmeg 236
 Nutrition 7
- o
- OAV, odour activity values 160, 673
 1,5(Z)-Octadien-3-one 284
 Octanal 161, 283
 2(E)-Octenal 283
 Odorants, identification 707
 Odorants, quantification 708
 Odorants, stable isotope dilution assay (SIDA) 708
 Odour 140f, 380f
 – activity values, OAV 673
 – threshold 436f
 Odour activity value (OAV) 160, 673
 – calculation 708
 – definition 704
 Off-flavours 121, 289
 – produced by lipoxygenases 121
 – produced by peroxidases 121
 – produced by proteases 121
 Oldshue-Rushton extractor 43
 Oleic acid 283
 Olfactometry global analysis 706
 Olfactory
 – epithelium 437, 576
 – organ 437
 – perception 576
 Oligosaccharides 348
 Olive oil 718ff
 Omission test 711
 Onion 237, 276, 285f
 Operating line 76
 Oral / pulmonary cavity 437, 576
 Orange 203-209, 414

- aroma 720ff
- essence oil 203
- juice 173, 414
- oil 203, 414
- wash pulp, OWP 170
- water phase 208
- Oregano 237
- Organic 7
- Organoleptic 575
 - quality control, OQC 576
 - quality testing, OQT 576
- Ornithine 281
- Osme method 706
- Osmotic drying 382
- Ostwald's triangle diagram 28
- OWP, orange wash pulp 170
- Oxidation taste 545
- 2-Oxopropanal 277, 281

- p
- Packings
 - irregular p. 93
 - regular p. 93
- PAH, polycyclic aromatic hydrocarbons 290f
- Paired comparison test 582
- Pall rings 93
- Panelists 575
- Panettone 533
- Panned work 525f
- Papain 335f
- Papaya 424
- Papillae 578
- Paprika 241
 - Oleoresin 375
- Parsley 238, 730
- Partition coefficient 24
- Passiflora edulis 424
- Passion fruit 173, 424, 672
- Pasteurisation 746
- Pastries 531
- Pathogens (salmonella, staphylococcus aureus) 744
- Paw Paw 424
- PCH, polycyclic hydrocarbons 312
- Peach 416
- Peanuts 306
- Pear 416
 - juice 171, 173, 179
- Pecans 306
- Pectin 439, 481
- 2-Pentylpyridine 286
- Pepper 239, 729
 - Pepper, black 729
 - Peppermint oil 240f, 679
 - Peptides 275
 - Percolation 20f, 514
 - Perilla aldehyde 162
 - Permeation 18
 - Persian lime 197
 - Pesticide residues 768
 - Petitgrain oils 188, 209
 - Phase transfer 74
 - Phenolic compounds 298f, 374, 454
 - Phenyl acetaldehyde 158, 279
 - Phenylalanine 276, 279, 290
 - Philippines, legislation 794f
 - Phospholipids 282, 289
 - Photosynthesis 272
 - Physical processes 17-119, 141f
 - Pimento 241
 - Pineapple 416
 - juice 166f, 173
 - ketone 688
 - Plait point 28
 - Plant
 - homogenates 142
 - tissue 266f
 - tissue cultures 143
 - Plate efficiency number 33
 - Plate exchange efficiency 75
 - Plating procedure 633
 - Plum 424
 - Podbielniak ekstraktor 37
 - Polarity 18
 - Polycyclic aromatic hydrocarbons, PAH 290f
 - Polycyclic hydrocarbons, PCH 312
 - Polyglycerol polyricineolate 330
 - Polyhydric alcohols 325, 476
 - Polymethylsiloxane 275
 - Polysaccharides 267, 439
 - Pomegranate 418
 - Popcorn 732
 - Pork 263, 288, 711ff
 - Positive List 757
 - Potato 432
 - starch 440f
 - Potatoes, boiled 724ff
 - Precipitates 473
 - Precolumns 666
 - Preservation by drying 109
 - Preservatives 377-387
 - Food Additives Directive 382
 - Presses 168
 - belt press 168

- Bucher press 168
 - hydraulic press 168
 - one sieve belt press 170*
 - Pressure range 67f, 110
 - Prickly Pear 425
 - Process flavourings 274-297, 756
 - Process flavours 559
 - Processing of citrus oils 188
 - Proline 281, 288, 290
 - Propionic acid 385
 - Propyl gallate 373
 - Propylene glycol 290, 382
 - Protein-based fat-replacer 456f
 - Proteins 263, 445ff
 - anhydrous p. 447
 - heat denatured p. 446
 - interactions of volatiles with p. 445-449
 - native p. 445
 - Protozoa 124, 744
 - Pulp wash 170, 173
 - Pulsed extraction tower 41
 - Pumping speed 68
 - Pumps, for vacuum generation 68-69
 - liquid-seal pumps 69
 - pumping speed 68
 - Purine alkaloids 454ff
 - Pyroligneous acid 290
 - 1-Pyrroline 281
 - Pyrolysis 289, 291
 - Pyruvic acid 162
- q
- QC, quality control 575
 - Quadronics extractor 38
 - Quality control, QC 575
 - Quasi-equilibrium 18
 - Quince 425
- r
- Radioactive isotope 602
 - Radioactivity, regulations 769
 - Raffinate* 24
 - Raisin 415
 - Rancidity 283
 - Raoult's law 71
 - Raschig rings 93
 - Raspberry 416f, 695
 - Ratio of enantiomers 669
 - RDC extractor 43f
 - Reaction flavours 559
 - Reactor 290f
 - Reboiler evaporator 85
 - Receiver phase 24
 - Reciprocating plate extraction tower 42
 - Recovery oils 187
 - Rectification 74-79, 90-94
 - continuous r. 76ff, 91
 - discontinuous r. 91
 - partly continuous r. 92
 - semi-continuous r. 90
 - Red pepper 242f
 - Reductone 277f
 - Reflux ratio, Vr 76
 - minimum r. r. 77f
 - Regular column packings 93
 - Rehydration 114, 747
 - Relative volatility factor 71
 - Release phase 24
 - Religious dietary rules 802-810
 - Rennet 335, 348
 - Resolution, Rs 664
 - Retro-nasal smelling 422, 577
 - Reverse osmosis, RO 180
 - Rhamnose 282, 290, 366
 - Riboflavin 472
 - Ribonucleic acid 268
 - Ribonucleotides 356ff, 558
 - Robatel extractor 38
 - Roquefort flavour 269
 - Rosemary 242, 374
 - Rotary evaporator 85
 - Rotocell extractor 21
 - R-phrases 769
 - Rum 491
 - RVP, relative vapour pressure 452
 - RZE extractor 43f
- s
- Safety evaluations of flavouring substances 758
 - Safety of food additives 772
 - Saffron 243
 - Safranal 162
 - Sage 244, 374
 - SAKO evaporator 86
 - Salt replacers 554
 - Saltiness 552ff
 - Salty snacks 9
 - Sambay thin film evaporator 86
 - Sample preparation methods 589f
 - Santalyl acetate 162
 - Sauces 551f, 570
 - Savory 244
 - Savoury 570
 - process flavourings 288ff
 - pyramid 557

- Savoury flavour 288ff, 549
– pyramid 557
– taste 552f
SCF, Scientific Committee on Food 760
Schiff base 276
Screw-conveyor extractor 22
SDE, simultaneous distillation-extraction 589
Seafood 263, 304ff
Seasonings 264, 570
Seaweed extracts 331
Selected wavelength chromatograms, SWC 667
Selectivity of extraction solvents 29, 50, 52ff
Senses 576ff
Sensory 575f
– analysis 575-586
– quality control, SQC 576
– quality testing, SQT 576
Sensory expertise 12
Separation factor 664
Sesame seeds 286
Sesame, roasted 732f
SFE, supercritical fluid extraction 50-65
Shiitake 353
Sieve plates 91, 93
Significance level 580
Significance table 582ff
SIM, selected ion monitoring 595, 667
Simultaneous distillation/extraction 589
Singapore, legislation 796ff
Single stage spray drying 99
Sintering 568
SIRA, stable isotope ratio analysis 602-663
Smoke
– components 291, 303
– condensates 310
– generation 309
– solutions 289
Smoke flavourings 298-313, 756
– application on various foods 304ff
– dry s. f. 292
– liquid s. f. 289
– preparations 309f
smoked
– colour 289
– food 289
Snack foods 306
SNIF-NMR[®], site-specific natural fragmentation-NMR 617
Sodium chloride 362, 454, 578
Soft drinks 466-486
– based on clear juices 469
– based on emulsions 470ff
– based on flavour 468
– based on plant extract 469
– circle 466f
– energy drinks 468
– ingredients for s. d. 467ff
– with high juice content 469f
– with low juice content 470
Solid-liquid absolute countercurrent extraction 22
Solid-liquid discontinuous countercurrent extraction 22
Solid-liquid extraction 17f, 589
Solid-liquid relative continuous countercurrent extraction 21
Solvents
– carrier s. 317-321
– dense gases as s. 50-65
– extraction s. 314ff, 768
– evaluation 50f
– miscibility 24, 27
– polarity 18
– properties 18, 50, 52
– selectivity 50
Sorbic acid and sorbates 385
Sorbic acid derived off-notes 387
Soups 563, 566
Sour dough 123
Sour milk products 544ff
Soursop 420
South Africa, legislation 800
Soxhlet-extraction 20, 589
Soy nuts 307
Soy sauce 124, 282, 292, 569
Spearment oil 241
Spices 214-261, 729ff
Spike oil 694
Spirits 487-496
Spore-forming bacteria 745
Sport drinks 476
Spray chilling 104, 327
Spray drying 97-108, 565
– low oxygen s. d. system 103
– single stage s. d. 99
Spreads 329
Stabilisers 330-335, 538
Stability 330, 408ff, 472, 483
Stable emulsion 322
Stable isotope
– measurements 619
– pattern analysis 614
– ratio analysis, SIRA 602-663

- ~s 604
- Star anise 217, 624
- Starch 439
 - complexing 326
 - modified starches 471
- Starfruit 425
- Starter cultures 121
- Statistical analysis 583
- Steam distillation 81f
- Stereodifferentiation 668f
- Sterilization 125, 750
- Stoke's law 470
- Stollen 533
- Strawberry 417, 537, 724
- Strecker acid 279
- Strecker aldehydes 278ff
- Strecker degradation 276, 278
- Stripping column 76
- Sublimation 110
- Succinic acid 162
- Sucrose 475
- Sugar 475
- Sugar apple 424
- Sugar confectionery 9
- Sugar substitutes 475f
- Sulfurol 285
- Sulphur containing flavouring substances 289
- Sulphur dioxide 336
- Supercritical fluid extraction, SFE 50-65
- Surface tension 18
- Suspension cultures 143
- SWC, selected wavelength chromatograms 667
- Sweet basil 218
- Sweet marjoram 235
- Sweet orange oil 205f
- Sweetener 466, 475, 536
 - production 348
- Sweeteners 475f
- Sweetsop 420
- Synergism 361
- Synergistic effects 361f
- Syrups 475
- t
- Tactile sensations 351, 575
- Taiwan, legislation 798
- TAMDI (Theoretical Added Maximum Daily Intake) 161
- Tangerine oil 199
- Tarragon 245
- Taste 140, 380, 575
 - activity value (TAV) 160
 - compounds 286ff, 735
 - dilution analysis (TDA) 558
 - enhancement 557ff
 - enhancers 263, 558
 - on the tongue 578
- TAV, taste activity value 160
- TBHQ, t-butyl-hydroxy quinone 373
- Tea 427
 - liqueurs 498
- Tea drinks 469
- Tea, green 736
- α -Terpineol 162
- α -Terpinyl acetate 162
- Thailand, legislation 799f
- Theobromine 287
- Theoretical extraction stages 23, 26, 29
- Theoretical plate number 74
- Thermodynamic equilibrium fundamentals 25
- Thermolysis 268
- Thiamine degradation 284f
- Thiamine 284f, 288
- Thiazole 285
- Thickening 334
- Thin-film evaporator 86
- Think-drinks 11
- Thyme 245
- Thymol 163
- TIC, total ion chromatogram 595
- Tie line 28
- Tissue cultures 261
- Tocopherols 374
- Toffee 521f
- Tomato
 - fruit 431f
 - puree 175
 - paste 727f
 - aroma 727f
- Tongue 577
- Top notes 556f
- Top Ten flavour houses 2
- Total ion chromatogram, TIC 595
- Toxicology and Legislation 753-810
 - toxicological considerations 250, 758-761
 - toxicological tests 291
- Tray column 93
- Trehalose 476
- Triangular diagram 28
- Triangle test 582
- Trickle flow 57
- 2,4,7(E,Z,Z)-Tridecatrienal 284

- Trigeminal stimuli 578f
Triglycerides 329
TRIO test 582
Trouton's law 70
Truffle 272
Turbidity 468
Turkish delight 521
Turmeric 246
Tutti frutti 433
- u
Ultrafiltration 173, 179
Ultrasound 18
– treatment 18
Umami 287f, 292, 353, 358f, 552ff
2-Undecanone 161
2(E)-Undecenal 283
UNIFAC method 25
USA, legislation 771ff
UV/VIS detection 591
UV/VIS spectroscopy 587
- v
Vacuum generation 68f
Valencene 164
Valine 290
Values of natural products 605ff, 619ff
Vanilla 247, 432, 533
Vanilla flavour from cell cultures 272
Vanillin 1, 158, 163, 286, 368f, 528
– synthesis 164
Vapour-liquid loading 74
Vapour pressure curves 67, 80
Vapour pressure, partial 71
Veal 288
Vegetable 288
Vegetarian 7
Vermouth 505
- Vinylguaiacol 286
Virial coefficient 73
Viruses, bacteriophages 744
Vitamins 7, 468
Vodka 493
- w
Walnuts 306
Warmed over flavour, WOF 283
Washing 190
Water activity a_w 377, 744
Water extracted solids, WESO 170
Water extraction 170
Weighting agents 470
Wellness 7
WESO, water extracted solids 170
Wheat gluten 287, 516
Wheat gluten hydrolysate 287
White mustard 236
WHO, World Health Organization 761
Wine 503f, 735f
Wine-like beverages 505f
Wintergreen oil 625
WOF, warmed over flavour 283
WONF, with other natural flavours 775
Wood pyrolysis 309
World Health Organization, WHO 761
Wormwood 247
- x
Xylose 279, 284, 287-289
- y
Yeast 123, 145
– autolysates 268f
– extracts 268, 557, 559, 568f
Yellow 472f
Yoghurt cultures 123