

665.544 LUR

Author Index

a

Archangelskiy V.A. 67, 151

c

Charniy I.A. 133

Christianowitch S.A. 67, 151

d

Dodge D.W. 62

g

Ginsburg I.P. 21

iIshmukhamedov I.T. 63, 65, 187,
192, 194**j**

Joukowski N.E. 42, 93

lLeibenson L.S. 20, 66, 135, 151
Loitzianskiy L.G. 58, 59, 190
Lurie M.V. 19, 54, 56, 57, 66, 153,
154,**m**

Metzner A.B. 61

p

Podoba N.A. 53, 56, 57

Polyanskaya L.V. 153, 154

Porshakov B.P. 40

Potapov A.G. 62

r

Romanova N.A. 51, 62

Rozhdestvenskiy B.L. 150

s

Samarskiy A.A. 114, 155

Sedov L.I. 3, 157, 198

t

Tichonov A.N. 114

v

Vasil'ev G.G. 77

w

Wilkinson U.L. 36, 48, 49, 51

y

Yanenko N.N. 150

Subject Index

a

- absolute roughness 19
- acceleration 4
- adiabatic
 - expansion of gas 146
 - index 93
 - velocity of sound in gas 141
- air density 4
- Altshuler formula 21
- analytical solution 88
- angular velocity of impeller rotation 77
- anti-turbulent additive 62
- apparent viscosity 36
- area of pipeline cross-section 7
- average
 - physical parameter 4
 - tangential stress 52
 - velocity 52

b

- balance equation of forces 76
- barotropic
 - gas 15
 - fluid 15
 - medium 13
- basic measurement units, *see primary measurement units*
- batching 187
- Bernoulli equation 15
- Blasius formula 21
- boundary condition 46
- Boussinesq force 150
- bringing of model equations to dimensionless form 183
- Buckingham Π -theorem 164

c

- calorimetric dependences 30
- capillary viscometers 49
- Cauchy problem, *see initial value problem*
- central theorem of dimensional theory 163
- centrifugal
 - blower 98
 - force 76
 - pump 76
- change of total energy 22
- characteristic equation 118
- characteristics of wave equation 119
- Chezy factor 67
- circular pipe 45
- Clapeyron law 28
- Clapeyron equation 39
- closed mathematical model 2
- closed mathematical model of
 - one-dimensional
 - non-stationary flows of fluid and gas in pipelines 109
- closing relations 30
- combined operation of linear pipeline section and
 - pumping station 81
- commercial flow rate of gas 96
- compatibility condition 119
 - at characteristics 142
- compressibility 3
 - factor 34
- compressible medium 28
- compression wave 152
- concentration of anti-turbulent additive 63
- compressor 16

- concrete mathematical model 2
- conditions at discontinuities (jumps) of hydrodynamic
 - parameters 128
- conditions of transition from laminar to turbulent flow 51
- conjugation conditions 124
- conservation law of transported medium mass 7
- continuity equation 7
- continuum 3
- convective diffusion 188
- Coriolis factor 6
- correctness of the model 2
- criteria of
 - dynamic similarity 178
 - geometric similarity 178
 - transition from laminar to turbulent flow 51
- critical
 - depth 151
 - isotherm 38
 - point of gas 38
 - pressure 40
 - Reynolds number 52
 - temperature 40
 - velocity 51
- d**
 - D'Alambert formulas 117
 - damping of pressure bow shock at wave front of hydraulic shock 133
 - Darcy-Weisbach
 - law 48
 - relation 67
 - density of
 - internal energy 6
 - medium 5
 - transported 7
 - dependences characterizing internal structure of medium flow 30
 - derived measurement units,
see secondary measurement units
 - descending sections of pipeline 68
 - developed turbulent flow 52
 - differential
 - equation of longitudinal mixing 194
 - head 17
 - of pump 180
 - differentiation of integral quantity regarding fluid volume 7
 - dilatant fluid 37
- dimensional
 - formula 159
 - quantities 158
- dimensionality of quantities 159
- dimensionless quantities 157
- dimensional theory 157
- dimensional-dependent quantities 164
- dimensional-independent quantities 164
- direct hydraulic shock 131
- discharge line 17
- discontinuity of
 - flow rate 126
 - velocity 126
- dissipation of mechanical energy 15
- divergence of vector 144
- divergent form of differential equations 143
- drag force 4
- dynamic pressure 8
- dynamic
 - velocity 55
 - viscosity 33
- e**
 - effective factor of longitudinal mixing 192
- efficiency of the model 2
- elastic
 - modulus 34
 - spring 1
- elasticity 3
- elementary surface 32
- energy equation 24
- energy of material point system 6
- enforced flow 67
- enthalpy 25
- equation for
 - head before oil-pumping stations 84
 - variation of pressure jump 133
- equation of
 - fluid motion 9
 - heat inflow 24
 - internal motion kinetic energy change 17
 - mechanical energy balance 11
 - medium state 29
 - pipeline state 30
 - state 30
 - total energy 29
- Euclidian geometry 2
- Euler function 90
- Eulerian derivative, *see partial derivative*

- e**
- external
 - force 9
 - inflow of heat 22
 - sources of mechanical energy 24
- f**
- factor of
 - dynamic viscosity 33
 - kinematic viscosity 33
 - volume expansion 35
 - feed 76
 - filling degree of gravity flow 151
 - first law of thermodynamics 22
 - flow
 - in hydraulic smooth pipe 21
 - core 50
 - curve 36
 - fluid particle of transported medium 7
 - fluid volume 193
 - force of dry friction 2
 - force of viscous friction 2
 - formation of oil product mixtures in contact zones 188
 - friction
 - factor 20
 - force 13
 - Froude number 177
 - fundamental laws of continuum physics 4
 - Fanning factor 20
- g**
- gas
 - compression 100
 - compressor station (GCS) 100
 - constant 28
 - enthalpy 105
 - isotherm 38
 - outflow from a pipeline 146
 - specific capacity at constant pressure 28
 - gas-pumping aggregates (GPA) 98
 - gate valve 127
 - closing 153
 - generalized
 - Reynolds number 48
 - theory of hydraulic shock 154
 - geometric
 - head 14
 - modeling 173
 - similarity 174
- governing factors** 3
- gravity**
 - acceleration 4
 - flow 66
 - of incompressible fluid in a pipeline 186
 - force 9
 - stratified flow 66

h

 - head 75
 - balance equation 81
 - before pump 81
 - before pumping station 80
 - head-discharge ($Q - H$) characteristic of pump 76
 - heat
 - conduction equation 194
 - conductivity 3
 - energy inflow 23
 - exchange between transported medium and environment 30
 - flux 23
 - heat-transfer factor 26
 - height of pipeline axis above sea level 5
 - Hedstroem number 62
 - homogeneous fluid 15
 - homogeneous incompressible fluid 15
 - Hooke law of elasticity 43
 - hydraulic
 - dependence 30
 - gradient 15
 - hammer 42
 - losses 18
 - radius 66
 - resistance factor 20
 - resistance in laminar flow of viscous incompressible
 - fluid in circular pipe 47
 - shock 127
 - in industrial pipeline caused by instantaneous
 - closing of gate valve 135
 - wave velocity 130
 - smooth pipe 21
 - smooth surface 21
 - hydrodynamic stability 51
 - hyperbolic differential equations 139
 - hypothesis of quasi-stationarity 109

i

 - Ilyushin number 51
 - impeller 76

- incident wave 134
 incompressible
 -fluid 8
 -medium 18
 independent dimensionless
 combinations 4
 individual
 -derivative 11
 -particle of continuum 6
 inertial properties of fluid in non-
 stationary processes 112
 initial and boundary conditions
 124
 initial value (Cauchy) problem 2
 input of external energy 16
 integral characteristics of fluid
 volume 5
 integral with variable integration
 limits 13
 interaction of waves in pipeline
 section 120
 intermittency factor 21
 internal energy 23
 -of fluid volume 6
 international system of
 measurement units SI
 158
 invariant form 4
 -of equations 153
 isotherm of real gas 38
 iteration method 81
- j**
 Joukowski formula 93
 Joule-Thompson
 -effect 94
 -factor 93
 jump of parameter at discontinuity
 front 128
- k**
 Karman
 -constant 54
 -formula 54
 -model 61
 kinematic
 -consistency 62
 -viscosity 19
 kinetic energy 11
 -of fluid volume 6
 -of internal motion relative mass
 centre 12
 -of particle mass centre 12
 kinetic head 14
- l**
 Lagrangian derivative, *see individual*
 derivative
 laminar flow
 -of non-Newtonian Ostwald power fluid
 in circular pipe 47
 -of viscous fluid 45
 -of viscous-plastic fluid in circular pipe
 49
 -regime 12
 law of
 -longitudinal mixing 192
 -momentum change 9
 -total energy conservation 22
 limit shear stress 37
 line of hydraulic gradient 16
 local derivative with respect to time 6
 longitudinal mixing 189
 loss of head in Darcy-Weisbach form 20
- m**
 Mach number 185
 mass 4
 -conservation law 7
 mass flow rate 5
 -of fluid volume 5
 -of material point system 5
 mathematical model 1
 -of centrifugal blower operating in
 stationary regime 101
 -of mixture formation 190
 -of non-stationary gravity fluid flow
 149
 -of pump 75
 -of slightly compressible fluid 109
 mathematical modeling 1
 mean asperity height of pipeline internal
 surface 19
 mean flow rate velocity 46
 measurement units 157
 mechanical energy
 -balance equation 11
 -energy change law 14
 medium macroscopic volume 3
 mesh cell 144
 method of
 -characteristics 121
 -successive approximation, *see iteration*
 method
 mixture volume 146
 model 1
 model of
 -fluid baric and heat expansion 34

- continuum 3
- elastic deformable pipeline 42
 - elastic fluid 34
- fluid 5
 - with heat expansion 34
- gaseous continuum 31
- ideal fluid 32
- homogeneous fluid 34
- incompressible fluid 34
- material point 1
- medium 31
- non-deformable pipeline 42
- non-Newtonian fluid 36
- non-stationary gas flow in pipeline 112
- non-stationary isothermal flow of slightly compressible
 - fluid in pipeline 109
 - perfect gas 39
- power Ostwald fluid 36
- real fluid 5
- real gas 5
- Shvedov-Bingham fluid 37
- valve 127
- viscous fluid 32
- modeling of
 - blower operation 100
 - fluid outflow from tank 178
 - gravity fluid flow 176
 - mixture formation in oil product batching 188
 - stationary flow of compressible gas in gas-pipeline 92
 - stationary flow of viscous incompressible fluid in a pipe 175
- molecular weight 39
- momentum
 - equation 29
 - of fluid volume 6
 - of material point system 6
- motion equation 29
- movable
 - fluid volume of continuum 5
 - individual fluid volume 5
- multi-step compression 101
- mutual displacement of oil products 188

- n**
- near-wall turbulence 63
- negative slope characteristic 131
- Newton formula 25

- o**
- oil
 - product batching by direct contact 188
 - pumping station 75
- one-dimensional
 - flow 1
 - model 45
 - non-stationary flow of slightly compressible fluid
 - in pipeline 184
 - theory 12
- operation of pipeline with intermediate oil-pumping stations 84
- origination of similarity criteria in equations of mathematical - model 183
- oscillation of small load 1
- Ostwald rheological law 61
- overcompressibility factor 40
 - for natural gas 40

- p**
- parabolic ($Q - H$)-characteristic of centrifugal pump 181
- parallel connection of pumps 79
- parameter of pipeline internal surface
 - smoothness 21
- partial derivative 10
- Peclet number 194
- perfect gas 28
- phase of
 - direct hydraulic shock 131
 - reflected wave 132
- phenomenological Karman theory 54
- physical modeling 173
- piezometric head 14
- pipeline
 - profile 14
 - transportation of oil products 187
- piston 100
 - engine 100

- plane-deformable state 43
- plane-stress-state 43
- point mass 1
- Poiseuille
 - formula 46
 - law 48
- Poisson ratio 43
- positive slope characteristic 115
- power of
 - external mechanical devices 13
 - gravity force 13
 - internal friction forces 13
 - pressure force 13
- pressure 5
 - jump 128
 - wave 127
- primary measurement units 158
- problem on
 - disintegration of arbitrary discontinuity 155
 - oil and gas transportation 4
 - traveling waves 118
 - wave interaction in limited pipeline section 119
- profile
 - blades 76
 - hydraulic shock 153
- propagation of waves in
 - bounded pipeline section 119
 - infinite pipeline 115
 - semi-infinite pipeline 117
- protection of pipeline from hydraulic shock 138
- pseudo-plastic fluid 36
- pump 16
 - efficiency 17
 - power 17
- pump-to-pump regime 84
- pumped flow, *see enforced flow pumping*
- pumping
 - plant 16
 - pressure 76
- pumps connected in series 78

- q**
- quasi-linear differential equations of hyperbolic type 150

- r**
- rarefaction wave 152
- rate of
 - elementary volume change 13
 - internal energy change 25
- reaction force 9
- rectangular mesh 143
- reduced
 - pressure 40
 - temperature 40
 - universal characteristic of centrifugal blower 103
- reflected wave at the joint of two pipe sections 134
- relative roughness 66
 - of pipeline inner surface 19
- relativistic effects of the relativity theory 2
- restoring force 1
- Reynolds
 - number 19
 - stresses 52
- Reynolds-Filonov formula 33
- rheological properties 49
- rheology 30
- Riemann invariants 115
- root-mean-square (rms) value 12
- rule of integral quantity differentiation with respect to time 6

- s**
- safety valve 138
- schematization of
 - initial conditions 2
 - one-dimensional flows of fluids and gases in pipelines 4
 - phenomenon 2
- second Newtonian law 2
- secondary measurement units 158
- separatrix 99
- shear rate 36
- shear stress 5
- shock front 131
- Shuchov formula 26
- similarity 173
 - criteria 174
 - of operation of centrifugal pumps 179
 - factor 173
 - theory 157
- slightly compressible fluid 24
- slug flow 68
- saturated vapor tension (pressure) 68
- self-similar
 - distribution of concentration 196
 - solutions 194
- small perturbations 142
- space coordinate measured along pipeline 4

- specific
 -mechanical energy dissipation 19
 -volume 38
- speed of wave propagation in pipeline 110
- square flow 21
- stability of laminar fluid flow 51
- stationary
 -flow 8
 -of barotropic medium 15
 -operation regime of
 -high-temperature pumping 87
 -gas-pipeline together with compressor station 98
- steady motion 4
- stepwise variations (jumps) of hydrodynamic flow parameter 128
- sticking condition 46
- Stokes formula 20
- string elasticity factor 1
- Strouhal number 185
- suction
 -line 16
 -pressure 76
- surface element 31
- system matrix rank 166
- system of
 -finite difference equations 144
 -measurement units 4
- systems of pressure wave smoothing 138
- t**
- tangential
 -friction tension 18
 -stress 32
- temperature 5
- thermodynamic equilibrium 23
- time 4
- Toms effect 62
- total
 -derivative with respect to time 6
 -energy balance equation 22
 -head 14
 -kinetic energy 17
- transfer section 68
- transition of laminar flow into turbulent flow 52
- transmitted wave at the joint of two pipe sections 134
- traveling wave 114
- turbulent
 -diffusion 189
 -dynamic viscosity 52
 -flow
 -in circular pipe 52
 -kinematic viscosity 52
 -of non-Newtonian fluid 61
 -of power fluid 61
 -regime 12
 -velocity profile 58
- two-term ($Q - \Delta H$)-characteristic of centrifugal pump 78
- u**
- undamped periodic oscillations 2
- undeformable pipeline. 5
- unit normal 31
- universal
 -characteristic of centrifugal blower 103
 -gas constant 39
 -resistance law 59
- unstable fluid 152
- useful power
 -of blower 105
 -needed for gas 105
- v**
- vapor-gas
 -cavities 68
 -phase 152
- velocity
 -gradient 32
 -of medium 5
 -of perturbation propagation in pipeline 129
 -of propagation of small perturbations in gas (sound velocity) 142
 -of shock wave propagation in pipeline 128
 -of transported medium 8
 -step-wise change 128
- virtual mass of fluid 112
- viscosity 3
- viscous-plastic Bingham fluid 37
- void 152
- volume
 -balance equation 192
 -expansion factor of metal pipeline 42
- volumetric flow rate 157

w

- wave equation 113
wetted perimeter 66
work of
 –external forces 9
 –internal forces 13

–pressure and internal friction, *see work of internal forces*

y

- Young modulus 43