

Index

- a**
- ABBR *see* anaerobic baffled reactors
- absorbents, based on glycol and ethanalamines 348–349
- absorption
- carbon dioxide removal 345–348
 - ferric chelate solution 340
- access door 252
- acetate, methane formation 99
- acetic acid
- concentration limits 216
 - degradation 96
 - inhibition 122
- acetobacter* 129
- acetogenic bacteria 134–135
- acetogenic phase 96–97
- acid detergent fiber (ADF) 213
- acid detergent lignin (ADL) 213
- acid value, of the feed and discharge 216
- acidification 114–115
- acidogenic bacteria 131
- acidogenic phase 94–95
- acoustic processes, for degradation 232
- activated charcoal 342
- addition
- co-substrates 65
 - long-chain hydrocarbon compounds 53
 - sodium alginate 344
- ADF *see* acid detergent fiber
- ADL *see* acid detergent lignin
- adsorption 342
- carbon dioxide removal 349–351
 - iron-containing masses 341
- adsorption plant, pressure swing technology 351
- aerobic-anaerobic-aerobic process 310
- aerobic degradation 82
- agitator heater 258
- agitators 282
- application frequency 256
 - reactor technique 254–256
- agricultural plants
- design calculation 407–414
 - european 246
 - operation modes 245
 - safety devices 219
 - technical features 248
- agricultural products, conventional 82
- air cleaning, exhaust 220
- air flow, hydrogen sulfide correlation 337
- air monitoring, explosion-protection 168
- air renewal, immission prevention 180
- algae
- cultivation 74
 - energy supply 20–21
 - reactor plants 75, 344
- alkaline-peroxide-thermo-mechanical pulping (APTMP) 236
- alternating voltage, disintegration 235
- amines 349
- amino acids 121
- degradation 95
- ammonia 123–124
- anastrip-process 124
 - biogas 55
 - limits 182
 - removal 355
- ammonium (NH_4^+) 123–124
- amount of space 11–13
- AN-biothane process 306
- anaerobic bacteria
- hydrolysis 94
 - inhibition 118
- anaerobic baffled reactors (ABBR) 304

- anaerobic processes
 - degradation 102
 - engineering 197
 - purification 243
 - waste water treatment 318–319
- anaerobic sequencing batch reactors 243
- anaerobic sewage treatment 287
- Anastrip-process 124
- animal byproducts 158
- ANM process *see* Prethane/Rudad-Biopaq process
- apatite, biogas formation 117
- APTMP *see* alkaline-peroxide-thermo-mechanical pulping
- archaea, methanogenic 135
- ASBR-reactors 243
- ascending sludge 108
- asphalt concrete, bottom layer in silos 204
- asynchronous generator 364
- automatic control techniques 212
- automation technology 211–219

- b**
- bacteria
 - acetogenic 134–135
 - acidogenic 131
 - anaerobic 94, 118
 - degradation 129
- bacterioide* 129
- ball gas tanks 330
- Barker 29
- base plate
 - tanks 199, 202
- Béchamp 27
- belt-type press 266
 - fermentation 265
- Bigadan™ process 263
- bio waste *see* waste
- biochemical oxygen demand (BOD) 213
- biochemistry, methane gas production 94
- bio diesel 371
- biofilm 294
- biofilters 220
- biogas 47–86, 361
 - bags 328
 - components 52–56
 - compressors 358
 - cryogenic purification 353
 - drying 354
 - energy 323–400
 - equalization 161
 - explosion-protection 166
 - facilities 37
 - gas feeding 161
 - historical sources 27–45
 - liquefaction 357–360
 - main composition 53
 - natural gas network, feeding 389–396
 - quality 217, 334
 - reactor passage 344
 - removal 117
 - sources 22–24
 - usage (first attempts) 28–30
 - usage (second attempts) 30–31
 - usage (third attempts) 32
- biogas formation 87–148
 - apatite 117
 - biology 93–126
 - C/N/P-ratio 116
 - calcium carbonate 117
 - concentration of microorganisms 102
 - degree of decomposition 127
 - disintegration 106–109
 - inhibitors 118
 - light as parameter 112
 - MAP 117
 - mixing of the reactor 110–111
 - nutrients 116
 - partial pressure 101
 - pH value as parameter 113–115
 - precipitants 117
 - process parameters 100–128
 - redox potential 116
 - specific surface 103–105
 - temperature as parameter 112
 - trace elements 116
 - volume load 110–111
- biogas fuel 397–400
 - Sweden 398
- biogas pipelines 323
 - materials 323
- biogas plants 83–86
 - building 189–194
 - China 36
 - construction 152–154
 - control 211–219
 - design calculation 407–414
 - economy 387, 415
 - energy yield 258
 - Europe 32–33
 - explosion risk 161
 - explosive areas 163
 - ground basin 206
 - installation *see* plant installations

- laws and guidelines 149–196
- measurement 211–219
- membrane valve 220
- monitoring 211–216
- operation costs 259
- operation modes 245
- parts 199–220
- planning 190, 195
- quality 217
- reactor technique 247
- regulations 154
- yield 217
- biogas preparation plant 392
- biogas production 79–82
 - Germany 33
- biogas yield
 - correlation to the percentage of co-ferments 65
 - depending on the applied process_engineering 72
 - from hay 103
 - influence of disintegration 106
 - process engineering 217
 - relation to the type of cellulose biomass 78
 - specific surface 105
- biogasholders 327–332
 - high-pressure 330
 - low-pressure 327–329
 - medium-pressure 330
- bioguard 219
- biological processes
 - degradation 233
 - desulfurization 335–344
 - disintegration 239–240
- biology, biogas formation 93–126
- biomass
 - cultivation 9–10
 - delivered 221
 - fermentation 64
 - future recovery 45–46
 - hectare yield 14
 - potential yield 13–21
 - preferentially usage 159
 - separation 301–309
 - suspension in water 302–304
 - transformation 7
 - utilized 155–158
 - water separation 269–300
- biomineralization, carbon dioxide removal 353
- bioreactors 93–99
 - China dome 37
 - covering 251
 - drainage 253
 - explosion-protection 166
 - feeding 239
 - fire protection sectors 171
 - reactor technique 253
 - rotating agitator 257
 - Russia 42
 - shapes 248
 - sizes 249
 - Ukraine 42
 - vessel size 262
 - volume load 249
- bioscrubbers 221, 339
- bitumen, surface protection 204
- blockage 218
- BOD *see* biochemical oxygen demand
- brick tanks 199–200
- BRV bioreactor 268
- Bryant 29
- BTA process 305
- BTX, biogas 56
- bubbles 282
 - disintegration 235
- buffer system 114
- Buswell
 - biogas history 29
 - equation of 14
- c**
- C/N ratio, organic wastes 116
- C/N/P-ratio, biogas formation 116
- C3 plants 13
 - energy supply 15–17
 - hectare yield 17
- C4 plants 15, 17–20
 - mass transfer 17
 - yield 19
- calcium carbonate, biogas formation 117
- calorific value
 - gas feeding 391
 - vehicle fuel 397
- Calvin cycle 16
- CAM plants 17–20
- capstone 362, 382
- carbohydrates
 - degradation 95
 - hydrolysis 94
- carbon chain length 54
- carbon compounds, back loads 109
- carbon dioxide *see* CO₂
- carbon molecular sieves 350

- carbon monoxide *see* CO
- CASB-reactor 300
- catalysts
 - in CHPs 370–371, 376–377
 - energy from biogas 333–335
 - oxidation 385
 - SCR 385
 - three-way 383–385
- cell disruption 106
- cement 200
- centrifugal pumps 210
- centrifuge 285
- charcoal, adsorption 342
- checklists
 - explosion protection 164–170
 - fire protection 172
 - immission prevention 179–182
 - noise protection 185
 - plant regulations 154
 - water protection 186–188
- chemical absorption 345
- chemical binding, zinc 343
- chemical hygienization 226
- chemical oxygen demand (COD) 105
 - biogas plants 214
- chemical scrubber plant 349
- chemo-thermo-mechanical pulping (CTMP), disintegration 236
- chemoscrubbers 220
- Cheng cycle 360
- China
 - energy supply 36–39
- China dome, bioreactor 37
- chlorine, biogas 56
- CHP 367–385
 - control 381
 - costs 388
 - instruments 369
 - manufacturers 388
 - total efficiency 367
- circulated gas 124
- circulation pumps 278
- CIS states, energy supply, status 42–43
- Claus's procedure 344
- Clostridium* 129, 131
 - species of 134
- CO 55
 - concentration 386
- CO₂ 53
 - closed cycle 22
 - equivalent 83
 - fixation 17
 - operational costs 347
 - removal 345–353
- coal
 - primary energy source 3
 - secondary energy source 5
- COD *see* chemical oxygen demand
- co-ferments 58–62
 - biogas yield 65
 - water protection 188
- combined fermentation 313–314
- combined heat and power generator *see* CHP
- combustion 8
- combustion engines
 - energy conversion 373
 - exhaust gases 383
 - immission prevention 181
- comminution 103
 - process technology 226
- compartment filter press 267
- compressed gas scrubbing 344
- compression, biogas 357–360
- compression work 358
- compressor 369
- concrete tanks, reinforced 200–204
- contamination
 - average 383
 - removal 333
- continuously-stirred tank reactor (CST reactor) 300
- corrinoids, methane formation 99
- corrosion 199
 - bioscrubber 339
 - disintegration 110
 - safety hazards 151
- corrosion resistance, stainless steel 206
- costs
 - biogas plants 259–260
 - carbon dioxide removal 347
 - CHP 388
 - disposal 83
 - investment *see* investment costs
 - liquefaction plant 358
- co-substrates
 - addition 65
 - sewage sludge 70–73
- crop rotation 13
- cryogenic biogas purification 353
- CST reactor *see* continuously-stirred tank reactor
- CTMP *see* chemo-thermo-mechanical pulping
- cube gasholder 329

- current compensation, wattless 365
- current-measuring instruments 363
- cutting pumps 210
- d**
- decanters 268
 - fermentation 265
- decomposition 64, 105
 - biogas formation 127
 - degree of 215
 - disintegration 106
 - energy consumption 277
- decontamination, technologies 346
- deep-temperature rectification 353
- degassing behavior, of the substrate 117
- degradation 232
 - bacteria 129
 - nitrogen compounds 123
 - organic material 90
 - pathways 95
 - phases 93
 - pyruvate 95
 - types 81
- degree of decomposition 215
- dehydratability 108–109
- denitrification rate 107
- design calculation, agricultural biogas plant 407–414
- desorption, carbon dioxide removal 345
- desulfurization 55, 342
 - biological 335–344
- diaphragms
 - compressors 358–359
 - diffusional 351
 - technology 351–352
- diesel engines 362
 - electricity generation 367–371
- digested material, fermentation 31
- digestion, sewage 70
- digestion tanks, characteristic values 276
- digestion towers 269–270
 - characteristic values 276
 - construction 273
 - designs 271–272
 - dimensions 276
 - operation 285
 - operation parameters 73
- dilution
 - BOD 214
 - substrate 264–269
- dimethyl ether 348
- direct inspection, process technology 227–229
- direct oxidation 344
- direct testing, hygienization 226
- disintegration
 - biogas formation 106–109
 - free carbon concentration 238
 - process parameter 106
 - process technology 231–240
 - sewage sludge 235
- disposal costs reduction 83
- disturbing substances, removal 224
- domestic waste 66
- double membrane gasholders 328–329
- drainage
 - bioreactors 253
 - reactor technique 253
- dry anaerobic composting process 308
- dry diaphragm procedure, carbon dioxide removal 352
- dry fermentation 309, 316
 - comminution 226
- dry matter content 65
 - organic 79, 213
- dry pre-treatment 224
- dry sludge 72
- Ducellier, biogas history 29
- dust-containing air, immission prevention 181
- DUT process 261
- e**
- earthing, explosion-protection 164
- ecological scenario 6
- effective energy 6–7
- efficiency 258
 - biomass separation 303
- EGSB reactor 288
- EGW *see* population equivalent
- electric power generation 32, 361–388
- electrical efficiency, micro gas turbines 379
- electrical wiring, explosion-protection 164
- electricity network 361–364
- electronic gear, micro gas turbines 380
- emergency overflow 218
- emergency quick-acting shut-down valves 168
- emissions
 - control of 382
 - measurements of 387
 - of smells 175–178
 - reduction of 383–385
- enamel layer, steel tanks 205
- end-point energy sources 6
- endangered areas, explosion risk 162–163

- endotoxins 175
 - energy
 - effective 6–7
 - from biogas 323–400
 - release of 81
 - energy balance 8
 - methane 89
 - energy consumption 234
 - energy conversion 373
 - energy mix 5
 - energy plants 13, 15–18
 - energy sources 1
 - end-point 6
 - fossil 2
 - perspectives 6
 - primary 3–5
 - secondary 5–6
 - energy supply
 - economic potential 23
 - future scenarios 7–27
 - general thoughts 1–46
 - history, status, and perspectives 27–45
 - realizable potential 23–26
 - technical potential 21–23
 - theoretical potential 13–21
 - energy yield 10, 13–14
 - agricultural biogas plants 258
 - engines, electricity generation 367–380
 - enteric salmonella 228
 - epoxy, surface protection 204
 - equipment construction
 - biomass separation 302
 - industrial waste water purification 322
 - percolation process 305
 - sewage purification 287–298
 - erosion, disintegration 110
 - escape doors, fire protection 172
 - ethanolamines 348
 - eubacterium* 129
 - Europe, energy supply, history and status 27–35
 - example projects
 - chain of restaurants in switzerland 397
 - Sweden 398–400
 - exhaust air
 - cleaning 220
 - substances 182
 - exhaust gases 370, 382
 - combustion engines 383
 - harmful 173
 - immission prevention 180
 - impurities 383
 - prescriptions 173–174
 - expanded-bed reactor 298
 - explosion-endangered areas 162–164
 - explosion protection
 - air monitoring 168
 - bioreactors 166
 - checklist 164–170
 - earthing 164
 - electrical wiring 164
 - foam traps 165
 - gas alarm system 165
 - gasholders 167
 - journal 169
 - liquid storage tank 166
 - stop valves 168
 - ventilation 167
 - explosion risk 151, 161–162
 - endangered areas 162–163
 - external pumps 277
- f**
- Faraday, biogas history 27
 - fat, waste 74–75
 - fat removal tanks
 - biogas components 52–53
 - characteristic values of substrates 65
 - co-substrates 73
 - fatty acids 121–122
 - degradation 95
 - free 75
 - feeding
 - natural gas network 389–396
 - process technology 242
 - sewage gas 389
 - fermentation
 - bacteria 130, 132–133
 - channel 310
 - combined 313–314
 - engineering 197
 - industrial waste 322
 - plug flow reactor 244
 - products 304
 - sewage sludge 71
 - temperature 112
 - test station 79–80
 - fermentation technology 243–312
 - batchwise processes 243–258
 - continuous processes 243–258
 - distribution 310
 - storage tanks 310
 - suppliers 259–263
 - fermentation time, grinding 104
 - ferric chelate solution 340

- fertilizers 72
 - law 160
 - quality 84
 - restrictions 158
 - filter press 266
 - compartment 267
 - fermentation 265
 - membrane chamber 267
 - filter reactor 296
 - filters
 - gas 391
 - membrane 284
 - mesh 385
 - trickling 338
 - filtration resistance, disintegration 109
 - fine drying 355
 - fire, risk 171
 - fire breaks 172
 - fire protection 171–172
 - fixed-bed reactor 296–297
 - fixed-film reactor 296
 - flame traps, fire protection 172
 - flares 330–332
 - floating, materials 73
 - floating cup 202
 - floating-dome biogasholder 330
 - floating sludge, disintegration 108
 - flocculation 282
 - floor heater 257
 - flotation, biomass accumulation 285
 - flow-through plants 244
 - fluidized-bed reactor 298
 - fluorine, biogas 56
 - foam traps, explosion-protection 165
 - foaming 127, 218
 - disintegration 108
 - foil lining, ground basin 206
 - foils, reactor designs 250, 252–253
 - formicum methanobacterium* 29
 - four-stroke gas engine 367–371
 - fuel *see* biogas fuel
 - fuel cells
 - electricity generation 373–377
 - energy conversion 373
 - industrial scale 374
 - molten carbonate 362
 - types 373, 376–377
 - fungi, heat resistance 229
- g**
- garbage dissolver 226
 - gas alarm system, explosion-protection 165
 - gas bubbles, disintegration 235
 - gas compressor 171
 - gas consumption equipment, fire protection sectors 171
 - gas engine, electricity generation 367–371
 - gas filters 391
 - explosion-protection 165
 - gas flares 330–331
 - safety device 218–219
 - gas hydrate 76–77
 - gas injection 277–278
 - gas liquefaction 353
 - gas network
 - biogas feeding 161, 389–396
 - eu guideline 161
 - German laws 161
 - gas pipelines 325–326
 - gas pipes 154
 - gas preparation 333–356
 - gas pressure, Turbec 382
 - gas scrubbing 344
 - gas suction pipes, explosion-protection 165
 - gas-tight cover, bioreactors 251
 - gas turbine 362
 - electricity generation 378
 - gasdome 202
 - gases
 - exhaust, harmful 173–174
 - methane-containing 49–51
 - safety hazards 151
 - specifications 50–51
 - gasholders
 - categories 328
 - explosion-protection 167
 - fire protection sectors 171
 - Gavon, biogas history 27
 - generators 363
 - Germany
 - biogas for feeding into the natural gas network 161, 394–396
 - biogas production 33
 - electric power supply from biomass 32
 - electricity supply 6
 - limits for noise 184
 - limits of emissions 384
 - perspectives for energy sources 8
 - potential yield from biomass 14
 - primary energy resources 4
 - total available area 12
 - germs 175
 - glycol
 - absorbents 348
 - chemical scrubber plant 349
 - gray water 25
 - grease *see* fat

greenhouse effect 83
 grinding 104
 guidelines
 – biogas plants 149–196
 – construction of plants 153–154
 – exhaust gases 173–174
 – noise protection 184
 – water protection 186

h
 harmful exhaust gases 173
 harmful substances, removal 224
 harvests, multiple 12
 hay, biogas yield 103
 heat energy 90
 heat exchanger 208, 258, 265
 heat generation, biogas 365–366
 – CHP 367–388
 heat insulation, reactor technique 254
 heat recovery, gas turbine process 378
 heater, submerged 257
 heating
 – reactor technique 257
 – systems 208
 heavy metals
 – fermentation process 158–159
 – as parameter for biogas formation 125
 hectare yield
 – C3 plants 17
 – from biomass 14
 Herter, biogas history 27
 high pressure scrubbing 348
 humans, safety devices 218–219
 hybrid reactor 299
 hydrogen partial pressure 101
 hydrogen source, disintegration 107
 hydrogen sulfide
 – biogas 55
 – daily variations 55
 – dissociation 119
 – inhibition 120
 – removal 335–344
 hydrogen transfer, interspecies 97
 hydrogen transportation, pH 113
 hydrolysis 94
 hydrolyzing bacteria 131
 hygienic risk 65
 hygienization
 – final testing 231
 – indirect testing 231
 – process technology 226–230
 – regulations 159

i
 IC reactor *see* internal circuit reactor
 ignition 217
 – gas engines 370
 Imhoff tank, biogas history 28–29
 IMK process 307
 immission prevention
 – measures (checklist) 179–182
 – storage temperature 181
 immissions, law of 173, 184
 immobilization
 – hydrogen sulfide removal 337
 – microorganisms 73, 294
 impurities 52
 – exhaust gases 383
 – molecular sieves 344
 India, energy supply, history and status 40–42
 industrial plants 320
 industrial purification, sewage 286–300
 industrial waste water 74
 – fermentation plants 322
 – purification 322
 – two-stage plant 301
 infectious agents 176–179
 inhibition
 – biogas formation 118
 – progression 118
 – thresholds 125–126
 – toxic concentrations 126
 injuries, prevention 185
 inlet, reactor technique 252
 inspection
 – direct 227–229
 – indirect 229
 internal circuit (IC) reactor 287–289
 internal heating systems 207
 internal phase separation 270, 279
 interspecies hydrogen transfer 97
 investment costs
 – biogas plants 259
 – carbon dioxide removal 347
 – liquefaction plant 358
 iron-containing masses 341
 Isman, biogas history 27
 ISV *see* sludge (volume) index

j
 journal
 – biogas plant planing 192
 – explosion-protection 169

- k**
 KCA process 303
 Krüger process 263
- l**
 lamellar settler 284
 land usage, biomass cultivation 9–10
 landfill
 – area reduction 83
 – for residual waste 66–69
 – gases 354
 Latin America, energy supply 42
 laws
 – biogas plants 149–196
 – construction of plants 153
 – fertilizers 160
 – gas network 161
 – immissions 173, 184
 – renewable energies 32, 159
 leach-bed process *see* percolation process
 leaf anatomy, C4 plants 18
 leakage
 – immission prevention 180
 – water protection 187
 light, parameter for biogas formation 112
 lightning protection 155
 lignin structures 54
 lignocellulose 77
 – hydrolysis 94
 liquefaction
 – biogas 353, 357–360
 – thermodynamical process 357–358
 liquid fuel 8
 liquid manure 57–65
 – degradability 85
 – emissions 174
 – yield 63
 liquid storage tank,
 explosion-protection 166
 LO CAT process 341
 long-chain hydrocarbon compounds 53
 loop reactor 300–301
- m**
 machine safety regulations (MSV) 185
 magnesium ammonium phosphate (MAP),
 biogas formation 117
 maize 15, 19–20
 manometric determination, BOD 214
 MAP *see* magnesium ammonium phosphate
 material surface, specific 103
 MCFC 375
 measuring sensors 212
 mechanical processes
 – degradation 232
 – disintegration 233
 membrane chamber filter press 267
 membrane filters, fermentation
 technology 284
 membrane valve, pressure regulation 220
 mercaptans, biogas 56
 mesh filter 385
 metal guards, fire protection 171
 methane 53
 – hectare yield 14
 – purity 350
 methane-containing gases 49–51
 methane fermentation 93
 methane formation 89, 99
 – environmental requirements 100
 methane gas production, biochemistry 94
 methane number, gas feeding 391
 methane reactor, operation 285
 methanization 237
methanobacterium hungatii 134
 methanogenic phase 98–99
 methanogenics 135–137
 – degradation 98, 135
 – species 138–146
 – temperature 113
methanosarcina 29, 137
methanothermus 137
methanotorries igneus 137
 methanotropic microorganisms 147
 – degradation 137
 micro-algae *see* algae
 micro gas turbines 362
 – electricity generation 379–380
 – thermodynamics 379
 – worldwide suppliers 380
 microbial degradation, yield 11
 microbial metabolism processes 100
 microorganisms
 – concentration 102
 – cooling 282
 – decomposition 215
 – filamentous 128
 – foaming 127
 – hydrogen sulfide removal 337
 – immobilized 73, 294, 337
 – methanotropic 137, 147
 – nitrate reducer 129
 – regeneration time 102
 – temperature 112
 – thermophilic 113
microthrix parvicella 128

mixing of the reactor
 – biogas formation 110–111
 – reactor designs 254
 molecular sieves 344, 350
 mono pumps 210
 monomers, formation 94
 mortar
 – brick tanks 200
 – plaster mixing ratios 202
 – surface protection 204
 MSV *see* machine safety regulations
 multiple harvests, hectare yield 14
 multistage fermentation 271

n

National Rural Biogas Construction Plan,
 China 39
 natural gas network 390
 – biogas feeding 389–396
 NDF *see* neutral detergent fiber
 near infrared spectroscopy (NIR) 213
 negative pressure 218
 network failure registration 364
 neutral detergent fiber (NDF) 213
 NIR *see* near infrared spectroscopy
 nitrate (NO_3^-) 122
 nitrogen, biogas 54
 nitrogen compounds
 – degradation 123
 – nutrient determination 216
 noise
 – limits 184
 – safety hazards 152
 noise protection 183
 – checklist 185
 – guidelines 184
 non-hydrolyzable biomass,
 separation 301–309
 nuclear energy 1
 nutrients
 – biogas formation 116
 – determination 216
 nutritional value 57

o

oDM *see* organic dry matter
 oil platforms 1
 operability, secure 217
 operation parameters, digestion towers 73
 operational disturbances 212
 ORC *see* organic Rankine cycle
 organic acids 121
 organic dry matter (oDM) content 213

organic flocculation 282
 organic material 213
 – degradation 90
 – limits 182
 organic Rankine cycle (ORC) 361
 organic waste *see* waste
 overflow 218
 overpressure 218
 oxidation, direct 344
 oxidation catalysts 385
 oxygen 54, 119
 – removal 354
 oxygen demand 213
 ozone, disintegration 237

p

packing material 295
paenibacillus 131, 133
 – species 134
 PAK, biogas 56
 parameters
 – disintegration 106
 – operation 73
 – process 100–128
 – specific surfaces 103–105
 – temperature 112
 partial pressure
 – biogas formation 101
 – hydrogen 101
 passive houses 26
 Pasteur, biogas history 27
 pathogens
 – inactivation 86
 – salmonella 227–229
 – substrates 57, 65–66
 percolation process, non-hydrolyzable
 biomass 305
 personal hygiene 183
 petroleum
 – primary energy source 3
 – secondary energy source 5
 pH, parameter for biogas
 formation 113–115
 phase separation 279–280
 phases
 – acetogenic 96–97
 – acidogenic 94–95
 – degradation 129, 213–214
 – electrical 363–365
 – hydrolysis 94, 132
 – methanogenic 98–99, 135
 phosphorus compounds, nutrient
 determination 216

- photorespiration 15–16
 - photosynthesis 90
 - photovoltaic cells 49
 - physical absorption 345–348
 - pig-biogas-fruits 39
 - pilot plants 80
 - fuel cells 374
 - pipe grommets, water protection 188
 - pipelines 323, 325–326
 - explosion-protection 165
 - pipng system 209–210
 - slide valve 210
 - plankton 75
 - plant building 189–194
 - financing 195–196
 - plant installations
 - biomass separation 303–304
 - contact process 299
 - percolation process 306–309
 - sewage purification 299–300
 - special 313–322
 - plant regulations, checklists 154
 - plants
 - C3 15–17
 - C4 17–20
 - industrial waste water fermentation 322
 - pilot *see* pilot plants
 - planning of 191
 - plasmodiophora brassicae*,
hygienization 227–228
 - plastic coating, steel tanks 205
 - plastic foil lining, ground basin 206
 - plastic membranes 284
 - plastics, surface protection 204
 - plug flow reactor, fermentation 244
 - Poebel, biogas history 29
 - pollutants
 - immission prevention 182
 - safety hazards 151
 - polyethylene glycol 348
 - polyethylenic safety foil 250–253
 - polyurethane, surface protection 204
 - population equivalent (EGW) 72
 - power consumption
 - biogas compressors 358
 - disintegration 109
 - plant size 277
 - power generators 360
 - characteristic values 368
 - relay 364
 - precipitants, biogas formation 117
 - precipitation, sulfide 339
 - pressure, safety devices 219
 - pressure controller 391
 - pressure ratio, compressor 369
 - pressure sterilization, regulations 159
 - pressure swing technology
 - adsorption (PSA) 349–350
 - under vacuum (VPSA) 351
 - Prothane/Rudad-Biopaq process 306
 - fine particles 307
 - pretreatment
 - complexity 58–62
 - substrates 220
 - primary energy sources 3–5
 - life cycles 2–3
 - process engineering 197–321
 - biomass separation 302
 - industrial waste water purification 322
 - percolation process 305
 - sewage purification 287–298
 - process parameters 100–128
 - *see also* parameters
 - process technology 223–240
 - protection
 - explosion *see* explosion protection
 - fire *see* fire protection
 - surface *see* surface protection
 - water *see* water protection
 - protection distances 171
 - proteins, hydrolysis 94
 - PSA *see* pressure swing technology
 - pump systems, biogas plants 210–211
 - pumps
 - centrifugal 210
 - circulation 278
 - cutting 210
 - external 277
 - mono 210
 - reciprocating 269
 - PUR *see* polyurethane
 - purification
 - anaerobic 243
 - cryogenic 353
 - industrial waste 322
 - pyruvate, degradation 95
- q**
- quality measuring instruments 391
- r**
- rainfall, water protection 188
 - reactor designs 250, 289
 - materials 252
 - screw agitators 254

- reactor technique 247
 - residence times 248, 291
 - reactors
 - algae 344
 - anaerobic baffled 304
 - anaerobic sequencing batch 243
 - ASBR 243
 - biogas plants 199–206
 - CASB 300
 - continuously-stirred tank 300
 - EGSB 288
 - expanded-bed 298
 - filling operation 252
 - filter 296
 - fixed-bed 296–297
 - fixed-film 296
 - fluidized-bed 298
 - hybrid 299
 - insulation technique 254
 - internal circuit (IC) 287–289
 - loop 300–301
 - materials 200–201
 - micro-algae 75
 - mixing of the 110–111, 254
 - plug flow 244
 - size 247–249
 - sludge-bed 287–289, 293
 - UASB 287, 292
 - volume 290
 - reciprocating pumps 269
 - recovery
 - biomass, future 45–46
 - heat 378
 - rectification, carbon dioxide removal 353
 - redox potential, biogas formation 116
 - refilling operation 257
 - regulations
 - biogas plants 151–188, 211–216
 - checklist 154
 - construction of plants 153
 - engines 382
 - hygienization 159
 - machine safety 185
 - noise protection 184
 - slaughterhouse disposals 159
 - water protection 186
 - reinforced concrete tanks 200–204
 - removal
 - ammonia 355
 - biogas 117
 - carbon dioxide 345–353
 - disturbing substances 224
 - fat *see* fat removal
 - harmful substances 225
 - hydrogen sulfide 335–344
 - oxygen 354
 - scum 274
 - siloxanes 355–356
 - solid particles 333
 - trace gases 333
 - water 354
 - renewable energies
 - German law 159
 - law of 32
 - sources 2
 - yield 40
 - renewable resources, products 4
 - residence times
 - digestion towers 274
 - reactor technique 248, 291
 - residual waste
 - collections 66
 - substrates 66–69
 - residue storage tank 310
 - residues 401, 403–404
 - distribution 160
 - rice straw 78
 - risks
 - explosion *see* explosion risk
 - fire 171
 - hygienic 65
 - Ross 31
 - rotating agitator, bioreactors 257
 - rotating generator, micro gas turbines 379
 - ruminococcus* 129, 131, 133
 - species 134
 - Russia, bioreactors 42
- s**
- safety devices
 - biogas plants 218–219
 - overpressure 218
 - pressure 219
 - safety foil, polyethylene 250–253
 - safety hazards 151
 - noise 152
 - safety regulations, machine 185
 - salmonella
 - hygienization 227
 - typhoid 227
 - saponification, disintegration 236
 - SCR *see* selective catalytical reduction
 - screw agitators, reactor designs 254
 - screw conveyor mixer 277–278
 - scrubber plant 349
 - scrubbing, high pressure 348

- scum, as process parameter 127–128
- scum removal, fermentation
 - technology 274
- secondary energy sources 5–6
- sedimentation tanks 284
- sediments 76
- selective catalytic reduction_(SCR) 385
- sensors, biogas plants 212
- separation
 - non-hydrolyzable biomass 301–309
 - water 264–268
- separators 243–258
 - UASB-reactor 292
- serovare, hygienization 229
- sewage gas 394
 - pre-treatment 395
 - unlimited feed 389
- sewage gasholder 327
- sewage purification, industrial 286–300
- sewage sludge 70–73
 - decomposition 286
 - degradability 106
 - digestion towers 269–285
 - disintegration 231
 - fermentation plant 270
 - law 160
 - load 314
 - mechanical disintegration 235
 - partial oxidation 236
 - sedimentation behavior 107
 - special plant installations 313–314
 - stabilization 70
- sewage waters, fermentation 290
- short-circuit protection 365
- shut-off valves 392
- sieves 350
 - molecular 344
- silage, straw 77
- siloxanes
 - biogas 56
 - removal 355–356
- single-stage sewage sludge fermentation
 - plant 270
- slaughterhouse disposals, regulations 159
- sludge 70–73
 - digestion towers 269–285
 - dry 72
 - external heating 278
 - load 290
 - sewage *see* sewage sludge
 - (volume) index (ISV) 217
- sludge-bed reactors 287–289
 - operation 293
- sludge digestion tower,
 - equipment 270–284
- sludge-gassing minimization 283
- smell nuisances, biomass storage 221
- smells
 - emissions 175–178
 - ventilation 281
- smoking, fire protection 173
- SO₂ equivalent 84
- sodium alginate, addition 344
- SOFC plant 375
- Sohngen, biogas history 28
- solid particles, removal 333
- solubility, biogas in water 347
- sorghum* spec. 19–20
- sound-absorbing wall 185
- specific surfaces, as process
 - parameter 103–105
- steam heating 209
- steam turbine 378
- steel tanks
 - gasholder 329
 - plastic coating 205
 - sheet metals 205
 - stainless 206
- steel wool, desulfurisation 341
- Stirling engine, electricity generation
 - 372
- stop valves, explosion-protection 168
- storage, of delivered biomass 221
- storage tanks, fermentation technology
 - 310
- storage temperature, immission
 - prevention 181
- straw 77–78
- struvite 117
- substances, removal 224
- substrates 47, 57–78, 213
 - evaluation 79–82
 - exposure to, classes 159
 - fermentation technology 264–268
 - pretreatment 220, 224
 - tempering 207–208
 - types 102
- sugars 11
- sulfate
 - inhibition 119
 - reduction 98, 129
- sulfide precipitation 339–340
- sulfur compounds 119–120, 122
- suppliers, fermentation
 - technology 259–263
- supply chain network, natural gas 49

- surface protection
 - concrete 203
 - durability 205
 - plastics 204
 - surfactants 343
 - suspension, of biomass in water 302–304
 - sustainable growth scenario 6
 - Sweden
 - biogas for feeding into the natural gas network 393
 - example project 398–400
 - switching devices 364
 - Switzerland
 - biogas for feeding into the natural gas network 392
 - symbiosis 101
 - synchronization, control 363
 - synchronous generator 364–365
 - systems engineering 244–246
- t**
- tanks
 - ball gas 330
 - biogas plants 199–206
 - brick 199–200
 - concrete 200–204
 - digestion 276
 - explosion-protection 166
 - fat removal *see* fat removal tanks
 - materials 200
 - plastic coating 205
 - residue storage 310
 - sedimentation 284
 - steel *see* steel tanks
 - tannins 125
 - taxonomy, methanogenics 136
 - TBM *see* tertiary butylmercaptan
 - technical installations 155
 - technical requirements 154
 - construction of plants 153
 - technical residence time 104
 - technology potentials 9
 - temperature, as parameter for biogas formation 112
 - tempering, equipment 207–208
 - tertiary butylmercaptan (TBM) 392
 - test station, fermentation 79–80
 - tetrahydrothiophen (THT) 392
 - theomoplastic foil gasholder 329
 - theoretical yield 13–21
 - thermal processes
 - degradation 232
 - disintegration 238
 - hygienization 226
 - insulation 209
 - thiosulfates 341
 - three-phase relay, power generators 364
 - three-phase separator, UASB-reactor 292
 - three-way catalysts 383
 - THT *see* tetrahydrothiophen
 - tobacco mosaic virus, hygienization 229
 - TOC *see* total organic carbon
 - tomato seeds, hygienization 229
 - total available area, biomass cultivation 10
 - total organic carbon (TOC), biogas plants 213
 - toxicity
 - heavy metals 125–126
 - hydrogen sulfide 121
 - inhibitors 126
 - trace elements 125
 - biogas formation 116
 - trace gases
 - methane 83
 - removal 333
 - trade waste 66
 - Travis, biogas history 28
 - trickling filter 338
 - Turbec, micro gas turbines 381
 - turbo charger 366
 - two-stage bioreactor plant 301
- u**
- UASB-reactor 287
 - separators 292
 - Uhde-Schwarting process 299–300
 - Ukraine, bioreactors 42
 - ultrasonic disintegration 233, 235
 - undissociated acids, inhibition 121
 - upstream processing 223–240
 - equipment 241
 - urine 25
 - utilized biomass 155–158
- v**
- vacuum degassing 281
 - carbon dioxide removal 351
 - Valorga™ process 263
 - valves
 - explosion-protection 168
 - membrane 220
 - shut-off 392
 - slide 210
 - slidegate 188
 - vapor pressures 282
 - vehicles, biogas fuel 397–400

- ventilation 169, 279
 - explosion-protection 167
 - Verinox™, stainless steel 206
 - viscosity, disintegration 107
 - Volta, Alessandro 27
 - volume load
 - biogas formation 110–111
 - bioreactors 249
 - VPSA *see* pressure swing technology under vacuum
- w**
- Wabio process 261–262
 - Wabio-Vaasa process 260
 - wall, sound-absorbing 185
 - wall heater 257
 - waste 66
 - annual variation 69–70
 - biogas from 24
 - C/N ratio 116
 - components 67–68
 - fat 74
 - fermentation process 316
 - grease 74
 - law 160
 - plants 315–321
 - recycling 155
 - restrictions 156–158
 - special plant installations 313–314
 - two-stage plant 302
 - waste water 401, 405–406
 - anaerobic processes 318–319
 - Europe 28, 32
 - fermentation 322
 - load 314
 - purification 322
 - water
 - disintegration 108–109
 - fermentation 264–268, 322
 - industrial waste 74
 - purification 28, 322
 - removal 354
 - water protection
 - checklist 186–188
 - guidelines 186
 - leakage 187
 - pipe grommets 188
 - sealing layer 188
 - slidegate valves 188
 - water separation, equipment 265–267
 - wattless current compensation 365
 - wet diaphragm procedure, CO₂ removal 352
 - wet fermentation 316
 - comminution 226
 - wind turbine 45
 - Wobbe indices 49, 391
 - wood 77–78
 - wooden pellets, desulfurisation 341
- y**
- yield 65
 - biogas *see* biogas yield
 - biogas plants 217
 - biomass 13–21
 - C4 plants 19
 - cellulose biomass dependence 78
 - disintegration 106
 - energy 10
 - hay 103
 - hectare *see* hectare yield
 - liquid manure 63
 - microbial degradation 11
 - potential 13–21
 - process dependence 72
 - realizable 21
 - renewable energies 40
 - theoretical 13–21
- z**
- zeolite molecular sieves 350
 - zinc, chemical binding 343
 - zinc oxide, desulfurisation 343