

Index

a

- a-type edge dislocations 95
- ab initio calculations 75, 217
- absorption
 - energy 287
 - isotherm 43, 163, 206, 263, 297
- absorption-desorption isotherm 265f
- acetonitrile 46, 227, 297
- activation
 - barrier 226, 288, 301
 - cycle 103, 300, 335
 - energy 40, 173ff, 324ff, 333
- adduct organo-aluminum hydride compound 260ff
- adsorption capacity 41
- adsorption isotherm 41ff, 49, 53ff
 - absolute 43
 - excess 43
- aerogel 312f, 316, 325, 332f
- agglomeration 99, 179
- alanate 129, 136, 190, 198f, 269ff, 275, 280, 290, 304, 325, 335
- alane *see* aluminum hydride
 - adducts with trimethylamine (TMAA1) $\text{AlH}_3\text{-NMe}_3$ 261f
 - alane dimethylethylamine (DMEA1) $\text{AlH}_3\text{-NMe}_2\text{Et}$ 262
 - alane triethyl diamine ($\text{AlH}_3\text{-TEDA}$) 261ff, 269, 274f
 - α -alane 252ff, 273
 - α' -alane 252ff
 - β -alane 252ff
 - δ -alane 252ff
 - ε -alane 252ff
 - γ -alane 252ff
 - θ -alane 252ff
 - bis-trialkylamine alane 261
 - bis-trimethylamine alane 261

- tri-*n*-propylamine alane 261
- alcoholysis 239
- alkali amide 159
- allotropic modification 44
- alloy 109
 - chemistry 190
 - intermetallic alloy 107, 131, 191
 - PdNi alloy 333f
 - pseudo-binary alloy 193
 - quaternary alloy 107
- alumina Al_2O_3 136, 234, 240, 302, 306ff, 311f, 316f
- aluminosilicate 50, 316
- aluminum
 - alloy 12, 29, 250
 - borohydride $\text{Al}(\text{BH}_4)_3$ 35, 83, 117ff, 126, 266
 - casting 250
 - electrode 271
 - hydride adducts (AlH_3 -adducts) 249, 260f, 275
 - hydride AlH_3 109, 118, 141, 200, 202, 249ff
 - hydride etherate $\text{AlH}_3\text{-Et}_2\text{O}$ 252f
 - mirror 262
 - trichloride AlCl_3 126, 130, 140ff, 252ff, 263, 267ff, 298
 - trihydride *see* aluminum hydride
 - trimethyl 118, 262
- amine alane 262ff, 269ff
- amino borane 222ff
 - monomeric amino borane BH_2NH 224, 226f
 - polymeric amino borane 224, 227
- μ -amino diborane $\text{NH}_2\text{B}_2\text{H}_5$ 227, 232
- ammonia 122, 160, 164, 168, 171ff, 176ff, 215ff, 219f, 232, 235ff, 280, 297f, 329
- ammonia borane 215ff, 280, 304, 323ff, 335
- ammonia triborane $\text{NH}_3\text{B}_3\text{H}_7$ 235

- methyl-substituted 236
- physical properties 217
- pyrolytic decomposition 224
- substituted ammonia boranes 228, 235ff
- synthesis data 219
- ammonia borane adduct BH_3NH_3
(AB) 215ff, 322ff
- carbon supported 324
- decomposition 227
- hydrolysis reaction 234
- pyrolysis 226
- ammonia mediated reaction 178ff
- anharmonic vibrational effect 252
- anthracene 297
- anti-fluorite structure 169
- anvil cell 195
- argon 76, 102, 124, 200, 263, 327, 330
- association rate 288
- atomic relaxation 252
- auxiliary agent 241
- AX-21 44f

- b**
- BaAlH₅ 143, 147
- back-gas 27
- ball milling 100ff, 110, 124, 128ff, 141ff,
162ff, 198ff, 209, 237, 258ff, 267, 279f, 288ff,
329
- high energy ball milling 131, 150, 189, 195
- band
- filling model 87
- structure model 89ff
- battery 15, 33f, 81, 192, 296f
- Li-ion 296f
- Mg-based 296
- nickel-cadmium 81
- Bayer process 122
- B(C₆F₅)₃ 230f
- BCl₃ 241f
- benzene 44, 218, 222, 226, 253
- benzene tribenzoate (BTB) 54
- benzene-1,4-dicarboxylate 317
- benzoquinone 71
- beryllium 118
- beryllium borohydride Be(BH₄)₂ 118f, 123
- BET *see* Brunauer-Emmet-Teller
- β -H elimination 230
- binding energy 251f, 292, 306, 334
- boil-off 17ff, 31
- boiling point 8f, 15, 35, 82, 226
- bond
- covalent 118, 126, 168, 305
- ionic 119, 168, 192
- bonding energy 282
- boranate 123, 220f
- borane 120, 215, 219f, 231, 235, 243
- borax 122
- borazane 124, 216, 243
- borazine (BHNH)₃ 222ff, 237f, 243, 322ff
- Borelius law 251
- boric acid 233, 239f
- boride 119f, 207
- boron 117ff, 202, 208, 215, 236f, 241, 280
- boron hydride 118ff, 126f, 151, 191, 218, 296,
304
- caesium boron hydride 122
- cluster 121
- complex boron hydride 118
- decomposition 119, 123
- double cation boron hydride 199
- multi cation boron hydride 199
- physical constants 119
- rubidium boron hydride 122
- boron nitride BN 222ff, 323
- boronate 280, 290, 304
- borosilicate 122
- Bronsted acid 230
- Brunauer-Emmet-Teller (BET) 45, 54
- Burgers vectors 95
- butane 66
- 1-butyl-3-methylimidazolium chloride
(bmimCl) 232f
- butyllithium C₄H₉Li 237

- c**
- Ca-N-H system 165
- Ca-Na-N-H system 166
- cage compound *see* clathrate compound
- calcium aluminumhydride Ca(AlH₄)₂ 130,
142f
- calcium amide Ca(NH₂)₂ 165f, 172
- calcium borohydride Ca(BH₄)₂ 119, 124f,
207f
- calcium hydride CaH₂ 82, 124f, 142ff, 165f,
172, 195, 208ff, 237
- calorific
- equation of state 2
- value 8ff, 16, 33
- calorimetric studies 77
- CALPHAD approach 206
- Ca₄Mg₃H₁₄ 195
- capillary
- forces 310, 318ff
- pressure 320f
- carbide 44ff, 307, 316
- carbon 280, 314
- activated carbon (AC) 40, 44ff, 59, 175, 298,
312, 315, 329, 332

- aerogel 316, 325, 332
- black 312ff
- cryogel 232, 316, 324f
- elemental 239
- mesoporous 316, 324, 330, 333
- microporous 45, 317, 321, 330
- nongraphitic 315
- templated porous 46, 59
- carbon dioxide CO₂ 8, 34ff, 64f, 177, 233
- carbon fiber composite vessel 138
- carbon monoxide CO 316
- carbon nanofibers (CNF) 302, 316, 326f
- fishbone type 315, 325
- carbon nanotubes (CNT) 44f, 316, 321
- single-walled (SWCNTs) 40, 44ff, 175, 308
- multi-walled (MWCNTs) 40, 44, 175, 312ff
- catalyst 45, 102ff, 109, 117ff, 164, 173, 189, 215ff, 233f, 242, 260, 274, 279, 289, 310
- cobalt Co 234, 302
- copper Cu 234
- heterogeneous 221, 228, 279
- homogeneous 229
- iridium Ir 228
- iron Fe 234
- nickel Ni 229, 234, 297, 329
- niobium Nb 126
- palladium Pd 102, 228, 302
- platinum Pt 128, 302
- precursor 130, 135, 230
- rhodium Rh 228ff, 302
- ruthenium Ru 127, 228ff
- support 234, 310ff, 317
- titanium Ti 126, 133, 142, 164, 174, 228, 265, 270, 279, 325
- catalytic
 - active state 174
 - activity 228, 234, 302, 305
 - effect 106, 173f, 325, 329
 - hydrogenation 270
 - site 96
 - species 228, 316
- catenation 51, 56f
- CCl₄ 218
- CF₃COOH 240
- Chahine's rule 45
- chain
 - growth 226, 231
 - termination 231f
- charge density analysis 169
- chemical
 - clathrate hybrid technology 71
 - potential 76, 84f, 90, 96, 284
 - shift 237
 - regeneration 275
- vapor deposition (CVD) 46, 249, 261, 279, 318
- chemisorption 39, 58, 287, 295
- chilling process 25f
- clamping 107, 307, 296, 331, 335
- clathrate compound *see* clathrate hydrate
- clathrate hydrate 63ff, 67f, 73, 77
- crystallographic structure 65
- modeling 74
- structure I (sI) 65
- structure II (sII) 65, 76
- structure H (sH) 65, 76
- cluster 51ff, 95, 121, 279ff
- cobalt Co 291
- copper Cu 293
- gold Au 292
- iron Fe 102, 291
- magnesium Mg 283, 286
- nickel Ni 291f
- palladium Pd 306
- platinum Pt 292, 306
- rhodium Rh 228f, 292
- silver Ag 292
- sodium Na 282f
- ZnS 282
- co-condensation 297
- cohesive energy 285
- cold
- rolling 108f
- vapor deposition 95
- colloid 228f, 290, 298, 315
- complex
 - anion 117, 148
 - hydride 39ff, 63, 94, 109, 117ff, 187, 199, 211, 285, 303, 322, 325, 335
 - metal hydride *see* metal hydride
 - transition metal hydride *see* metal hydride
- compressibility factor 3f
- computer simulation 110
- condensation reaction 159
- conditioning container 17f, 25ff
- confinement 296, 301ff, 308, 325ff
 - nano-confinement 328f
 - nano-confinement effects 313
 - physical confinement 302, 307f
- contact angle 319ff
- cooling
 - energy 10, 15
 - load 16
- coordination
 - number 133, 144, 261, 282, 285, 292
 - polymer 40, 51ff
- Coulomb
 - attraction 307

- interaction 305
- coupling constant 237
- critical
 - point 9, 15, 31
 - temperature 3, 43, 86, 293
- cryo-adsorption tank 59
- cryo-container 20f
- cryogel 232, 313ff, 324f
- cryogenic liquid 1, 8, 17, 31f, 37, 63
- cryolite Na_3AlF_6 138ff, 200ff
- crystal
 - lattice 94, 98, 283
 - structure 64, 82ff, 89, 92, 117ff, 139ff, 147, 159, 166ff, 179ff, 195, 205, 216, 267f, 317, 331
- cyano-bridged framework 57
- cycle
 - life 99, 110
 - stability 136f, 150
 - test 139
- cyclic
 - channel die compression (CCDC) 108
 - voltammetry 270ff
- cycling
 - behavior 325, 333
 - experiment 124, 297
- cyclo trimeric borazane (CTB) 243
- cyclohexanone (CHONE) 70f

- d**
- 3D boundary conditions 308
- 2D clamped nanoparticles 308
- 3D supported nanomaterial 279ff
- Debye Scherrer equation 298
- decomposition
 - enthalpy 142ff, 254, 308
 - rate 224, 229
 - temperature 94, 121ff, 131, 137ff, 199f, 206, 221, 262
 - thermal decomposition 45, 94, 132, 140, 173, 181, 191, 221ff, 236ff, 315, 332
- decomposition/recombination reaction 197
- decrepitation 99f
- degree
 - freedom 84
 - hydrolyzation 218
 - polymerization 238
- dehydriding enthalpy 287
- dehydrochlorination 241
- dehyrocyclization 232
- dehydrogenated state 162, 167, 180, 192ff
- dehydrogenation 125ff, 140ff, 159ff, 175, 190, 200ff, 221ff, 263, 279ff
 - acid-initiated dehydrogenation 231
 - catalyst 225
 - cycle 135
 - enthalpy of dehydrogenation 205f
 - kinetics 95ff, 117, 197, 232
 - rate 290, 333
 - temperature 134, 325ff
- dehydrohalogenation 243
- dendritic nanostructure 298
- density
 - gravimetric 64, 67, 73, 118, 128, 191f, 196, 232, 249, 279
 - volumetric 81, 117, 192, 196, 249, 279
- density functional theory (DFT) 75, 94, 124, 132, 136, 141ff, 170, 173, 200ff, 232ff, 266f, 286ff, 308
- desolvation 253ff
- desorption
 - enthalpy 190, 196ff, 308
 - isotherm 197, 202, 206, 265f
 - kinetics 104ff
 - reaction 166ff, 173, 179
 - temperature 122ff, 137, 149, 173ff, 191ff, 209, 253, 327, 335
- deuterium 1, 58, 133ff, 140, 292
- hydrate 66
- di-*n*-propyl ether 253
- N-dialkylaminoalane 261
- diammoniate of diborane (DADB) [$\text{BH}_2(\text{NH}_3)_2\text{BH}_4$] 217ff
- diamond 44ff, 315
- diborane B_2H_6 118ff, 217ff, 235ff, 241, 280, 304, 322ff, 332f
 - asymmetric splitting 220
 - symmetric splitting 220
- diesel 15, 33f
- diethyl ether ($\text{C}_2\text{H}_5)_2\text{O}$ 140f, 150, 217ff, 237, 252ff, 261, 269ff
- differential scanning calorimetry (DSC) 140, 143, 146, 160, 198, 202, 208, 221ff, 236ff, 255, 259, 323, 328
- differential thermal analysis (DTA) 141, 143, 258f, 298, 324
- diffusion 5ff, 12, 29, 36, 41, 105ff, 136, 147, 176ff, 250ff, 259ff, 287ff, 331ff
 - coefficient 251, 289
 - distance 176, 288f, 297, 327, 334
 - laws 289
- diffusivity 250ff
- digestion method 240ff
- diglyme 139, 217f, 227ff
- 2,5-dihydrofuran (DHF) 70
- dihydrogen bond 216f, 225f, 235ff
- dimethyl ether (DME) 66, 133, 141f
- 1,1-dimethylcyclohexane (DMCH) 72

- dimethylsulfide 220
- dioxane 217f
- 1,3-dioxolane (Diox) 70
- dispenser 10, 14
- dissociation 39, 71ff, 136, 287ff, 297
 - energy 77
 - enthalpy 146, 198, 204
 - pressure 88ff, 129, 205
 - rate 288, 334
 - temperature 204
- dodecahydro-closo-dodecaborate-anion $[B_{12}H_{12}]^{2-}$ 121
- donor-acceptor complex 216ff
- dopant 135, 144, 189, 199f, 263
- doping
 - agent 133
 - process 131ff, 263
- DOW method 253
- Draeger Tube 176
- DTA/MS measurement 324

- e**
- effective
 - diffusion coefficient 289
 - surface area 289
 - surface energy 285
- effusing mass 25
- egg-shell distribution 320
- electrochemical
 - cell 270ff
 - methods 251, 274
 - process 270f
 - regeneration 275
- electrochemistry 275
- electrolysis 269ff
- electrolyte 270, 296ff
- electron diffraction 103, 226
- electron microscopy 291
 - bright field electron micrograph 299
 - dark field electron micrograph 299
- electronegativity 102, 118f, 162, 171, 199f
- electronic structure 85, 94, 159, 168, 171, 182, 292
- elemental analysis 304
- elemental hydride 82, 88ff
 - binary ionic 82
 - complex ionic 82
 - covalent 82f
 - ionic 82, 280, 285ff, 296
 - metallic 63, 83, 291
 - ternary 88ff, 107ff, 191ff
- elementary
 - reaction 160, 179
 - step 162, 181
- Enders' carbene 229
- energy
 - balance 26
 - regenerative energy 36
 - sublimation 32
 - vaporization 32
- energy density 15, 36, 173
 - gravimetric 33f
 - volumetric 32ff
- epoxidation 281
- equal channel angular pressing (ECAP) 108f
- equation of state 2ff
- equilibrium
 - concentration 176f, 287
 - particle shape 305
 - pressure 86ff, 96, 103, 129, 137, 145ff, 160, 190, 194, 205ff, 223, 263, 279, 284, 296, 334
 - state 238
 - temperature 67ff, 77, 204, 206, 329
- Ergun equation 310
- ethane 217, 323
- ethanol EtOH 71, 217f
- ethene C_2H_4 316
- N-ethyl ammonia borane $C_2H_5\text{-NH}_2BH_3$ 227
- eutectic point 69
- excess uptake value 55
- expansion turbine 16

- f**
- Fermi level 91, 94, 307
- FeTi 191
- Fick's diffusion laws 289
- filling
 - level 12, 17, 19f, 23f
 - pressure 12
 - process 10ff, 14f, 19f, 24, 27f
 - system 25
- first-principles calculations 119, 168, 171ff, 202, 252
- fluoride 197ff
- fluorine 96, 199f, 203
- formation
 - enthalpy 86, 90f, 129, 142f, 147, 187, 192ff, 199, 204f, 285, 297ff, 322, 329
 - entropy 265
- Fourier transform infrared spectroscopy *see* infrared spectroscopy
- free energy 89, 92, 96, 195f, 239, 284
- Friauf-Laves phases 92
- frustrated Lewis pair 243
- FTIR *see* Fourier transform infrared spectroscopy
- fuel
 - fossil fuel 36

- hydrocarbon fuel 8
- hydrogen fuel 63, 77, 177
- rocket fuel 32, 36, 224, 252
- fuel cell 8, 101, 120, 127f, 149f, 182, 188, 192, 224, 233ff, 279, 293, 309
- high-temperature (HT) 137
- low-temperature (LT) 137, 150, 197
- medium-temperature 150
- polymer electrolyte membrane (PEM) 118, 126ff, 137, 150, 189f, 215, 249, 323
- room temperature 150
- functional anion concept 199, 202f, 211
- furan (F) 70

- g**
- gas chromatography 176
- gas hydrate *see* clathrate hydrate
- gas-phase deposition *see* chemical vapor deposition (CVD)
- gas-solid reaction 110
- gasoline 15, 33f
- GH₂ *see* hydrogen gas
- Gibbs
 - energy 190, 236
 - phase rule 84
- gold 281ff
- grain boundaries 101f, 105ff, 189, 259, 289
- Grand Canonical Monte Carlo (GCMC)
 - simulations 54ff, 76
- graphene 44f, 306, 315
- graphite 44f, 95, 175, 309, 315f, 332
- Grignard reagent 141, 296ff
 - BuMgCl 298
 - EtMgCl 298
- guest molecule 64ff, 76f

- h**
- half-reaction potential 271
- HDDR process (hydrogenation-disproportionation-desorption-recombination) 81
- heat
 - absorption 294
 - adsorption 39f, 46ff, 55ff, 59, 287
 - capacity 5, 8f, 110, 216
 - conductivity 100, 110
 - crystallization 265
 - exchanger 12ff, 27
 - evaporation 284
 - formation 89ff, 107ff, 119, 126, 192, 199, 265, 269, 286
 - fusion 9, 269
 - management 129, 188
 - polymerization 265
- solution 85ff, 251f
- sorption 295
- sublimation 284
- transport 309
- helium 8, 16, 32, 41ff, 164, 258
- Henry type isotherm 43
- Henry's law 85
- N-heterocyclic carbene (NHC) 229f
- high-pressure
 - cylinder 59
 - torsion (HPT) 108
- H₂NG (mixtures of hydrogen and natural gas) 15
- Huang's synthesis 53
- hybridization 174, 261
- hydrate
 - binary hydrate 67, 91
 - clathrate *see* clathrate hydrate
 - D₂ hydrate 66
 - gas hydrate 64ff, 73, 77
 - H₂ hydrate 72, 76f
 - THF/H₂ hydrate 67
- hydride
 - abstraction 231f
 - binary hydride 91ff, 162, 189, 296, 303
 - binary ionic hydride 82, 280ff
 - bulk hydride 285ff, 292ff, 334
 - chemical hydride 39, 322
 - complex hydride 39ff, 63, 94, 109, 117ff, 187, 200, 211, 285, 303, 322ff, 335
 - covalent hydride 82f, 249
 - destabilized hydride 63, 279, 303
 - elemental hydride *see* elemental hydride
 - formation 81ff, 91, 190ff, 208, 250, 309
 - high capacity hydride 189, 203, 207
 - high temperature hydride 188, 206
 - intermetallic hydride 89, 191f, 196, 211
 - interstitial hydride 280ff, 289ff
 - lightweight hydride 189ff, 196, 211
 - metal hydride *see* metal hydride
 - mixed hydride 207ff
 - multicomponent hydride 107, 196, 203
 - multinary hydride 94, 162, 192, 196
 - multiphase mixed hydride 211
 - quaternary hydride 193
 - single component hydride 191, 203
 - single phase hydride 191ff, 200, 211
 - surface hydride 285, 291ff, 334
 - ternary hydride 88ff, 107, 162, 191
- hydroboration 227
- hydrodechlorination 241f
- hydrofluoric acid 313
- hydrogen

- absorption 104ff, 145, 177, 182, 189, 200, 209, 251, 289, 331
 - activation 216, 243
 - adsorption 40ff, 53ff, 74
 - association 275, 289, 334
 - atomic hydrogen 12, 71, 84, 196, 250
 - bonding 64, 74ff, 82, 94, 190, 195, 216f, 225f, 235ff
 - bridge 118, 123ff
 - burning internal combustion engine 249
 - capacity *see* storage capacity
 - clathrate hydrate 66ff
 - concentration 51, 56ff, 69, 84ff, 92, 195, 250f, 289ff
 - content 63ff, 92, 118ff, 130ff, 137, 147ff, 215ff, 235, 244, 263, 280, 288, 300, 311, 322ff, 331
 - cycling 108, 179, 195
 - degassing rate 251
 - delivery system 118, 239
 - density 31ff, 54, 117, 192ff, 232ff
 - desorbing properties 177
 - desorption 109, 122, 160ff, 173ff, 187ff, 198, 209, 260, 286ff, 297f, 325, 334f
 - diffusion 105, 251
 - diffusivity 250
 - dissolution 250
 - economy 63, 249
 - equilibrium pressure 89, 279, 284, 296, 334
 - filling station 14
 - gas (GH_2) 8, 15, 27, 33f, 63, 83ff, 99, 127f, 160, 165, 193, 221ff, 228, 238, 293, 316
 - generator 221, 236
 - hydridic hydrogen 219ff
 - liberation 121ff, 137, 233ff
 - liquid hydrogen 15ff, 45, 63, 81, 117, 149, 192, 196
 - molecular hydrogen 2, 40f, 71, 84, 221, 230, 236ff
 - molecule 1, 47ff, 66ff, 102, 126, 160, 196, 224, 260ff, 287ff, 334
 - pressure 24, 41ff, 54f, 76, 81ff, 95ff, 105f, 125, 132ff, 147ff, 196, 204ff, 249, 262ff, 287, 294, 309, 321ff
 - properties 1ff
 - protic hydrogen 216, 225
 - release 63, 69, 121f, 135ff, 173, 188, 201, 207, 216ff, 233ff, 235ff, 238, 243, 259ff, 275, 289, 297ff, 323ff
 - slush 1, 30ff
 - solubility 102, 250f, 289, 294
 - hydrogen sorption 197, 280ff
 - capacity 291
 - energy 308
 - intrinsic hydrogen sorption properties 301
 - isotherm 294, 335
 - kinetics 96, 105ff, 299
 - properties 99ff, 108, 280ff, 323ff
 - reversible hydrogen sorption 281
 - hydrogen source material 215ff
 - hydrogen storage 1, 81, 279
 - active hydrogen storage phase 307
 - alloy 96, 163, 199
 - capacity *see* storage capacity
 - compound 249, 301, 310, 317ff
 - electrochemical storage 192
 - gaseous storage 8, 13, 35
 - hybrid storage 1, 30f, 71
 - infrastructure 1
 - liquid storage 10, 15ff, 28ff, 36, 192f
 - material 52, 74ff, 94, 102ff, 118ff, 149ff, 159, 168, 178, 191f, 199, 206ff, 235f, 249, 269, 275, 286ff, 318ff, 334f
 - on-board hydrogen storage 74, 249, 279, 294, 307ff, 334
 - reversible hydrogen storage 129ff, 142, 151, 165, 197, 207, 249, 269
 - solid hydrogen storage 33, 126, 134ff, 140
 - supercritical hydrogen storage 31f
 - system 33ff, 40, 58, 63, 99, 107, 136, 165, 179f, 303, 311
 - tank 126, 187f, 302, 310
 - underground hydrogen storage 13
 - hydrogen
 - sulfide (H_2S) 83
 - supercritical fluid 1, 30ff
 - uptake 41ff, 187ff, 263, 294ff, 329ff
 - hydrogen/deuterium scrambling 136
 - hydrogenation 90ff, 100, 124ff, 136ff, 159ff, 178ff, 192ff, 208ff, 227, 239ff, 249, 263, 269ff, 275, 279, 289ff, 298ff, 329ff
 - cycle 173
 - mechanism 181
 - kinetics 98ff, 329
 - step 240f
 - hydrogenolysis 141, 305
 - hydrohalide acid 159
 - hydrolysis 233ff
 - hydrophobicity 314, 319
 - hydroquinone 64, 71
 - hydrothermal crystallization 50
 - hypercrosslinked polymer (HCP) 40, 48f
 - hysteresis 49, 88, 94ff, 308
- i*
- ideal
 - cyclic process 16
 - gas 3ff, 10f, 85

- imidazolium-based NHC 230
 imide-nitride reaction 160
 impregnation method 177f, 320
 incipient wetness 318, 333
 induction period 222ff, 228ff
 inelastic
 – neutron scattering (INS) 47, 51, 55
 – spectroscopy 168
 inert gas 177, 233, 291
 infrared spectroscopy 49, 66, 74, 168, 171f,
 176ff, 222ff, 229
 initiator 232
 inorganic coordination polymer 57
 intercalation compound 307, 316
 intermediate phase 120, 124f, 143, 204
 intermetallic compound 88ff, 99ff, 108, 129,
 189ff
 internal
 – energy 2ff, 11f, 20ff
 – work 10
 interpenetration 53ff
 interstice 89, 172
 interstitial
 – channel 47
 – site 47, 85ff, 92f, 251
 – species 132
 interweaving 56
 inverse micelle templated growth 293
 ion exchange 303, 317
 – capacity 50
 – resin 233
 ionic liquid 14, 232f
 IR spectroscopy *see* infrared spectroscopy
 Ir(H)₂POCOP 229
 isochoric line 22
 isothermal-temperature ramp
 experiment 223
 isotope exchange experiment 225
 isotropic
 – lattice strain 95, 268
 – material 196
- j**
 Jellium model 281
 Joule-Thomson
 – coefficient 5, 11
 – effect 5, 11, 17
 – valve 17
- k**
 K-edge 174f
 KAlH₄ 130, 139ff, 145
 kinetic
 – barrier 117, 128, 283
 – isotope effect 230
 Kirkendall effect 175
 Kissinger analysis 173, 326f
 K₂LiAlH₆ 145
 K₂NaAlH₆ 145, 267
 K₂ReH 149
- l**
 LaCl₃ 332
 Langmuir 69
 – isotherm 42f
 – model 40, 54
 – specific surface area 55
 LaNi₅ 89ff, 100ff, 191
 lattice
 – body-centered cubic (bcc) 93, 103, 283
 – constant 169, 173
 – face centered cubic (fcc) 92f, 103, 140, 172,
 200, 283, 293f, 317, 325
 – hexagonal close packed (hcp) 92f, 103
 – symmetry 294
 – volume 95
 Laves phases 94, 102ff, 194
 Lennard-Jones equation 39
 Lewis
 – acid 94, 230f
 – base 94, 217, 261
 LH₂ *see* hydrogen, liquid
 Li-Al-H system 197ff
 Li-Mg-N-H system 161ff, 176ff
 Li-N-H system 159ff, 165ff, 174ff
 ligroin 253
 lithium alanate *see* lithium aluminum hydride
 lithium aluminum amide LiAl(NH₂)₄ 167, 173
 lithium aluminum hexahydride
 Li₃AlH₆ 130ff, 145, 167, 190, 270
 lithium aluminum hydride LiAlH₄ 35, 82,
 123, 130ff, 139ff, 150, 167, 173, 190, 198,
 252ff, 261ff, 267ff, 296
 lithium amide LiNH₂ 159ff, 168ff, 180ff, 207,
 303ff
 lithium borohydride LiBH₄ 119ff, 191, 199,
 203, 206ff, 219, 253, 285, 296, 303ff, 320ff,
 331ff
 lithium boronate 280
 lithium hydride LiH 35, 83, 120f, 130ff, 144ff,
 159ff, 174ff, 190f, 197ff, 205ff, 237, 270,
 297ff, 304f, 322, 331
 lithium imide 180
 lithium magnesium alanate *see* lithium
 magnesium aluminum hydride
 lithium magnesium aluminum hydride
 [LiMg(AlH₄)₃] 130, 146, 198
 lithium nitride Li₃N 159ff, 168, 174ff, 207

m

- macropores 312
 magic numbers 281ff, 292
 magnesium aluminum hydride
 $Mg(AlH_4)_2$ 140f
 magnesium amide $Mg(NH_2)_2$ 162ff, 171ff, 207ff
 magnesium borohydride $Mg(BH_4)_2$ 119, 123ff
 magnesium diboride 208
 magnesium hydride MgH_2 35, 82, 98, 104ff, 123ff, 137ff, 146ff, 162ff, 171ff, 187ff, 203ff, 285ff, 291, 296ff, 308f, 329ff, 335
 magnesium imide $MgNH$ 171f, 180
 magnesium nitride Mg_3N_2 162ff, 171, 180, 298
 magnesium oxide MgO 128, 299ff
 magnetic susceptibility measurement 299
 mass spectrometry 123, 201, 222ff, 251, 281ff
 matrix isolation technique 222
 mechanochemical
 – activation 141ff
 – synthesis 123f
 melt infiltration 279, 303, 318ff, 323, 330ff
 mercury isolation technique 69
 mesopores 302, 312f
 metal hydride 14, 33, 41, 63, 81ff, 165, 187ff, 211, 250, 281ff, 290, 301, 307ff, 321ff
 – activation 95f
 – alkaline earth metal hydride 120, 208
 – battery 192
 – binary metal hydride 82, 296
 – bulk metal hydride 336
 – complex metal hydride 117, 148, 221, 253
 – covalent metal hydride 82
 – electrode 192
 – high temperature metal hydride 187
 – interstitial metal hydride 129
 – light metal hydride 204, 279, 290, 297, 303, 335
 – magnesium based hydride 88f, 190
 – medium temperature metal hydride 187
 – nanoparticles 281, 290
 – nickel-metal hydride (Ni-MH) 81
 – single phase metal hydride 196
 – supported metal hydride systems 334
 – systems 100ff, 294
 – ternary metal hydride 107
 – transition metal hydride 117, 137, 148ff
 metal-N-H system 159, 165ff, 176ff
 metal-organic frameworks (MOF) 40, 51ff, 63, 312, 317, 334
 – crystalline 59
 – IRMOF-8 40, 51ff
 – isoreticular MOF 55
 – MIL-53 52
 – MIL-101 40
 – MOF-5 40, 51ff, 317, 333
 – MOF-177 54, 317
 metalorganic chemical vapor deposition (MOCVD) 262
 metathesis reaction 126, 141f
 methane CH_4 35, 64f, 70, 83, 177, 215, 307, 316, 333
 methyl ammonium chloride 236
 methyl *tert*-butyl ether (MTBE) 72, 75
 methylcyclohexane (MCH) 72
 Mg-Ca-Li-N-H system 166
 Mg-Ca-N-H system 166
 Mg-N-H system 161ff, 176ff
 Mg-Na-N-H system 166
 Mg-Ni-Si system 193
 Mg-Sc-H system 195
 Mg-Ti-H system 195
 MgB_2 123f, 207ff
 Mg_2Ca 195
 $MgCu_2$ 102, 193, 203f
 Mg_2FeH_6 35, 107, 117, 149ff, 196
 Mg_2Ni 88ff, 103, 107f, 191ff
 Mg_2NiH_4 35, 109, 149, 190ff, 259, 322, 331
 Mg_2Si 193f, 205
 micropores 44ff, 312ff
 microwave spectroscopy 216f
 Miedema's
 – model 89ff
 – rule of reversed stability 90ff, 107, 191
 Möller-Plesset (MP2) calculations 75, 217
 MOF see metal-organic frameworks
 molecular dynamics (MD) 75, 291
 molecular sieve 317
 monoglyme 220, 227ff
 monolayer 43ff
 morphology 178, 280, 289, 297ff, 306
 multilayer
 – adsorption 54
 – insulation (MLI) 29

n

- Na-Li-Al-H system 197
 Na-Li-N-H system 166
 Nakanishi process 313
 Na_2LiAlH_6 144f, 197f
 nanocomposite 95, 232, 280, 324
 nanocrystallinity 81, 95, 100ff, 189, 197, 330
 nanofiber 44f, 302f, 312ff, 325ff
 nanoparticle 102, 109, 279ff
 – alkaline (earth) nanoparticles 296
 – gold Au 281ff

- iron Fe 234
- magnesium Mg 298f, 321, 330f
- nickel Ni 303, 307, 331
- palladium hydride Pd(H) 280, 291
- palladium Pd 285, 293ff, 333ff
- platinum Pt 285
- rhodium Rh 314
- supported nanoparticles 302ff
- titanium nitride TiN 328
- titanium Ti 136
- nanopore 305, 320, 327
- nanosphere 175f
- nanostructure 44f, 63, 106ff, 175, 232, 279f, 290, 298ff, 334ff
- naphthalenebicarboxylate 51
- natural gas 14ff, 33ff, 77, 177, 215
- NbH₂ 189
- neutron
 - diffraction 66ff, 92, 106, 130ff, 166, 169, 172, 179f, 216f
 - powder neutron diffraction (PND) 216, 266ff
 - scattering 58, 66, 74
- NiO 302f
- NMR spectroscopy 121, 139, 225, 231ff, 323
 - ²⁷Al NMR 140
 - ¹¹B NMR 216ff, 222, 227, 233, 237
 - ¹H NMR 179
 - ²H NMR 216
 - ¹⁵N NMR 216, 222
- nucleation site 105

- o**
- olefin polymerization 230
- ordered mesoporous materials (OMS) 313
 - MCM-41 (Mobil Composition of Matter) 313
 - SBA-15 (Santa Barbara Amorphous) 313
- organic clathrate 71
- oxidation catalyst 281
- oxidative addition 230

- p**
- p-T diagram 72
- palladium 82, 102, 106, 333
 - acetylacetone 332
 - hydride 283ff, 291ff, 334
 - Pd-H phase diagram 293
- partial pressure 176, 265
- particle size 95f, 99, 105ff, 128, 235, 259, 280, 284, 287, 295f, 299ff, 309ff, 317, 321, 326ff, 331, 335
- effects 281ff, 287ff, 327
- Pauling
- correlation model 200
- electronegativity 119, 199
- pentane 253, 262
- permeation method 251
- perovskite structure 144, 200
- pH 176, 233
- phase
 - intermetallic phase 107, 193, 196
 - metastable phase 96, 107, 131, 253, 289
 - segregation 280, 290, 301ff, 310, 329f
 - transformation 86, 121ff, 130f, 134, 139
 - transition 16, 31, 64, 120, 126, 168f, 216f, 254, 294, 298
- phosphine 230f
- photoionization spectroscopy 291
- physical adsorption *see* physisorption
- physisorption 39ff, 48ff, 58f, 74, 287, 295, 317, 324, 330, 333ff
- plasma metal reaction 175
- plasmon resonance light absorption 281
- Poisson's ratio 87
- polarizing potential 51, 58
- polyaminoborane (NH₂BH₂)_n 323
- polyaniline (PAni) 48
- polyborazylene 226, 229
- polyiminoborane (NHBH)_n 323
- polymers of intrinsic microporosity (PIMs) 48f
- polypyrrole (Ppy) 48
- poly(styrene-co-divinylbenzene) 49
- pore
 - size 44ff, 49, 56ff, 303, 313, 316ff, 321, 324f, 330ff
 - volume 41f, 45ff, 57, 317f, 323ff, 333
- porous
 - carbon material 45, 302, 316f, 330
 - support material 310, 317
- potassium amide (KNH₂) 35, 118f, 122f, 167
- potassium borohydride KBH₄ 35, 118f, 122f
- powder X-ray diffraction (XRPD) *see* X-ray powder diffraction
- pressure build-up 17, 19ff, 29ff
- pressure-composition
 - diagram 194
 - isotherm (PCI) 41, 83f, 87f, 97, 101ff, 160ff, 167, 180, 194f, 198, 202ff, 263ff
- pressure container 12f
 - type I 12
 - type II 12
 - type III 12
 - type IV 12
- pressure vessel 5, 8, 10ff
- project augmented plane wave method 287
- promoter 67ff, 72ff, 190

- propane 70
 prussian blue analogues 40, 57f
 PXD analysis 200ff
 pyrene dicarboxylic acid 56
 pyridine 227
 pyrolysis 44, 221, 226f, 316
- q**
 quantum
 – chemical calculations 75
 – size effects 299
 quartz cell 299
 quinol *see* hydroquinone
- r**
 Raman
 – microscopy 216
 – modes 256, 273
 – spectroscopy 47, 66f, 71ff, 121, 168, 217f, 256f, 273f
 rate constant 230
 rate-determining step 230, 233, 327
 rate-limiting step 98f, 175, 179, 219, 260, 287, 289
 rate of
 – hydrogen absorption 334
 – hydrogen desorption 334
 – solidification 250
 reaction
 – enthalpy 8, 124, 144, 147, 187ff, 190ff, 195ff, 199ff, 210f, 237ff, 323ff
 – entropy 223
 – heat 187ff, 309
 – kinetics 189f, 197, 211, 232, 290
 – mechanism 159f, 162, 166, 179ff, 263, 271
 – rate 99, 128, 175ff, 178f, 181, 232ff, 239, 289f
 reactive
 – force field 286
 – hydride composite 207, 211, 279, 303
 – intermediate 231
 – milling 150, 190, 196
 recycling 216, 227, 238ff, 242ff
 – self-contained recycling scheme 240ff
 reducing agent 82, 122, 130, 239f
 reduction potential 271, 296, 301, 314
 refueling 1, 10, 15, 20, 40, 58, 129
 regeneration 128, 215, 223, 239, 243, 275, 322
 – procedure 238
 – scheme 270
 rehydrogenation 117, 121, 131ff, 140ff, 144, 151, 162, 191, 206, 216, 232, 237, 297, 326ff, 332
- release temperature 235, 333ff
 reversibility 40, 58, 74, 99, 118, 132ff, 167, 177, 195ff, 203, 206f, 209, 238, 279f, 290, 304, 322, 325ff, 329, 335f
 reversible heat 4f, 10
 Rh-cluster 229
 Rh(cod)(μ -Cl)₂ 228f
 Rietveld structural refinement 55, 145f, 267f
- s**
 safety issues 8, 10, 12, 14, 29f, 35ff, 110, 188, 227, 309, 325
 scaffolded materials *see* 3D supported nanomaterials
 scanning
 – calorimeter 254
 – electron microscopy SEM 52, 300, 304, 313ff,
 – tunneling microscopy STM 291, 306
 Schlesinger process 122, 239
 seeding technique 175
 Sievert's law 85
 self-consistent reaction field (SCRF)
 calculation 216
 severe plastic deformation (SDP) 108, 110
 Sievert's law 251
 σ-complex 230
 silane SiH₄ 83
 silica SiO₂ 121f, 122, 232ff, 312ff, 319, 335
 – fumed silica 312ff
 – mesoporous silica 44, 232, 302f, 314ff, 323ff, 328, 333
 – nanoporous silica 280
 – silica gel 312f, 332
 silicate 307, 314f
 silicide 314
 silicon tetrachloride 312
 SPC/E model 75
 sodium alanate *see* sodium aluminum hydride
 sodium aluminum hydride NaAlH₄ 35, 117, 129ff, 133ff, 141ff, 150, 190, 198ff, 211, 263, 270ff, 279, 290, 296, 303ff, 310, 320ff, 325ff, 331
 – carbon nanofiber-supported 327
 – phase diagram 326
 – SBA-15-supported 328f
 sodium amide NaNH₂ 159, 167, 171
 sodium borohydride NaBH₄ 35, 82, 118ff, 122ff, 126ff, 151, 207ff, 219, 235, 239, 296
 sodium hexaaluminum hydride
 Na₃AlH₆ 130, 133ff, 137ff, 145, 190, 198ff, 322, 325, 328

- sodium hydride NaH 82, 122, 133ff, 138, 144f, 171, 197, 208, 237, 271, 286f, 290, 297, 304, 310, 322, 325, 327ff
- sodium metaborate NaBO₂ 127f, 235
- sol-gel methods 313, 316
- solid-solid reaction 178ff, 181f
- solid state MAS-NMR 67, 168
– ¹¹B NMR 225, 237
- solubility's laws 251
- solution impregnation 318ff, 323, 328
- solvated electron 298
- solvent adduct 220
- sorption
- capacity 189, 291
 - enthalpy 189
 - kinetics 96, 105f, 108, 189, 299, 335
 - properties 99ff, 103f, 106ff
- space group 120ff, 125, 130, 133, 138f, 145, 168, 266ff, 273
- specific
- enthalpy 25
 - heat capacity 5, 8f
 - surface area (SSA) 41, 44ff, 49ff, 53ff, 57ff, 95ff, 105, 128, 147, 176, 288, 297, 334f
 - volume 2, 4, 22f
- spill-over effect 305, 334
- spinel type structure 317
- Sr₂AlH₇ 146f
- stabilizer 293f, 296ff, 335
- steam reforming 177
- storage capacity 42, 45ff, 50ff, 66, 100ff, 120, 126ff, 135ff, 139, 145, 149ff, 182, 190ff, 196f, 204, 211, 252f, 333, 336
- absolute 41
 - effective 221
 - excess 41, 59
 - gravimetric 41, 117, 150, 187ff, 192ff, 196, 205f, 211, 249
 - maximum 50f, 54, 57
 - practical 190
 - reversible 197, 205
 - theoretical 207
 - volumetric 41, 53, 149f, 249
- storage density 33ff, 215ff, 228, 233f, 236
- effective 234
 - gravimetric 34, 187, 191
 - practical 233
 - volumetric 34, 187, 217
- storage value 49
- maximum 45
- superacid 241
- supercritical fluid 1, 30ff
- support
- effects 301ff, 305
- material properties 312
 - surface
 - atom 131, 282, 285, 290, 295, 302
 - energy 283ff, 302, 316, 325, 334
 - modification 316, 319ff, 326, 329
 - passivation 283
 - penetration 287
 - tension 321
 - surface to volume ratio 279ff, 291f, 295f, 299, 302, 327, 334
 - surfactant 77, 283, 293, 296, 313
 - symmetry 87, 93f, 120, 131, 143ff, 169, 174, 283, 294
 - synchrotron
 - X-ray diffraction (SRPXD) 172, 179f, 200, 267
 - X-ray powder diffraction 120, 144, 169, 210
- t**
- T-s-diagram 1, 4ff, 10ff, 22ff
- Tamman temperature 302
- tank
- pressure 14, 23f
 - recharging 187
 - system 12ff, 17ff, 27ff, 33, 36, 96, 129, 137f, 188, 309
- TDMS *see* thermal desorption mass spectrometry
- template 44f, 59, 293, 312f, 316f
- temporal process degassing 251
- terephthalate 51
- ternary
- imide 162, 166
 - nitride 167
 - phase 193
- tetraglyme 228ff
- tetrahydrofuran (THF) 67ff, 70ff, 74ff, 124f, 130ff, 139ff, 217ff, 227f, 237, 261ff, 270ff, 297ff, 320f, 324, 328
- tetrahydropyran (THP) 70
- tetramethylethylenediamine (TMEDA) 262
- TG-MS experiment 332
- thermal
- conductivity 9, 99, 137, 302, 309f, 335
 - cycling 193
 - desorption mass spectrometry (TDMS) 164ff, 179
 - desorption spectroscopy 46f, 56, 120f, 298
 - gravimetric analysis (TGA) 166, 175, 179, 221, 224, 258f, 273f, 332
 - programmed desorption (TPD) 140, 173, 181, 327, 330
- thermo-chemical energy storage 196

- thin film 107, 196, 286f, 307f, 331
 – processing 195
 TiCl_3 123, 130, 133f, 135ff, 144, 164, 173ff, 200, 209, 332
 TiF_3 144, 198ff, 202ff, 207
 TiO_2 102, 173, 285
 titanium butoxide 135
 total pore volume 323, 326
 toluene 138, 217f, 228f, 328
 transmission electron microscopy (TEM) 103, 106, 228, 298, 306, 314f, 330
 triethylamine (NEt_3) 124, 270, 273
 triethylenediamine (TEDA) 262ff, 269, 274f
 triglyme 217f
 trimethylamine (TMA) 261f, 270
 trimethylammonium chloride 261
 trimethylborazine (BHNMe_3) 236
 1,3,4-triphenyl-4,5-dihydro-1H-1,2,4-triazol-5-ylidene *see* Enders' carbene
 triple point 9, 32
 – liquid (TPL) 31
 – solid (TPS) 31
 – vapor (TPV) 31
 triptycene 49
- u**
 n -undecane 265
 unit cell 52, 58, 65f, 70, 72, 75, 84, 89f, 94, 131, 134f, 138f, 202, 267, 273
 urea 303
 UV spectroscopy 291
- v**
 valence atom 281
 van der Waals
 – bonding 281
 – equation 3
 – forces 39, 74, 82
 – interactions 44
 – potential 56f
 – radii 39, 216
 van't Hoff
 – equation 193
 – law 86
 – plot 84, 129, 160, 196ff, 206, 331
 vapor
 – fraction 22f, 28
 – phase deposition 95, 293
 – phase hydrolysis 312
 – pressure 104, 175, 217, 219, 265, 321
 VH_2 189
 vibrational
 – frequency 51, 252
 – spectrum 74
- void
 – primary 250
 – secondary 250
 – volume 50, 98
- w**
 water H_2O 2, 8, 50, 53, 57, 64ff, 69, 71ff, 75ff, 83, 122, 126ff, 159, 168, 177, 217f, 220, 233ff, 238ff, 253, 296, 313, 316, 321
 wet impregnation 318
 wetting behavior 314ff, 319ff
 Wigner–Seitz cell 90
- x**
 X-ray 66, 218
 – absorption 136, 174
 – absorption fine structure XAFS 228, 306
 – absorption near edge structure XANES 136, 175
 – analysis 149, 200
 – diffraction XRD 121ff, 131ff, 139ff, 145, 169, 173, 179f, 197, 208f, 216ff, 254ff, 258, 260f, 263f, 266, 273, 298ff, 328ff
 – extended X-ray absorption fine structure EXAFS 306
 – photoelectron spectroscopy XPS 136, 307
 – powder diffraction XRPD 55, 67, 130ff, 139, 169, 229, 237, 256ff, 260, 273
 – powder pattern 136, 141
 – scattering 58, 74f
 – single crystal X-ray diffraction (XRSD) 216, 226, 237f
 xerogel 313
- y**
 Young equation 319
 Young-Laplace equation 319
- z**
 zeolite 40, 44ff, 50ff, 59, 303, 311f, 316f
 – β -zeolite 46
 – CaX zeolite 50
 – H-type zeolite 234
 – X-zeolite 51
 – Y-zeolite 51
 zero point energy correction 126, 203
 Ziegler-Natta catalyst 230
 zinc borohydride $\text{Zn}(\text{BH}_4)_2$ 126
 ZrH_2 90, 191
 ZrNi 88, 191f
 ZrNiH_2 90
 ZrNiH_3 191
 ZrO_2 103, 302