

SUBJECT INDEX

A

- Abrasion, 555
 in blast furnace, 556
 Abrasion resistance, 554
 Abstracts, bibliography of, 14
 Abundance, relative, of refractory forming elements, 54
 Accessory minerals in clay, 36
 Adsorbed ions, 29
 Adsorbed water, 178
 Aftershrinkage (*see* Shrinkage, reheat)
 Air-cooled walls for boiler furnaces, 618
 Air furnace for malleable iron, 580
 Air hammer for ramming shapes, 126, 140
 Air locks for tunnel kilns, 250
 Air preheaters, 254
 Air ramming of shapes, 128
 Air separators, 84
 Air-water-clay system, 150
 Airplane, rocket powered, 659
 Akron, 21, 22
 Alamogordo, 646
 Alkali vapors, effect of, on refractories, 465
 Allophane, 31, 32, 39, 40, 60
 analysis of, 39
 Allotropic change, 484
 α -alumina, 44
 β -alumina, 56
 γ -alumina, 45
 Alumina, forms of, 44
 properties of, 201, 318, 356, 488
 sintered, 304
 for tank blocks, 674
 Aluminates, equilibrium diagrams of, 364
 melting point of, 358
 Aluminum, formate, 148
 manufacture of, 614
 Amanda furnace, 22
 Amboy, 18
 Anauxite, 32
 Anchor bolts, for walls, 694
 Andalusite, 43
 firing properties of, 204
 thin section of, 46
 Annulus, properties of, 745
 Anorthite, 462, 488
 Apparatus, differential thermal, 33, 34
 for measuring drying shrinkage, 161
 for measuring particle size, 542
 for measuring viscosity of slips, 101
 for measuring workability of clay, 102
 Arch, bonded, 705
 bung, 709
 catenary, 700
 circular, data on, 700
 expansion joints for, 712
 forms for, 729
 jack, 707
 perforated, 712
 relieving, 707
 ribbed, 707
 ring, 706
 spans for, 702
 special, 706
 sprung, 698
 steelwork for, 703
 stresses in, 698
 suspended, 733
 thickness of, 702
 Arch brick, table of, 523, 524, 718
 Area mean, 548
 Argonne, 646
 Arsenic, effect of, on refractories, 466
 Asbestos, structure of, 631
 Asbestos rope, 690
 Ashland, 22
 Atom, structure of, 631
 Atomic nucleus, 631, 632
 Auger, 123
 capacity of, 128
 deairing, 124
 Autoclave, for growing crystals, 333
 Axial compressor, 655

B

- Baddeleyite, 55, 60
 Baffle, boiler, 623
 Ball clay, 40, 42
 chemical analysis of, 42
 particle size of, 37
 Ball mills, 84
 capacity of, 87
 Baltimore, 20
 Barium oxide, 318, 356, 651
 Barn, 637
 Base-exchange capacity, 36
 Bases, exchangeable, 35
 Bauxite, 43
 production of, 59
 Bauxite deposits, Arkansas, 23
 Bauxitic clay, definition of, 27
 Beidellite, 32
 Bellport furnace, 22
 Bennington, 18
 Beryl, 55, 60, 333, 488
 Beryllia, 55, 307, 488, 651, 652
 analysis of, 307
 firing procedures for, 311
 forming procedures for, 309
 health hazard of, 312
 properties of, 201, 307, 312, 318, 356
 Beryllium, 640
 Beryllium carbide, 201, 322, 651, 652
 Beryllium nitride, 201, 326, 327, 651
 Beryllium sulphide, 328
 Bessemer converter, 584
 Bibliographies, list of, 13
 Bikini, 646
 Billet-heating furnace, 589
 Binders, inorganic, 135
 Black liquor, 629
 Black-liquor furnace, 629
 Blast furnace, iron, 563
 lead, 610
 service conditions in, 566
 type of refractories used in, 565
 Bloating, 205
 Blow pipe, 260
 Blunging, 112
 Boiler furnace, cyclone, 626
 development of, 617
 marine, 628
 oil fired, 628
 Boiler furnace, powdered-coal-fired, 62
 spreader-stoker-fired, 627
 walls for, 617
 waste heat, 629
 Boiling point, 306, 318, 322
 Bolivar, 21
 Bonding, of arch, 706
 chemical, 148
 composite walls, method of, 691
 melting point of, 359
 of walls, 687, 690
 Bonds, 331
 Books, list of, 10
 Boron, 356, 648, 649
 Boron carbide, 201, 322, 324, 649
 Boron nitride, 321, 326, 649
 Bosh, 564, 567
 Boston, 17
 Braintree, 16
 Brass, melting of, 603
 Brass-melting furnace, 606
 Brick, chrome, 196, 572
 chrome-magnesite, 196, 574
 forsterite, 196
 fracture of, 426
 handmade, flow diagram of, 113
 high-alumina, 193
 laying, cost of, 736
 magnesite, 193
 molding of, 94
 soft-mud, flow diagram of, 113
 stiff-mud, flow diagram of, 122
 structure, effect of spalling on, 444
 Brickwork construction, 684
 estimation of, for domes, 730
 for sprung arch, 726
 Bright annealing furnace, 590
 Bruceite, 31
 Bubble structure, 144
 Buekstay, 704, 705
 Bulkheads, open-hearth furnace, 572
 Bulldozer, 76
 Bung arch, brick shapes for, 526
 Bungs, 529
 Burley clay, 27
 Burner, air-atomizing oil, 230
 gas, 232, 259, 260
 mechanical atomizing, 229
 oil, installation of, 231
 steam-atomizing oil, 230

- Burner, tiles, 528
 Burning temperature, effect of, on spalling, 445
 By-product coke ovens, 670, 678
- C
- Calcium oxide, 318, 331, 356, 651
 Calorimeter, 504
 Canon City, 22
 Car speed, in tunnel kilns, 251
 Carbides, 317
 forming of, 324
 melting point of, 359
 properties of, 322
 Carbon, 651, 652
 Carbon blocks, in blast furnace, 196
 Carbon monoxide, action of, on refractories, 466
 Carbon tube resistance furnace, 263
 Carburetor, water gas, 679
 Cast glass tank blocks, 674
 Cast refractories, 207, 621
 Casting, drain, 111
 of glass pots, 109
 of grog, 109
 methods of, 112
 slip, properties of, 107
 solid, 111
 Casting process, 107
 Catenary, 700, 701
 Celsius, 488
 Centrifuge, long-arm, 542
 Ceria, 318, 356, 364, 365, 488
 Cerium carbide, 322
 Cerium nitride, 326
 Cerium sulphide, 330
 Cerium sulphide reaction, 634
 Chalk River, 646
 Chamber, hydrostatic, 138
 Chamber kilns, 243
 Checker brick, size of, 525
 Checker chambers, open-hearth steel furnace, 575
 Checkerwork, in tunnel kilns, 232, 249
 Chemical bonding, 148
 Chemical methods of ore treatment, 89
 Chemically bonded refractories, 148
 China clay, 39
 Chlorine, attack of, on refractories, 468
 Chrome bricks, size of, 524
 Chrome ore, chemical analysis of, 54
 Chrome oxide, 314
 Chrome plastics, 294
 Chrome refractories, early history of, 22
 Chromite, 52, 61, 195, 488
 production of, 59
 thin section of, 53
 Chromium oxide, 318, 356, 488
 Chrysoberyl, 201
 Circle, properties of, 745
 Circle brick, 697
 sizes of, 525
 table of, 725
 Circular arch, characteristics of, 698
 Clay, ball (*see* Ball clay)
 burley, 27
 classification of, 30
 crucibles in, sizes of, 533
 definition of, 27
 diaspore, 27
 fire, 27, 41
 firing of, 175
 flint, 27
 high-alumina, 43
 analysis of, 44
 laboratory production of, 29
 nature of, 28
 origin of, 29
 particle size of, 37
 physical properties of, 37
 plasticity of, 37
 porosity of, 176, 183
 residual, 29
 shrinkage of, 38, 176, 183
 slip, 95
 storage system, 90
 transported, 29
 workability of, 104
 Clay impurities, effect of heat on, 180
 Clay minerals, 28, 30, 33
 Clay refractories, production of, 4
 Clay-water system, 95, 100, 106
 Coal, 56
 Coal-ash slag, 462
 Cobalt, 648
 Cobalt oxide, 649
 Coefficient of thermal expansion (*see* Thermal expansion)
 Coke, 56

- Coke-oven refractories, 526, 677
 Coking process, 678
 Colorado, early firebrick manufacturing in, 22
 Columbium, 356, 651
 Columbium carbide, 322, 651
 Columbium nitride, 326, 651
 Columbium ore, 57, 318
 Columbium oxide, 357, 651
 Combustion chambers, 660
 Combustion gas, properties of, 234
 Combustion zone, 246
 Components of a system, 362
 Composite walls, 691
 Compression test, 553
 Computation of heat flow, in compound wall, 512
 in cylinders, 513
 in simple wall, 510
 Concretes, refractory, 297
 Condenser in zinc manufacture, 607
 Conduction, heat, 500
 Conductivity (*see* Thermal conductivity)
 Cone, fusion point, 351
 properties of, 747
 pyrometric, table of, 738
 test, 350
 Connellsville, 22
 Constant-rate period of drying, 157
 Control, chemical, of raw materials, 89
 Control rods, 649
 Convection, heat, 501
 Conversion factors, heat units, 499
 Converters, copper, 601
 Cooling zone, tunnel kiln, 243
 Copper, alloys of, 603
 anode refining furnace for, 602
 converters, 601
 industry, classification of refractories for, 598
 melting of, 603
 reverberatory matting furnace, 600
 Corundum, occurrence of, 45, 61
 single crystals of, 332
 in slags, 463
 thermal expansion of, 488
 thin section of, 48
 Couples, chromel-alumel, table of, 729
 Coupling efficiency, 267
 Cracks developed, in brick, 449
 Cracks developed, in spalling, 424
 in sphere, 422
 Creep tests, long-time, 408
 values of, 663
 Cristobalite, 190, 191
 Critical point, in drying, 157, 162
 in plastic mixes, 99
 Crown, 700
 Crucibles, in blast furnace, 564
 clay, size of, 533
 early history of, 16
 graphite, size of, 534
 Crushers, gyratory, 84
 hammer-mill, 85
 jaw, 82
 ring-roll, 85
 roll, 82
 Crushing, 82
 Crushing strength of refractories, 553
 Crystal, flow of, 401
 single, 332
 Crystal forms of alumina, 45
 Cupola, 567
 Cupola blocks, table of, 525
 Cutter, wire, 125
 Cylinder, properties of, 746
 Cylindrical method of measuring thermal conductivity, 505
- D
- Daxad, 542
 Day tanks for glass, 670
 Deairing auger, 124
 Deairing dry press, 131
 Deflocculation, 107
 Deflocculents, 109
 Degrees of freedom, 362
 Delaware, early fire brick manufacturing in, 20
 Density, melting-point relation of, 355
 of refractories, 201, 318, 322
 Detrick suspended arch, 733
 Deuterium, 640
 Dialysis cell, 35
 Diamond, 61
 Diaspore, analysis of, 34, 44
 effect of heat on, 182
 Missouri, 43
 occurrence of, 61

- Diaspore, relation of, to other minerals, 32
 structure of, 182
 thermal curve of, 33
 Diaspore clay, definition of, 27
 Diatomaceous earth, 48
 analysis of, 49
 Dickite, 31, 32, 61
 Die, hot-pressing, 200
 steel, 311
 wear of, 144
 Diffusion pump, boiler fluids for, 277
 Diffusivity, thermal, 434
 Dilateney, 94
 Dolomite, 51, 59
 Dome, brick for, 731
 calculations of, 729
 stresses in, 729
 Domestic heating, 680
 Door construction, 694
 Dover, 21
 Downtakes, 575
 Drier, 157
 continuous, 170
 distribution of heat in, 168
 hot floor, 168
 humidity, 170
 temperatures in, 169
 tunnel, 169
 types of, 168
 Dry pan, 84
 Dry press, 130
 dcairing, 131
 pressure distribution in, 134
 process for, 128
 Dry strength, 165
 Drying, constant rate period, 157
 efficiency of, 166
 falling rate period, 157
 mechanism of, 157
 moisture gradient in, 160
 Drying rate, maximum, 166
- E
- East Liverpool, 20
 Elasticity, 94
 Elasticoplastic material, 94
 Elasticoviscous material, 94
 Electric-arc furnaces, 585
 Electrical resistivity, measurement of, 555
 values of, 20, 306, 320, 323, 556
 Electrolytes, as effecting viscosity of slips, 98
 Electron microscope, 177
 Electrostatic separation of minerals, 89
 Electrothermic zinc furnace, 610
 Elements, of high moderating ratio, 652
 melting point of, 356
 Ellipse, properties of, 746
 Elutriation, 547
 Emeralds, 333
 Emission coefficient, 502
 Enamel, high temperature, 661
 Enameling, 681
 End walls of open-hearth furnace, 572
 Equilibrium diagrams, 362
 interpretation of, 363
 list of, 364
 methods of obtaining, 363
 Erosion, of typical glass tank, 471
 Eutectic point, 364
 Eutectics, high melting, 317
 Evaporation chart, 158
 Excavators, 77, 78
 Exchangeable bases, 35
 Expanding minerals and shrinkage control, 203
 Expansion, thermal (*see* Thermal expansion)
 Expansion curves, 482-485
 Expansion joints, 622, 689
 in arches, 712
 in hearths, 685
 in walls, 692
 width of, 692
- F
- Falling-rate period in drying, 157
 Fayalite, 464
 Filter-pressed, 112
 Fire travel in continuous kilns, 244
 Firebrick (*see* Brick; Insulating firebrick)
 Fireclay, 41
 analysis of, 42
 classification of, 30
 distribution of, 40, 41
 drying shrinkage of, 165
 firing shrinkage of, 186-189

- Fireclay, flint, 27
 origin of, 29
 particle size of, 37
 plastic, 43
 porosity of, 186-189
 production of, 59
 thermal curve of, 176
 Fireclay bricks, early history of, 17
 super-duty, 43, 675
 Fireclay muffles (*see* Muffles)
 Firestone, 48
 Firing properties of kyanite minerals, 192
 Firing shrinkage, control of, 202
 Fission, energy of, 635
 Fission power available, 634
 Fission process, 632
 Fission products, 635
 Fissionable material world sources, 642
 Fizeau interferometer, 479
 Flexibility, 433, 444
 Flint clay, definition of, 17
 Floor openings, in kilns, 237, 241
 Florida, early firebrick manufacturing in,
 20
 Flotation, 89
 Flow, of crystals, 401
 of glass, 401
 of heat through walls, 510, 512
 of mixture of crystals and glass, 402
 of suspensions, 95
 types of, 94
 Flow field of porcelain, 403
 Flow properties, of plastic body, 100
 Flow rate, of refractory, 403
 Flow relation, in kaolin suspension, 95
 Flue, construction of, 697
 Flue arrangements for kilns, 240
 Fluid, definition of, 94
 Flux blocks, 524, 670
 Forge furnace, 590
 Formulas, useful, in calculations, 745
 Forsterite, 53, 62
 Forsterite bricks, 196, 603
 Foundations, 684
 Fourier's equation of heat flow, 428
 Frederick, 17
 Fritting, enamel, 681
 Frustum, of cone, properties of, 747
 of pyramid, properties of, 747
 Fuel consumption, for compartment kilns,
 244
 expression of, 237
 for periodic kilns, 242
 for tunnel kilns, 252
 Furnace, Ajax-Wyatt, 606
 black-liquor, 629
 boiler, 623, 625, 626, 628
 bright annealing, 590
 car bottom stress-relieving, 590
 carbon tube, 253
 continuous zinc distilling, 610
 copper alloy melting, 603
 copper anode refining, 602
 cyclone, 626
 electric arc, 264
 electrothermic zinc, 610
 floors for, 685
 forging, 590
 foundations for, 684
 for fusion point, 351
 globalar, 264
 hearths for, 685
 heat-treating, 590
 high-frequency, atmospheric pressure,
 268
 induction, 264
 vacuum, 239, 282
 quartz, 284
 (*See also* High-frequency induction melting furnaces)
 induction melting, 587, 606
 for kilns, 228
 laboratory, 259
 electric heated, 263
 lead dressing, 612
 for load test, 405, 409
 to measure coefficient of expansion, 481
 oxide resistor, 263
 propane-oxygen, 263
 rocking arc, 606
 for shrinkage test, 489, 492
 slag tap, 623
 for slag test, 459
 solar, 264
 for spalling test, 437-439
 stress-relieving, 590
 for thermal conductivity, 503
 walls of, 686

- Furnace, wire bar, 603
 zinc distillation, 607
- Furnace stone, history of, 15
- Fusion point, of bricks, 36
 determination of, 347
 effect of atmosphere on, 354
 effect of composition on, 354
 furnace for, 351
 specimens of, preparation of, 352
 standard method, 348
 value of, 361
 (See also Melting point; Softening point)
- Fusion process, 347

G

- Gallium oxide, 357, 651
- Ganister, mining of, 81
 occurrence of, 46
 properties of, 46
 ramming mixes, 295
- Gas, bubbles of, 143
 natural, 232
 physical properties of, 274
 premixed, 260
 producer, 232
 in refractories, 466
 velocity of, 236
- Gas burners, 259-260
- Gas turbines, 655
 refractories for, 654
- Gauges, vacuum, 278
- Generators, high frequency, 269, 270
- Gibbsite, analysis of, 44
 effects of, on heating, 182
 occurrence of, 43, 62
 properties of, 43
 structure of, 31, 32
 thermal curve of, 34
- Glass, analysis of, 335, 455
 composition of, 455
 early history of, 16
 flow characteristics of, 401
 high alumina, 335
 metal sealing, 335
 refractory, 335
 soda-lime, 463
 viscosity of, 335

- Glass erosion of refractories, 471
- Glass furnace, 670-672
- Glass pots, 674
 early history of, 16
 sizes of, 534
- Glass refractories, 670
 testing tanks, 460
- Glass tank, 670
 action of glass on, 471
 continuous, 670
- Glass tank blocks, cast, 674
 sizes of, 524
- Glass tank bottom, construction of, 670
- Glaze, for high-temperature porcelains, 535
- Goethite, effect of heat on, 182
- Golden, 22
- Graphite, 50, 59, 62, 356, 508
- Great Falls copper converter, 601
- Grog, effect of, on spalling, 445
 size, control of, 91, 146
 sizing, 145
 use of, 202
- Gyratory crusher, 84

H

- Hafnium, 356, 649
- Hafnium carbide, 322, 649
- Hafnium nitride, 326, 649
- Hafnium oxide, 357, 649
- Haigerlock, 646
- Halloysite, analysis of, 39
 occurrence of, 39, 62
 structure of, 31, 32
- Hammer mill, 85
- Hand molding, of shapes, 116-119
- Hand ramming, dry-press consistency, 126-127
- Hand repress, 120
- Handling methods, 255
- Hanford, 645
- Hardness, of clay, on heating, 178
 of refractories, 201, 318, 322
 relation of, to melting point, 355
- Harmonic-flow method of heat flow measurement, 506
- Headers, 689
- Hearth, 685
- Hearth blocks, 685

Heat, absorption of, 209

- balance of, in kilns, 238
- changes in, methods of measuring, 175
- in cylinders, 513
- effect of, on hydrated minerals, 181
- evolution of, in minerals, 176
- quantity of, to fire ware, 209
- specific, 208
- transfer of, 234
 - theory of, through porous body, 500
- transmission of, 498
- variable flow of, 500

Heat conduction, laws of, 498

Heat flow, computation of, 512

- unsteady, 518

Heat losses through walls, 514

Heat-penetration curves, 501

Heat storage capacities of wall structures, 514

Heat treating furnaces, 590

Hematite, 63, 182

High-alumina block, 667

High-alumina brick, 23, 606, 608, 677

High-alumina grog, 494

High-alumina refractories, history of, 23

High-alumina shapes, 606

High-frequency induction melting furnaces, 587

- firing cycle for, 272

- generators for, 268-270

- vacuum firing system for, 272

High-grog casting slip formula, 109

High-temperature enamel, 661

Hiroshima, 646

Homestead, 23

Horizontal expansion joints, 689-691

Hot-blast stove checker brick, 565, 567

Hot floor, 168

Hot molding, 149

Hot-pressed materials, physical properties of, 201

Hot pressing, 198

Hot tops, 580

Hydrated materials, effect of heat on, 181

Hydraulic pusher, 250

Hydrocarbon gases, action of, on refractories, 467

Hydrometer method of measuring particle size, 542

I

Illite, effect of heat on, 182

Imenite, 55, 63

Image shift, in reading telescope, 482

Incinerators, 680

Induction heating, principles of, 265

Insulating firebrick, 734

- anchoring of, 693

- in boiler furnaces, 620

- in domes, 730

- as duct lining, 697

- load-bearing capacity, 142

- molding of, 413

- skewbacks of, 702

- sprung arches of, 702

- in suspended arches, 735

- value of, in tunnel kilns, 668

Insulation, bonding of, 691

- of copper reverberatory furnace, 600

- of glass tanks, 674

- of hearths, 685

- of jet engines, 665

- of kilns, 668

- of ladles, 578

Interferometer method for measurement of thermal expansion, 479

Iridium, 356

Iron, 651

Iron and magnesite brick, 464

Iron oxide, 651

Iron and silica brick, 464

Isochromatic bands, 421

Isoclinic lines, 421

Isothermals, 421

Isotopes, 631

J

Jet-propulsion refractories, 654

K

Kaolin, 38

- analysis of, 39

- definition of, 27

- heat changes in, 178

- occurrence of, 38

- origin of, 29

- particle size of, 37, 38

Kaolin, production of, 58
 properties of, 38
 residual, 27
 sedimentary, 28
 thin section of, 179
 Kaolin bricks, early history of, 19
 in glass tank construction, 674
 Kaolinite, crystals of, 28
 occurrence of, 63
 structure of, 31
 thermal curves for, 34
 Kentucky, early firebrick manufacturing
 in, 22
 Key brick, table of, 724
 Kiln, areas for, 241
 burners for, 229
 Chinese, 227
 continuous compartment, 243, 244
 fire travel in, rate of, 244
 fuel consumption of, 244
 early history of, 227
 efficiency of, 237
 electric, heating of, 233
 furnaces for, 228
 furniture for, 527, 669
 gas burners for, 232
 general principles of, 228
 globar, 263
 heat balance of, 238
 insulation of, 240
 oil burners for, 229
 oxygen-propane, 262
 periodic, 238
 dimensions of, 241
 down draft, 240
 flue systems for, 240
 fuel consumption of, 242
 heat balance of, 238
 refractories for, 667
 rotary, 253, 677
 setting of, 241
 shaft, 253
 Kiln laboratory, 259
 gas burners for, 260
 large, 261
 Kiln tunnel, 244
 capacity of, 251
 car seal, 249
 construction of, 247

Kiln tunnel, cost of, 253
 dimensions of, 250
 fuel consumption of, 252
 Kittanning, 21
 Koppers oven, 677
 Kyanite, 44
 clay mixes of, 204
 effect of heating on, 192
 expansion of, 203
 occurrence of, 44
 in porcelains, 535
 production of, 58
 thin section of, 147

L

Ladle mixes, 294
 Ladles, 575
 Lanthanum carbide, 322
 Lanthanum nitride, 326
 Lanthanum oxide, 318, 357
 Lead, manufacture of, 610
 Lead blast furnace, 610, 611
 Lead industry, classification of refractories
 for, 613
 Lead-refining furnaces, 612
 Length mean of particles, 548
 Lepidocrocite, 182
 Lightweight concrete, 297
 Lime, burning of, 675
 changes of, on heating, 195
 early history of, 17
 occurrence of, 52
 Lime-kiln brick, 675
 Linear change, permanent, test for, 489
 Linseed oil, 148
 Lithium, 648
 Lithium oxide, 357, 649
 Load-bearing capacity, factors influencing,
 415
 test for, 405
 values of, for firebrick, 412
 for insulating firebrick, 413, 414
 for special refractories, 413
 Load failure, mechanism of, 401
 Load test, standard, schedule for, 408
 time-temperature curve, 412
 Load-test furnace, electrically heated, 409
 torsion, 412

- Load-test results, application of, to design, 416
 long time, 408
 Load tests, European, 407
 Los Alamos, 646
- M
- Magnesia, 148, 313
 properties of, 201, 318, 357, 488, 651
 Magnesite ramming mixtures, 295
 Magnesite, analysis of, 51
 blocks of, in lime kilns, 675
 bottom of, in open-hearth steel furnace, 572
 dense, 313
 firing properties of, 193
 occurrence of, 50, 63
 production of, 58
 Magnesite brick, burning of, 193
 in copper converters, 620
 in lead refining furnaces, 612
 Magnesite ramming mixtures, 549
 Magnesite refractories, early history of, 23
 Magnesium sulphide, 651
 Magnetic separation, 88
 Malleable furnace shapes, 526
 Malleable iron, manufacture of, 580
 reverberatory furnace for, 581
 Malleable iron industry, service of refractories in, 582
 Manganese, 648
 Manganese oxide, 649
 Marine boiler furnaces, 627
 Marion County, 22
 Maryland, early firebrick manufacturing in, 20
 Materials, for reactors at high temperature, 647
 refractory, location of deposits in U. S., 302
 Mechanical strength of clay on heating, 178
 Mellor mean, diameter of particles, 548
 Melted refractories, 207
 Melting point, of aluminates, 358
 of borides, 359
 of carbides, 322, 359
 definition of, 347
 effect of atmosphere on, 353
 Melting point, effect of composition on, 353
 of elements, 356
 of nitrides, 359
 of oxides, 356
 of phosphates, 360
 of pure materials, 360
 relation of, to atomic structure, 355
 of silicates, 357
 of spinels, 360
 standard method of determination, 348
 sulphides, 328
 of titanates, 359
 value of, 361
 of zirconates, 360
 (*See also* Fusion point; Softening point)
- Metals, abrasion-resisting, 144
 electrical conductivity of, 556
 melting point of, 356
 refractory, properties of, 306, 356
 Methyl silicate, as bond, 148
 Mica, 333
 Mica schist, 15, 585
 Microscope, measurement of particle sizes by, 547
 Mineral-dressing methods, 88
 Mineral wool, 690
 Mineralizers, 191
 Minerals, clay, 30, 32
 expanding, 192
 natural, table of, 60
 price of, 56
 production statistics of, 56
 silica, 46
 sillimanite types of, 43
 Mining of clays, 76
 cost of, 81
 of ganister, 81
 open-pit methods of, 76
 underground methods of, 79
 Mirrors, sapphire, 411
 Missouri, early firebrick manufacturing in, 22
 Moderators, 640, 649, 652
 Moisture distribution, in plastic clay, 160
 Molding, hot, 149
 hydrostatic, 136, 143
 methods of, 94
 Molds, for handmade shapes, 115
 plaster, 110-112

Molds, rubber, 137, 142
 Molybdenum, melting point of, 356
 production of, 57
 Monkton, 19
 Monolithic construction of hearth, 685
 Montmorillonite, effect of heat on, 182
 Morin, 178
 Mortars, air-setting, 291
 application of, 292
 fireclay, 290
 heat-setting, 290
 production of, in U. S., 6
 refractory tests for, 293
 special, 292
 Mt. Savage, 20
 Mt. Union, 22
 Muffles, 531
 sizes of, 531
 Mullite crystals, 488
 in fired clay, 179, 487
 in glass, 463
 in slags, 461, 462, 465
 tank blocks, 674
 thin section of, 179
 Muscovite, 32, 36

N

Nacrite, 32, 64
 Nagasaki, 646
 Naphthalene as pure forming material, 142
 Natural furnace stone, 585
 Natural gas, 232
 Natural minerals, properties of, 60
 Neutron absorption, 636
 Neutrons, 636
 New Brunswick, 17
 New Castle, 16
 New England, early firebrick manufacturing in, 17
 New Jersey, early firebrick manufacturing in, 20
 New Milford, 17, 18
 New Orleans, 20
 New York, 17
 Nickel, 651
 melting of, 614
 Nickel oxide, 65
 Niles, 21
 Nitrides, forming of, 327

Nitrides, melting point of, 359
 use of, 327
 Nomographic chart, Casagrande, 544
 Nonclay refractories, production of, 5
 Nonferrous-metal industry, refractories for, 598
 Nontronite, 32
 Nozzle for jet propulsion, 661, 662
 for teeming steel, 579
 Nuclear cross section, 636, 648, 650
 Nuclear fission process, 631
 Nuclear fuel, 549, 640
 Nuclear properties of materials, 632, 638
 Nuclear reactors, summary of, 646
 Nucleus, properties of, 638

O

Oak Hill district, 21
 Oak Ridge, 646
 Ohio, early firebrick manufacturing in, 20
 Oil for fuel, 229, 230
 Oil burner, air-atomizing, 230
 installation of, 231
 mechanical atomizing, 229
 Olivine, 52, 64
 Opal glass, 462
 Open-hearth furnace bottom, 570, 572
 roof brick, 574
 service conditions in, 576
 use of oxygen in, 575
 Open setting, of ware, 530, 669
 Optical pyrometer, 351
 Ordvician clay, 32
 Organic matter in clay, 36
 Osmium, 350
 Overfiring, 493
 Oxides, melting point of, 356
 properties of, 318
 rarer, 314
 refractory, 304
 Oxygen-propane furnace, 263

P

Packing, of spherical particles, 145
 Packing diagrams, three components, 147
 two components, 146
 Panel spalling test, 436-444
 Panel wall construction, 618

- Paper-mill refractories, 681
- Particle size, distribution of, for beryllia, 309
 for clays, 37, 38
 interpretation of, 548
 method of measurement, 537
 for packing, 145, 146
- Pebble heater, 254
- Peirce-Smith copper converter, 602
- Pennsylvania, early firebrick manufacturing in, 21
- Periclase, 64, 193
- Periodic kilns, 238
- Periodicals, list of, 12
- Permeability, 550
 of firebricks, 553
 measurement of, 551
- Permeability apparatus, 551
- Perth Amboy, 20
- Phase, 362
- Phase diagrams, index to, 364
- Phase rule, 362
- Philadelphia, 21
- Phosphates, 315
- Phosphides, 331
- Phosphoric acid, 148
- Photoelastic method of stress determination, 420
- Physical properties, variation of, with particle size, 38
- Pipe tester for thermal conductivity, 505
- Pipette method of particle size measurements, 541
- Pittsburgh, 17
- Plaster of Paris, 110
- Plastic chrome ore, 629
- Plastic flow, 402
- Plastic masses, 98
- Plasticity, definition of, 94
- Plastics, 294
 application of, 295
 fireclay, 294
 ladle mix, 294
 packing of, 296
 special, 294
 testing of, 297
- Platinum, melting point of, 350
- Platinum crucibles, 670
- Platinum glass tank, 670
- Platinum metal, production of, 57
- Plugs, for steel teeming, 580
- Plutonium, 634, 640
- Polygon, regular, properties of, 745
- Porcelain, composition of, 316
 refractory, 315
 tubing, sizes of, 535
- Pore water, 161
- Pores, method of obtaining, 185
- Porosity, changes in, in heating clay, 183
 of clay on firing, 186-190
 control of, 206
 diagram of, 147
 measurement of, 183
 values of, 186
- Porosity determinations, precision of, 186
- Portland cement, 677
- Portland cement clinker, kilns for, 677
- Ports, 694, 697
- Posts, for kiln furniture, 530
- Pot furnace, 261
- Pouring-pit refractories, 575
- Power piles, design of, 643
- Power plants, aircraft, 655
- Preheaters, 254
- Preheating zone, of tunnel kiln, 247
- Pressures in toggle press, 131
- Prevention of segregation in storage, 90
- Producer gas, 232
- Propeller turbo jet, 655
- Providence, 16
- Pueblo, 22
- Pug mill, 115
- Pulse jet, 658
- Pulverized coal, boiler fired by, 626
- Pulverizer, 84
- Pycnometer, 554
- Pyramid, properties of, 747
- Pyrometric cones, for determination of fusion point, 348
 table of, 738
- Pyrophyllite, 31, 32, 44, 58
- Q
- Quartz, density of, 190
 expansion properties of, 507
 occurrence of, 65
 single crystal of, 322
 structure of, 190
 transformations in, 189

- Quartzites, 46
 chemical analysis of, 47
- R
- Radial blocks, size of, 525
Radial dome brick, table of, 730
Radiant-heat transfer, 501
Radiation coefficient, 502
Radiation pyrometer, 574
Ram jet engine, 658
Rammed linings, 570, 579
Rare earths, 55
Rattler test, 555
Reactions, rate of, 454
Reactors, heterogeneous, 644
 homogeneous, 645
 refractories in contact with, 199, 468
 temperatures of, 198, 266
Reburning, on load-bearing properties, 416
Recirculation, in kilns and furnaces, 238
Rectangle, properties of, 745
Recuperative action, 238
Reflectors, 649
Refractories, abstracts of, 14
 bibliographies of, 13
 books about, 10
 bubble structure in, 144
 cast, 107
 chemical control of, 207
 chrome alumina, 196
 chrome silica, 196
 clay, production of, 4
 dry-press, 128
 future trends in, 19
 for generation of steam power, 617
 history of, 15
 in iron and steel industry, 563
 load bearing capacity of, 401
 mining of, 76
 miscellaneous properties of, 537
 nonclay, production of, 5
 periodicals about, 12
 plastic, 294
 porosity of, 188
 recent developments in, 8
 relation of, to other industries, 3
 strength of (*see* Strength of refractories)
 structure of, 549
 in turbine buckets, 663
 Refractories, weight of, 688
 Refractories industry, development of, 8
 growth of, 3
 scope of, 3
 statistics of, 4-7
 Refractory bodies, coating of, 208
 firing of, 202
 Refractory concretes, 297, 686
 lightweight, 297
 Refractory elements, abundance of, 54
 Refractory materials, deposits of, 40, 41,
 642, 643
 Refractory metals, properties of, 305
 Refractory mortars, 290
 application of, 292
 special, 292
 tests for, 293
 Refractory nitrides, 325, 326
 properties of, 326
 Refractory oxides, 318
 Refractory porcelains, 315
 sizes of, 534
 Refractory sulfides, 327
 Refractory systems, heterogeneous, 334
 Regenerative cooling, 661
 Regular triangular prisms, properties of,
 746
 Reheat shrinkage (*see* Shrinkage, reheat)
 Re-press, 120, 125, 128
 Resin bond, 148
 Retorts, 531
 Reverberatory copper-matting furnace,
 598
 Reverberatory furnace, for malleable iron,
 581
 Rhenium, 356, 649
 Rheology, Society of, 94
 Rheopscopy, 94
 Rhodium, 356, 648, 649
 Rhuthenium, 356, 651
 Rise of arch, 500
 Rocket, fuel combinations, 659
 guide vanes for, 662
 liquid fuel, 658
 solid fuel, 659
 V-2, 658
 Rotary kiln, sizes of, 678
 Rotary-kiln blocks, table of, 525
 Rotary-kiln lining, sizes of, 678
 Rowlock courses, 689

- Ruby, 332
 Rutile, single crystals, 333
- S
- Saggers, 528
 St. Louis, 22
 Salem, 16
 Sand, 48
 Sand blast test, 555
 Sand seal, 249
 Sandstone, 16, 585
 Saponite, 32
 Sapphire, 488
 Saturation point, 99
 Saugus, 15
 Scattering process, 636
 Schidhauer and Geissing process, 135
 Scioto County, 21
 Scraper, 77, 78
 Screen, 87
 Tyler series, 538
 U. S. Standard series, 537
 Screen analysis, plotting of, 537, 540
 Screening, 87
 Secondary expansion, theory of, 492
 Sector, properties of, 745
 Segment, properties of, 745
 of sphere, properties of, 747
 Segregation in bins, 90
 Selenides, 33
 Service conditions, in blast furnace, 568
 in by-product coke oven, 679
 in copper industry, 604
 in eupola, 571
 in glass furnace, 672
 in lead industry, 613
 in malleable-iron industry, 582
 in open hearth, 576
 in zinc industry, 609
 Setting in kilns, 241
 methods of, 242
 Settling method of separation, 88
 Shaft kilns, 253
 Shaking apparatus, 539
 Shapes, burning of, 240, 246
 molding of, 128, 135, 140
 special, 524
 standard, 523
 Sharon conglomerate, 47
 Shear, rate of, 96, 101
 Shear failure, 427
 Shear strain, 430
 Shear stresses, 427
 Shrinkage, conversion tables for, 163, 164
 drying, 160
 of clays, 165
 measurement of, 162
 mechanism of, 161
 firing, of clays, 186-190
 of kaolin, 177
 of kyanite, 192
 of magnesite, 193
 of silica, 187
 of mortar, 293
 of plastics, 294
 reheat, test for, 489, 490, 492
 test for, 183
 volume of, 183, 185
 Shrinkage water, 161
 Sieve (*see* Screen)
 Silica, density of, 190
 expansion of, 487
 fused, 335
 polymorphous modifications of, 190
 properties of, 187, 319, 357
 Silica brick, in coke ovens, 678
 in copper refining furnaces, 602
 in copper smelters, 572
 in glass tanks, 674
 history of, 22
 molding methods, 121
 in open-hearth furnaces, 533
 reaction of, with iron slag, 464
 super-duty, 575
 thin section of, 192
 Silica inversions, 191
 Silica minerals, 46
 Silica models, atomic, 190
 Silica refractories, early history of, 15
 Silicate of soda, 148
 Silicates, high temperature, 134
 melting point of, 357
 Silicides, 331
 Silicon carbide, 201, 322, 324
 nitride, 326
 Sillimanite, 43, 66
 effect of heat on, 193
 simple liquid, definition of, 94
 Simulative service tests, 492

- Size analysis, settling methods, 54
Size distribution, plotting of, 540
Sizes, of checker brick, 526
 of clay crucibles, 533
 of cupola blocks, 525
 of fire clay tile, 526
 of flux blocks, 525
 of graphite crucibles, 554
 of kiln furniture slabs, 530
 of malleable furnace shapes, 526
 of muffles, 531
 of porcelain tubing, 535
 of radial blocks, 525
 of standard shapes, 523, 524
Skewback, 702
 construction of, 704
 size of, 702-704
Slabs, size of, 530
Slag, analysis of, 455
 coal-ash, 460
 composition of, 455
Slag action, chemical effect of, 453
 physical effect of, 457
Slag erosion, 468
Slag penetration, 457
Slag reaction, products formed in, 460
Slag resistance of refractories, 460
Slag-tap type of furnace bottom, 623
Slag test, laboratory, 458
Slag wetting of surfaces, 458
Slake, 37
Sleeves, refractory, 579
Slip casting process, 107
Slug, 115
Smelters, reverberatory, 598
Soaking pits, 587
Soap, soft, 111
Soapstone blocks, 629
Society of Rheology, 94
Sodium hydroxide, 98, 108
Sodium sulfide, 629
Soft-mud process, 114
Softening point, 347
 test for, 348
 (See also Fusion point; Melting point)
Soldier courses, 689
Solid, definition of, 94
 deformation of, 402
 elastic-plastic, definition of, 94
Solid reactions, 196
Solubility, 306, 318, 320, 322, 328
Spalling, cracks developed in, 424
 definition of, 420
 test for, 436
 theory of, 427, 431
Spalling characteristics of various bricks, 445
Spalling fractures in service, 449
Spalling tendency, 430, 432
Spalling test, A.S.T.M. panel, 441
 furnace, 439
Special shapes, design of, 426
Specific gravity, determination of, 554
Specific heat, 208
 values of, 210, 306, 320
Specimens, fusion-point, 352
Spheres, fracture of, 425
Spinel, 66, 314
 melting point of, 360
 physical properties of, 201
 single crystals of, 333
Spray slag tests, 458
Sprung arches, 698
Stacks, 698
Standard shapes, 523
Standardized brick unit, 689
Statistical mean diameter, 548
Statistics, of refractories industry, 3-7
Steady flow of heat, 498
Steam as disintegrating agent, 467
Steam power, refractories for, 617
Steel inclusions, 580
Steelwork, for arches, 703
 for domes, 732
Stiff-mud process, 123
Stiff-mud shapes, air ramming of, 126, 140
Stokers for kilns, 228
Stokes' law, 541
Stone, furnace, 16
Stopper, for teeming steel, 579
Storage, of clay, 89
Storage bins, 255
Stourbridge, 17, 20
Stove linings, 18
Stoves for blast furnace, 565
Strength of refractories, 201, 318, 322, 553, 664
Stress relieving furnace, 590
Stress-strain diagrams, 103
Stresses, principal, 421

- Stretched membrane theory, 104
 Stretcher courses, 687, 689
 Stripping overburden, 77
 Strontium oxide, 357, 651
 Strontium sulfide, 651
 Sulfides, refractory, 327-331
 Sulfite process, 148
 Super-duty fireclay brick, 43, 675
 Susceptor materials, 266
 Suspended arch, firebrick, 733
 blocks for, 733
 insulating-firebrick, construction of, 734
 sizes of block for, 526
 Suspended roofs for copper reverberatory furnace, 600
 Suspension, thixotropy of, 97
 viscosity of, 96
 yield point of, 97
- T
- Tabling, 88
 Talc, 31, 32, 58
 Tamping, hot, 296
 Tank, for testing glass refractories, 460
 Tank blocks, 524
 Tantalum, 356, 649
 Tantalum carbide, 201, 322, 649
 Tantalum nitride, 326, 327, 649
 Tantalum ore, production of, 57
 Tantalum oxide, 318, 357, 649
 Tap holes, 580
 Tap-out block, 526
 Taunton, 20
 Temperature, equalization of, in kilns, 236
 Temperature breakdown, of clay impurities, 180
 Temperature-conversion table, 737
 Temperature distribution, 427
 Temperature equalization, 235
 Temperature gradients in spalling, 429
 Temperature schedule for load tests, 406, 408, 412
 Temperature stress tests, 421
 Temperature stresses, in arches, 699
 in solids, 420
 Temperature uniformity in kilns, 236
 Temple, 16
 Tensile strain, 431
 Tension failures, 426
 for abrasion, 555
 Test cones, mold for, 353
 Tetrachlorethane, 554
 Textures, 550
 Thermal analysis, 33
 Thermal conductivity, apparatus for, 503
 conversion factors for, 499
 of crystals, 507
 of glass, 507
 harmonic flow method of, 506
 of insulating materials, 509
 measurement of, 502
 of metals, 306
 Northrup method, 506
 of oxides, 320
 of refractory brick, 508
 of single crystals, 507
 test for, 402
 values of, 506
 Thermal expansion, 479
 of carbides, 323
 effect of, on spalling, 432, 433
 furnace for, 479, 481
 of high-fusing crystals, 488
 for hot pressed materials, 201
 measurement of, 479
 of oxides, 320
 of refractory metals, 306
 of silica minerals, 485, 487
 values of, for bricks, 482-486
 Thermocouple, chromel-alumel, table of, 739
 copper-constantan, table of, 743
 platinum, table of, 741
 Thickness, of arches, 702
 of wall, 686
 Thixotropy, 94
 Thoria, 55, 201, 312, 319
 ore production of, 57
 Thorium, 356, 642, 651
 Thorium carbide, 322, 651
 Thorium nitride, 326, 327, 651
 Thorium oxide, 351, 488, 651
 Thorium sulphide, 331, 651
 Ties, in compound walls, 691
 Tile, sizes of, 526
 Tin, manufacture of, 614
 Tin oxide, 357, 651
 Titanates, melting point of, 359
 Titania, 55, 319
 dense, 314

Titania, effect of heat on, 196
 Titanium, 356
 Titanium carbide, 201, 322
 Titanium nitride, 201, 325, 326
 Titanium oxide, 357, 488
 Tolerances in sizes, 523
 Topaz, 44, 66, 193
 Toronto, 21
 Torsion tests, 411
 Tractor loader, 80
 Triangle, properties of, 745
 Tridymite, density of, 190
 expansion properties of, 487
 structure of, 190
 Truck, lift, 255
 True density, measurement of, 554
 Tungsten, 356
 melting point of, 306
 Tungsten boride, 319
 Tungsten carbide, 201, 322
 Tungsten ore, production of, 59
 Tungsten oxide, 357
 Tunnel driers, 169
 Tunnel kiln, 244
 Turbine buckets, 662
 Turbine insulation, 665
 Turbine nozzle blades, 665
 Turbine rotors, 665
 Turbo jet, 657
 Turbo jet engines, temperature of, 657

U

U. S. Bureau of Standards, electrical resistivity measurements, 555
 University of Chicago, 646
 Unsteady heat flow, 518
 Uranium, 640, 651
 carbide, 322
 compounds of, 648
 nitride, 326, 651
 oxide, 55, 319, 357, 651
 production of, 57
 sulfide, 325, 651
 Uxbridge, 16

V

Vacuum attachment to dry press, 131
 Vacuum duct design, 277

Vacuum gauges, 278
 Vacuum method of measuring porosity, 184
 Vacuum principles, 273
 Vacuum pumps, 275
 Vanadium, 356
 Vanadium carbide, 201, 322
 Vanadium nitride, 326, 327
 Vanadium oxide, 319, 357
 Vapor pressure of elements, 303, 306
 Variance, 362
 Viscosimeter, 101
 Viscosity, 96
 definition of, 94
 of kaolin slips, 99
 of water, 166
 Voids, 144
 Volume flow, of gases, 236
 Volume shrinkage conversion, 162
 Vycor glass, 335

W

Walk, 115
 Wall, 686
 air-cooled, 617
 anchoring methods for, 692
 boiler, 617-623
 bonds for, 687, 691
 expansion joints for, 682
 flat stud tube, 622
 heat loss through, 514
 heat storage in, 514
 insulation of, 694
 number of brick in, 687
 safe heights of, 687
 sectionally supported, 617, 618
 stability of, 619
 thickness of, 686
 tube and brick, 619
 water, 621
 Water-cooled door frames, 696
 Water-film thickness, 165
 Water gas generation, 679
 Water-retention values, 293
 Wedge brick, table of, 710
 Wedge roaster, 599
 Weight of refractories, 688
 Weight loss, on heating clay, 175
 Weight loss curves, of minerals, 175

West Coast, early firebrick manufacturing on, 22

West Virginia, early firebrick manufacturing in, 22

Wet pans, 84

Wetting of surface by slag, 458

Willsboro, 19

Wire-bar furnaces, 603

Wire cutter, 128

Woodbridge, 20

Workability of clays, measurement of, 100, 101
mechanism of, 104

Y

Yield point, in plastic masses, 100, 103
in slips, 97

Yttrium carbide, 322

Yttrium oxide, 319, 357

Z

Zinc, manufacture of, 607
refractory service for, 609

Zinc distilling furnace, 668

Zinc oxide, 319, 357, 651

Zinc retort, 607

Zinc vapor in blast furnace, 566

Zircon, 55, 66, 195, 488

Zirconates, melting point of, 315

Zirconia, 55, 319, 357, 488, 651

dense, 313

effect of heat on, 195

forms of, 195

Zirconium, 356, 651

Zirconium carbide, 201, 322, 651

Zirconium minerals, chemical analysis of, 55

production of, 57

Zirconium nitride, 201, 325, 326, 651