

Index

- 2-D hexagonal mesophase 498–505
- 3-D hexagonal mesophase 482, 491, 577
- AASBUs 406–14
- Adsorption isotherms 354, 355
- Adsorption of hydrogen 655
- Adsorption properties 352, 381
- Aging 130–5, 296–300
- Aging temperature 136–7
- AlPO₄-11 (AEL)
 - synthesis 179–80
- AlPO₄-5 (AFI)
 - rational synthesis 432–3
 - structure 66–7
 - synthesis 178–9
 - with encapsulated dye molecules 617
- AlPO-CJ11
 - structure 78, 79
- AlPO-CJ19
 - structure 80
- AlPO-CJ4
 - structure 74–5
- AlPO-CJB1
 - structure 78–80
- AlPO-CSC
 - structure 87–8, 455–7
- AlPO-DETA
 - structure 75–6
- AlPO-ESC
 - structure 87–8
- AlPO-HDA
 - structure 76, 77
 - synthesis 441–3
- AlPO-PDA
 - synthesis 442
- Aluminoarsenates
 - synthesis 193
- Aluminoborates
 - anionic framework 198
 - positive framework 198–9
- Aluminophosphates
 - anionic framework 72–88
 - composition 33
 - structure design 412–4, 426–8
 - structural construction regularity 153–7
- Aluminosilicates gel
 - primary gel 131
 - secondary gel 131–5
 - structure and aging 296–300
- Aluminosilicates
 - composition 33
- Aluminium source 125
- Ammonolysis 347
- Amorphous SiO₂
 - preparation 283
 - structure 279–80
- AMS-n 508
- Anionic surfactants 537

- Application of zeolite coatings
 - corrosion-resistant coatings 253
 - for pervaporation 255–7
 - hydrophilic and antimicrobial coatings 254
- Assembly of 2-D nets
 - allowed operators 404
 - enumeration of structures 404–6
 - operators 402–3
 - sheet conformation 403–4
- ASU-16
 - structure 100–1
 - synthesis 210
- ASU-31
 - structure 101
- ASU-32
 - structure 101–2
- BEC
 - structure 56
 - synthesis 458
- Beta (BEA)
 - structure 54–6
 - synthesis 177–8, 213–4
- Block copolymer surfactants 477, 490, 538
- Building units
 - cage 25, 27–9
 - chain 29–30
 - layer 30–2, 401–2
 - periodic building units 32–3
 - primary building units 23–4
 - secondary building units (SBUs) 24–6
- Building-block built-up approach
 - AIPO-CSC 455–7
- C60 624
- Caged mesostructures 508–20
- Cancrinite (CAN)
 - structure 51–2
- Carbon nanotube growth in zeolites 625–31
- Cationic surfactants 535–7
- Cations
 - distribution and position in framework 34
 - templating effect in crystallization 139–44
- Chabazite (CHA)
 - structure 52
- Channel and surface modification
 - cation exchange method 380–1
 - channel modification method 381–3
 - external surface modification 383–91
 - internal surface modification 383
- Channel dimension 43–6
- Charge density matching 151–3
- Charge-balancing effect 318
- Chelating dealumination 365, 366
- Chemical dealumination 364, 371
- Chemical modification of mesoporous silica 558–61
- Chemical-liquid deposition (CLD) 387–91
- Chemical-vapor deposition (CVD) 633–8, 241, 384–5, 387
- Chiral building blocks 225
- Chiral catalytic centers 218–219
- Chiral catalytic materials 221–6
 - assembly of chiral catalytic centers 218–9
 - coordination and condensation of chiral building blocks 225–6
 - germanates 219–21
 - phosphates 222–3
 - silicates 218–26
 - uranyl molybdates 221–2
- Chiral mesoporous silica 581–2
- Chiral metal complexes 443–54
- Chiral open frameworks 92, 93, 97
- Chiral porous coordination polymer 651–2, 654
- Chirality transfer 443–54
- CIT-1(CON)
 - structure 60, 62
 - synthesis 458
- CIT-5 (CFI)
 - synthesis 203
 - structure 56–7
- CLD-modified HZSM-5 387, 389, 390
- Cloverite (-CLO)
 - synthesis 204
 - structure 69–71
- Cluster crystal 610–1
- CMK-n 568–71
- Co-condensation 560–1
- Combinatorial synthesis 168–72, 454–5
- Condensation reaction of silicate and aluminate ions 294–6
- Coordination polymer 647–55
- Coordination sequences (CSQ) 42
- Critical micelle concentration (CMC) 480
- Crystal transition 165–6
- Crystallization field 125–8
- Crystallization kinetics 326–37
- Crystallization process 285–7
- Crystallization temperature 137–8

- Cubic channel mesostructures 505–8
 Cubic-hexagonal intergrowth 508–511
 CVD-modified SiHM catalyst 386
 CZP
 structure 71
- Data mining 430–3
 De novo molecular design 434–5
 Dealumination
 liquid phase method 364
 hydrothermal and chemical methods 371–3
 high-temperature 362–3
 vapor phase method 370–1
- Decision tree 431
 Deformed mesophases 520–5
 Degree of polarization (DOP) 629
 Detemplating 345, 347, 348
 extraction 348–50
 Dry gel conversion 166
 Dual-phase transition mechanism 305–6
 Dyes in zeolites 616–20
- ECR-34(ETR)
 structure 62, 63
- EMT
 structure 50–1
- Energy minimization 437
 Evaporation-induced self-assembly
 (EISA) 534–5
 Extra-large pore materials
 structure 88, 92–3, 95, 97, 100
 synthesis 201–11
- Faujasite (FAU)
 structure 50
 synthesis of Linde-Y type 173–5
 synthesis of Low-silica type X (LSX) 174
- FDU-1
 synthesis 511–2
- FDU-12
 synthesis 518–20
- FDU-4
 structure 100
 synthesis 209
- FDU-5
 synthesis 508
- FJ-1
 synthesis 209
- Fluoride ion 161–4
 Forbidden zone 415–26
- Formation mechanism
 mesoporous silica 478–489
 charge density matching 485–7
 cooperative formation mechanism 483–5
 folding sheets mechanism 486–7
 generalized liquid crystal templating
 mechanism 487
 original liquid crystal templating (LCT)
 mechanism 482–3
 true liquid crystal templating mechanism
 (LCT) 487–8
 microporous zeolites 285–7
- Framework density 47
- FSM-16
 synthesis 486–7
- Fullerenes
 assembled in zeolites 624
- Gallium-containing zeolites 374
- Galloarsenates
 synthesis 193
- Gallophosphates
 structure 88–92
 synthesis 192
- Gas separation membranes 242
 LTA 242
 MFI 242
- Gelation of silica sol 280–2
 Gemini surfactants 535–6
 Genetic algorithm 428
 Germanates 100–1
 Grafting 559–60
- Heteroatoms coating zeolites 373, 378
- Hexagonal mesoporous silica materials
 498–505
- Hierarchical porous silica materials 531–3
 High-resolution electron microscopy 627
 High-temperature calcination 345, 346
 High-temperature rapid crystallization 167
 High-temperature vapor-phase treatment 378
 Host-guest interaction energy 435–54, 620
 Hydro(solvo)thermal synthesis 122–4
 Hydrogen uptake 653–4
 Hydrogen-bonding interaction 435–54
 Hydrogen-storage 652–5
 Hypothetical zeolite database 429–30
- IM-12(UTL)
 structure 65–6

- IM-12(UTL)
 - synthesis 459
- Indium phosphates
 - structure 92–3
 - synthesis 194
- Indium sulfides
 - structure 101–2
- Inorganic-organic hybrid materials 563–4
- Interaction between organic and inorganic 475–478
- Intersecting channel zeolites
 - synthesis 212–5
- Ion clusters
 - location 609–10
- Ion-exchange modification 351
- Ion-exchange of zeolites under microwave irradiation 160–1
- Ionic liquids 167
- Iron phosphates
 - structure 95–6
- Isomorphous substitution 33, 368, 373–8
 - demetallation 378–9
 - gas-solid 377–8
 - liquid-solid 374–7
- ITQ-15 (UTL)
 - synthesis 459
- ITQ-17
 - structure 56
- ITQ-21
 - synthesis 458
- ITQ-22 (IWW)
 - synthesis 213, 458–9
 - structure 60, 61
- ITQ-24(IWR)
 - structure 65
- ITQ-29 (LTA)
 - synthesis 453–4
- JDF-20
 - structure 76–8
 - synthesis 205
- JLU-10
 - structure 450–2
- JLU-7
 - structure 444–7
- JLU-8
 - structure 447–8
- JLU-9
 - structure 448–50
- KIT-6 506
- KSW-2 522, 524–5
- Loop configuration 41–2
- Lowenstein's Rule 33, 412
- LTA
 - structure 49–50
 - synthesis 172–3
- LTL
 - structure 51
 - synthesis 178
- M41S materials 469–71
- Macroporous material templating
 - synthesis 529–31
- MCM-41 498–500, 619
- MCM-48 505–7
- MCM-50 470, 479, 485
- Mesopore size control 526–7
- Mesoporous carbon 568
- Mesoporous carbon as template 540
- Mesoporous fiber 579–80
- Mesoporous material synthesis through acid-base pair 555–6
- Mesoporous metal oxides 565–7
- Mesoporous metals 571–2
- Mesoporous nanoparticles 575
- Mesoporous phosphates 567
- Mesoporous spheres and balls 577–9
- Mesoporous thin film 576–7
- Metal cluster in pore
 - preparation approaches 605–7
 - alkali metal cluster 607
 - bimetallic cluster 606
 - cadmium 615
 - noble metal cluster 613–4
 - mercury 614
- Metal cluster ion in pore
 - alkali metal ion cluster 609–12
 - bifunctional catalyst 613
 - electrical conductivity 612
 - ESR spectra 609–13
 - metal-containing mesoporous silica-based materials 562–3
 - Na_4^{3+} 607–8
- Metal complexes in pore
 - catalytic performance of the loaded complex 636–7
 - epoxidatin reaction 644–6

- nonaromatic macrocyclic ligand 645
- redox pair 646
- Metal-organic framework (MOF) 8–9, 651–5
- Coordination polymer 647–9
- Metal-Schiff base
 - hydrogenation of alkenes 641
 - phthalocyanine complex 642–3
 - salen 641
 - selective hydrogenation catalyst 641
 - silylation agent 643
- Methylene blue 616
- Microporous chlorides 200
- Microporous nitrides 201
- Microporous sulfides 200
- Microwave radiation 346
- Microwave synthesis
 - AlPO₄-5 159–60
 - NaA 158–9
- MIL-31
 - structure 89
- Mixed ligand system 652
- Mixed surfactants 538–9
- Molecular engineering 13–14
- Molecular simulation 324–5, 654–5
- Mordenite (MOR)
 - structure 52–3
 - synthesis 175–6
- Morphologies of mesoporous silicas 573
- MSU-n 525, 542, 547
- Multicarboxylate linker 652–3
- Nanocrystals and ultrafine zeolite particles 235–41
 - controlled crystallization condition 238–9
 - controlled crystallization in microreactor 239–40
 - controlled crystallization of sol 236–7
 - nanozeolite catalytic materials 240
- ND-1
 - structure 93
 - synthesis 207
- Nickel phosphates
 - structure 96–7
- Non equilibrium thermodynamics 118
- Non-ionic (neutral) surfactants 537
- Non-silica mesoporous materials 561–2
- NTHU-1
 - structure 90
 - synthesis 207
- Nucleation 300–5
 - Si-ZSM-48 302–304
 - Si-ZSM-5 302–304
- One-dimensional superconductor 631
- Ordered mesoporous materials 468–71
- Organic chelate of silicon 283
- Outer space synthesis 167
- Oxide-modified HZSM-5 zeolite 382
- Oxidative detemplating 347
- Periodic mesoporous organosilicas (PMOs) 564–5
- Phase transformation and control in mesoporous materials 525–6
- Physical chemistry of mesostructure assembly 491–4
- Pillared layered microporous materials 215–7
- Polymer in zeolites 621–23
- Polymeric surfactant 538
- Polymerization state 269–75, 284–5
 - aluminate 284–5
 - polysilicate ions 269–77
 - in potassium silicate solution 270–1
 - in sodium salt solution 269–70, 271
 - in tetrabutylammonium silicate (TBAS) aqueous solution 275–7
 - in tetraethylammonium silicate (TEAS) aqueous solution 274–5
 - in tetramethylammonium silicate (TMAS) aqueous solution 272–3
- Preparation of porous carbon 623–4
- Pseudo-boehmite 284
- Quantum wire 612
- Raman spectroscopy 627
- Rational synthesis 430–59
- Removal of surfactant from mesoporous silica 539–40
- Ring number 43
- SAPO-31
 - synthesis 180–1
- SAPO-34(CHA)
 - synthesis 181
 - composition 33–4
- SBA-1
 - synthesis 512–3
- SBA-15
 - synthesis 500–3

- SBA-16
 - synthesis 517–8
- SBA-2
 - synthesis 509–511
- SBA-3
 - synthesis 503–5
- SBA-6
 - synthesis 514–7
- SBA-8
 - synthesis 520–3
- SDA cleavage 168
- Secondary synthesis 164–5, 350, 377
- Semiconductor clusters in zeolites
 - Cd₄S₄ 633–4
 - HgI₂ 634
 - III-V semiconductor nanocluster 635
 - PbI₂ 634
 - Se, Te, Ge and Si 635
 - silver sulfide 634
- Semiconductor nanoparticles
 - blue-shift phenomenon 631
 - luminescence 632
 - metal-organic chemical-vapor deposition (MOCVD) 631
 - optoelectronic property 631
 - zero-dimensional semiconductor clusters 631
- Sensor
 - chemical-sensing material 613
 - water-vapor-sensing material 613
- Shape-selective adsorption 384, 385
- Shape-selective catalysis 651
- Sharpless catalysts 219
- Ship-in-bottle strategy 11
- Si-addition 368, 370
- Silica gel
 - preparation 282–3
 - structure 279–280
- Silica mesophases 541–2
- Silica sol
 - gelation 280
 - preparation 279
 - structure 277–80
- Siliceous mesostructured cellular foams (MCFs) 531
- Silicon enrichment 364
- Silicon-addition 367
- Silicon-enrich zeolites 366
- Simulated annealing 399–401, 406–12
- Single crystal mesoporous material
 - bulk material dissolution 234–5
 - clear homogeneous system 234
 - F⁻ ions systems 230–3
 - influence of nucleation suppressors 227
 - solvothermal conditions 228–30
 - two silica sources 233
- Single-walled carbon nanotubes 627–31
- Sodalite (SOD)
 - structure 48–9
- Sodalite cage 609–10
- Solid hydrogel transformation 287–9
- Solid laser 618
- Solution-mediated transport mechanism 294–305
- Solvent polarity (ETN) 121
- Solvent-extraction method 348
- Space-filling effect 39, 317–8
- Special aggregation morphology
 - AlPO₄-5 fibers 250
 - silicate-1 microspheres 250
 - cellular structures 249–50
- SSZ-23(STT)
 - structure 57–9
- SSZ-53(SFH)
 - synthesis 452–3
 - structure 62, 63, 64–5
- SSZ-59(SFN)
 - synthesis 452–3
 - structure 63, 64–5
- Structure-directing effect (SDE) 39, 307–26
- Structure-type code 20–3
- Supercage of Y zeolites 614
- Surfactant effective packing parameter: g 489–491
- Surfactant
 - micelle and lyotropic liquid crystal 479–481
- Synthesis of mesoporous materials
 - at high temperatures 556–7
 - parameters 550–555
- Systematic enumeration 401–6
- Template for zeolites
 - anions 322–4
 - cations 307–8
 - F⁻ ion 320–1
 - metal complex 321–2
 - organic compounds 308–20
 - salts 322–4
 - water 322–4

- Titanium-containing zeolites 181–2, 377
True templating effect 40–1, 311–3
Two-step calcination 346
Type material 20
- UCSB-6(SBS)
 structure 71–2
- ULM-16
 synthesis 206
- ULM-5
 structure 89
 synthesis 206
- Ultra-stabilization 361, 362, 363
- USY (ultra-stable Y zeolite) 363–73
- UTD-1 (DON)
 synthesis 201, 203
 structure 59–60
- Vanadium phosphates 97–9
- Vertex symbol 42
- VPI-5 (VFI)
 synthesis 203
 structure 67–8, 69
- VSB-1
 synthesis 208
- VSB-5
 structure 96–7
 synthesis 208
- Window size for caged mesostructures 527–9
- Xe-adsorption-dynamic curves 382
- Zeolite
 extra-large micropore 5–6
 high-silica 4
 low-silica 3–4
 macropore 7–8
 mesopore 6–7
 natural 2–3
- Zeolite films
 on stable supports 241–8
 layer-by-layer (LBL) 243
 a-axis oriented MFI zeolite films 245
 b-axis oriented MFI zeolite films 244–5
 patterned zeolite films 247–8
 spin-on zeolite films 245–7
 self-supporting zeolitic crystalline 241
 low dielectric constant films 251
- Zinc phosphates
 dimension build-up mechanism 197
 structure 93–5
 structure characters 195
 synthetic approach 196
- ZnHPO-CJ1
 synthesis 211
- ZSM-11 (MEL)
 structure 54
- ZSM-5 (MFI)
 structure 53
 synthesis 176–7