

AUTHOR INDEX

- Abramoff, Bennet, 815, 973
 Aegerter, M. A., 175
 Aksay, Ilhan A., 543
 Allcock, Harry R., 699
 Altman, Joe C., 941
 Alviso, C. T., 671
 Ashley, Carol S., 395, 989
 Attard, George S., 637
 Atwood, Bruce, 431
 Bagwell, Amy E., 557
 Bartlett, John R., 247
 Beall, George H., 799
 Belot, V., 143
 Berglund, Kris A., 415
 Bickmore, Clint R., 663
 Blake, D. J., 187
 Blanco, Eduardo, 215
 Blohowiak, Kay A. Y., 663
 Boilot, J. P., 59, 965
 Bommersbach, W. M., 483
 Boulmaaz, Souad, 239
 Boulton, J. M., 483
 Bozano, D. F., 175
 Bozkurt, Nazim, 557
 Brennan, A. B., 807
 Brinker, C. Jeffrey, 395, 989
 Brun, A., 965
 Burzynski, Ryszard, 825
 Byard, Paul, 431
 Campbell, Allison A., 529
 Campion, Jean-Florent, 499
 Canva, M., 965
 Chaput, F., 59, 965
 Chaudhuri, Ray, 973
 Che, T. M., 51
 Chia, Taipau, 933
 Chou, K. T., 753
 Chuiko, Vladimir A., 919
 Clark, Arthur E., 627
 Cline, J. P., 297
 Colby, M. W., 737
 Corriu, R., 143
 Covino, Josephine, 457, 973
 Creaser, D. A., 187
 Darab, John G., 123
 Daran, Jean Claude, 277
 Day, Victor W., 257
 Denesuk, M., 483
 Devreux, F., 59
 Dippel, K. A., 327
 Douy, André, 585
 Dulebohn, Joel I., 415
 Dunn, Bruce, 941
 Eamsiri, Jakinee, 981
 Eberspacher, Todd A., 257
 Eichorst, Denis J., 499
 Einarsrud, Man-Ann, 355
 El-Bayoumi, Osama H., 837
 Ellefson, Robert E., 989
 Elyamani, Abdessamat, 981
 Emmerling, Andreas, 3
 Esquivias, L. M., 215
 Fabes, B. D., 467
 Farbrodt, Lucie E., 355
 Fech, J., 51
 Fernandez-Lorenzo, C., 215
 Finlinson, A. C., 457

- Flanck, A. M., 143
Floch, Herve G., 423
Fosmoe, Albert, II, 897
Francis, Lorranine F., 499
Freiman, S. W., 297
Fricke, Jochen, 3
Frye, Gregory C., 395
Fryxell, Glen E., 529
- Garcia, Roberto, 777
Georges, P., 965
Gerenza, D. A., 51
Gill, John T., 989
Gleason, W. B., 207
Goldburt, Efim, 285
Gregorius, Roberto Ma.S., 647
Griffiths, Richard A., 685
- Haereid, Siv, 355
Hanrahan, Michael J., 437
Hardy, Anne B., 577, 791
Harrison, P. G., 187
Hench, Larry L., 69, 115, 627, 875, 897, 933, 953
Henry, Marc, 223
Hill, J. R., 207
Hills, Marian E., 973
Ho, Shu-Fang, 197
Hong, Kwon, 595
Hoppe, Martin L., 663
Hrubesh, L. W., 19
Hubert-Psalzgraf, Liliane G., 239, 277, 423
Hung, Cathy C., 603
Hunt, Arlon J., 341
Hunt, S., 207
Hurd, Alan J., 395
- Imrie, C. T., 637
Interrante, Leonard V., 777
- Jacobs, Peter W., 791
Jakovlev, Evgeny B., 919
Jolivet, Jean Pierre, 223
Jonas, Jiri, 93
Jun, Young-Sam, 595
- Kaner, R. B., 737
Karasz, Frank E., 637, 647
Kim, Byong-Ho, 595
King, Kevin K., 431
King, Terence A., 997
Kirkbir, Fikret, 973
Klein, Lisa C., 197, 815
Klemperer, Walter G., 257
Koinuma, Hideomi, 315
- Kovar, Robert F., 685
Kramer, S. J., 737
Kunetz, J. M., 115
- Laine, Richard M., 663
Lange, F. F., 611
La Torre, Guy P., 891
Leaustic, Anne, 981
Leclercq, D., 143
Lee, Burtrand I., 753
Lefevre, P., 143
LeMay, J. D., 671
Le Saux, G., 965
Leung, Martin S., 449
Li, Rounan, 627
Li, Xiaochun, 131, 187
Lin, Chhiu-Tsu, 449
Lipeles, Russell A., 449
Lipowitz, Jonathan, 767
Liu, Shuyuan, 953
Livage, Jacques, 223, 267
Lusignea, Richard W., 685
Lyon, P., 207
- Ma, K., 333
McCormick, Alon, 43
MacCrone, Robert K., 123
Maciel, Gray E., 777
Mackenzie, John D., 365, 737
McNeill, Jason D., 449
McVay, Gary L., 529
Malier, L., 59
Marchetti, Paul S., 777
Mark, J. E., 745
Martin, J., 215
Matijevic, Egon, 513
Matthes, B. R., 737
Melpolder, Sharon M., 437
Mingos, D. Michael P., 717
Musshafen, George N., 437
Mutin, P. H., 143
- Nagata, Hirotoshi, 315
Nakanishi, Kazuki, 29
Nardi, Paola, 663
Newmark, R. A., 207
Newnham, Robert E., 379
Nikiphorov, Andrei Ju., 919
Nikles, R. E., 51
Ning, Y. P., 745
Nishida, Fumito, 941
- Ochoa, Romulo, 837

- Papiernik, Renee, 239
 Park, Chang Woo, 257
 Parraud, Stephen, 423
 Payne, David A., 499
 Pekala, R. W., 671
 Perry, C. C., 131, 187
 Phillips, Nicholas J., 907
 Pierre, Alain C., 333
 Poco, J. F., 19
 Poling, Robert E., 349
 Poncelet, Olivier, 277
 Prasad, Paras N., 825
 Quinn, Candace Jo, 799
 Rabe, James A., 767
 Raghunathan, Ramesh, 557
 Ramamurthi, Mukund, 349
 Ramamurthi, Sangeeta D., 349
 Reed, Scott T., 989
 Rees, W. S., Jr., 327
 Rhine, Wendell E., 577, 791
 Ribot, Francois, 267
 Rieke, Peter C., 529
 Riman, Richard E., 603, 981
 Ritter, J. J., 297
 Robinson, Timothy R., 663
 Rodrigues, D. E., 807
 Rosenberg, Frank S., 257
 Roy, Rustum, 1023
 Sacks, Michael D., 557
 Sanchez, Clement, 267
 Sanchez, Jorge, 43
 Sarikaya, Mehmet, 543
 Scanlan, Brian W., 449
 Scheiffelle, Gary W., 557
 Schmidt, Helmut, 727
 Schmidt, Wayde R., 777
 Schunk, P. Randy, 395
 Shaikh, Shahid N., 777
 Simmons, Joseph H., 837
 Sinclair, R. A., 207
 Sirio, Christine, 277
 Soga, Naohiro, 29
 Soskey, Paul R., 51
 Stevens, J., 207
 Stone, Richard E., 941
 Switzer, Jay A., 855
 Szu, Sung-Ping, 197
 Tarasevich, Barbara J., 529
 Teowee, G., 483
 Thomas, Edwin L., 685
 Tillotson, T. M., 19
 Trolier-McKinstry, Susan, 379
 Udayakumar, K. R., 379
 Uhlmann, D. R., 483
 Uhm, Jackie, 663
 Van Vlierberge-Torgerson, Beatrice A., 415
 Veiko, Vadim P., 919
 Vioux, A., 143
 Walko, Robert J., 989
 Wallace, Stephen, 69, 159
 Wang, B., 807
 Wang, Ce, 907
 Webb, Jeffrey S., 449
 Weisenbach, L., 467
 West, Jon K., 115, 159, 891, 933
 Wilkes, G. L., 807
 Woolfrey, James L., 247
 Xu, Ren, 365
 Xu, Y., 767
 Yamane, Masayuki, 863
 Yoshimoto, Mamoru, 315
 Yuhuan, Xu, 365
 Zangvil, A., 767
 Zank, Gregg A., 767
 Zarzycki, Jerzy, 77
 Zaugg, T. C., 467
 Zelinski, B. J. J., 467
 Zerda, Tadeusz W., 103
 Zhang, Yue, 825
 Zhao, M. X., 745

SUBJECT INDEX

- Abalone shell, 550
Abbe number, 869
Ab-initio, 163
Absorption losses, 478
Absorption spectra, 461
 malachite green, 965
Acetates of metals, 239
Acetylacetone, 267, 272
Acid-base systems, 51
Acid catalyst, ZBLAN gels, 984
Acidic conditions, 5, 52, 342
AC impedance spectroscopy, 195
Acoustic delay lines, 12
Acoustic impedance matching, 12
Activation energy, 164
Activation volumes, 93
Active coatings, 486
Adsorption in sol-gel silica, 103, 145, 161
Aerogels, 3, 19, 182, 217, 341, 349, 355, 671, 1031
 composites, 989
 compressive modulus, 679
 mass and surface fractals, 678
 mechanical properties, 679
Agglomerates, 91, 250, 343, 406, 991
Aging, 9, 255
Air-SiO₂ composites, 759
Akageneite, 519
Alcogel, 5
Alcoholic processing, 587
Alcohols, 278
Alcoholysis, 281
Alkoxide, 705
 carboxylates, 415
Alumina, 175, 367, 561, 598
 aerogels, 184
 silica, 173
 siliceous glass, 564
Aluminum:
 alkoxide, 182, 208
 amide, 754
condensation, 226
nitride (AlN), 595
oxides, 537
oxoalkoxide, 207
oxoisobutoxide, 210
sec-butoxide, 759
28 NMR, 177
27 NMR, 786
tri-sec-butoxide, 208, 595
AM1, 160, 163
Aminophosphazenes, 711
Amorphous:
 oxide film, 371
 particles, 515
Anatase, 262
Angle dependent light scattering, 342
Anions, 232
Annealing, 459
Antireflection (AR) coatings, 431
Apparatus, laser densification, 1015
Aqueous:
 acetate precursors, 454
 processing, 586
 solutions, 223, 449
Argon, 150
Autoclave, 6, 350
Automated processing, 438
Babinet's principle, 81
Backbone, polymer, 638
Ba-K-B-Si-oxide systems, 871
Bandgap, 856
Barium, 327
 acetate, 872
 alkoxide, 277, 282
 containing compounds, 604
 oxides, 331
 titinate (BaTiO₃), 327, 367, 510, 603
Basic conditions, 5, 52, 342
Ba₄Ti₁₃O₁₈(OCH₂CH₂OCH₃)₂₄, 500

- Ba₄Ti₁₃O₃₀**, 510
Ba₄Ti₁₃O₄₂, 508
Beer-Lambert law, 117
Benzyl acrylate (BzA), 872
Bernal hard-sphere RCP, 87
Beta-diketones, 267, 277
 BET surface area, 26, 40, 71, 82, 105, 177, 218, 249, 358
Binary:
 copolymers, 642
 fluid, 395
Binding energy, 605
Bioactivity, 627
Biological:
 mimicry, 529
 nanocomposites, 543
Biomimesis, 1029
Biomimetic interfaces, 533
Biomineralization, 531
Bi-Pb-Sr-Ca-Cu-O, 333
Bismuth(III) alkoxide, 277, 279
Bi-Sr-Ca-Cu-O, 297
Black gel of superconductor precursors, 335
Bloating, 761
B₂O₅, 103
Boehmite, 179
Borazines, 706, 713
Breakdown strength, 390
Bridging:
 acetate groups, 506
 alkoxide groups, 506
Brillouin spectroscopy, 9
Broadband antireflection coatings, 431
Brochantite, 522
Bronze, 461
Br-Sr-Ca-Cu-O, 316
Bulk:
 composites, 757
 density, 563, 934
 type VI silica, 895
Cadmium:
 alkoxide, 240
 sulfide, 537
Calcium carbonate, 537
Capillarity effect, 395, 408
Carbon:
 aerogels, 11
 13 MAS NMR, 786
Carbonane, 712
Carboxylic acids, 277
Cation:
 hydrolysis, 224
 popping, 652
Ca-Al-silica, 367
CdS, 839
CdSe, 839
CdSnO₃, 369
CdTe, 839
Cd(II) synthesis, 240
CeO₂:
 ceramics, 321
 dispersions, 518
Ceramer, 807
 dynamic mechanical analysis, 807
Ti-PTMO, 807
Zr-PTMO, 807
Ceramic:
 fibers, SiC, 768,
 multicomponent, 664
 polymer, 550
 powders, 604
 precursors, 611
 processing of superconductors, 315
 science, 699
 superlattices, 315, 855
Ceramic-ceramic, 558
Cerenkov:
 effect counters, 12, 19
 particles, 3
Cerium:
 (IV) isopropoxide, 267
 oxide, 267, 321
Channel waveguides, 467
Characterization, type VI silica, 891
Charge-electronegativity diagram, 231
Charge-pH diagram, 226
Chelating agent, 595
Chemical:
 engineering scaleup, 300, 305
 modifiers, 277
 vapor deposition, 327
Chlorofluorocarbon, CFC, 4, 349
Chloromethyltrichlorosilane, 779
CH₃OH supercritical drying, 350
Chromatic aberration, 869
Chromium, 115
 ion diffusion in sol-gel silica, 115
 nitrate, 117
Citric acid, 333
Cluster compound, 207
CO₂:
 solvent, 23
 substitution, 346, 350
Coatings, 423, 426, 431
 active, 486
 passive, 483
Coercive field, 386
Cohydrolysis, 188
Colloidal:
 black gels, 336
 processing, 176, 181, 268, 577
 zinc oxide, 523
Columbus project, 433
Commercial barium titanate, 603
Compaction, 308
Compact polydisperse system, 82
Complexation, 1029
 agents, 475, 663
 aluminum, 596

- Complexation (continued)**
 of cerium, 270
 of metal cations, 232
- Components, optical**, 997
- Composite**, 543
 bulk, 557, 757
 ceramic–ceramic, 558, 791
 glass–ceramic, 558
 molecular, 753
 nanoscale, 785
 nano-scale, 753
 nonoxide, 759
 organic polymer, 825
 particles, 558
 PMMA-silica, 817
 polycarbosilane, 754
 powders, 754
 radioluminescent aerogel, 989
- SiAlON based**, 571
- SiC-AlN**, 754
- SiC-Si₃N₄**, 754
- SiC-TiC**, 754
 whisker reinforced, 791
- Y₂O₃-AlN**, 756
- Compositional grading fixing**, 869
- Compressive:**
 modulus, aerogels, 679
- Strength:**
 of aerogels, 352
 in PBZT fibers, 685
- Computer simulations**, 111
- Concentration:**
 effects, dye lasers, 959
 gradient, 865
- Condensation**, 60, 93, 164, 225, 229, 273, 293
 degree, 65
- Conductivity:**
 electronegativity, 649
 environmental dependence, 657
 iodine source, 649
 mechanisms, 652
 polymers, 647
- Confined geometries**, 93
- Conjugated pi-bonds**, 647
- Controllable reactivity**, 1027
- Coordinate compounds, microwave synthesis**, 718
- Copolymerization**, 655
- Copolymers**, 642
- Copper:**
 alkoxide(s), 277, 333
 (II) alkoxide, 279
 (II) compounds, 522
 oxide layers, 316
- Copyrolysis**, 780
- Cordierite**, 585, 791
 powder, 754
- Correlation length**, 82
- Co-Fe-Oxide**, 367
- CPMAS**, 25
- Cracking**, 5, 6
- Critical:**
 current, 311
 size effects, 379
- Crosslinking**, 703
- Crystallization:**
 kinetics, 611
 quality in ferroelectrics, 387
 temperatures, 201
- CS₂**, 106
- CuO-Al₂O₃-SiO₂ composites**, 760
- Current research, sol-gel technology**, 1023
- Curvefitted Gaussian peaks**, 70, 72, 161
- Cyclic voltammetric response**, 462
- Cyclopentadienes**, 329
- Cyclotrisilazanes**, 778
- DCCA**, 355
- D1 defect**, 69, 160
- D2 defect**, 69, 159
- Deaggregation of TPT**, 248
- Debye regime**, 9
- Defect control, sol-gel optics**, 881
- Degenerate:**
 four wave mixing, 826
 n-type semiconductors, 856
- Dehydroxylation**, 993
- Dense system**, 81
- Densification**, 10, 69
 laser, 471
- Density:**
 of aerogels, 7, 350
 analysis, 83
 functional theory, 224
 of xeogels, 69
- Deuteron NMR spin lattice relation**, 94
- Devices, optical**, 997
- Diamond particles**, 760
- Dielectric:**
 ceramics, 239
 properties:
 ceramer, 812
 titania ceramer, 812
 zirconia ceramer, 812
- Diethylaluminum amide**, 778
- Diffusion:**
 coefficient, 115, 119
 gas, 897
 in sol-gel silica, 103, 108, 115
- Dilute system**, 81
- Dimethyl formamide (DMF)**, 462
- Dimethyl sulfoxide (DMSO)**, 462
- Dip coating**, 396
- Diphasic gel**, 181
- Dispersion**, 840, 871
- Disulfide:**
 fiber, 706
 as an opacifier, 345
 tetrachloride, 107
- Doped ORMOCERs**, 732

- Doping, 11
conductivity, 652
- Double ion exchange, 864
- DRIFT spectroscopy, 286
- Drying, 5
shrinkage, 753
- DTA, differential thermal analysis, 178, 193
- Dynamic mechanical:
analysis, ceramer, 807
loss, 809
- Dynamics of aerogels, 9
- EAcAc, 596
- Elastic properties of aerogels, 8
- Electrochromic:
components, 461
films, 492
response, 457
- Electrodeposition:
superlattices, 855
Tl-Pb-Oxide, 857
- Electron:
paramagnetic resonance (EPR), 123
spin resonance (ESR), 152
- Electronegativity, 224, 649
pH diagram, 234
stability, 649
- Electronic ceramics, 499
- Electrooptic effect, 832
- Electrostatic atomization, 617
- Elemental ratios, 704
- Embossing, 469
- End-polymerization, 657
- Energy dispersive X-ray (EDX), 217
- Epitaxial:
ceramic layers, 320
growth, 318, 856
- Ethylacetoacetate, 595
- Ethyl orthosilicate, 188
- Excited state properties, 1002
- Extended X-ray absorption fine structure (EXAFS), 268
- Faraday's law, 860
- Fast atom bombardment (FAB), 208
- Fast ion conductors, 197
- Fe^{+3} condensation, 226
- Ferric:
compounds, 518
sulfate solutions, 519
- Ferroelectric films, 372, 379, 450
- Ferroelectric size effects, 379
- Fiber, 611, 618
extrusion, 691
optical, 997
- Filler materials, 760
- Films, 365
- Finite element analysis (FEA), 400
- Finite rate cooling, 33
- Finney's model, 84
- Flame resistance, glass blend, 804
- Flashlamp pumped dye laser, 1004
- Fluoride glasses, 981
- Formamide, 355
- Fractal:
behavior, dye lasers, 1006
dimension, 5, 7, 406, 407
models, 79
- Fractons, 9
- Fragmentation, 703
- Frost distribution, 85
- FTIR, 202, 242, 285, 451, 460, 629
- Furfuryl alcohol (FuOH), 756
- Fumed silica, 976
- Functionality control, 273
- Future directions, 1023, 1031
- Gadolinium:
alkoxide, 285
isopropoxide, 286
oxide, 285
- Gas permeability, 897
- GC (gas chromatograph), 21, 23
- Gd_2O_3 thermal evolution, 288
- Gel:
glass transition, 216
polymeric, 177
single phase, 177
ultrastructure, 333, 334
weight fraction, 65
- Gelation, 4, 9, 39, 51, 63, 285, 287
- Geometric confinement, 94
- Geometric models, 78
- Geometry of pores, 82
- Germanium oxide, 367
- Glass:
blends, 799
ceramic, 558
five component, 981
polymers, low temperature, 799
powders, 627
quantum clusters, 837
- Glycerol, 355
- Gold size effects, 380
- Graded index, 433
- Gradient index (GRIN), 863
- Grain sizes, 381
- GRIN:
axial, 863
radial, 863
rods, 865
spherical, 864
- Group 2 compounds, 327
- Growth, 60, 537
- Guinier:
approximation, 81
radius, 81

- Hard-sphere approximation, 84
Heat:
 transfer, 344
 treatment of gels, 370
Helium pycnometry, 7
Hematite, 519
Heterometallic:
 acetatoalkoxides, 239, 244
 alkoxides, 240
 species, 499
Heterogeneity:
 maximum, 1027
 structural, 1028
Hierarchic:
 levels, 87
 system, 84
High:
 polymers, 702
 porosity silica aerogels, 19
 power lasers, 423
 pressure NMR, 93–101
 Tc superconductors, 297, 315
 valent cations, 229
History, sol-gel technology, 1023
HMDS, 780
Homogeneous solution precipitation, 514
Host materials, 11
Hot-drop, 780
HPAA, polyacrylic acid, 30
HPCS, 779
HPDMAS, 25
Hybrid:
 gel, 184
 processing, 176
Hydrochloric acid, 52
Hydrofluoric acid, 53
Hydrogen bonded water, 163
Hydrogen–tritium exchange, 992
Hydrolysis, 4, 5, 43, 60, 93, 137, 160, 163, 224, 241, 271, 293, 665
Hydrophilic, 23
Hydrophobic, 23
Hydrosilsesquioxane gels, 143
Hydrothermal barium titanate, 603
Hydroxyapatite (HA), 627
Hyperpolarizability, 841

Imaging ellipsometry, 399
Index:
 modifying cations, 865
 profile, parabolic, 869
Infrared, 189
 spectroscopy, 189
 transmission, 345
Inorganic:
 ion doped type VI silica, 1008
 organic composites, 727
 organic hybrid, 807
 polymerization, 223
Insulation, 12, 341, 349
Integrated intensity, 82
Intensity dependent NLO, 838
Intercondensation, 62
Interference filters, 437
Intrinsic size effects, 380
Ion exchange, 864
Iron oxides, 521, 537
IR transmission, 345
Isotope enrichment, 257

Kerr effect, 841
Kerr gate experiment, 833
Kinetics:
 of condensation, 93
 of crystallization, 179
 of crystallization, 611
 of gelation, 285
 of hydrolysis, 43, 93
 of peptization, 249, 254
 of sintering, 10, 11
K₂Si₂(OCH₂CH₂O)₅, 665
Kistler, S. S., 3, 4
Knudsen flow, 900

Large telescopes, 431
Laser, 423
 annealing, 449
 CO₂, 935
 damage threshold, 428, 936
 densification (writing), 454, 471, 919, 933, 998
 dye, 953
 4PyPO-MePTS, 958
 rhodamine, 941
 tunable, 490, 998, 1004
Lath martensitic microstructures, 544
Layer by layer growth, 315
Layered structure of superconductors, 317
LCP, 799
Lead acetate alkoxide, 503
Lennard–Jones potential, 85
Lewis base stabilization, 330
Li = B oxide, 367
Lifetime, 1005
 ORMOSIL lasers, 948
Ligand effects, 257
Light:
 scattering (LS), 31, 341, 342
 sources, aerogels, 989
LiNb(OCH₂CH₃)₆, 500
LiNbO₃ films, 371
Liquid:
 in confined geometries, 94
 crystalline systems, 637
 precursors, 611
Lithium:
 aluminosilicate, 197–206
 niobate, 502
 niobium ethoxide, 500
 nitrate, 198
⁷NMR, 197, 202
 silicate systems, 667

- Li-W-oxide, 462
 Loss:
 absorption, 478
 modulus, 53
 scattering, 477
 waveguide, 476
 Low temperature:
 glass-polymers, 799
 processing, 438
 Low valent cations, 225
 Luminous solar collectors, 491
 Lund, Sweden, explosion in 1984, 6
 Macropore morphology control, 29
 Magnetite, 521
 Malachite, 522
 Malachite green doped xerogel, 965
 Marangoni effect, 402
 MAS (magic angle spinning), 64, 77, 144, 198,
 200, 261, 779
 Mass fractal:
 aerogels, 678
 dimension, 79
 Mass spectrometry, 21, 23, 208
 Mass transport, 122
 Material, synthesis, 699
 Mechanical properties:
 aerogels, 679
 glass blends, 800, 804
 PBZT fibers, 685
 SiC fibers, 769
 in thin films, 388
 Melamine formaldehyde (MF), 674
 Mercury porosimetry, 6, 31, 82, 123
 Mesogenic unit, polymer, 638
 Metal:
 alkoxides, 267, 277, 367
 organic precursors, 753
 oxides, 184, 239, 257
 oxoalkoxides, 207, 239, 258
 Methoxyethanol derivatives, 278
 Methyl:
 iodide, 109, 111
 methacrylate (MMA), 872
 triethoxysilane, 59
 Methylhydridopolycarbosilane, 778
 MgO-Al₂O₃-SiO₂ composites, 759
 Micellar solutions, 449
 Microhardness profile, 937
 Microlenses, 933
 Micrometer structure, optical, 1000
 Micro-optical elements, 1013
 Microstructure:
 of aerogels, 342
 of films, 406
 glass blends, 800
 Microwave:
 processing, 1029
 synthesis, 717
 intercalation compounds, 720
 metal sulfides, 722
 mixed metal oxides, 721
 zeolites, 718
 Millimeter structure, 1001
 MNDO/3, 162
 Models, 77–92, 111, 159
 laser densification, 919, 934
 Modulation wavelength, 859
 Molecular:
 beam epitaxy (MBE), 320
 building block, 499
 chemical approach, 297
 composites, 753
 design, 506
 liquids, 94
 motion, 104
 orbital modeling, 159
 structure of copper alkoxides, 280
 stuffing, 864
 Monodispersed copper(II) compounds, 522
 Monodispersed ferric compounds, 518
 Monolayer, 107, 109
 Morphology, 29, 124
 of particles, 513
 study, 693
 MPCS, 778
 MTEOS, 59
 Mullite, 175, 566, 585
 matrix, 569
 powder, 754
 silicon carbide, 569
 zircon powders, 577
 zirconia, 569
 Multicomponent:
 ceramics, 664
 oxides, 239
 sol-gel systems, 174
 Multifunctional polymers, 637
 Multilayer filter, 438
 Nanocomposites, 432, 743, 1027
 ORMOSIL, 737
 Nanometer structure, optical, 999
 Nanomodulated, superlattices, 855
 Nanoscale composites, 785
 Nanostructure of aerogels, 3–15
 National Institute of Standards and Technology
 (NIST), 298
 Na-W-oxide, 462
 Nd₂O₃ ceramics, 321
 Nd oxide, 321
 Near bandgap NLO, 844
 Neodymium-aluminum doped xerogels, 973
 Net shape optics, 875
 Network, 4, 51, 53
 Neutral conditions, 5, 52
 Neutron scattering, 7
 Newtonian:
 fluid(s), 53, 618
 NICALON SiC fibers, 760, 768
 Niobium alkoxides, 239, 241, 423
 NIR, 131–141, 189

- Nitric acid, 52
 Nitrogen absorption, 6, 40, 249, 410
 Nitroxide spin probe, 123, 124
 NLO, 825
 glass films, 486
 quantum clusters, 837
 NMR (nuclear magnetic resonance), 7, 21, 23,
 93, 144, 179
 Noncalcined powder, 598
 Nonlinear:
 optical responses, 737
 optics, 825, 837
 Non-Newtonian fluids, 618
 Nonoxide composites, 759
 Nucleation, 537
 Olation, 225
 Optical:
 applications, 997, 1016
 coatings, 458, 467
 fibers, 997
 films, 483
 properties, 341, 423
 inorganic-organic composites, 727
 shutters, 860
 transmittance in aerogels, 26
 quality, 998
 Optics:
 multifunctional, 875
 net shape, 875
 Organic:
 aerogels, 671
 gels, 585, 671
 interfaces, 533
 polymer, composites, 825
 polymer-SiO₂ composites, 759
 Organically:
 modified aerogels, 994
 modified silica gel, 737
 Organometallic, 4, 327
 microwave synthesis, 718
 precursors, 753
 Organosilicon polymers, 767
 ORMOCEP:
 doped, 732
 systems, 728
 ORMSIL:
 nanocomposites, 737
 polyaniline, 737
 rhodamine doped, 941
 Ostwald ripening, 9, 10
 Oxalic acid, 355
 Oxo alkoxides, 506
 Oxygen 17 NMR, 257
 Packing factors, 87, 91
 Paramagnetic to superparamagnetic phases,
 382
 Partial:
 charge model, 224, 253
 leaching, 865
 Partially densified gels, 11
 Partially hydrolyzed aluminum complex, 596
 Particle:
 coated, 561
 colloidal, 561
 composite, 558
 monodispersed, 513
 morphology, 513
 precipitation, 514
 shape, 514
 Passive coatings, 483
 Pb-Bi-Ga-In glass, 839
 Pb-K-B-Si-oxide systems, 865
 PbTiO₃, 382, 449
 Pb₂Zn₂(C₂H₃O₂)₄(C₃H₇O₂)₄, 500
 PBZT fibers, articulated, 685
 PDMS, 746
 PDPV-co-PTV, 655
 Peak assignments:
 (FTIR), 292
 in NIR, 135
 Pentacoordinated silicon, 164, 165, 663
 Peptization:
 in acidic solutions, 251, 254
 of aggregated particles, 250
 in basic solutions, 251
 during hydrolysate aging, 255
 of hydrous titania, 247
 Percolation, 559
 theory, 5
 Perfluoroalkoxy resins, 799
 Permeable, type VI silica, 897
 Perovskite structure, 239, 315, 333, 386, 449
 Phase diagram, 34
 for cerium isopropoxide, 274
 of Y-Ba-Cu-O, 307
 Phase separation, 29
 Phase transition:
 of TiO₂, 438
 of Y-Ba-Cu-O, 310
 pH effects, 10
 Phonons, 9
 Phosphams, 709
 Phosphate glasses, 799
 Phosphazenes, 708
 Phosphor aerogel composites, 990
 Phosphorus:
 doped silica, 215
 nitride, 711
 Photocurable ORMOCEPs, 730
 Photonics, 825
 Photostability:
 laser dyes, 947
 organic dye, 1002
 Physical properties of aerogels, 352, 357

- Piezo ceramics, 12
 Pitch, 706
 pi-bonds, in conducting polymers, 647
 Planar waveguides, 468, 484
 Plasma edge, 860
 PLZT, 487
 PMMA:
 ORMOSIL, 949
 silica, composites, 817
 PMTPV, 652
 Polarization, 386
 Poly(1,4-naphthalene vinylene), 649
 Poly(2,5-dichloro-1,4-phenylene vinylene) (Cl-PPV), 652
 Poly(2,5-dimethoxy-1,4-phenylene vinylene) (PDPV), 649
 Poly(2,5-furylene vinylene (PFV), 649
 Poly(2-hydroxyethyl methacrylate), (pHEMA), 590
 Poly(2,5-thienylene vinylene) (PTV), 649
 Poly(2-(1-sodium sulfonate-3-propenoxy) (p-phenylene vinylene), 652
 Poly(carbosilane), 711
 Poly(dimethylsilane), 711
 Poly(*p*-phenylene vinylene) (PPV), 648
 Polyacrylamide gel, 585
 Polyacrylic acid (HPAA), 30
 Polyacrylonitrile, 710
 Polyaniline, ORSOMIL, 737
 Polyarylene vinylenes, 647
 Polyarylether ketones, 799
 Polycarbosilane, 754
 Polycondensation, 4
 Polydomain to single domain phases, 381
 Polyetherimides, 799
 Polyethylene glycol (PEG), 36
 Polyfarylsulfones, 799
 Polymer:
 APBZT, 686
 alloying, 29
 backbone, 638
 carriers, 713
 chemistry, 699
 fabrication, 703
 ferrocenylphosphazene, 712
 high, 702
 linear, 710
 mesogenic unit, 638
 spacer chain, 638
 starting materials, 705
 synthesis, 689
 ultrastructured, 671
 Polymeric processing, 176, 577
 Polymerization of Ti(IV), 257
 Polymer precursors to SiC, 769
 Polysilanes, 711
 Polysilastyrrene, 754
 Polyurethane foams, 6, 15
 Pore:
 radius, type VI silica, 894
 size distribution, 89, 94, 350
 space, 78
 volume, 83
 type VI silica, 893
 Porod's limiting law, 82
 Porosity, 6, 11, 19, 35, 112, 116, 123, 129, 351, 356, 408, 628
 closed, 565
 effects, dye lasers, 959
 sintering, 563
 Porous composites, 765
 Porous silica, laser densification, 454, 471, 919, 933
 Posnjakite, 522
 Post doped organic dyes, 1003
 Potassium acetate, 865
 Powder:
 barium titanate, 603
 bioactive, 627
 impurities, 604
 mullite/cordierite, 754
 multiphase, 754
 processing, 306, 557
 cordierite, 585
 mullite, 585
 Power:
 laser, 934
 sources, aerogels, 989
 PPV-co-PDPV, 652
 PPV-co-PTV, 652, 655
 Preceramic clusters, 702, 705
 Precipitation:
 carbonate ion effects, 516
 of mixed metal oxides, 518
 of particles, 514
 phosphate ion effects, 515
 Precursor, 4, 239, 267, 277, 327
 to atomically mixed glasses and ceramics, 668
 functionality, 273
 organometallic, 753
 route to polyarylene vinylenes, 647
 single component, 778
 Predoped organic dyes, 1003
 Preferential adsorption, 108
 Pressure effects, 93
 Processing:
 powders, 557
 sol-gel optics, 879
 of thin films, 365
 Profile:
 microlenses, 936
 refractive index, 863
 Proton abstraction, 167
 PSS, 761
 PTV copolymeric systems, 655
 Pulsed laser deposition, 320

- Pyridine, 106
 Pyrolysis, 150, 706, 761
 of organometallics, 777
 Pyrolytic evolution, 665
 Pyrophosphate glass, 799
 PZT, 367, 386, 389, 449, 451
- Quantum:**
 clusters, 837
 confinement, 860
 wells, 857
 Quarter wave optical thickness, 441
 Quasicrystals, 1024
 Quasi-elastic light scattering (QELS), 268
- Radiation:**
 conductivity, 345
 damage, 989
 laser, 926
 Radioluminescent aerogels, 989
 Radioluminescent devices, 995
 Raman spectroscopy, 9, 69, 104, 159, 160, 215,
 415, 417, 993
 Random close-packed models, 84
 Rapid hydrolysis, 183
 Rayleigh scattering, 19
 RB, 943
 RCP (random close packing), 81, 84
 Reaction coordinate, 169
 Reaction rate constants, 94
 Reesterification, 21
 Reflection spectra, 132
 Refractive:
 index, 395, 408, 437, 438, 863
 index variations, 1002
 Rehydroxylation, 993
 Remanent polarization, 386
 Reorientational correlation times, 98
 Residual organic matter, 595
 Resorcinol formaldehyde (RF), 11, 674
 RHEED oscillation, 324
 Rheology:
 properties, 664
 of sol-gel transition, 51
 Rhodamine:
 doped ORMOSIL, 941
 doped type VI silica, 1003
 Rocket propellants, 3
 Rocket windows, 897
 Rotational:
 correlation time, 124
 relaxation, 109
 R6G, 942, 1003
- Sample charging in XPS, 604
 Samurai sword microstructure, 548
 Sand, 663
 SANS (small angle neutron scattering), 23, 80
 SAXS (small angle X-ray scattering), 7, 10, 80,
 810
- s* = butanol, 596
 Scaleup of superconductor processing, 305
 Scaleup, sol-gel optics, 882
 Scaling law, 84
 Scanning transmission electron microscopy
 (STEM), 668
 Scattering losses, 477
 Scott loose distribution, 85
 Scott's loose model, 84
 Second harmonic generation (SHG), 487, 826
 Self assembling monolayers (SAMs), 536
 Self doping, 652
 SEM-EDX, 185, 300
 SEM (scanning electron microscope), 30, 38,
 216, 249, 285, 286, 301, 335, 458, 770, 793,
 858
 SF₆, 111
 Shell, red abalone, 550
 Shrinkage, 5, 6
 SiAlON based composites, 571
 SiC:
 AIN, 754
 AIN solid solutions, 777
 cordierite composites, 791
 fiber, 767
 Auger depth profile, 773
 excess carbon, 769
 thermal aging, 774
 thermal expansion, 772
 films, 373
 Si₃N₄, 754
 SiO₂ composites, 760
 TiC, 754
 whiskers, 761
 Silanol, 69–75, 104, 135, 160, 202
 Silazanes, 706
 Silicate:
 powders, 585
 rings, 69, 159
 Silica:
 alumina, 175–186
 alumina-titania, 458
 amorphous, 561, 663
 calcia-phosphorous, 627
 fumed, 976
 laser dyes, 953
 NLO, 839
 optics, 876
 type VI, 886, 953
 silicon nitride, 565
 SiO₂ aerogels, 3, 19, 184, 341, 349, 355
 SiO₂ xerogels, 59, 69, 115, 131, 143, 159
 titania films, 470, 483
- Silicon:
 carbide, 373
 particles, 569
 whiskers, 569
 nitride, 561, 706
 sesquioxide, 143
 tetrachloride, 188
 29 NMR, 7, 21, 44, 59, 93, 144, 197

- Siloxane–silica composites, 745
 Sintering, 10, 308, 791
 viscous, 557
 Size effect, 379
 in ferroelectrics, 380
 mechanisms, 385
 in melting, 380
 in thin films, 385
 Slow hydrolysis (SH), 177
 Small angle neutron scattering (SANS), 23
 Small angle X-ray scattering (SAXS), 268, 677
 Sn(IV) chloride, 188
 Sn-Si-O gels, 187–196
 Soda–Silica, 367
 Soft-sphere approximation, 85
 Solar collectors, 491
 Solid:
 conductivity, 345
 solution of SiC-AlN, 777
 space, 78
 state dye laser, 953
 Solubility, 9
 Sol-gel:
 aluminum systems, 175, 199, 207, 585, 762
 binary systems, 51
 bioactive glass, 627
 ceramic systems, 699
 cerium systems, 267
 coating systems, 423, 433, 437, 457, 483
 dye laser, 953, 965
 electronic ceramics, 499
 ferroelectric systems, 386
 gadolinium systems, 285
 GRIN systems, 865
 integrated optics, 467, 486
 laser densification, 454, 471, 919, 933, 1009
 metal oxide systems, 224, 239, 277, 327, 577,
 699
 mullite systems, 585
 multicomponent systems, 981
 multifunctional optics, 875
 multiphase systems, 754
 Nd-Al doped, 973
 net shape processing, 875
 niobium systems, 423
 NLO systems, 825
 organic systems, 490, 671, 1002
 ORMOSIL systems, 739
 permeable systems, 897
 phosphorus systems, 215
 PMMA systems, 815
 porous (type VI) systems, 115, 124, 891, 897,
 933
 silica systems, 2–171, 349, 355, 745
 superconductor systems, 297, 327, 333
 tantalum systems, 423
 technology, 1023
 thin film systems, 365, 386, 395, 415, 433, 449
 titania systems, 247, 257, 807
 transformation, 51, 59–67
 ZBLAN hydrous oxide, 983
 zircon systems, 577, 807
 Sol gel transition, 4, 33
 Sonogels, 216
 Sound velocity in aerogels, 8
 Space charge migration, 388
 Spacer chain, polymer, 638
 Spectroscopy, doped ORMOSIL, 941
 Spherical particles, 611
 Spin coating, 409, 426, 437, 468
 Spinodal decomposition, 29
 Spin-on-glass (SOG), 437
 Sputter depth profile, 459
 Sr-Ca-Cu-oxide ceramics, 322
 SrCuO ceramics, 324
 SrTiO₃ ceramics, 321
 Stabilization, 136, 423
 Standard models, 84
 Storage modulus, 808
 Strontium acetate, 872
 Structure, of titania hydrolysate, 252
 Structural transformation in SiC-AlN, 777
 Structure–property relationships, 639
 Sulfur hexafluoride, 111
 Sulfuric acid, 52
 Superconductors:
 molecular-chemical approach, 297
 superfine ceramics, 315
 Supercritical:
 drying (SCD), 6, 23, 346, 349
 extraction, 346
 Superfine ceramics, 315
 Superinsulation, 12
 Superlattice:
 electrodeposition, 855
 nanomodulated, 855
 satellites, 860
 Tl-Pb-oxide, 855
 Superparaelectric behavior, 382
 Surface:
 area, 395
 type VI silica, 892
 chemistry of BaTiO₃, 604
 curvature, 9
 enhanced Raman spectroscopy (SERS), 421
 fractal, aerogels, 678
 fractal dimension, 79
 hydroxyl, 992
 leveling agent, 468
 tension flow, 402
 Surfactants, 453
 Synthesis:
 of polyarylene vinylenes, 647
 Wessling-type, 649
 Synthesis, 543
 Tan delta, 808
 Tantalum oxide, 367, 423
 TEM (transmission electron microscopy), 7, 23,
 249, 302, 426, 443, 667, 771, 985
 TEOS, 20, 30, 43, 59, 87, 177, 184, 198, 200, 216,
 355, 433, 578, 628, 664, 746, 759, 807, 974

- ZBLAN gel glasses, 981
Zeolites, 718
Zinc oxide, 523
Zirconia, 367
Zircon mullite powders, 577
ZnS, 990
- ZnS-Cu-Al phosphor, 991
ZrOPr-PTMO, ceramer, 808
ZrO₂-SiO₂ composites, 759
ZrO₂-Y₂O₃ thin films, 373
Zr-PTMO, ceramer, 807