

Index

A

ab-initio method, 676
 ABO₃, 572
 Acicular γ -Fe₂O₃ particles, 198
 Active contactor, 643
 Adsorption/desorption, 254
 Adsorptive properties, 646
 Agglomerates, 246
 AIBN (azobisisobutyronitrile), 450, 500
 Albite glass, 359
 Alcohothermal dehydration, 33, 34
 Alcohothermal reactions, 27, 31
 Alkali metal niobate, 161
 AlN, 494
 thin films, 537
 AlN-BN, 494
 Alumina, 9
 α -Alumina, 36, 37
 χ -alumina, 33, 37, 38, 40, 43
 Aluminates, 309
 Aluminium-s-butoxide, 305
 Ambient condition sol (ACS) process, 175
 Ammonia, 163
 Ammonium polyacrylate (APA), 181
 Ammonolysis polymerization, 455, 457, 460
 Anatase, 148, 556
 hydroxyl-free, 39
 XRD, 244
 Anionic clays, 352
 Antimony doped tin oxide, 430
 Anti-reflection films, 429
 Anti-static films, 430
 Asymmetric porous membranes, 638
 Atelocollagen, 615
 Atomic layer deposition (ALD), 535-537
 atomic layer epitaxy, 535
 atomic layer growth, 535
 molecular layer epitaxy, 535
 precursors, 538
 Auger spectroscopy, 250
 Aurivillius phase, 154
 Aurivillius series, 383

B

BaCO₃, 149, *see also* Barium carbonate
 Barium carbonate, 149, 174, 725
 Barium ferrite particles, 201
 Barium ion leaching, 182
 Barium strontium titanates (BST), 151, 714
 Barium titanate, 149, 157, 173
 aqueous processing, 173
 differential scanning calorimetry, 185
 SEM, 177, 180-181, 733
 surface area, 185
 TEM, 177
 TGA/DTA, 150, 186
 thin films, 733
 XRD, 150, 157, 175
 Ba_xSr_{1-x}TiO₃, *see* Barium strontium titanates
 BaTiO₃, 149, 173, *see* Barium titanate
 BaTiO₃-SrTiO₃ (BST), 714
 Barium to titanium ratio, 183
 Batteries, 667
 charge/discharge profiles, 689
 lithium ion, 667
 specific capacity, 689
 Bending strength, 619
 Bending test, three-point, 618
 Benzene-thermal reaction, 26
 BET surface area analysis, 255
 Biaxial crystal orientation, 603
 Bi(Pb)-Sr-Ca-Cu-O system, 606-607
 Bi₂O₃, 155
 Bi₄Ti₃O₁₂, 154
 bismuth volatilization, 155
 SEM, 156
 XRD, 155
 BN, 493-494
 BN-B₄C, 493-494
 Boehmite, 32, 33, 35, 36, 45, 315
 Bond distance, 572
 Bond length, 573
 Bond valence, 573, 585
 atomic radii, 574
 parameters, 574
 Bone nanostructure, 614
 Borazine, 468
 Brownmillerite-related oxides, 642

Brucite layer, 377
 Buffer solution, 395
 1,4-Butanediol, 28, 45, 46

C

- Calcium-based microwave dielectrics, 588
 dielectric polarizabilities, 589
 TCF, 591
 TCK, 590
- Calcium phosphate, 613
- Carbon nanotubes, 23, 25
- Carbonaceous materials, 683
 modification, 691
- Carbon/carbon composites, 319
- Carboxylic acids, 28
- Catalysts, 120
- Catalytic membrane reactors, 643
- Cathode materials, 116, 668
- Cathodoluminescence, 217
- Cathode ray tube (CRT), 218, 428
 phosphors, 219
- CaTiO₃, 588
- Center-to-center separation distance, 400
- CeO₂, 401, *see also* Ceria slurry
 buffer layer, 603
- Ceramic coatings, 430
- Ceramic hollow fibers, 658
- Ceramic ion conducting membranes, 641
- Ceramic matrix composites, 317, 318
- Ceramic membranes, 630, 631
- Ceramic nanocomposites, 360
- Ceramic-ceramic nanocomposites, 316
- Ceramic precursors, 495
- Ceramic yield, 496, 501
- Ceramization, 496, 500, 506
- Ceria slurry, 401
 CMP performance, 405
 modified/unmodified, 401
 physical properties, 404
 STI CMP, 401-402
 synthesis, 403
 TEM, 404
 XRD, 405
- Cermets, 316
- Charge-discharge curves, 690
- Chemical homogeneity, 100, 129
- Chemical mechanical planarization (CMP), 393
 performance, 400
 selectivity, 402
 STI, 401
- Chemical solution deposition (CSD), 713
 advantages/disadvantages, 737
 analytical technique, 726
 crystalline state, 730
 DSC, 734
 film characteristics, 728
 film thickness, 723
 firing strategies, 724
 free-energy state, 731
 FTIR, 724, 729
 industrial implementation, 737
 processing diagram, 717
 solution precursors, 716, 717
 structure evolution, 725, 729, 734
 TGA, 724, 729
 thin films by, 713
 transformation pathways, 733
- Chemical valve, 657
- Chemical vapor deposition (CVD), 511
 aerosol-assisted method, 531
 atomic layer deposition (ALD), 535
 chemical vapor infiltration (CVI), 317, 532
 diamond synthesis, 534
 electrochemical, 532
 electron cyclotron resonance plasma, 530
 low-pressure (LPCVD), 529
 metalorganic (MOCVD), 529, 605, 716
 plasma enhanced (PECVD), 529
 precursors, 526
 reactors, 530
 transport phenomena, 528
- Chemical vapor infiltration, 317, 532
- Chromium dioxide particles, 200
- Citratoperoxotitanium complex, 142, *see also*
 [Ti(C₆H₄O₇)O₂]²⁻
 structure, 144
 TGA/DTA, 148
 unit cell, 144
 XRD, 149
- Citric acid, 140, 147, 182
- Claussius-Mosotti equation, 576
- Clay-organic nanocomposites, 352, 353
- Clays, 304
 bio-nanohybrids, 370
 cationic, 352
 drug, 375
 inorganic, 373
 metal intercalated, 352
 metal oxide-pillared, 370
 mica-type, 370
 montmorillonite, 371
 organic nanohybrids, 352, 371
 phyllosilicate, 372
 pillared, 373
 smectite, 372
 swelling mica-type, 370

- talca, 372
 - vermiculite, 372
 - Coagulation kinetics, 281-282
 - Coating solution, 412
 - Coefficient of thermal expansion, 576, *see also*
thermal expansion coefficient
 - Coercive force, 195, 201
 - Cold isostatic pressing (CIP), 617
 - Collagen, 613
 - carboxyl group, 620
 - crosslinkage, 621-622
 - fibrillogenesis of, 614, 623
 - mass ratio, 618
 - swelling ratio, 624
 - Colloidal photonic crystals, 545
 - order/disorder, 552
 - synthesis, 545
 - Colloidal processing, 269, 290
 - Colloidal solutions, 91
 - Colloidal stability, 280
 - Colossal magnetoresistance, 108
 - Combustion, 70-71
 - Composite magnetic particles, 205
 - Compositionally different nanocomposites,
343
 - Compound formation, 525
 - Compound precipitation method, 156, 157
 - Conducting polymers, 43
 - Conducting/semiconducting/insulating
nanocomposites, 358
 - Coprecipitation, 81
 - Critical current density (J_c), 596, 602
 - Critical temperature (T_c), 599, 603
 - Cross-linkage ratio, 622
 - Crosslinked composites, 622
 - Crosslinking, 440, 442, 445
 - agent, 621
 - dehydrogenative, 458
 - CRT displays, 430
 - Cryochemical, 78
 - processing, 78, 80, 103
 - synthesis, 77, 78, 80, 83, 112
 - techniques, 78
 - Cryocrystallization, 85, 87, 89, 91, 95, 97, 98
 - Cryodispersion, 83,84
 - Cryoextraction, 81
 - Cryogenic liquids, 84
 - Cryogranules, 81
 - Cryoimpregnation, 82, 122
 - Cryomilling, 83
 - Cryoprecipitation, 81, 82
 - Cryoprotectants, 86
 - Crystal growth, 517
 - activation energy, 519
 - BCF theory, 521
 - defect formation, 519
 - diffusion coefficient, 519
 - growth rate, 518
 - residence time, 519
 - spiral fashion, 521
 - step, 520
 - surface growth, 518
 - Crystalline seeds, 345
 - Crystallization, 27, 345
 - Crystallographic symmetry, 573
 - CuO₂ plane, 596
 - Cupferron complexes, 42
 - Curing
 - thermal oxidation, 499
 - radiation, 505
 - CVD, 458, 483. *see also* Chemical vapor
deposition
 - Cyclic voltammograms, 687
- ## D
- Debye length, κ^{-1} , 276, 278
 - Debye-Hückel equation, 278
 - Defects
 - formation, 412
 - prevention, 417
 - skin rupture, 414
 - skin tearing, 413
 - striation, 413
 - Dehalogenative coupling, 449
 - Dehydrometallation, 446
 - Dense membranes for oxygen transport, 641
 - Densification, 304, 345
 - Densification and nucleation, 313
 - Depolymerization, 459
 - Depth-sensing microindentation, 323
 - Devitrification, 79
 - Diamond, films by CVD, 534
 - Dichlorosilanes, 449, 462
 - Dielectric, 357
 - coefficient, 68
 - constant, 124, 175, 571, 580-581
 - losses, 574, 578
 - nanocomposites, 358
 - permittivity, 274
 - polarizability, 577-578
 - Dielectric materials, 139, 173, 571
 - barium titanate, 149, 173
 - calcium-based, 588
 - frequency dispersion, 575
 - lead-based, 579

Dielectric properties, 571-572, 574
 dipole, 574
 ionic polarization, 574
 loss factor, 577
 in microwave frequency, 574
 space charge, 574

Diethylborazine, 471

Differential mobility analysis (DMA), 260

Diffusion coefficient, 282, 529

Dimethyltitanocene, 435

Dion-Jacobson series, 383-384

Dipole-dipole interaction, 273

Direct casting, 290

Direct coagulation casting, 294

Dispersants
 APA, 181
 for CMP, 395
 KD-6, 183

Dispersion stability, 397

Disproportionation reaction, 525

Dissolution-recrystallization mechanisms, 27,
 32, 33, 52

Distributor, 643

DLVO theory, 280, 396

Drain casting, 290

DRAM, *see* Dynamic random access memory

Drug-clay
 diphenhydramine hydrochloride, 375
 5-fluorouracil, 375
 hydralazine hydrochloride, 375

Dynamic light scattering, 176

Dynamic random access memory (DRAM),
 394, 715

E

EDTA titration, 182

Effective gate length, 402

Einstein relation, 289

Electrical double layer (EDL), 277-278

Electroceramic materials, 78

Electroceramic nanocomposites, 342, 356

Electrochemical cell, 13

Electrochemical performance, 118

Electrode materials, 115

Electrokinetic behavior, 397

Electroluminescence (EL), 221

Electron energy-loss spectroscopy (EELS), 698

Electrophoresis, 261

Electrosteric forces, 284

Electrostrictive, 68

Ellipsometry, 726

Embedded passives, 715

Entrapment-type nanocomposites, 342, 354

Epitaxial growth, 360

Epitaxy, 346
 hetero-, 516
 homo-, 516
 molecular beam, 359
 solid state, 346
 vapor phase, 530

EXAFS, 726-727

Exfoliation, 384

Ethylene glycol, 28, 30, 43, 45, 50

Extractor, 643

F

Feldspar gels, 346

γ -Fe₂O₃, acicular particles, 198

Ferrimagnetic and ferromagnetic membranes,
 639

Ferrites, 68, 69

FeRAM, 154, 714

Ferritin, 207

Ferroelectric, 357

Ferroelectric nanocomposites, 357

Ferroelectrics, 109

Ferroelectric properties or ferroelectricity, 154,
 174

Ferroelectric thin films, 713
 amorphous state, 728
 chelate processes, 721, 726
 crystallization, 728
 enabling properties, 715
 mixed metal precursors, 727
 MOD processes, 722, 726
 modeling of structure evolution, 734
 by sol-gel processes, 720, 726
 structure evolution, 725

Ferrofluids, 202, 357

Ferromagnetic fluid, 358

Fiber-reinforced composites, 317

Fibers, 315
 hollow, 660
 Kevlar, 332
 periodically "holey", 558-559
 Nicalon, Hi-Nicalon-S, 492
 optical, 557
 PCS, 495
 SiC, 491
 Si-C-O, 492
 silicon carbide, 491
 Si-Ti-C-O, 492
 Tyranno, 330, 492-493

Fibrillogenesis, 614, 623

Fick's law, 225
 Film formation, 422
 Film growth, 517
 amorphous, 515
 Frank-van der Merwe (Layer), 512
 Gibb's free energy, 514
 polycrystalline, 515
 single crystal, 515
 Stranski-Krastonov (Island layer), 512
 Volmer-Weber (Island), 512
 Flory-Huggins parameter, 285
 Fluid flow condition, 411
 Fluorite-related oxides, 641
 Forming techniques
 colloidal, 290
 direct coagulation casting, 294
 drain casting, 290
 freeze casting, 291
 gel casting, 291
 hydrolysis-assisted solidification, 291, 294
 temperature induced, 295
 Freeze-drying, 80, 82, 90-91, 93-100, 103, 106, 115, 122-125
 Freeze-drying method, 80
 Freeze-drying synthesis, 85, 89, 110, 120, 121
 Freezing, 78
 Freezing-drying method, 108
 FTIR, 167, 252
 DRIFT, 253
 spectrum, 502
 barium titanate, 186, 187
 lithium niobate, 168
 sodium niobate, 168
 Full-width at half-maximum (FWHM), 175
 Fumed silica hydrosols, 396
 electrokinetics, 397
 viscosity, 398
 zeta potential, 397
 Functionally graded materials, 322

G

Garnets, 46-47, 50
 Gas adsorption/desorption, 254
 Gas filtration, 631
 Gas flow, 523-524
 Gas impingement flux, 523
 Gas separation, 631, 632
 Gel casting, 291-293
 Gel strength, 291
 Gel structure, 309
 Gelation, 290, 291
 Germanium propoxide, 306, 318

Gibb's free energy, 513
 Gibbsite, 36
 Glass and glass-ceramics, 681
 Glutaraldehyde (GA), 623-624
 Glycothermal, 36, 45, 49, 52
 method, 47, 50
 reactions, 28, 31, 37, 46, 48
 synthesis, 47, 52
 Goethite, 198
 Goldschmidt tolerance factor, 572
 Graphitic carbons, 683-685
 Grignard reactions, 450
 Grinding, media, 69
 Guinier's law, 245

H

Hafnocene complex, 446
 Hamaker constant, 274-276
 HAPEX[®], 614
 Heat of reaction, 344
 Heisenberg antiferromagnet, 387
 Helical relief stamps, 657
 Hematite, 17
 Hematite particles, 208
 Heterostructure, 369
 HF etch rate, 423
 HgBa₂Ca₂Cu₃O₉, 609
 Hierarchical porous structures, 654
 High-density plasma chemical vapor deposition (HDPCVD), 395
 High energy spectroscopy, 250
 High temperature superconductors (HTSCs), 595. *see also* Superconductors
 crystal data, 598
 crystal structure, 598
 grain boundary, 600
 irreversible fields, 601
 oxygen deficiency, 601-602
 physical properties, 599
 YBa₂Cu₃O₇, 595, 715
 Homogeneous gels, 345
 Homogeneous nucleation, 513
 Hot-pressing, 317
 Hybridization, 370
 with bioactive substance, 376-377
 of LDH, 376
 Hydridosilanes, 445
 Hydrogen peroxide, 141, 163
 Hydrolysis-assisted solidification, 291, 294
 Hydrothermal
 crystallization, 51
 decomposition, 7

- electrochemical method, 11
 - homogeneous precipitation, 11,12
 - mechanochemical process, 14
 - metal oxidation, 7
 - oxidation, 55
 - precipitation, 9
 - processing, 18
 - reaction, 27, 32, 35, 36, 47, 48, 54
 - reactions, 8, 22, 24, 31, 40, 46, 52
 - sonochemical method, 18
 - synthesis, 5, 6, 24, 31, 36, 47, 681
 - Hydroxyapatite, 613
 - collagen nanocomposites, 617
 - fibril growth, 624
 - long fibers, 625
 - strength, 624
 - TEM, 616
 - collagen nanocomposite fibers, 623, 625
 - composite strength, 619
 - FTIR, 620
 - long fibers, 623
 - nanocrystal, 613-614
 - TGA, 618
 - titration synthesis, 615
 - Hydroxy carboxylic acid, 140-142
 - Hydroxyl-free anatase, 39
 - Hydroxyl-free zinc oxide, 55
- I**
- Ice sublimation, 94
 - Ilmenite, 7, 71
 - Imaging techniques
 - scanning electron microscopy, 238
 - transmission electron microscopy, 236
 - Initial deposition, 512
 - Integrated mechanical and thermal activation (IMTA), 67
 - Interaction energy, 273
 - Intercalation, 31, 54, 375
 - Li-GIC, 685
 - nanocomposites, 342, 349
 - nanoparticles, 385
 - 5,10,15,20-tetra(4-sulfonatophenyl) porphyrin, 377
 - ZnTPPC, 377
 - Interlayer dielectric (ILD), 395
 - International Union of Pure and Applied Chemistry, 630
 - Inverse opals, 553
 - carbon, 555
 - in vitro*, 614
 - in vivo*, 614
 - Ion beam assisted deposition, 603
 - Ion exchange, 373-374
 - Ionic conductivity, 385
 - IR reflectivity, 579, 582-583
 - Iron-based oxides, 675
 - Iron particles, 199
 - γ -Irradiation polymerization, 450
 - Isoelectric point (IEP), 279, 396
 - IUPAC classification, 632
- K**
- Kevlar fibers, 332
 - Knudsen number (K_n), 523
 - Kramer-Kronig relation, 579
 - Krieger-Dougherty relation, 289
 - KSV theory, 520
 - $K_2[\text{TiO}(\text{C}_2\text{O}_4)_2]$, 140
 - Kubelka-Munk function, 251
 - Kumata rearrangement, 448, 503
- L**
- Lactotitanium complex, 145
 - Lacunary phase, 98
 - Langevin equation, 196
 - Langmuir-Blodgett, 619
 - Layered nanocomposites, 350
 - Layered structure, 597
 - Leaching, barium ion, 182
 - Lattice matching, 516
 - Lattice vibration model, 574
 - Layered double hydroxide (LDH), 375
 - ATP, 380
 - bio system, 380
 - C60, 378
 - delamination, 378
 - DNA, 380
 - electrophilic bromination, 379
 - inorganic system, 379
 - methotraxate, 381
 - organic system, 377
 - peroxotungstate, 379
 - structural properties, 376
 - vitamin, 381
 - Layered metal oxides, 382
 - CdS or cadmium sulfide, 385
 - organic-layered, 385
 - perovskite, 382
 - superconductors, 385
 - structural properties, 382
 - Lead-based microwave dielectric, 579

- Lead zirconium titanate, 722-725, *see also* PZT
- Lifshitz theory, 276
- Light emitting diode (LED), 218
- Light scattering, 246
- LiNbO₃, 161-162, *see* Lithium niobate
- Li₂O-Al₂O₃-TiO₂-P₂O₅ system, 681
- Liquid crystal mesophases, 652
- LISICON, 676
- Lithium-ion batteries, 667
 - anode materials, 682
 - carbon-based, 683
 - nanocomposites, 692
 - carbonaceous materials, 683-684
 - cathode materials, 668, 672
 - LiCoO₂, 668
 - LiCo_xNi_{1-x}O₂, 671
 - LiFePO₄, 675
 - LiMPO₄, 675
 - LiMnO₂, 672, 674
 - LiMn₂O₄, 671-672,
 - LiNiO₂, 670
 - electrolytes, 676
 - iron based oxides, 675
 - layered O₂ structure, 673
 - Si/TiB₂, 699
 - Sn-Fe-C-based, 693
- Lithium ion conductivities, 678
- Lithium niobate, 161-170
 - crystallization, 169
 - electro-optic properties, 162
- low temperature synthesis, 161
 - Raman spectra, 167
 - self-assembled inverse opal, 170
 - SEM, 169
 - TGA/DTA, 164
 - XRD, 166
- Lithium titanium phosphates, 676-681
- Lithium-vanadium oxides, 674-675
- LiVO₂, 674
- Local oxidation of silicon (LOCOS), 401
- Low-dielectric constant, 124
- Luminescent materials, 105
- M**
- Macropores, 632
- Maghemite (γ -Fe₂O₃), 197
- Magnetic, 357
 - dipole moments, 196
 - fluid, 202
 - interaction, 197
 - materials, 105, 107
 - particles, 193
- Magnetic recording media, 197
- Magnetic selectivity, 637
- Magneto-resistance, 110
- Magnetotactic bacteria, 207
- Mean-free-path, 522
- Mechanical alloying, 66-67
- Mechanical grinding, 66
- Mechanical properties, 304
- Mechanochemical synthesis, 14, 65
- Meso/microporous xerogel, 312
- Mesopores, 632
- Mesoporous carbon, 125, 654
- Metal-ceramic, 362
- Metal-ceramic microcomposites, 316
- Metal nanopowders, 83
- Metal phases, 347
- Metallodielectrics, 557
- Metalorganic deposition (MOD), 605, 714, 722
- Metalorganic precursors, 718
- Metal/polymer nanocomposites, 83
- Metastable compounds, 129
- Metastable energy, 344
- Metastable supercooled liquid, 88
- Methotrexate, 381
- 2-Methoxyethanol process, 721, 723
- Methyl acrylamide, 292
- Mica-type clay, 370
- Micro-Raman spectrometry, 325
- Microcomposites, 360
- Microemulsion method, 203
- Microfiltration, 631, 632
- Microhardness, 423
- Microelectromechanical systems (MEMs), 714
- Micropores, 632
- Microporous, 634, 645
- Microwaves, 56, 316
- Microwave-assisted reaction system, 16
- Microwave frequencies, 591
- Microwave dielectrics, 571, 574
- Microwave hydrothermal process, 16
- Milling
 - attrition, 66
 - cryogenic, 83
 - mechanical, high-energy, 66, 694
 - planetary, 66
 - vibratory, 66
 - reaction, 69
 - Spex-type, 66
- Mineralizers, 24, 52, 179
 - KOH, 179
 - tetramethylammonium hydroxide, 179
- Mixed ion-electron conducting, 641
- Mixed-ligand precursors, 719

Mixed proton- and electron-conducting hollow fibers, 660
 MOCVD, 529, 605, 716, 737, *see also* CVD
 Modeling, 224
 Molecular beam epitaxy, 359
 Molecular engineering, 369
 Molecular magnets, 107
 Molecular precursors, 439, 482
 Monodispersed particles, 23, 47
 Montmorillonite, 371
 MoSi₂, 533
 Mossbauer signal, 88
 Mullite, 307
 Mullite composition, 343, 344
 Mullite matrix, 318
 Multicomponent materials, 314
 Multifunctional porous ceramic membranes, 642
 Multilayer ceramic capacitors (MLCCs), 173-174
 Multiphase materials, 304, 315, 322, 332
 Müller-Rochow process, 447

N

NaNbO₃, 162-163
 BET specific surface area, 166
 Raman spectra, 167
 synthesis flowchart, 164
 TGA/DTA, 165
 XRD, 165
 Nanoceramic particulates, 394
 Nanocomposite gels, 344
 Nanocomposites, 304, 317, 342, 454, 617
 anodes, 692
 ceramic, 360
 ceramic-ceramic, 360
 dielectric, 358
 electroceramics, 342, 356
 ferroelectric, 357
 layered, 350
 Si/TiN, 696
 Nanocomposites of gels, 347
 Nanocrystalline, 342
 Nanocrystalline materials, 106
 Nanocrystalline powders, 107, 116, 126, 127
 Nanofilters, 634, 635
 Nanofiltration, 631, 632
 Nanohybrids, 369-370
 drug-clay, 375
 host-guest, 371
 inorganic-clay, 373
 organic-clay, 371

 structural properties, 370
 Nanomaterials, 304, 327
 Nanoparticles, 71-72, 122, 357
 CdS, 385
 modification, 173, 184
 synthesis, 173, 184
 Nanophase, 342
 Nanopowders, 121, 128
 Nano-sized TiO₂, 53
 Nanostructure, 311
 bone, 614
 Na₂S, 220
 NASICON, 311, 386, 675
 Near net-shape sintering, 318
 Nicalon fibers, 482, 492
 Niobium pentoxide (Nb₂O₅), 161, 163
 Nongraphitic carbons, 687
 Nonhydrolytic sol-gel method, 39
 Nonoxide ceramics, 315, 440
 Nonoxide composites, 444
 Nuclear magnetic resonance (NMR), 143, 306, 422, 681, 726
 BaTiO₃, 188
 ¹³C, 497
 ¹H, 495
 ²⁹Si, 426, 447, 491, 497
 SiO₂, 426
 solid state proton, 187
 Nucleation, 512

O

Optical fibers, 557
 bicomponent, 561
 dispersion, 560
 nonlinearity, 560
 photonic crystal, 559
 SEM, 559
 spectral range, 560
 Ordered mesoporosity, 652
 Organic molecules, 348
 Organic-perovskite hybrids, 386
 Organometallic precursors, 440
 vapor phase epitaxy, 530
 Organosilanes, 439
 Osteoblast, 617
 Osteoclast, 621
 Osteoclastic resorption, 614, 621
 Osteoconductivity, 621
 Osteogenesis, 617
 Oxidation reaction, 525
 Oxide-nonoxide, 359
 Oxygen deficiency, 601-602

P

- PAGI method, 618
- Particles
- barium titanate, 173
 - chromium dioxide, 200
 - dispersion, 549
 - iron, 199
 - monodispersed colloidal spheres, 23, 47, 547
 - nanocrystalline, 71
 - ordering, 547
 - packing, 548, 550
 - phosphors, 217
 - for photonics, 546
 - redispersible, 181
 - sedimentation, 548
 - size by DLS, 181
 - submicrometer, 176
 - surface modification, 217
 - synthesis, 218, 546
 - volume fraction, 399
 - zinc sulfide, 217
- Particle analysis, 233
- agglomerates, 247
 - absorption/emission, 250
 - diffraction and scattering, 238
 - FTIR, 252
 - gas adsorption/desorption, 254
 - HRTEM, 234
 - light scattering, 246
 - SAXS, 243
 - SEM, 234
 - TEM, 234, 239
 - TiO₂, 244
 - ultrasound method, 253
 - x-ray diffraction, 238
- Particle shape, 236
- Particle synthesis, 546
- Particle-particle interactions
- Debye, 273
 - dipole-dipole, 273
 - energy, 279
 - Keesom, 273
 - London, 273
- Particle size, 234, 237
- sedimentation, 259
 - sieving, 260
- Particulate-reinforced materials, 315
- Passivating agent layer or PAL, 175
- PBC theory, *see* Periodic bond chain theory
- (Pb_xCa_{1-x})(Ca_{0.33}Nb_{0.67})O₃, 584-585
- (Pb_{0.5}Ca_{0.5})(Fe_{0.5}Ta_{0.5})O₃
- dispersion parameter, 583
 - IR reflectivity, 582-583
 - loss quality, 582
 - Qf*, 582
 - XRD pattern, 579
- Pb-metal organic precursors, 720
- PbZrO₃-PbTiO₃ (PZT), 714
- PCS-PVS, 503, 504
- Periodic bond chain (PBC) theory, 519, 521-522
- Permeability, 630
- Permselectivity, 630
- Perovskite ceramics, 571, 642, 714
- ABO₃, 572
 - crystal structure, 572-573
 - layered metal oxides, 382
- Peroxotitanium complex, 141
- Pervaporation, 631
- pH, solution, effect on particle size, 177
- Phase diagram of water, 94
- Phase transition, 184
- Phenolic resin infiltration, 319
- Phosphors, 217
- for CRT, 219
 - surface modification, 217, 220
 - synthesis, 217
 - thin films via CVD, 537
 - ZnS, 217
 - ZnS:Ag,Cl, 218
 - ZnS:Cu,Cl, 218
 - ZnS:Mn, 218, 537
- Photo intensity, 431
- Photo-irradiation, 423
- ozone generation, 434
- Photoactive membranes, 646
- Photocatalytic properties, 645
- Photoluminescence, 217, 223
- Photonic band gap, 546
- Photonic crystals, 543
- binary and anisotropic, 554
 - carbon, 557
 - dispersion, 560
 - optical fibers, 557
 - order/disorder, 555
 - photonic band gap, 555
 - polymers, 557
 - titania, 556
- Photoresist layers, 413
- Pillared clays, 349, 373
- Pillaring, 350, 373-374
- Plasma enhanced tetraethylorthosilicate (PETEOS), 395,397
- PMMA, *see* Polymethylmethacrylate
- PMS to PCS, 499
- Poisson-Boltzmann equation, 278
- Polarizabilities, 585

- Polishing rate, 396, 400, *see also* Removal rate
- Polyborazine, 493
- Polyborosilazanes, 476
- Polyborosilylcarbodiimide, 478
- Polycarbosilane, 306, 447, 449, 491
oxidation cured, 492, 499
- Polycarbosilazanes, 465
- Polydimethylsilane, 442, 498
pyrolysis, 500
TGA, 498
- Poly lactide, 614
- Polymer
additives, 181
blend, 494-495
crosslinking, 440, 442
dispersants, 285
electrolytes, 286
infiltration pyrolysis (PIP), 493
matrix, 175
organosilicon, 439
PCS-PVS, 503
polycarbosilane (PCS), 495
polymethylsilane (PMS), 495-498
polyvinylsilane (PVS), 500-503
precursors, 494
pyrolysis, 439
spheres, 547
synthesis, 439
- Polymerization
ammonolysis, 455, 460, 462
dehydrocoupling, 447, 459, 463, 469
hydrosilylation, 452, 459
Pt-catalyzed, 451
ring opening, 447, 453, 464
- polymethylmethacrylate (PMMA), 560
- Polyol process, 28, 56, 205
- Polysilanes, 442
- Polysilazanes, 306
- Polysilylcarbodiimide, 442
boron-modified, 478-480
TGA, 481
- Polyvinyl silanes
applications for ceramics, 503
ceramic yield, 501
FTIR, 502
- Polyvinylpyrrolidone (PVP), 400
- Polyvinylsilazanes, 459, 474
- Pores, 3-0 connectivity, 580
- Porosity, 235, 311
and dielectric constant, 580
mercury porosimetry, 257
sintering temperature, 581
- Porous ceramics, 123, 124, 125
- Porous glass, 312
- Porous matrix, 82
- Powder-in-tube method, 608
- Powders
barium titanate or BaTiO₃, 174
BET surface area analysis, 255
carbide, 67, 71
CeO₂, 242
Ce_{0.7}Zr_{0.3}O₂, 240
characterization, 233-261
contamination, 67
Cr₂O₃, 73
ideal, 18
imaging techniques, 233
inorganic, 4
magnetic, 71
nanoagglomerated, 71
nitride, 67
Pb(Mg_{1/3}Nb_{2/3})O₃, 68, *see* PMN
PMN, 68, *see* Pb(Mg_{1/3}Nb_{2/3})O₃
preparation, 4-5
sedimentation, 259
TGA/DTA, 258
TiC, 71, *see* titanium carbide
titanium carbide, 71, *see* TiC
tungsten carbide, 71
ultrafine, 71
Zinc oxide (ZnO), 72
- Power source, 668
- Precursors for ceramics, 439, 526
in ALD, 538
borazine based, 468
metalorganics, 718
mixed-ligand, 719
polyborosilazane, 472
polysilazanes, 472
quaternary Si-B-C-N, 467
silicon carbide, 442
silicon nitride, 454
silicon nitride/silicon carbide, 455
- Precursor manufacturing, 491
- Primary minimum, 282
- Printed circuit board or PCB, 175
- Processing
mechanochemical, 65
sol-gel, 174, 422, 681, 713
temperature, 66
- Profilometry, 726
- Promoting turbulence, 657
- 1,3-Propanediol, 723
- Pseudomorphism, 33
- Pseudoplastic, 288, 397
- Pulsed laser deposition (PLD), 605
- Pyrochlore, 111
- Pyroelectric response, 716

- Pyrolytic degradation, 439
Pyrolysis, 491, 525
PZT, 722, 727
 coatings, 413, 714
 films, 716-720, 729
 SEM, 733
- Q**
- Quality factor (Q_f), 571
- R**
- Radial distribution function, 556
Raman
 effect, 327
 scattering, 306
 spectra, 167
 spectroscopy, 332, 425
Rapid thermal annealing (RTA), 724
Rare earth manganites, 120
Reaction kinetics, 526
Reaction milling, 69
Reactive electrode submerged arc, 14
Reactive ion etching, 402
Rechargability, 671
Redispersibility, 182
Reduction reaction, 525
Reductive coupling, 444
Reflection, 432
Reflux treatment, 491
Refractive index, 429, 432
Refractories, 126
Remnant coercive force, 195
Remnant magnetization, 195
Removal rate, 396,400-401, 405, *see also*
 Polishing rate
Residual carbon, 167
Resin transfer molding, 477
Reversible capacity, 689-690
Reversible transfer reaction, 525-526
Reynolds number, 524
Rheology, 286, 397
Ring opening polymerization (ROP), 453
Ruddlesden-Popper phases, 383
Rutile, 71
 XRD, 244
- S**
- Scherrer equation, 176, 241
Screw dislocations, 521
Secondary minimum, 282
Seed crystals, 49
Seeding, 359
Selected area electron diffraction (SAD), 616
Selective chemisorption, 646
Self-assembly process, 615
Self-organization process, 614, 617-618, 619
Self-propagating reaction, 70
Shallow trench isolation (STI), 395, 401
Shear strain, 287
Shear stress, 287
Si-based nanocomposites, 694
Si-B-C-N, 441, 467
SiC, 496
Si-C arrangement, 447
Si-C-B-N, 494, 499
 TEM, 500
 tensile strength, 499
Si-(C \equiv C) $_n$ units, 452
Si-C-N
 composites, 456-457
 phase diagram, 467
Si-C-O, 412
SiC/SiC composites, 500
SiC- Si $_3$ N $_4$, 455, 491
Sieving, 260
Si-H group, 496-497
Silanes
 crosslinking, 440, 442
 CVD, 526
 dehydrocoupling, 443, 446
 hydrosilylation, 443
 polymerization, 439
 reductive coupling, 444
 vinyl, 500
 vinyl dichloro, 501
Silazanes, 458
Silica
 dehydroxylation in, 732
 electrokinetics of, 397
 hydrosol, 396-397
 microsphere, 397
 photonic crystals, 555
 silicon ion dissolution, 400
 surface modification, 400
 suspension, 397
 zeta potential, 397
Silica films, 422
 by ALD, 538
 by CVD, 526-527
 electron diffraction pattern, 434
 Raman spectroscopy, 425
 rearrangement, 427
Silica-sodalite, 28

- Silicates, 309
 Silicon carbide (SiC), 491
 Silicon nitride (Si_3N_4), 403, 454, 493-494
 CVD, 526-527
 Silyl radicals, 498
 Silylene acetylene, 453
 SIMS, 726
 Simulate body fluid (SBF), 620
 Simultaneous densification and crystallization, 344
 Single phase, 342
 Single-phase gels, 344
 Si-O-Si bonds, 425
 Si/SiC, 699
 Si/TiB₂, 699
 Si/TiN, 694
 cell potential, 697
 electron energy-loss spectroscopy, 698
 specific capacity, 696
 TEM, 698
 XRD, 696
 Skin rupture, 414
 Slow coagulation, 283
 Small angle x-ray scattering (SAXS), 243, 247, 726
 Smectite, 372
 Smoluchowski theory, 281
 SnO, 692
 Sol-gel, 304-305, 309, 313-314, 318, 322
 barium titanate coating, 222
 coating
 barium titanate, 222
 cellular structure, 415
 ferroelectrics, 726
 optical micrograph, 417
 thick film limit, 415
 compositionally different composites, 343, 346
 method, 156
 nanocomposites, 342-343
 nonhydrolytic, 39
 nonoxide, 466
 processing, 174, 422, 713
 sol particles, 374
 synthesis, 681
 thin films, 713
 Solid electrolyte, 686
 Solid state ionics, 115
 Solid state synthesis, 677
 Solution sol-gel, 342
 Solvothermal
 crystallization, 31, 51
 dehydration, 31, 32, 34, 35
 method, 22
 oxidation, 31, 55
 reaction, 22, 50, 54
 SnO₂, *see* Tin oxide
 Specific capacity, 687, 696
 Specific surface area, 185
 equivalent diameter, 166
 Spectroscopic analysis, 238, 250
 FT-IR, 252
 high-energy, 250
 ultrasound, 252
 UV-Vis, 250
 Spex mill, *see also* Vibratory mill, 66
 Spherosil, 248
 Spin coating, 411
 Spin speed, 412
 SQUIDS, 595, 605
 SrTiO₃, 151, 153, *see also* Strontium titanate
 photocatalytic activity, 152
 SEM, 152, 154
 specific surface area, 153
 thin film microstructure, 735
 XRD, 153
 SrBi₂Ta₂O₉ (SBT), 714
 Stability diagram, 284
 Stabilization
 depletion, 286
 electrostatic, 283, 396
 electrosteric, 284
 steric, 285
 Static charge, 434
 Steric forces, 284
 Steric stability, 285
 Steric stabilizers, 286
 Stranski-Krastonov growth, 512
 Striation, 413
 Strontium titanate, 734, *see also* SrTiO₃
 Structural ceramic nanocomposites, 343, 359
 Structurally different sol-gel nanocomposites, 345
 Sublimation, 95
 Substrate, 411, 516
 Subthreshold drain current (I_d), 402
 Sulfo-succinimidyl-4-O-(4',4'-dimethoxytrityl)-butyrate (S-SDTB) method, 622
 Superconducting/ferroelectric, 357
 nanocomposites, 358
 Superconductivity, 112
 Superconductors, 119, 637, *see* High temperature superconductors
 high temperature, 595
 nanohybrids, 386
 Superlattice devices, 358
 Supermicropores, 632

Surface

- acoustic wave transducers, 161
 - area analysis, 255
 - area equivalent particle size, 166
 - charge, 279
 - coating, 221
 - diffusion, 517
 - electrical resistance, 431
 - growth, 517
 - adsorption/desorption, 518, 520
 - K-faces, 521
 - ledge-kink, 520
 - S-faces, 521
 - modification
 - coating, 221
 - coefficient of concentration efficiency (CCE), 228
 - concentration gradient, 226
 - dopant concentration, 228
 - etching, 224
 - modeling, 224
 - potential, 277
 - reaction, 518
- Surface tension, 414
- Surface traction, 415
- Surface-to-surface separation distance, 399
- Surfactant, 395
- Synthesis
 - ambient condition, 175
 - environmentally benign, 139
 - flame spray pyrolysis, 243
 - integrated mechanical and thermal activation, 67, *see* IMTA
 - low temperature, 174
 - mechanochemical, 65-71
 - solid state, 66
- Synthetic opal, 362
- System on packaging (SOP), 175

T

- Tailoring of porosity, 648
- Ta₂O₅ films, 422
- TCF, 576, *see also* Temperature
- TCK, 576, *see also* Temperature
- TCO, *see* Tin-based amorphous composite oxide
- TEOS (tetraethoxy silane), 422
- TEM, *see* Transmission electron micrographs
- Temperature
 - coefficient of dielectric constant (TCK), 576
 - coefficient of resonant frequency (TCF), 571, 576, 587
 - vial, 70
- Temperature induced forming, 295
- Temperature programmed reaction (TPR), 258
- Templates, 652
- Tetrachlorodimethylsilane, 447
- Tetragonality, 175, 184, 188
- TGA/DTA/DSC, 259
- Thermal decomposition, 100
- Thermal expansion coefficient, 576, *see also* Coefficient of thermal expansion
- Thermal rearrangement reaction, 448
- Thermal treatment, 424, 427
- Thermocapillary convection, 414
- Thermolysis, 440
- Thin films, 416, 421, 537
 - by ALD, 537
 - II-VI compound, 537
 - deposition, 723
 - ferroelectric, 713
 - firing, 724
 - fluorides, 537
 - nitrides, 537
 - oxides, 537
 - phosphors, 537
 - silica, 425
- Thioacetamide, 220
- Ti-acetic acid, 140
- TiB₂, 695
- Ti-based oxides, 139
- [Ti(C₆H₄O₇)₂]⁻², 142, *see* Citratoperoxotitanium complex
- TiN, 694-695
- TiN film, 538
 - SEM, 539
 - XRD, 539, 696
- Tin-based amorphous composite oxide (TCO), 692
- Tin oxide, 429-430, *see* SnO₂
- TiO₂, 28, 39-41, 44, 53, 147, 174, 556
- Ti(OPrⁱ)₄, 140, 717
- Titania, *see* TiO₂
- Titanium alkoxides, 717
- Titanium chloride, 140, 176, 536
- Titanium complex, 139
 - water soluble, 142
- Titanium hydroxide, 141
- Titanium oxides, 139, *see also* TiO₂
- Titanium sulfate, 140
- Titanocene, 445
- Ti(SO₄)₂, 140
- Titanium tetraisopropoxide, 140, 717
- Tl-Ba-Ca-Cu-O system, 609
- Transmission electron micrographs (TEM)
 - SiO₂/SnO₂, 423

Si/TiN, 697-698
 Transport phenomena, 527
 in CVD, 528
 Tributylborate, 306
 Tributylphosphate, 306
 Two-step infiltration process, 319
 Tyranno SA3 fiber, 330, 492-493

U

ULSI, 395
 Ultrafiltration, 631, 632
 Ultramicropores, 632
 Ultramicroporous, 648
 Ultrasound method, 253
 UV radiation, 495-496
 UV-vis spectroscopy, 250

V

Vacuum science, 522
 Van der Waals
 energy, 277
 force, retardation of, 271, 276
 equation of state, 272
 Varistor ceramics, 126
 Vermiculite, 372
 Vial temperature, 70
 Viscosity, 287
 Viscous behavior
 Bingham plastic, 288
 Newtonian, 288
 pseudoplastic (shear thinning), 288
 shear thickening (dilatant), 288
 viscoelastic, 288
 Visual display terminal, 428
 Vitrification, 88

W

Water adsorption isotherms, 351
 Water soluble titanium complex, 140
 citratoperoxotitanium, 145
 lactotitanium complex, 145
 structure, 144

Woven fibers, 322
 Within-wafer nonuniformity (WIWNU), 400
 Wurtz-type reaction, 443
 Wurtz-like condensation, 449

X

X-ray diffraction (XRD), 176, 238, 240
 Bragg's law, 240
 $Ce_{0.7}Zr_{0.3}O_2$, 240
 crystallite size, 176, 241, 404
 diffraction line profiles, 239
 $LiTi_2(PO_4)_3$, 681
 $(PbO_{0.5}Ca_{0.5})(Fe_{0.5}Ta_{0.5})O_3$, 579
 TiN, 694
 ZnO/SiO₂, 244
 X-ray fluorescence (XRF), 250
 X-ray photoelectron spectroscopy (XPS), 250

Y

Y-Ba-Ca-Cu-O system, 595, 600-601
 phase diagram, 604
 peritectic reaction, 602
 $YBa_2Cu_3O_7$ wires, 605
 Yttria-stabilized zirconia, 603
 films, 532
 Young's equation, 513

Z

Zeolite
 inorganic nanocomposites, 355
 membranes, 648
 organic nanocomposites, 355
 structures, 650
 Zero point of charge (ZPC), 552
 Zeta potential, 279, 397
 Zinc oxide, 128, 251
 hydroxyl-free, 55
 Zinc sulfide, 217
 Zirconates, 309
 Zirconia, 11, 38, 51, 53, 311, 320, 533
 Zirconium-i-propoxide, 306, 320
 Zirconocene, 446
 ZrO₂ powders, 11