

INDEX

- Abrasives, 9
 Accuracy, 91, 97-98, 99-100, 103
 Air separator (whizzer), 24
 Albite, 17
 Alumina, 18
 firing of, 74-75, 134
 Andalusite, 19
 Andreasen pipette, 144
 Annealing, 65, 66
 Anorthite, 17
 Archimedes' principle, 105
 Armor, aircraft, 13
- Balance, 103-4
 Ball clay, 16
 Barium titanate, firing of, 75
 Batch calculations, 114-25
 Batch recipe, 118-22
 Bauxite, 18
 Bentonite, 16. *See also* Montmorillonite
 Binder, 39-40, 48, 53, 54, 59, 69
 Black body, 167
 Blending, 30-36
 Bloating, 73
 Body preparation, 21-38, 39-68
 Borax, 17-18
 BTU (British thermal unit), 156
 Burning. *See* Firing
- Calibration of weighing instruments, 102
 Caliper
 micrometer, 99-100, 101
 slide, 99, 100
 Calorie, 156
 Calorimeter, 157
 Case hardening, 70
 Cement, 11
 Ceramics
 definition of, 1
 scope of industry, 3, 14
 Ceramics publications, 13
 Ceramics technical societies, 13
 China, 5
 China clay, 15
 China process, 88
 Chrome ore (chromite), 19
 Chromium oxide, 18
 Clay, 14
- Clay minerals, 14-17
 formation of, 14-15
 Color. *See* Glaze
 Combustion, 76, 84
 Compressive strength, 147, 150
 Consistency curve, 200-203
 Control chart, 95-96
 Convection. *See* Heat transfer
 Conveyors
 belt, 27, 30
 bucket elevator, 29, 30
 flight 28, 30
 pneumatic, 28, 30
 screw, 27, 30
 vibratory, 30
- Cordierite, 17
 Corrosion, 3-4
 Corundum, 9
 Creep, 147, 154-55
 Cristobalite, 75
 Crushers. *See also* Mills
 cone, 23
 dry pan, 22-23
 gyratory, 21-22
 hammer mill, 23
 impact mill, 23
 jaw, 21-22
 smooth roll, 23
 toothed roll, 23
- Crushing and grinding, 21-24
 Crystals, 13
 kaolinite, 15
 Cullet, 122
 Cutter, wire, 41
- Data treatment, 93-96
 for particle size, 139-40
 De-airing, 40-41
 Decomposition, 73
 Deflocculation, 50, 144
 Density. *See also* Specific gravity
 measurements, 107-9
 of slips, 198-99
 Depth gauge, 98
 Devitrification, 5, 6, 61-62
 Dew point, 70-71, 78
 Dial gauge, 100-101, 102
 Diamond, 9

- Diaspore, 16, 18
 Dies. *See also* Molds
 dry pressing, 52-59
 extrusion, 42, 43
 hot extrusion, 59
 hot forging, 59
 hot pressing, 59-60
 injection molding, 47-48
 wet pressing, 44
 Dilatometer, 159
 Dinnerware, 7
 forming of, 45
 porosity of, 109
 Dolomite, 19
 Drawing, glass. *See* Glass, sheet; Glass, plate, forming of
 Drier, 70-73
 periodic, 71
 rotary, 72
 spray, 37-38
 tray, 72
 tunnel, 71-72
 Drying, 69-73
 Dry pressing, 52-55
 DTA (differential thermal analysis), 138
 Dunting, 75

 Elasticity, 147, 152, 160
 Electrical insulators
 firing, 78
 forming, 42, 44, 57
 materials for, 13
 Electrical properties, 3
 Electron microprobe, 136
 Electron microscope, 133. *See also* Scanning electron microscope
 Emery, 9
 Emissivity, 167
 Empirical formula, 117-18
 Enamels. *See* Porcelain enamel
 Etching, 132-33
 Explosive forming, 59
 Extrusion, 33, 40, 43

 Feldspar, 17
 Ferrites, 11, 12
 firing of, 75
 Fettling, 45
 Film forming, 48
 Filter press, 35, 37, 41
 Finishing, 69, 84-89
 Fireclay, 16-17
 Firing, 2, 69, 73-84, 147
 bisque, 88
 glost, 88
 Firing atmosphere
 composition of, 76
 oxidizing-reducing, 76
 Firing shrinkage. *See* Shrinkage
 Flame spraying, 61
 Flat glass. *See* Glass, sheet; Glass, plate
 Flexural strength, 147. *See also* Modulus of rupture

 Float glass. *See* Glass, plate
 Flow properties, 49-52
 of granulated material, 56
 Fluxes, 16, 17-18, 73
 Forming, 39-68
 Formula batch, 119-21
 Formula batch weight, 121
 Formula weight, 115-16, 118
 for specific materials, 123-25
 Fracture, 39, 147
 Frit, 9, 86-88, 122
 Fuels, 84
 Furnace. *See also* Kiln
 glass melting, 82-84
 Fusion casting, 61

 Gas pressure bonding. *See* Hot isostatic pressing
 Glass, 5, 161
 forming, 61-68
 melting, 82-84
 MOR of, 149
 raw materials for, 5, 17, 18
 sieve analysis of raw materials, 143
 thermal shock test, 160
 Glass-ceramics, 5, 6, 61-62
 Glass containers, 5, 62-65
 Glass fibers, 5, 62
 forming, 62-63
 Glass furnaces, 62-63, 65-66
 refractories for, 61
 Glass, plate
 float process, 66-67
 grinding and polishing, 66-67
 Glass, sheet, 5
 forming, 65-66
 Glass pressing, 64, 65
 Glaze, 7, 85
 defects, 88
 effect of composition on, 86
 formulation, 120-22
 thickness measurement, 102
 Glazing, 85-89
 Grain growth, 76
 Grain size, 76, 129-30, 133, 145-46
 Granulation, 42, 53, 56, 59
 Graphite, 19, 59-60
 density, 108
 Grinding. *See* Crushing and grinding
 Grinding of fired ware, 85
 Gypsum, 11, 19

 Hardness, 152-53
 Heat capacity, 156-57
 Heat transfer
 conduction, 157-58
 convection, 157-58
 radiation, 157-58
 Hot extrusion, 59
 Hot forging, 59
 Hot isostatic pressing, 60-61
 Hot pressing, 59-60
 Humidity, 70-72

- Hydrometer, 144, 199
- Ignition loss, 116, 121
- Illite, 16
- Impact testing, 153-54
- Induction heating, 60
- Injection molding, 46-48
- Insulating brick. *See* Refractories
- Insulators. *See* Electrical insulators
- Integrated circuits, 11
- Isostatic pressing, 54-59
- Jigging, 45
- Kaolin, 15-16
- Kaolinite, 15-17, 115
- Kiln, 69, 76-82. *See also* Furnace
 periodic, 76-80
 downdraft, 77-78
 elevator, 79-80
 shuttle, 78-79
 updraft, 78
 rotary, 11, 80, 82
 tunnel, 71, 80, 81
- Kiln furniture, 73
- Kyanite, 19
- Laminated glass, 68
- Lead glasses, 18
- Lead oxides, 18
- Lehr, 65-66
- Length measurement, 97-101, 158-59
- Lime, 18-19
- Limestone, 19
- Load-bearing capacity, 147-55
- Lubricant, 39-40
- LVDT, 159
- Magnesite, 19
- Magnesium oxide (periclase), 18-19
 dead-burning, 82
 firing, 75
 forming, 59
- Magnetic ceramics, 11-12
- Magnetic separator, 24
- Maturing (during firing), 73
- Mean, arithmetic, 94
- Mercury porosimetry, 110
- Metal-ceramic seals, 89
- Metallizing, 88-89
- Metallograph, 128, 129. *See also* Micro-
 scope, light
- Mica, 1
- Micrometer, 99-100, 101
- Microscope, light
 accessories, 128, 145
 condenser, 126-27
 illuminator, 126-28
 lens care, 128-29, 132-33
 magnification, 126, 127
 objectives, 127, 128
 ocular, 127
 resolution, 126
- Microscopic examination, 126-33, 145-46
 ceramic grains, 129-30, 133
 consolidated specimens, 130-33
- Microstructure, 73-76, 130-33, 134
- Millivoltmeters, 165-66
- Mills. *See also* Crushers
 ball, 24, 34
 pebble, 24
 rod, 24
 vibratory, 34, 36
- Mining, 20-21
- Mixers. *See also* Mills
 blunger, 34, 41
 intensive, 31, 32
 mix-muller, 33, 35, 42
 pug mill, 33, 40-41
 ribbon, 31-32
 shell, 31
 sigma blade, 33, 34, 42
- Mixing, 30-36
- Modulus of elasticity, 147, 152, 160
- Modulus of rupture (MOR), 147-49, 160
- Moisture, 116-17, 122
- Molds. *See also* Dies
 fusion casting, 61
 hot isostatic press, 61
 injection molding, 47, 48
 isostatic press, 56-59
 jigging, 45
 ram pressing, 45-46
 slip casting, 48-52, 203-4
- Montmorillonite, 16
- Muffle, 76
- Mullite, 74
- Nepheline syenite, 17, 117-18
- Newtonian fluid, 200-203
- Normal distribution, 93-96
- Nuclear fuel, 11, 43
- Opacifiers, 19
- Optical glass, 5, 18, 65, 83
- Optical properties, 6
- Orthoclase, 17
- Oxide, ceramics, 75. *See also* Technical
 ceramics
- Oxide formula, 114-15
- Particle packing, 54, 139
- Particle size distribution, 50, 52, 53-54,
 139-40
- Particle size measurement, 139-46
- PCE (pyrometric cone equivalent), 171.
See also Pyrometric cones
- Periclase, 19
- Permeametry, 110-11
- Phase transformation, 73-75
- Plagioclase series, 17
- Plaster of Paris, 11, 19, 49. *See also* Molds
- Plasticity, 15-16, 39-40, 42
- Plasticizer, 39-40, 46-48, 69
- Polished sections. *See* Microscopic exam-
 ination

- Polycrystalline ceramics, 39
 Porcelain, 5, 74
 Porcelain enamel, 9-10
 thermal shock test, 160
 Porcelain process, 88
 Pores, 70, 73, 106-7, 109-11
 Porosity, 73, 106-7, 109-11
 Potentiometers, 166
 Potter's flint, 18
 Powder pressing, 52-55
 Precision, 91
 Proportioning, 30
 Pumping, 35, 204
 Pug mill. *See* Tempering; Mixers
 Pyroceram. *See* Glass-ceramics
 Pyrometers, 161-97
 Pyrometric cones, 170-71, 196-97
 Pyrophyllite, 16. *See also* Talc
- Quality control, 93, 95-96
 Quartz, 18
 transformations, 75
- Radiation, 166-67. *See also* Heat transfer
 Radiation pyrometer
 optical (spectral), 168-69
 sight tubes, 168
 total radiation, 167-69
 Ram pressing, 45-46
 Raw materials, 14-19
 Refractories, 3-5
 absorption, 112
 compressive test, 151
 density, 108
 forming, 43-44, 53-54, 61
 MOR of, 149
 porosity, 109, 112
 raw materials for, 5, 9, 13, 18-19
 sieve analysis of materials, 143
 spalling test, 160
 steelmaking, 18-19
 thermal conductivity, 158
 Re-pressing, 43-44
 Resistance pyrometer, 171
 Roller forming, 45
 Rotary kiln. *See* Kiln
 Rules, length measurement, 97-99
- Sagger, 76
 Sampling, 95, 139-40, 145
 Sand, 18
 Scale, spring, 102-3
 Scanning electron microscope, 133
 Screening, 24-26. *See also* Sieves, testing
 Scumming, 16
 Seals, 89
 Sedimentation, 143-44
 Setting ware, 73
 Shale, 16
 Shrinkage. *See also* Shrinkage measurement
 drying, 40, 52, 69-70, 111
 firing, 73, 111
 Shrinkage measurement, 111-13
 drying, 111, 113
 firing, 112-13
 Sieves, testing, 26, 140-43
 Silica, 18
 transformation, 73-75
 Silicates. *See various minerals*
 Silicon carbide, 19
 Sillimanite, 19
 Single crystals, 13
 Sintering, 73, 75-76
 Slip, 198-204. *See also* Slurry
 Slip casting, 33, 48-52, 203-4
 rate of, 203-4
 Slumping, 73
 Slurry, 33-37, 48-52
 Soda ash, 17
 Spalling, 159-60
 Spark plug insulators, 48, 56, 58
 Specific gravity, 49-50, 108. *See also* Density
 of slips, 198
 Specific heat, 156-57
 Specimen mounting and polishing, 130-33
 Spectrographic analysis, 136, 138
 Spinel, 19
 Spray-drying, 37-38, 52, 73, 204
 Standard deviation, 94-95
 Statistics, 93-96
 Steatite, 17
 Stokes' law, 143-44, 200
 Strength measurement, 147-55
 Strength-testing machine, 149
 Stresses, 147, 151
 Structural clay products, 7-9
 absorption, 112
 compressive test, 151
 forming, 41-42
 material for, 16
 MOR of, 149
 porosity, 109, 112
- Tableware. *See* Dinnerware
 Talc, 17
 Technical ceramics, 11-13
 Temperature measurement, 161-97
 Temperature scales
 absolute, 161
 Celsius (Centigrade), 161
 comparison table, 162
 conversion of, 161-62
 conversion table, 172
 Fahrenheit, 161
 Kelvin, 161
 Rankine, 162
 Temperature sensitive paints, 171
 Tempered glass, 68
 Tempering, 32-33, 39
 Tensile strength, 147, 150-52
 Testing standards, 90-91
 Thermal conductivity, 157-58
 Thermal expansion, 158-59
 pyrometers, 171

INDEX

- Thermal property measurement, 156-60
 Thermal shock, 159-60
 Thermocouple, 162-66
 EMF tables, 164
 tubing for, 43
 types
 J, iron-constantan, 163, 173-76
 K, chromel-alumel, 163-64, 179-83
 R, platinum + 13% rhodium-platinum, 164, 190-95
 S, platinum + 10% rhodium-platinum, 164, 184-89
 T, copper-constantan, 163, 177-78
 Thermocouple circuits, 162-63
 Thermocouple reference junction, 162-63
 corrections, 164-65
 Thin-section preparation, 131
 Tolerance, 97
 Tridymite, 75
 Tungsten carbide, 9, 73
 Tunnel kiln. *See* Kiln

 Units, 91-92

 Vernier, 99-100
 Viscometer, 200-203
 Viscosity, 49, 50, 199-203

 of glass, 61
 Vitrification, 73-75
 Volume measurements, 104-7

 Waste heat, 71
 Water absorption, 109-10, 112
 Weight measurement, 101-4
 Wet pressing, 44-45
 Whitewares, 5-7
 absorption, 112
 compressive test, 151
 density, 108
 MOR of, 149
 porosity, 112
 raw materials for, 5, 7
 sieve analysis of raw materials, 143
 thermal conductivity, 158
 thermal shock test, 160

 X-ray analysis
 diffraction, 133-35
 fluorescence, 136

 Young's modulus, 147, 152, 160

 Zircon, 19
 Zirconium oxide, 19