

# Index

---

## A

- 2-in-1, 3-in-1, 239
- abrader, 144, 147, 148, 159, 172, 175
- abrasive, 381, 384, 390
- acidification, 696, 697, 701-702, 711-713, 715, 718
- acids, 589
- adhesion  
force, 889, 890  
work of, 317, 318
- adsorbable organic halogen compounds (AOX), 738
- adsorption  
forces, 488  
isotherm, 888, 893  
models, 27
- Agar Patch Test, 184
- alcohols, 588, 595
- aldehydes, 597, 598  
formaldehyde, 597  
glutaraldehyde, 597, 598
- alkyl ether sulphates, 73
- alkyl phosphate, 393
- alkyl polyglucosides (APG), 75
- alkylbenzene sulfonates,  
134, 140, 155, 157, 163,  
166, 168
- alkyldimethyl amine oxide, 75
- alkyl ether sulfates  
general, 306  
hair cleansing, 332-334, 336  
mildness, 343, 345, 347, 350-355
- alkylglucosamides, 75
- alkylpolyglycosides, 311
- alkyl sulfates  
binding, pH effect on, 355-360  
general description, 306, 307  
irritation, 345, 349-350,  
354, 355  
stratum corneum, action on,  
340-356
- alpha olefin sulfonates, 308, 309
- alumina, 390
- amine based strippers, 464
- amine derivatives, 598, 599
- amine oxide, 136, 137, 143, 145,  
157, 158, 162, 163, 168, 169,  
177-179, 186
- ammonia peroxide mixture (APM), 507
- ammonium phosphate based BEOL formulations, 475
- amphoterics, 312, 599-601  
alkylamino-carboxylates, 600,  
601
- amphoteric surfactants, 681
- amylase, 83, 227
- analysis depth, 748, 749, 751, 752,  
757, 759, 760, 762, 765,  
769-771, 775, 780, 781, 783
- anionic surfactants, 660
- anti-bacteriological, 815
- antidandruff agents, 292
- antifoams, 232
- antiscalant, 211
- aquatic foodchain, 723
- assessment factor, 729
- Au, 515

Auger electron spectroscopy  
(AES), 749–751, 762, 764–769,  
776, 781, 783  
Auger, (*see* AES)

## B

bacteria, 377, 379, 388, 389, 394,  
396  
bare semiconducting surface, 519  
BEOL cleaning, corrosion issues  
in, 478  
betaine, 134, 140, 145, 177, 178  
betaines, 314  
biguanides/polybiguanides,  
601–603  
biocides, 593–623, 816  
classification, 595–622  
hygiene applications, 594, 595  
market, 593  
preservatives, 617–622  
regulatory environment, 593,  
594  
biodegradability tests, 656  
biofilm, 389  
bleach, 215  
catalysts, 222  
bleeding fabric, 63  
borate, 93  
Brewer's model, 347  
brightener, 91  
buffer, 203  
builder, 131, 136, 145, 150, 154,  
155, 157, 162–164, 166, 168,  
206  
chemical structure, 207

## C

calcium (Ca), 520  
calcium carbonate, 387, 390, 392  
calcium chelation capacity, 208  
calcium chelator, 393  
calculus, 379, 389, 390, 392, 393,  
395

carbohydrate, 377, 379  
carbon dioxide, 544–550, 553, 556,  
560, 564  
carboxymethyl cellulose, 89  
care symbols, 429  
caries, 378  
carpet care, 103, 108  
carpet cleaning agents, 103, 108,  
109  
catalase, 63, 78, 94  
cationics, 314, 333, 335  
materials, 286  
surfactants, 676  
cellulose, 84, 895, 896  
cetyltrimethyl ammonium chloride  
(CTAC), 331, 332, 339  
chelating agent 518, 683  
chemical information, 747–749,  
751, 753, 759, 762, 768, 769,  
774, 780, 783, 784  
chewing gum, 383, 395  
chlorhexidine, 375, 376, 385, 394,  
398  
chlorine, 217  
bleach (*see* hypochlorite bleach)  
compounds, 585  
chlorine dioxide, 608–610  
chromameter, 385  
CIE chromaticity, 97  
CIELAB, 98  
cleaning performance, 838  
cleansing-pH, 262  
coatings, 816  
coco amidopropyl betaine, 313,  
314, 353, 354  
coffee, 376, 377  
colour, 385, 397  
commercial vehicle cleaners,  
455–458  
traffic film remover (TFR),  
455–458  
compact detergent, 67  
complexing agent, 518  
conducting surfaces, 520  
consumer convenience, 197, 239

## Index

contact angle, 10, 316, 319, 748,  
750, 757, 758, 768, 778–781,  
783, 887  
copper (Cu), 376, 398, 514  
cornified envelope, 315  
cradle-to-grave, 700, 711  
critical micelle concentration, 320,  
321, 327, 328, 346–352  
critical surface tension, 10  
Cup Scrub Test, 184  
curd formation, 73, 85  
customer acceptance, 437

## D

degree of polymerisation, 97  
deinking, 902, 903  
dental floss, 383  
dentifrice, 371, 381, 385, 386, 390  
dentine, 372, 387  
deodoriser, 238  
depolymerisation, 60  
deposition, 901, 902  
depth of analysis, (*see* analysis  
depth)  
Derjaguin approximation, 889  
detachment force, 889–893  
detergency, 855  
detergent industry, 626, 627, 644  
diazolidinyl urea, 618, 619, 621  
blends, 621  
diethylene triamine pentaacetic  
acid (DTPA), 87  
diethylene triamine  
pentamethylene phosphonic  
acid (DTPMP), 88  
dilute sulphuric-peroxide (DSP),  
473  
diperoxy dodecanoic acid (DPDA),  
79  
disinfectant regulations, 581  
dissipation factor, 905

D-limonene, 164, 167, 168  
dodecyl trimethyl ammonium  
bromide (DTAB), 356  
drainage, 14  
dry cleaning  
definition, 409  
detergents, 414  
fluids, 546, 548, 549, 554, 560,  
570  
history, 407  
machines, 416  
solvents, 410  
dual polarisation interferometry  
(DPI), 918–920  
Dupré equation, 317, 319  
dye transfer inhibition, 97

## E

eco-efficiency analysis (EEA), 695,  
704, 705, 716, 718, 719  
effect concentration  
(EC), 724  
electrochemical metal deposition,  
521  
electron spectroscopy for chemical  
analysis (ESCA), 920–923,  
(*see also* XPS)  
elevated pressure, 555, 556, 560,  
565  
ellipsometry, 377, 393, 748, 750,  
757, 913–915  
emulsification, 886, 916  
emulsions, 415, 911, 912  
enamel, 372, 378, 385, 387  
energy dispersive spectrometer  
(EDS), (*see* EDX)  
energy dispersive X-ray analysis  
(EDX), 749–751, 764, 765,  
768, 772, 774–777, 780,  
781, 783  
entrapment, 889

- environment, 243  
 aspects, 695, 696, 717, 719  
 impact, 695, 697, 701–702, 708,  
 714–716, 718–719  
 safety, 625, 628, 629, 634, 635,  
 640, 644, 646, 648  
 token, 430  
 tools, 716
- environmental product declaration  
 (EPD), 695, 704, 706, 716–717,  
 719
- Environmental Protection Agency  
 (EPA), 128–130, 138, 152, 153,  
 185, 186
- environmental scanning electron  
 microscopy (ESEM),  
 (*see* SEM)
- enzyme, 223, 394
- etch residue removal, 544, 550,  
 553, 555, 556
- ethylene diamine discuccinic acid  
 (EDDS), 88
- ethylene diamine tetramethylene  
 phosphonic acid (EDTMP), 88
- European Committee for  
 Standardization, 152
- eutrophication, 85, 702, 711, 713,  
 715, 719, 734
- extended surfactants, 845
- exterior car products, 439–451  
 car polishes, 449–451  
 car wash detergents, 443–445  
 pre-soak detergents, 442–443  
 rinse formulations, 446–447  
 wash and wax formulations,  
 445–446  
 wheel rim cleaners, 447–448  
 windscreen cleaners, 448–449
- F**
- fabric  
 dinginess, 65, 77, 81  
 luster, 61  
 softener, 75
- fats, solid, 912
- felting, 59
- fixative residues on hair  
 hair sprays, 337–339  
 polymeric resins, 337–339
- flavour, 381, 382
- fluoride termination, 490
- foam, 49
- Food and Drug Administration  
 (FDA), 129
- Forearm Controlled Application  
 Test (FCAT), 272
- formaldehyde release agents, 611,  
 612
- formulation, 382, 836
- Fourier transform infrared  
 spectroscopy (FT-IR), 749,  
 750, 768–774, 776, 780, 781,  
 783
- froth flotation, 874
- G**
- Ganz–Griesser, 97
- Gardner Straight Line Abrader,  
 (*see* abrader)
- gas expanded liquids, 550, 560, 570  
 gel, 156, 157
- Gibbs equation, 888, 893
- glass protection, 238, 242
- global warming potential, 697
- glycerol, 381, 383
- glycol ether solvent, 134, 164, 167
- glycoprotein, 372
- H**
- hair  
 bleaching, 316, 332, 342, 343  
 damage, 317, 343  
 fibers, 315, 316  
 oxidation of cystine, 316  
 pH, 316  
 soils, 316, 317

## Index

- hair conditioners, 286, 287  
  cationic polymers, 335–338  
  polycationics, 335, 339  
  quaternium surfactants/quats,  
    331, 332  
  removal, 331–334
- halogens/halogen-release, 603, 608  
  2-bromo-2-nitropropan-1,3-diol  
    (Bronopol), 609  
  bromine, hypobromites and  
    bromine-release compounds,  
    606, 607  
  chlorine and hypochlorites, 604,  
    605  
  chlorine-release compounds,  
    605, 606  
  iodine and iodophors, 607, 608
- Hand Imprint Test, 185
- Handish cost comparison, 202
- Harmonisation, International  
  Conference on, 126, 151
- Health Care Personal Handwash  
  Test, 184
- health, 371
- hexametaphosphate, 394
- high production volume  
  chemicals, 625, 628
- hot water extraction, 103, 120–122
- humectant, 292–294, 381
- hydride termination, 490
- hydrochloric acid–peroxide  
  mixture (HPM), 508
- hydrodynamic flow cell, 894, 895
- hydrogen peroxide, 587
- hydrolysis, 505
- hydrophilic lipophilic difference  
  (HLD), 837
- hydrotope, 92, 179
- hydroxide termination, 490
- hydroxyapatite, 372, 379, 385, 389
- hydroxyethane diphosphonic acid  
  (HEDP), 88, 89, 213
- hydroxylamine, 467
- hygiene, 371
- hypochlorite, 586  
  bleach, 136, 138, 140, 141, 158,  
    159, 165, 167
- ## I
- impact assessment, 697, 699, 703,  
  711–713, 715, 719
- impinging jet, 896–900
- infection control, 576, 580
- infrared spectroscopy (IR),  
  (see FT-IR)
- inorganic, 819  
  dielectric surfaces, 500
- interfacial tension, 30, 839, 887
- interior cleaners, 451–455  
  anti-fogging, 454  
  engine cleaners and degreasers,  
    454–455  
  interior windscreen cleaners,  
    454  
  leather polishes and  
    protectorants, 453  
  plastic and vinyl cleaners,  
    452–453  
  upholstery and carpet  
    shampoos, 451–452
- iodophors, 588
- ion complexation, 41
- iron (Fe), 375, 376, 513
- isothiazolinones, 613, 614
- ## K
- keratin  
  binding, 306, 312, 335, 339  
  denaturation, 349, 350  
  general, 315, 316  
  hydrophobic sites, 349, 350

keratin (*continued*)  
 isoelectronic point, 316  
 surface energy, 316

## L

lateral resolution, 748, 749, 752,  
 757, 759, 764, 765, 769, 770,  
 775, 783  
 lauroamphoacetates, 313  
 lauroyl isethionates, 311  
 lauryloxybenzene sulphonate  
 (LOBS), 81  
 Leg Controlled Application Test  
 (LCAT), 274  
 lethal concentration (LC), 724  
 life cycle assessment (LCA), 638,  
 639, 695, 697, 699, 701, 703,  
 705–707, 709, 711, 713, 715,  
 717–719  
 linear alkyl benzene sulfonates,  
 311, 348, 356  
 linear alkylbenzene sulphonate  
 (LAS), 73 (*see also*  
 alkylbenzene sulfonates)  
 linkers, 843  
 lipase, 84  
 lipid, 372, 379  
 liquitabs, 58, 92  
 lotus effect, 791

## M

machine cleaner, 236  
 maillard reaction, 376  
 mannanase, 84  
 menthol, 381  
 metallic impurities, 485  
 micelle charge, 267  
 micelle, 320  
 microbial preservation, 294, 295,  
 300, 301  
 microemulsion, 37, 52, 168, 169  
 Miele System Kreussler, 429

mild cleansing, 257  
 Minimum Inhibition  
 Concentration Test, 185  
 mixture toxicity, 727  
 mobilisation, 840  
 moisturisation, 257  
 moisturising cleansers, 257, 258  
 mold (mold and mildew), 132,  
 135–138, 141, 145, 148, 149,  
 169  
 mouthwash, 382, 398  
 mutanase, 394

## N

N acyl glutamates, 310  
 nanoparticles, 793  
 nanoscaled, 813  
 nanozid, 823  
 natural moisturising factor (NMF),  
 264, 265  
 neps, 61  
 nitrilo triacetic acid (NTA), 85  
 no observed effect concentration  
 (NOEC), 726  
 nonanoyloxybenzene sulphonate  
 (NOBS), 80  
 non-bio detergents, 83  
 nonionic surfactant, 134, 140, 141,  
 143, 145, 146, 157, 162–164,  
 166–170, 176–178, 183, 187,  
 670  
 nonionics, 311, 345  
 nonwoven, 143, 149, 150, 173, 174

## O

O-acyl ceramides, 315  
 oily soil, 886, 888  
 organic acids, 615  
 oxide termination, 490  
 oxidising agents, 397  
 oxygen bleaches 218 (*see also*  
 peroxide)

## P

- papain, 395  
 particulate soil, 317, 886, 888, 889, 917  
 pCa, 206  
 pellicle, 374, 385, 390  
 peracetic acid, 397  
 peracids, 220  
 perfluoroalkyl surfactant, 392  
 peroxide, 137, 138, 218, 397  
 peroxygen compounds, 615  
   inorganic peroxides, 615  
   peroxy acids, 615  
 peroxygens, 587  
 personal cleansing, 257  
 pH effect on skin reactivity, 355–360  
 phase behaviour, 32, 832  
 pH-electrochemical potential diagram, 494  
 phenolics, 586, 615–617  
   dichlorophen, 617  
   triclosan, 617  
 phospholipid, 911  
 phthalimide peroxy caproic acid (PAP), 79, 82  
 pine oil, 140, 161, 162, 164, 167–170, 589  
 plaque, 377, 379, 380, 382, 388–391, 394, 396–398  
 polyacrylate, 89  
 polycarboxylates, 210, 213  
 polyelectrolyte adsorption, 906–908  
 polyelectrolyte–surfactant association, 908–911, 916, 917–922  
 polymaleate, 89  
 polymer, 395  
 polymer JR, 335–337  
 polyoxyethylenes, 312  
 polyphenol, 376  
 polysorbates, 311  
 polyvinyl alcohol (PVA), 91  
 polyvinylpyridine n-oxide (PVNO), 89  
 polyvinylpyrrolidone (PVP), 89, 397  
 polyxamers, 312  
 post etch residue (PER), 459  
 post-CMP cleaning, 477  
 post-plasma etch residue, 551–553  
 Pourbaix diagram, 494  
 predicted environmental concentration (PEC), 722  
 predicted no effect concentration (PNEC), 722  
 preservatives, 382, 617–621  
   hydantoin derivatives, 618, 619, 621  
   imidazolidinyl urea, 618, 619, 621  
   isothiazolinones, 618, 620, 621  
   parabens, 618, 619, 621  
   phenoxyethanol, 618, 620, 621  
 profilometry, 386  
 protease, 83, 224, 395  
 protein, 372, 374, 377, 379  
   denaturation, 267  
 pyrophosphate, 393

## Q

- quantification, quantitative, 748, 749, 751, 753, 758, 759, 762, 769, 774, 780, 783  
 quartz crystal microbalance (QCM), 748, 750, 903–906  
 quaternary ammonium compounds (QAC), 583

quaternary ammonium surfactants  
(quats), 134, 138, 139, 142,  
164, 169, 175, 186  
quaternium 15, 618, 621

## R

Raman spectroscopy, 750, 769, 770  
recycling of solvents, 419  
reflectometry, 913–915  
regeneration salt, 237  
remediation, 864  
reserve alkalinity, 205  
risk assessment, 625, 633–635, 637,  
638, 640, 642, 645, 647, 648,  
722  
roll-up, 72, 886, 887  
Ross Miles Foam Test, 182

## S

saliva, 372  
sanitisation, 217  
sarcosinates, 310  
scanning electron microscopy  
(SEM), 748–751, 758, 765, 768,  
772, 774, 776, 777, 779–781,  
783  
Science in the box, 58  
sebum  
  composition, 323  
  removal, 324–331, 339  
  soil, 307, 318, 323, 324  
secondary ion mass spectrometry  
(SIMS) (*see* ToF-SIMS)  
self-cleaning, 791  
semi-aqueous fluorides (SAF), 470  
sensed mass, 905, 908  
sequestering agent, 518  
shampoo additives, 295–297  
shampoo evaluation, 297–301  
  foaming evaluation, 298  
  product safety, 299, 300

  product stability testing, 298,  
  299  
shampoo formulations, 277,  
  301–304  
Short Interval Kill Test, 185  
shower treatment spray, 134,  
  165  
side wall polymer (SWP), 459  
silanol termination, 490  
silica, 390, 392  
  fumed, 796  
  gel, 505  
  surfaces, 501  
silicates, 205  
silicon and silica based materials,  
  489  
silver, 376, 398  
silver/colloidal silver, 612, 613  
skin  
  characterization, 315, 316  
  cleansing, 863  
  dryness, 324  
  lipid removal, 324–326, 330,  
  346  
  lipids, 268  
  proteins, 264  
smoke, 375, 376  
soap, 257  
  scum, 132–134, 136, 137,  
  139–141, 144, 147–149, 160,  
  169, 172  
sodium chlorite, 397, 398  
sodium lauryl sulphate, 381, 392  
sodium perborate, 78  
sodium percarbonate, 78  
sodium sulphate, 93  
sodium tripolyphosphate (STPP),  
  84, 208, 394  
soil release polymer, 90  
soil removal  
  emulsification, 318, 321, 322, 338  
  mesophase formation, 318, 321,  
  322, 338  
  roll back, 316–320, 330, 338  
  solubilisation, 320, 321, 330, 338



## Index

- solubilisation, 886, 916  
  capacity, 838  
  kinetics, 849
- solubility product, 497
- solvent based strippers, 463
- sorbitol, 381, 383
- spot/film, 230
- spotting, 422
- stain, 374, 375, 379, 381, 383, 386,  
  390, 391  
  removal, 384
- standard clean 1 (SC1), 507
- standard clean 2 (SC2), 510
- standard reduction potential, 508
- starch, 204
- stearalkonium chloride, 332, 333,  
  339
- stratum corneum, 263  
  binding, 339–344, 360–363  
  surfactants, interactions with,  
  339  
  swelling, 264, 265, 344–350
- sub critical CO<sub>2</sub>, 542, 550, 552, 554,  
  565
- submicellar aggregates, 340, 343,  
  350, 362, 363
- sudsing, 73
- sulfosuccinates, 309, 310, 349
- sulphuric-peroxide mixture  
  (SPM), 532
- supercritical  
  CO<sub>2</sub>, 548–550, 552, 553, 565
- superhydrophobicity, 792
- surface analysis  
  methods/techniques, 747,  
  748, 750, 751, 780, 781, 783
- surface excess, 888
- surface force apparatus (SFA), 889,  
  890
- surface forces, 889
- surface sensitivity/sensitive  
  (see analysis depth)
- surface tension, 15
- surface termination, 488
- surfactants, 232, 260, 278–285, 381,  
  382  
  amphoterics, 283, 284  
  anionic, 278–283  
  biodegradation, 638, 643  
  damage, 266  
  homologous series, 340, 341,  
  347–349  
  interactions, 339, 352–355  
  irritation, 306, 307, 324, 345–349,  
  360–363  
  mildness, 345–349  
  mixtures, 17  
  monomer, 341, 343, 350  
  nonionics, 285  
  sweetener, 381
- syndet bars, 261

## T

- tannins, 77
- tartar, 379, 389
- tea, 376, 377, 386, 393  
  stain, 216
- teeth, 371, 372
- tensile strength loss (TSL), 97
- tetraacetyl ethylene diamine  
  (TAED), 80, 221
- tetramethylammonium  
  bicarbonate (TMAHCO<sub>3</sub>),  
  555–559
- tetramethylammonium hydroxide  
  (TMAH), 555, 556
- threshold effect, 48
- time-of-flight secondary ion mass  
  spectrometry (ToF-SIMS),  
  748–751, 759–763, 767, 769,  
  780–783
- tin, 376
- TiO<sub>2</sub>, 818

tobacco, 376  
toothbrush, 380, 385, 390  
triclosan, 183, 398  
triglyceride, 915, 916

## U

Use Dilution Test, 152, 186

## V

vehicle cleaning, 439–458  
viscosity, 40, 287–291  
    alkanolamides, 288, 289  
    polymeric thickeners, 289–291  
    salt, 287

## W

water hardness, 211  
water-soluble polymers, 682  
wear, 387  
wet cleaning processes, 433  
wetting tension, 12

wetting, 5  
wine, 375, 377, 393  
work of adhesion/cohesion, 859

## X

X-ray photoelectron spectroscopy  
(XPS), 748–759, 761, 762, 764,  
768, 769, 772–774, 780, 781,  
783, 920–923

## Y

Young–Dupré equation, 319  
Young's equation, 319

## Z

zein protein, 265  
zeolite, 43, 85  
zeta potential, 23  
Zone of Inhibition Test, 185  
zwitterionic, 140, 141,  
178, 179