

Index

- abrasion resistance
 Martindale, 31–33, 82
 Stoll, 82
- acid dyes, 208–213
 equalizing, 46, 52, 53, 59, 83. *See also*
 levelling
 fast (half-milling), 53, 211
 milling, 53, 212
 supermilling, 53, 54, 58, 59, 209
- acid hydrolysis, 6, 8, 27, 30, 301, 316
- adsorption
 of dyes, 50, 56, 59, 67, 68
 of ions, 44–48
 rate, 46, 47, 51–69
 of water, 44
- affinity of dyes, 47–56, 65–68
- aftertreatments to improve wetfastness,
 93, 94
- alanine, 4, 8, 11–13, 17
- Albegal B, 266, 276
 effect on dye uptake, 261
- Albegal Plus, 243
- Allwörden reaction, 19–21
- α -bromoacrylamido dyes, 253–256
- α -helix, 8, 13, 24–26
- α -keratin, 3, 8, 360
- alternative approaches to permanent hair
 dyeing, 369–375
 benzoquinoneimine, 371
 indicant, 371
 indo dyes, 367–372
 Knoevenagel condensation, 371, 372
- latent pigments, 372
- methine dyes, 370
- nanoparticles, 372, 373
- oxidation of tyrosine to melanin, 374
- reactive dyes, 373
- solubilised vat dyes, 371
- stabilised diazonium salts, 370
 1,2,4-trihydroxybenzene, 369, 370
- amination of cellulosic fibres, 303–305
- amino acids, 4–8, 13, 18, 23, 24, 29
 arrangement in wool, 8
 composition of wool components, 4,
 12, 17
 reactive dye sites, 285–287
- amphoteric nature of wool, 44–46
- ancillary agents, 99–126
- anthraquinone dyes, 52, 206
- antifosting agents, 95
 use in cold pad-batch dyeing, 275
- antioxidants, 152
- antiprecipitants, 89
- antisetting agents, 95, 96, 116–120
 Basolan AS, 119
 chemistry of setting, 116–118
 dyebath pH and setting, 119, 120
 hydrogen peroxide in dyebaths,
 118–120
 measurement of set, 117
 N-naphthylmaleimide, 120
 reactive dyes and setting, 276–279
 sodium maleate, 119
- arginine, 4, 8, 12, 13, 18, 150

- arylating agents, 120–126
 - application with disperse dyes, 124–126, 341
 - benzoic anhydride, 121
 - FAA 200, 123–126
 - fibre-protection properties, 126
- asparagine, 5–7, 12, 17
- aspartic acid, 4, 6–8, 10–13, 17, 18, 24, 30, 33
- auxiliaries in wool dyeing, 75–97
 - amphoteric, 80, 81, 87, 88, 92, 95, 260
 - anionic, 76–79, 84–89, 94
 - cationic, 77–81, 85–93
 - nonionic, 78–80, 85–95
 - surface activity of, 76
- azo dyes, 52, 206, 207, 215, 221
- Basazol dyes, 283
- BASF, 118, 335
- Basolan ASA, 119, 335
- Basolan AS-B, 119
- Basolan DC, 105
- Basolan F, 104
- β -keratin, 19, 22
- bilateral segmentation of wool, 26
- bleaching, 138–145
 - activated, 143
 - bio-bleaching, 142
 - brightness (Y), 133–135, 137
 - catalytic, 144
 - double, 140
 - dyebath, 140, 141
 - full, *see* bleaching, double
 - novel methods, 144
 - oxidative, 138, 139
 - pigmented wools, 140
 - reductive, 139
 - stabilizers, 138
 - using ultrasound, 144
- bleaching, whitening and photostability of wool, 132–155
- blend dyeing, 291–356
 - disperse dye selection, 336
 - fibre protection in high temperature dyeing, 335
 - wool/acrylic, 341–351
 - wool/cotton, 293–305
 - wool/nylon, 310–323
 - wool/polyester, 323–341
 - wool/polyester dyeing conditions, 334
 - wool/silk, 305–310
- brightening agents, 81, 82
- calcium formaldehyde sulphoxylate, 405–407
- carbonising, 2, 100–102
 - acid carbonising, 100
 - burrs and seeds, 100
 - N-O peptidyl shift, 101
 - use of enzymes, 101–102
- carpet piece dyeing, 182, 183
 - Brückner/Sandoz Carp-O-Roll, 183
 - chromotronic and Milliron jet spray system, 183
 - Küsters Fluidye system, 183
 - pad-steam, 182
 - winch/beck dyeing, 183
 - WRONZ Chem-set Process, 183
- cationic dyes, 344–351
- cell membrane complex, 15–17, 22, 24, 27–33, 62–66, 69, 359, 360, 364
 - delta-layer, 29, 360, 364
 - intercellular cement, 29
- cetyltrimethylammonium bromide, 77
- C₂₁ fatty acid, 21, 22
- chemical and physical basis for wool dyeing, 43–73
- chemical reactivity of wool, 32
- chemical structure of wool, 5–13
- chemiluminescence of wool, 149
- chloracetylamino dyes, 251, 252
 - exhaustion/fixation properties, 261, 262
 - reaction sites, 286
- chlorination of wool, 394–396
- Chlorine-Hercosett, 80, 87, 94, 262, 396
- chrome dyeing
 - afterchrome, 218
 - dyeing process, 216–218
 - fibre damage in, 213, 216, 224–227
 - low chrome, 223–225
 - low temperature, 226

- metachrome, 217
- prechrome, 217
- theoretical aspects of, 219–223
- chrome dyes, 206, 215, 216
- chroming step, 218, 219
 - with sodium thiosulphate, 224, 226
- chromium
 - effect of pH in solution, 220, 224
 - reduction of levels in effluent, 219, 223–225
- chromophores, 121–125, 132–145, 149, 150, 257, 382
- classical theories of wool dyeing, 45–49
- classification of dyes used for wool, 52–55
- cold pad-batch dyeing, 271–275
 - combined dye shrink-resist, 275
 - role of bisulphite, 274–275
 - role of urea, 271
- cold print batch, 420
- ColorClear™, 139
- colour measurement, 191, 192
- correction of faulty dyeing, 92
- cortex, 14–19, 22–31
- cortical cells, 14, 16, 20, 24–31, 360
- covalent crosslinks, 10
 - covalent bonds with reactive dyes, 251–254
- coverage of skittery (tippy-dyeing) wool, 80, 83, 84, 86
- crimp, 2, 6, 26, 27
- cross-linking agents to fix nucleophilic dyes, 283–285
 - carbodiimides, 283
 - 2-chloro-4,6-diaminobenzene-4'-sulphatoethylsulphone) –*s*-triazine (XLC), 284, 285
 - hexamine, 283
 - triacyrolylamino-hexahydrotriazine(FAP), 283
- CSIRO, 91, 92, 95, 118, 119, 262
- cuticle, 14–23, 61–68, 358–360, 364, 384
- cysteic acid, 5–11, 17–19, 67, 87, 102, 104, 118, 119, 139, 364, 395, 398
- cysteine, 3, 7, 8, 12, 33, 116, 121
- cystine, 3, 5–8, 10–14, 17–23, 29, 30, 33, 116, 136, 139
- damage in dyeing, 33–34, 118–120
 - reactive dyes and damage inhibition, 276–280
- dichromate, 205, 217–221, 223–226
 - inhibition of exhaustion, 217
- differential staining, 27
- diffusion pathways into hair, 364, 386
- diffusion pathways into wool, 61–66
 - diffusion pathways of reactive dyes, 279, 280
 - at scale junctions, 60–63
 - in the cortex, 64–66
- digital printing, 412–418
 - fabric pretreatment, 415–417
 - ink formulation, 413–415
 - machinery, 413
 - print fixation, 417
 - wash-off, 417, 418
- diglycerides, 13
- directional frictional effect (DFE), 16
- 3,4-dihydroxyphenylalanine, 363
- direct printing, 399–405
 - dye selection and recipes, 399–402
 - machinery, 399
 - steaming, 402
 - washing-off and aftertreatment, 404–405
- discharge printing, 405–408
 - discharge agents, 405–407
 - ground shades, 405
 - illuminating dyes, 407
 - printing and fixation, 407, 408
 - recipe for discharge paste, 408
- disperse dyes, 324–326
 - carriers, 328–332
 - thermosol dyeing, 330
- disulphide bonds/crosslinks, 10–12, 19, 20, 23, 32–34
- Donnan
 - effect, 34, 46
 - theory of wool dyeing, 48, 49
- dopaquinone, 361, 363

- Drimalan F and Drimarene R/K dyes, 253,
257, 273
effect on setting, 278
reaction with bisulphite, 274
- drying, 183–187
broadbent centrifuge, 184
Dettin centrifuge, 184
mechanical methods, 183, 184
Minetti and Rousselet-Robatel
centrifuge, 184
RF Systems radio frequency drier, 185
thermal methods, 184–186
- dye aggregation, 50, 54–59
- dyeafastness properties
relationship with migration, 208, 209,
212
- dyehouse automation, 186–192
adaptive controllers, 188
beacon controllers, 188
factory management systems, 188
process control systems, 188–190
Thies eco-bloc pressure driers, 186, 187
- dyeing auxiliaries, *see* auxiliaries in wool
dyeing
- dyeing machinery, 147–203
- Dylan GRB, 105
- effect of chemical modification on dyeing,
66–68
- effluent, 79, 81
Axium Process, 191
control in chrome dyeing, 94, 97
dyehouse, 190–191
- electron spin resonance (ESR), 149
- endocuticle, 15, 19–23, 61–66, 359, 360,
364
- enzymes, 6, 8, 13, 23, 24, 27–30, 64
- epicuticle, 14–22, 59–62, 67, 359, 360
- ethoxylated products, 78–80
- ethylenediaminetetraacetic acid (EDTA),
96
- eumelanin, 361–364, 374
- exocuticle, 15, 61–68
A-layer, 19, 20, 22, 359, 360
B-layer, 19, 22, 359, 360
- faulty dyeing
material, 83
processing, 83–85
- felting, 16, 18, 21
- fibre surface, 16–23
as a barrier to dyeing, 61–63
- flame-retardants, 115–116
fluorozirconates and fluorotitanates, 115
Peralana ZR, 116
sulphamic acid, 115
Zirpro process, 115
- F-Layer, 14, 21, 62, 67, 359, 360, 398
- fluorescent whitening
vinylsulphone, sulphatoethylsulphone
derivatives, 280
whitening agent (FWA), 144, 145
of wool, 144, 145, 150
- formaldehyde derivatives, 77, 89, 90
- formic acid, 13, 17, 18, 24, 28–32
- free radicals, 148
- fulling, *see* milling
- garment dyeing, 179–182
Barriquand Gyrobox, 180
Cosmotex rotary drum, 182
Flainox side-paddle, 179
Pellerin-Milnor rotary drum, 180–182
Smith's drum, 182
- Gilbert-Rideal theory, 47, 48
- Glacial wool[®], 135
- glutamic acid, 4–13, 17, 18, 24
- glutamine, 5–7, 12, 17
- glycine, 4, 5, 8, 12, 13, 17, 18, 29
- grease, 2
- hair bleaching, 359–366, 375, 384
- heat of dyeing, 50–52
- heavy metal (model) dyes, 63
- heavy metal staining, 14, 19, 24, 27, 28
- henna, 358
- Hercosett, 103, 105
- high-glycine/high-tyrosine proteins, 12,
13, 24
- high-sulphur proteins, 12, 13, 24, 26
- histidine, 4, 8, 12, 17, 150

- hostalan dyes, 252, 253, 257–259
 formation of vinylsulphone vs pH, 259
 Hund's Rule, 235
 hydrogen bonds, 9–11
 hydrogen peroxide, 131, 134, 138, 143,
 144, 150, 151
 hydrophobic interactions, 9, 11
 hydroxylamine hydrochloride modified
 acrylics, 351
 hydroxylamine sulphate (HAS), 81, 82,
 93, 142
 hydroxyphenyl benzotriazole UV
 stabilizer, 152

 insect-resist treatments, 108–115
 agents, 109–112
 application in dyebath, 113
 application in lubricant, 114
 application in scour, 113
 application methods, 112–115
 insect pests, 108–109
 Lanaguard method, 115
 intercellular diffusion of dyes, 61–63
 intermacrofibrillar material, 15, 17, 22,
 25–27
 intermediate filaments, 15, 24–27, 360
 ionic bonds, 11, 34
 isoelectric state, 10, 34
 isoleucine, 4, 8, 11, 12, 17, 18
 isopeptide bonds, 10, 30
 IWS, 95, 118, 335

 Karakul wool, 140
 keratinisation, 10
 keratinous components of wool, 11
 keratins, 2, 3, 10, 11, 14–16, 23
 Kubelka-Munk equation, 135

 laboratory dyeing machine controllers
 Mathis Univision controller, 203
 Zeltex Polycolour controller, 203
 laboratory dyeing machines, 192–202
 Coloursmith Chroma, 195
 Datacolor IR machine, 193, 195
 Mathis Airboy, 198
 Mathis Colorstar, 197
 Mathis Drum, 202
 Mathis JFO Jet Overflow, 200
 Mathis JFP Jet Overflow, 201
 Mathis Labomat BFA, 194
 Mathis Turby Type T, 197
 Roaches Colortech, 196
 Roaches DK Atmospheric, 199
 Roaches M10 Jet Overflow, 200
 Roaches M 25 Soft Overflow, 201
 Roaches Rotohose, 202
 Roaches winch, 199
 Thies miniMaster Jet, 201
 Zeltex Polycolor, 193, 194
 Lanalbin APBTM, 152
 Lanaset dyes, 213
 Lanazol dyes, 253–256, 261
 aftertreatment with hexamine,
 264–266
 inhibition of fibre damage, 277
 reaction with bisulphite, 274–275
 lanthionine, 33, 95, 117, 118, 276, 301
 laws of diffusion, 60
 leucine, 4, 8, 11–13, 17, 18, 24
 levelling agents, 77–80, 82
 testing action of, 85–86
 ligand field theory, 233
 lipids, 3, 13, 15, 29, 62–67
 loose stock dyeing, 162–166
 conical pan machines, 162
 effect of drying conditions, 163
 effect of high liquor flow, 163
 effect of stamper loading, 163
 Fastran continuous method, 165
 pear-shaped machines, 162
 radial flow machines, 162
 Wronz Soft-flow, 163–164
 low-sulphur proteins, 12, 13, 24, 26
 low temperature dyeing, 79, 90–92
 lysine, 4, 8, 10–13, 17, 24, 30, 33
 lysinoalanine, 33, 276

 machine washable wool, 108
 colour fastness requirements, 108
 macrofibrils, 25–27, 360

- matrix, 15, 24–27, 360
- medulla, 14
- melanin, 140, 151, 361–363, 374
- melanocyte, 361, 362
- melanoprotein, 361
- melanosomes, 361
- membrane pores, 65
- merino, 1, 2, 16, 18, 22, 23, 26, 27
- mesocortical cell, 24, 26
- 1:1 metal-complex dyes
 - application, 242–244
 - chromene, 242
 - fastness properties, 235, 236, 239, 242, 243, 245
 - mechanism of dye-fibre interaction, 244–245
 - Neolan, 242
 - Neolan P, 238, 242–244
 - Palatin Fast, 238, 242
 - preparation, 239
- 1:2 metal complex dyes, 239–242
 - application, 246
 - disulphonated, 240, 242, 246
 - dye-fibre interaction, 247
 - hydrophobic interactions, 247
 - Isolan, 242, 246
 - Lanacron, 103
 - Lanasyn, 103, 242
 - monosulphonated, 240, 242, 247
 - Ortolan, 103
 - preparation, 240
 - strongly polar, 240–242
 - weakly polar, 239, 240
 - wet fastness properties, 246–248
- Metal-complex dyes, 229–250
 - chromium, 229, 231
 - cobalt, 231
 - colour chemistry and light fastness, 235, 236
 - coordination chemistry, 231, 232, 245, 247
 - d-orbitals of transition metal cations, 232–235
 - dye structure, 230–232
 - electronic structure, 232–235
 - environmental aspects, 248
 - stereo chemistry and isomerism, 236, 237
 - wet fastness, 230, 239, 243, 245
- methionine, 4, 10, 12, 13, 17, 18
- 18-methyleicosanoic acid, 13, 22
- microscopy
 - fluorescence, 65
 - light, 16, 18, 24, 28, 30
 - scanning electron, 2, 16, 21, 31
 - transmission electron, 14, 19, 23–25, 28, 29, 63, 65, 66
- milling, 18
- modern theories of wool dyeing, 49, 50
- mordant dyes, 214–216. *See also* chrome and natural dyes
- natural colour of hair, 360–364
- natural dyes, 205, 206, 213, 214
- negative dichroism, 88
- noncovalent bonds, 10
- nonkeratins
 - nonkeratinous material, 11, 26, 27
 - nonkeratinous proteins, 3, 11, 13, 26, 27, 33, 64–66, 68
- nonoxidative hair dyeing (direct dyeing), 375–386
- nuclear remnants, 15, 17, 25, 26, 360
- optical brightening agent, *see* fluorescent whitening agent
- Optilan MF dyes, 88, 211, 213 ⁺
- optimised dye ranges, 213
- orthocortex, 17, 24, 26, 27
- ortho-para segmentation, 27
- oxidative hair coloration, 366–369
 - autooxidation, 370
 - couplers, 366–371
 - dihydropyrazolone, 368, 369
 - enzymatic oxidation, 369
 - oxidants, 366, 369
 - p-aminophenol, 366–368, 374
 - p-phenylenediamine, 366–370
 - primary intermediate, oxidation base or developer, 366
 - Rubilane intermediates, 368

- paracortex, 17, 24–27
 pathways of dye diffusion into hair, 360
 pathways of dye diffusion into wool, 61
 peptide chains, 8–10, 25
 peracetic acid, 11
 Perachem, 116
 percarbamic acid, 143
 performic acid, 11
 peroxydicarboxylic acid, 143
 perthiocysteine, 33, 117, 267
 Pfeiffer-Schetty orientation, 237
 phenazines, 135
 phenylalanine, 4, 8, 11–13, 17, 18, 29,
 136, 137, 149
 pheomelanin, 362–364, 374
 pH for hair dyeing, 364–369
 photobleaching, 144, 146, 152
 photooxidation, 148–150
 photostability, 145–152
 methods for improving, 151
 phototendering, 148
 photoyellowing, 145–148
 mechanism, 148
 under wet conditions, 146
 physical basis for wool dyeing, 60–66
 physical chemistry of hair dyeing,
 364–365
 piece dyeing, 178, 179
 beam dyeing, 179
 Thies, Then and Scholl, jet and
 overflow machines, 178, 179
 plasma, 67, 107, 397
 pollution, 99
 pesticides, including Lindane, 100
 pyrethroid discharge controls, 114
 polyethoxylated products, 78–80
 potassium hydroxide, 21
 potassium tert-butoxide, 21
 pre-metallised dyes, *see* metal-complex
 dyes
 printing, 393–429
 blends, 418–420
 burn-out, 425
 cold print batch, 420, 421
 direct, *see* direct printing
 discharge, *see* discharge printing
 inkjet, *see* digital printing
 Keratrans Process, 422
 novel effects, 425
 polymer treatments, 396, 397
 preparation, 394–399
 resist, *see* resist printing
 sculptured effects, 425
 steaming, criteria for effectiveness,
 402, 403
 transfer, *see* transfer printing
 wool/acrylic, 420
 wool/cotton, 419
 wool/polyester, 419
 Procion dyes, 297–300, 271–273
 proline, 5, 8, 12, 13, 17, 18, 150
Pseudomonas, 135

 rate of dyeing, 46, 59–64, 67, 68
 reactive dyes, 252–287
 aftertreatment of reactive dyeings,
 263–267
 available wool reactive dyes, 252–253
 carbamoylsulphonates, 281
 effect on fibre properties, 276–281
 maleinimides, 281
 novel trifunctional reactive systems,
 282–283
 reactive cationic dyes for nylon,
 318–319
 reactive disperse dyes, 318, 339, 340
 thiocarbamoylsulphonates, 281
 Realan, Remazolan and Remazol dyes,
 252, 253
 reaction of vinylsulphone with
 hydrogen sulphide, 278
 vinylsulphone formation in dyeing,
 259
 reflectance spectrophotometry, 135–137
 reserving/restraining agents, 88, 89
 resistant membranes, 15–17, 20, 29, 30
 resist printing,
 chemical resist processes, 409–411
 mechanical resist processes, 409, 411,
 412
 reactive-under-reactive resist, 412
 recipe for white resist paste, 410

- resist printing (*Continued*)
 - sulphamic acid, 409–411
 - Thiotan WS, 412
- reverse tippiness, 88
- role of fibre structure in wool dyeing, 60–66
- salt linkages, 11, 34
- scouring, 2, 99
 - non-ionic surfactants, 100
 - Siroscour Process, 100
 - solvents, 100
- S-cysteinyl DOPA, 362
- S-cysteinyl dopaquinone, 362
- semipermanent hair dyes, 375–384
 - acid and basic dyes, 375
 - anthraquinone dyes, 375
 - application, 383–384
 - cationic dyes, 382
 - nitro dyes, 375–383
 - nonionic derivatives, 381
 - tone-on-tone* colouring, 375, 383
- sequestering agents, 96
- Sercurlana, 397, 401, 425, 275
- serine, 4, 7, 8, 12, 13, 17, 18
- shrink-resist processing, 102–108
 - cationic surfactant plus sulphite, 107
 - chlorine-resin processes, 80, 87, 94, 103, 262, 396
 - effect on dyeing, 103
 - garment form, 105–106
 - piece form, 106–107
 - plasma, 107
 - potassium t-butoxide, 107
 - top form, 102–105
- Sirolan LTD Process, 92
- sodium bisulphite, 131, 139, 142, 143, 145
- sodium borohydride, 139
- sodium dithionite, 139, 371
- sodium dodecyl sulphate, 18
- sodium formaldehyde sulphonylate, 139, 405–407
- sodium hydrosulphite, *see* sodium dithionite
- sodium thiosulphate, 94
- solvent assisted dyeing, 91
- spin-lubricants, 100
- sterols, 13
- stilbene quinones, 150, 151
- structure and morphology of human hair, 359, 360
- substantivity of dyes, 50, 51, 68
- sunlight, 146, 148
- Syntans, 77, 88
- Synthappret BAP, 65, 107, 397, 401, 425
- tactile properties, 3, 16
- temporary hair dyes, 384–386
 - application, 386
 - colour rinse, 384
 - dyes used, 384
- tetraacetylenediamine (TAED), 143
- thiol-disulphide interchange, 117, 120, 276, 278
- thiourea, 59
 - dioxide, 139, 140, 405–407
- threonine, 4, 7, 8, 12, 13, 17, 18
- titration curve of wool, 48
- top dyeing, 158–162
 - bump tops, 158–161
 - Longclose large bump tops, 160–161
 - Obem Big Form machine, 161, 162
- toxicology of hair dyes, 365–366
- transfer printing, 421–425
 - benzoylated wool, 424, 425
 - sublimation, 422–424
 - wet, 421, 422
- trichloroacetate and trichloroacetic acid in reactive dyeing, 267, 269–270
- trifunctional ligands, 231
- tryptophan, 5, 7, 8, 12, 33, 135–137, 148, 150
- tyrosinase, 363, 374
- tyrosine, 4, 8, 12, 13, 17–19, 29, 137, 148, 149, 361, 363, 374
- UV Fast W, 152
- Vigoreaux printing, 161–162
 - CSIRO/OMP Siroprint, 162
 - Sirosteam, 162
- visible chromophores in wool, 136, 137, 141, 145

- wet fastness properties, 77, 82, 83, 88, 90
 - aftertreatments to improve, 93, 94
- wettability, 16, 21
- whiteness index, 134, 137
- wool colour, 132–137
 - compared to other fibres, 135
 - heritability, 134
 - improvement by selection, 134
 - improvement in scour, 134
 - measurement, 132
- wool protective agents, 89, 90, 95, 96,
118–120, 276–279
- wool structure, 1–40
- wool-water system, 44

- X-ray diffraction, 3, 8
- X-ray photoelectron spectroscopy, 22

- yarn hank dyeing, 166–171
 - Biella Fancy Yarns space dyeing machine, 170
 - cabinet machines, 168
 - carpet yarn dyeing, 167
 - circular hank carriers, 169
 - Flainox carrier, 167, 168
 - Galvannin robotic handling of hanks, 169
 - hand and machine knitting yarn, 167–169
 - Hussong machine, 166
 - IWS/SWA Spraychromatic space dyeing machine, 171
 - Minetti robotic handling of hanks, 169
 - Superba space dyeing machine, 171
 - Thies Hank Master, 167
- yarn package dyeing, 171–178
 - Biko and Eisbar package centres, 172
 - Flainox tube-type machine, 175
 - Obem horizontal tube machine, 176
 - package preparation, 172–174
 - Pegg and Thies horizontal spindle machines, 175
 - press packing, 172, 174
 - Thies and Loris Bellini vertical spindle machines, 175, 177
- yellowing, 134–137, 145–148
 - non-scourable, 135
- yellowness index, 133, 137, 140–142,
147
- yellowness (Y-Z), 133–135, 137

- zinc formaldehyde sulphoxylate, 139,
405–407